

Install TSPrint

Introduction

TSPrint is an extension to Remote Desktop (RDA) that improves communication with printers attached to your network to increase printing speed.

Installing and Configuring TSPrint

1. Go to the following website to download TS Print Client. Select the appropriate version for your local machine & download it.


 [Download TSPrint to Print from your Terminal Server | Terminalworks](#)

CLIENT DOWNLOAD	VERSION: 3.0.8.8 FILESIZE: 19.7 MB	Windows EXE (2000,XP,Vista,7,8,10) ▼	DOWNLOAD
----------------------------	---	--------------------------------------	-----------------


< CLIENT DOWNLOAD	VERSION: 1.8.0.2 FILESIZE: 210 KB	Mac OS X (10.7 and newer) ▼	DOWNLOAD
---------------------------------	--	-----------------------------	-----------------

2. Depending on what web browser you use, the download will begin or you will be prompted on save, save as or open. It is recommended you save to your local machine prior to installing.


3. Launch setup from the downloaded file, and install the program with the default options.




4. Now you need to configure TSPrint. From your start menu, search for the word “options” to get to the TSPrint Options app.



5. Open the TSPrint Options App.



6. Select the default printer and check the “Map Settings” box, then save the changes.



- You can configure multiple local printers to the TS Print PDF Print Engine
- Default - set primary printer or it will print to local "default" printer
- Set this to your primary printer IE if you typically print labels, make this your label printer.

Printing Options

PDF Print Engine: Default

Default Printer: Officejet Pro 8600 [33DD03]

☐ Show Printer Settings ☒ Map Settings

☐ Print as Image ☐ FitToPage

Printing Options

PDF Print Engine: TSPrint

Default Printer: HP Photosmart 7510 series Class Driver

☐ Show Printer Settings ☒ Map Settings


☐ Print as Image ☐ FitToPage

Next you will need to set the printer settings in the EVP App.

Selecting TS Print Default in EVP

In the example below, *TSPrint Default* was to set to a standard Office Jet printer (regular paper) and *TSPrint Printer* was set to a label printer.

1. Click on Settings from the top menu bar of EVP



2. Select the printer for each type of document. In this example Packing Slips and Bulk Pick Tickets will print on *TSPrint Default* (the Office Jet printer) and Labels will print on *TSPrint Printer* (which is mapped to the label printer).

Printers	
Packing Slip:	TSPrint Default
Bulk Pick Ticket:	TSPrint Default
Labels:	TSPrint Printer

These settings are user specific and will need to be completed on each individual user login. Do not select <printer> (redirected*) as these change on every login.

IMPORTANT NOTES:

- EVP settings are user specific and each individual user will need to configure their printers.
- TS Print will need to be installed on all EVP workstations.
- It's always best to install the latest print drivers on your local systems.
- If you will be using EVP to print labels, please ensure you have provided the label printer Make/Model and driver information to us so they can be added on the servers.
- iOS (Mac) users should provide information for all printers you will need to print from EVP.

For additional TS Print Help and Resources please go to the terminal works support website:



[Remote Desktop Printing and Scanning Solutions | Terminalworks](#)
