JOEL NINAN JOHNSON 1BM1968199 23 01 202 LAB-10 import java.aut. *;
import java.aut. event. *; class My Dialog extends Dialog implements Action Lietener & Div bld; MyDialog () (France parent, String Title) } bid = (Div) parent; ethount (new Flow Layout (1); et Size (300, 208); add (new label (bld. mg1); Button b; add (b = new button (4 OK"); b. add Action listener (this). public void action Perhamed (Action Event ac) & dispose (); public class Div ortends Frame implements Actionlistener & Tenttfield num!, num2, result.

String mag = ", mag 1 " ";

Button divide; public Div() 3 sethayout (new Flow Layout ()); Label pnum! = new habel ("Num!: ", Label . R16")

	JOEL NINAN JOHNSON : classmate
7	1BM19(3199) Thirange Date Page
	Page
2021	Label prum 2 = new habel ("Num 2:", halst - RIGHT;
	accept presult = 4000 100 / 4 000 1 1 2 100 1 . KIGHT !-
	Button b = new Button (u Divide");
	num = new Textfield (8);
	num2 = new Textfield (8);
	result = new Tentfield (8);
	add (prum 1);
	add (numl);
	add (pnum 2);
	add (num2);
	divide = (Button)add(b);
	add (fresult);
	add (sesult);
	num 1. add Action Listener (this);
	num 2. add Action Listener (this);
	divide. add Action Listenex (this);
	add Windowhistener (new Window Adapter () }
	public void window Closing (Window Event we)
	add Windowhistenex (new Window Adapter () } public void window Closing (Window Event we) System.exit (0);
	3
	<pre> });</pre>
	3
-	DR allation travels 308
-	public void action estormed Hetrom Event ac) ?
-	if (ac. get-source () airice)
	public void action Restormed (Action Event ae) { if (ae.get Source () == divide) { try { try { mag = " + Integer. passe Int (numl-get Tent ()) } Theger. passe Int (num2.get Tent ());
+	Integer. parseInt (num2.getTent ());

_ 23/0/2021	JOEL NINAN JOHNSON IBM19 (8199	Trivary.	Classmate Date Page
		String c = u n =	mig 3
		result est Tent ();0
	3 catch	Number Format En	ception e 18
_	M	sg 1= "Entexad num	ubex is not an In
	M	y Dialog d = new My Ret Visible (true)	Dialog (this Dialo
_		ch(Anthmetiticept	
		Mag 1 = @ Number	2 13 2820 "10"
		Mag 1 = @ Number My Dialog d = Min d. setvisible (tour	200 My Dialog (Huj 4)
_	<u> </u>		-))
	<u> </u>		
		<i>(</i>)	
	public static void	nain (String googs	([]){
-	Div app=	new Div();	
	app. setting	le (new Dimension le (new Dimension) le (hab 10")	(400, 200));
	app. set V.	isible (brue);	}