## PAGE COUNTER-USING SERVLET

## index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Welcome to the Cricket Fan Zone</title>
  <style>
    body {
       background-image: url(cricket-bg.jpg);
       background-size: cover;
       font-family: Arial, sans-serif;
       color: white;
       margin: 0;
       padding: 0;
    .container {
       text-align: center;
       padding: 50px;
    .title {
       font-size: 2.5em;
       color: #ffcc00;
       margin-bottom: 20px;
    .link-button {
       display: inline-block;
       padding: 15px 25px;
       font-size: 1.2em;
       color: white;
       background-color: #007bff;
       text-decoration: none;
       border-radius: 5px;
       margin-top: 20px;
    .link-button:hover {
       background-color: #0056b3;
    .image {
       width: 100%;
       max-width: 600px;
       height: auto;
       margin-top: 30px;
```

```
</style>
</head>
<body>
  <div class="container">
    <div class="title">Welcome to the Cricket Fan Zone!</div>
     <a href="pageCounter" class="link-button">See Visit Count</a>
  </div>
</body>
</html>
PageCounterServlet.java
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.ServletContext;
import java.io.IOException;
import java.io.PrintWriter;
@WebServlet("/pageCounter")
public class PageCounterServlet extends HttpServlet {
  @Override
  public void init() throws ServletException {
     ServletContext context = getServletContext();
    if (context.getAttribute("visitCount") == null) {
       context.setAttribute("visitCount", 0);
    }
  }
  @Override
  protected void doGet(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException {
     ServletContext context = getServletContext();
    Integer visitCount = (Integer) context.getAttribute("visitCount");
     visitCount++;
     context.setAttribute("visitCount", visitCount);
    response.setContentType("text/html");
     PrintWriter out = response.getWriter();
     out.println("<html><body>");
```

```
out.println("<h1>Cricket Fan Zone</h1>");
out.println("Number of visits: " + visitCount + "");
out.println("</body></html>");
}
```

## Web.xml