

Initialize the project

Overview

In this section, you will download the starting files used in your project.

Create a blank project

macOS | **Windows**

1. In your Kiro IDE, open a new folder using the menu **File > Open Folder....**
2. Navigate to the directory you want to create your project. Right click and select **New > Folder**.
3. Name the new folder `kiro-introduction` .
4. Choose **Select Folder**.
5. If prompted, select the **Trust the authors** checkbox, and choose **Yes, I trust the authors**.

© 2008 - 2026, Amazon Web Services, Inc. or its affiliates. All rights reserved. [Privacy policy](#) [Terms of use](#) [Cookie preferences](#)

Download project assets

macOS | **Windows**

1. Open a new terminal window using the **Terminal > New Terminal** menu.
2. Run the following command to download the workshop starter kit zip file.

```
curl 'https://static.us-east-1.prod.workshops.aws/6c6a13a8-2547-40af-a827-e4f5d076364c/assets/kiro-introduction-starter-kit.zip' -o kiro-introduction-starter-kit.zip
```

3. Extract the files used in the workshop.

```
Expand-Archive -Path kiro-introduction-starter-kit.zip -DestinationPath "."
del kiro-introduction-starter-kit.zip
```



Examine the initial project

1. Select the **Explorer** icon in the **View** panel to examine the files downloaded.

The `assets` folder is a game resources directory containing:

- `ghosty.png` - Character sprite image for the game.
- `game_over.wav` - Audio file for game over sound effect.
- `jump.wav` - Audio file for jump sound effect.

The `img` folder contains `example-ui.png`, an example of the Flappy Kiro game interface.



Initialize a local Git repository

1. Open a new terminal with the menu **Terminal > New Terminal**.
2. In the terminal window, initialize the `kiro-introduction` folder with an empty local Git repository.

```
git init
```



3. Make an initial commit to your local Git repository:

```
git add .  
git commit -m 'Initial commit'
```



Note

During this workshop you will commit changes to the code base after each step.

Kiro can automate this for you, including generating a commit message. Refer to [Create a Git automation hook](#) for more information.

Wrap up

You have successfully configured your IDE, including setting up a project directory, downloading the workshop files, and initialized a local Git repository.

Next you will use Kiro to specify and build our application!

[Previous](#)[Next](#)