

Build it!

Overview

In this section, you will build your Flappy Kiro game using Kiro's agentic capabilities.

Note

The implementation time for each task will depend on factors such as complexity, the number of iterations that Kiro performs during task implementation, and the time taken to run the generated code.


Start the build process

1. Open the `tasks.md` document located in the `.kiro/specs` folder.

This document contains a sequential list of tasks required to build the application. Each task contains:

- A numbered title.
- A bullet point list of detailed instructions.
- A list of references that the task addresses.

2. Start the build process for each task by selecting the **Start task** icon.



Monitor and control tasks progression


Kiro is now working on the task, and has changed the description to **Task in progress**. Select **View changes** to display task and subtask progress in the Kiro chat window.

Note

As part of completing each tasks, Kiro will check for any issues. Kiro will then iterate on the task to remove any errors.

You may need to authorize Kiro to execute the relevant command:


- To allow Kiro to run the command, choose **Accept**.
- To allow Kiro to run that command for the rest of the session, choose **Trust command and accept**.



You can either trust the full command including the specific arguments, or trust the base command to allow it to run with any arguments.


Troubleshooting

If Kiro seems stalled on a task, select the task tab, and ask Kiro for an update and instruct it to move ahead if it can.




► Example prompts

If a task fails, ask Kiro to help resolve and complete the task by selecting **Chat with Kiro to fix**. Chat with Kiro to diagnose and fix the issue, and then ask Kiro to rerun the task.



Review the completed task

When completed, Kiro will describe a summary of the implementation in the chat window.



Complete the outstanding tasks

Once you are satisfied with the implementation, proceed to the next task!


Tip

You can queue tasks by selecting multiple tasks. Kiro will complete the first task, before moving onto the next task in the sequence.

Tip

Instead of starting tasks one at a time, you can run the whole plan at once. Kiro works out which tasks depend on each other and runs the independent tasks concurrently, which speeds up the build. Tasks that write to the same files are never run in parallel, and tasks that perform setup work runs first.

Monitor the task queue in the **Kiro panel**.



(Optional) Enabling property-based tests

In the execution phase, Kiro runs the generated property based test (PBT) cases against your implementation.

PBTs are optional by default. To enable the property based tests, select **Make task required** for those tests in the `tasks.md` file.

```
⚡ Start task | 📋 Make task required
- [ ] * 1.2 Write property test for canvas scaling (Property 1)
  - **Property 1: Canvas scaling preserves aspect ratio**
  - **Validates: Requirement 1.1**
```

Summary

Congratulations! You have built a complete Flappy Kiro game!

Next you will run the game, fix any issues and implement any enhancements.

[Previous](#)[Next](#)