



✓ LEVEL 1 – Basic Nested IF

🎯 **Goal: Check if an employee exists and whether they are salaried.**

```
DECLARE @EmployeeID INT = 1
DECLARE @IsSalaried BIT

IF EXISTS (
    SELECT 1 FROM HumanResources.Employee WHERE BusinessEntityID = @EmployeeID
)
BEGIN
    SELECT @IsSalaried = SalariedFlag
    FROM HumanResources.Employee
    WHERE BusinessEntityID = @EmployeeID

    IF @IsSalaried = 1
        PRINT 'Employee exists and is salaried.'
    ELSE
        PRINT 'Employee exists but is hourly paid.'
END
```

📖 *Nested IF used inside IF EXISTS to verify and act only if the employee exists.*

✓ LEVEL 2 – Intermediate Nested IF

🎯 **Goal:** Check if a person has a title, and then evaluate the specific title.

```
DECLARE @PersonID INT = 1
DECLARE @Title NVARCHAR(8)

SELECT @Title = Title
FROM Person.Person
WHERE BusinessEntityID = @PersonID

IF @Title IS NOT NULL
BEGIN
    IF @Title = 'Mr.'
        PRINT 'Hello Sir!'
    ELSE IF @Title = 'Ms.' OR @Title = 'Mrs.'
        PRINT 'Hello Ma'am!'
    ELSE
        PRINT 'Hello, titled person!'
END
```

📖 *First checks for presence of a title, then drills down into specifics.*

✓ LEVEL 3 – Advanced Nested IF

🎯 **Goal: Determine how old a sales order is, then check if it was above \$1,000.**

```
DECLARE @SalesOrderID INT = 43659
DECLARE @OrderDate DATE
DECLARE @DaysOld INT
DECLARE @TotalDue MONEY

SELECT @OrderDate = OrderDate, @TotalDue = TotalDue
FROM Sales.SalesOrderHeader
WHERE SalesOrderID = @SalesOrderID

SET @DaysOld = DATEDIFF(DAY, @OrderDate, GETDATE())

IF @DaysOld <= 30
BEGIN
    PRINT 'Order is recent (less than 30 days old).'

    IF @TotalDue > 1000
        PRINT 'This is a high-value recent order.'
    ELSE
        PRINT 'This is a normal recent order.'
END
ELSE
BEGIN
    PRINT 'Order is older than 30 days.'

    IF @TotalDue > 1000
        PRINT 'High-value order, but not recent.'
END
END
```

📋 *Nested logic combines **date** and **amount** checks in stages.*

🔍📢 ** Tip:**

- Replace `PRINT` with `SELECT` for debugging.
- Add more layers, e.g., check if customer is VIP.
- Add an outer `IF` to check if the data even exists.