

[PACKAGE](#) [CLASS](#) [USE](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)[SUMMARY: NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)

application

Class Main

```
java.lang.Object
  javafx.application.Application
    application.Main
```

```
public class Main
  extends javafx.application.Application
```

Main file for the project.

Since:

2017-11-7

Version:

1.0

Author:

Joshua

Nested Class Summary

Nested classes/interfaces inherited from class javafx.application.Application

javafx.application.Application.Parameters

Field Summary

Fields inherited from class javafx.application.Application

STYLESHEET_CASPIAN, STYLESHEET_MODENA

Constructor Summary

Constructors

Constructor and Description

[Main\(\)](#)

Method Summary

All Methods **Static Methods** **Instance Methods** **Concrete Methods**

Modifier and Type	Method and Description
static void	main (java.lang.String[] args) Main function for project.
void	start (javafx.stage.Stage primaryStage)

Methods inherited from class javafx.application.Application

getHostServices, getParameters, getUserAgentStylesheet, init, launch, launch, notifyPreloader, setUserAgentStylesheet, stop

Methods inherited from class java.lang.Object

equals, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Constructor Detail

Main

```
public Main()
```

Method Detail

start

```
public void start(javafx.stage.Stage primaryStage)
```

Specified by:

start in class javafx.application.Application

main

```
public static void main(java.lang.String[] args)
```

Main function for project.

Parameters:

args - Command line arguments

[PACKAGE](#) [CLASS](#) [USE](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)

[PREV CLASS](#) **[NEXT CLASS](#)** [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)

SUMMARY: [NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)