

[PACKAGE](#) [CLASS](#) [USE](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)[SUMMARY: NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)

application

Class App

java.lang.Object
 javafx.application.Application
 application.App

```
public class App
extends javafx.application.Application
```

Application file.

Since:

2017-11-7

Version:

1.0

Author:

Joshua

Nested Class Summary

Nested classes/interfaces inherited from class javafx.application.Application

javafx.application.Application.Parameters

Field Summary

Fields inherited from class javafx.application.Application

STYLESHEET_CASPIAN, STYLESHEET_MODENA

Constructor Summary

Constructors

Constructor and Description

[App\(\)](#)

Method Summary

All Methods **Static Methods** **Instance Methods** **Concrete Methods**

Modifier and Type	Method and Description
static void	main (java.lang.String[] args) Main function for the application.
void	start (javafx.stage.Stage primaryStage)

Methods inherited from class javafx.application.Application

getHostServices, getParameters, getUserAgentStylesheet, init, launch, launch, notifyPreloader, setUserAgentStylesheet, stop

Methods inherited from class java.lang.Object

equals, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Constructor Detail

App

```
public App()
```

Method Detail

start

```
public void start(javafx.stage.Stage primaryStage)
```

Specified by:

start in class javafx.application.Application

main

```
public static void main(java.lang.String[] args)
```

Main function for the application.

Parameters:

args - Command line arguments

[PACKAGE](#) [CLASS](#) [USE](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)

[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)

SUMMARY: [NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)