

[PACKAGE](#) [CLASS](#) [USE](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)[SUMMARY: NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)

application

Class DataBaseConnectionException

```
java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      application.DataBaseConnectionException
```

All Implemented Interfaces:

```
java.io.Serializable
```

```
public class DataBaseConnectionException
extends java.lang.Exception
```

Exception thrown when a connection to the movie data was interrupted or never made.

Since:

2017-07-07

Version:

1.0

Author:

Joseph Cutino

See Also:

[Serialized Form](#)

Constructor Summary

Constructors

Constructor and Description

[DataBaseConnectionException](#)(java.lang.String message)

Public constructor that creates an exception with a message.

Method Summary

Methods inherited from class java.lang.Throwable

```
addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage,
getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace,
printStackTrace, setStackTrace, toString
```

Methods inherited from class java.lang.Object

`equals`, `getClass`, `hashCode`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

Constructor Detail**DataBaseConnectionException**

```
public DataBaseConnectionException(java.lang.String message)
```

Public constructor that creates an exception with a message.

Parameters:

`message` - Exception message.

[PACKAGE](#) [CLASS](#) [USE](#) [TREE](#) [DEPRECATED](#) [INDEX](#) [HELP](#)

[PREV CLASS](#) [NEXT CLASS](#) [FRAMES](#) [NO FRAMES](#) [ALL CLASSES](#)

[SUMMARY: NESTED](#) | [FIELD](#) | [CONSTR](#) | [METHOD](#) [DETAIL: FIELD](#) | [CONSTR](#) | [METHOD](#)