```
import numpy as np
In [1]:
         import pandas as pd
         from math import sqrt
        data = pd.read_excel('ZCB_yield.xlsx')
In [2]:
         data
In [3]:
Out[3]:
                    yield
              years
          0
             0.0833 0.0239
             0.1667 0.0241
          2
             0.2500 0.0242
             0.5000 0.0251
             1.0000 0.0260
             2.0000 0.0256
             3.0000 0.0254
             5.0000 0.0255
          7
             7.0000 0.0261
          9 10.0000 0.0272
         10 20.0000 0.0290
         11 30.0000 0.0304
In [4]: def first_spline(x_):
             if np.sum(np.isnan(x_))==1:
                 return 0
             else:
                 x, y = map(np.asarray, (data['years'], data['yield']))
                 \# number of S_i(x)
                 n = len(x) - 1
                 a = np.empty((n,2))
                 a[:,1] = np.diff(y)/np.diff(x)
                 a[:,0] = y[:-1]-a[:,1]*x[:-1]
                 index_ = np.where((x>x_)==True)[0][0]-1
                 return a[index_,0]+x_*a[index_,1]
In [5]: def second_spline(x_):
             if np.sum(np.isnan(x_))==1:
                 return 0
             else:
                 x, y = map(np.asarray, (data['years'], data['yield']))
                 # number of S_i(x)
                 n = len(x) - 1
                 a = np.empty((n,3))
                 dydx = np.diff(y)/np.diff(x)
                 matrix = np.eye(n+1, n, k=-1)
                 matrix[:-1, :] = matrix[:-1, :]+np.eye(n)
```

```
delta = np.dot(dydx,np.linalg.pinv(matrix))
                 a[:,2] = np.diff(delta)/2/np.diff(x)
                 a[:,1] = delta[:-1]
                 a[:,0] = 1
                 index_ = np.where((x>x_)==True)[0][0]-1
                 return y[index_]*a[index_,0]+a[index_,1]*(x_-x[index_])+a[index_,2]*((x_-x
In [6]: def cubic_interp1d(x0,x,y):
            x = np.asfarray(x)
            y = np.asfarray(y)
             if np.any(np.diff(x) < 0):</pre>
                 indexes = np.argsort(x)
                 x = x[indexes]
                 y = y[indexes]
             size = len(x)
             xdiff = np.diff(x)
             ydiff = np.diff(y)
            # allocate buffer matrices
            Li = np.empty(size)
             Li_1 = np.empty(size-1)
             z = np.empty(size)
             # fill diagonals Li and Li-1 and solve [L][y] = [B]
             Li[0] = sqrt(2*xdiff[0])
             Li_1[0] = 0.0
             B0 = 0.0 # natural boundary
             z[0] = B0 / Li[0]
             for i in range(1, size-1, 1):
                 Li_1[i] = xdiff[i-1] / Li[i-1]
                 Li[i] = sqrt(2*(xdiff[i-1]+xdiff[i]) - Li_1[i-1] * Li_1[i-1])
                 Bi = 6*(ydiff[i]/xdiff[i] - ydiff[i-1]/xdiff[i-1])
                 z[i] = (Bi - Li_1[i-1]*z[i-1])/Li[i]
             i = size - 1
             Li 1[i-1] = xdiff[-1] / Li[i-1]
             Li[i] = sqrt(2*xdiff[-1] - Li_1[i-1] * Li_1[i-1])
             Bi = 0.0 # natural boundary
             z[i] = (Bi - Li_1[i-1]*z[i-1])/Li[i]
             # solve [L.T][x] = [y]
            i = size-1
             z[i] = z[i] / Li[i]
             for i in range(size-2, -1, -1):
                 z[i] = (z[i] - Li_1[i-1]*z[i+1])/Li[i]
             # find index
             index = x.searchsorted(x0)
             np.clip(index, 1, size-1, index)
            xi1, xi0 = x[index], x[index-1]
             yi1, yi0 = y[index], y[index-1]
             zi1, zi0 = z[index], z[index-1]
             hi1 = xi1 - xi0
```

```
# calculate cubic
f0 = zi0/(6*hi1)*(xi1-x0)**3 + \
    zi1/(6*hi1)*(x0-xi0)**3 + \
    (yi1/hi1 - zi1*hi1/6)*(x0-xi0) + \
    (yi0/hi1 - zi0*hi1/6)*(xi1-x0)
return f0
```

```
In [7]: | from pandas.tseries.offsets import DateOffset
        start date = '2019-04-15'
        end date = '2028-11-15'
        date_range = pd.date_range(start=start_date, end=end_date, freq='6MS', inclusive='.
        coupondates = date_range+DateOffset(days=14)
        bond_df = pd.DataFrame(3.125/2,index = coupondates,columns = ['coupon'])
        bond_df.loc['2028-11-15'] = bond_df.loc['2028-11-15'] +100
        bond_df['days_diff'] = bond_df.index.to_series()-pd.to_datetime('2019-01-19')
        bond df['years'] = bond df['days diff'].dt.days/365
        bond_df['yield_1'] = bond_df['years'].apply(first_spline)
        bond df['pv 1'] = bond df['coupon']/((1+bond df['yield 1'])**bond df['years'])
        bond_df['yield_2'] = bond_df['years'].apply(second_spline)
        bond_df['pv_2'] = bond_df['coupon']/((1+bond_df['yield_2'])**bond_df['years'])
        bond df['yield 3'] = cubic interp1d(np.array(bond df['years']), data['years'], data
        bond_df['pv_3'] = bond_df['coupon']/((1+bond_df['yield_3'])**bond_df['years'])
        bond df
```

	coupon	days_diff	years	yield_1	pv_1	yield_2	pv_2	yield_3	pv_
2019- 05-15	1.5625	116 days	0.317808	0.024444	1.550554	0.024300	1.550623	0.024363	1.55059
2019- 11-15	1.5625	300 days	0.821918	0.025679	1.530275	0.025543	1.530442	0.025850	1.53006
2020- 05-15	1.5625	482 days	1.320548	0.025872	1.510675	0.025884	1.510652	0.026040	1.51034
2020- 11-15	1.5625	666 days	1.824658	0.025670	1.491883	0.025801	1.491537	0.025729	1.49172
2021- 05-15	1.5625	847 days	2.320548	0.025536	1.473696	0.025598	1.473489	0.025479	1.47388
2021- 11-15	1.5625	1031 days	2.824658	0.025435	1.455487	0.025538	1.455075	0.025408	1.45559
2022- 05-15	1.5625	1212 days	3.320548	0.025416	1.437559	0.025337	1.437927	0.025392	1.43767
2022- 11-15	1.5625	1396 days	3.824658	0.025441	1.419352	0.025293	1.420138	0.025391	1.41961
2023- 05-15	1.5625	1577 days	4.320548	0.025466	1.401632	0.025315	1.402527	0.025415	1.40193
2023- 11-15	1.5625	1761 days	4.824658	0.025491	1.383812	0.025403	1.384384	0.025471	1.38394
2024- 05-15	1.5625	1943 days	5.323288	0.025597	1.365802	0.025586	1.365879	0.025566	1.36602
2024- 11-15	1.5625	2127 days	5.827397	0.025748	1.347352	0.025692	1.347786	0.025700	1.34772
2025- 05-15	1.5625	2308 days	6.323288	0.025897	1.329253	0.025761	1.330371	0.025859	1.32956
2025- 11-15	1.5625	2492 days	6.827397	0.026048	1.310911	0.025796	1.313113	0.026037	1.31100
2026- 05-15	1.5625	2673 days	7.323288	0.026219	1.292729	0.026110	1.293734	0.026223	1.29268
2026- 11-15	1.5625	2857 days	7.827397	0.026403	1.274175	0.026148	1.276654	0.026415	1.27406
2027- 05-15	1.5625	3038 days	8.323288	0.026585	1.255961	0.026215	1.259735	0.026603	1.25577
2027- 11-15	1.5625	3222 days	8.827397	0.026770	1.237490	0.026312	1.242374	0.026790	1.23727
2028- 05-15	1.5625	3404 days	9.326027	0.026953	1.219269	0.026436	1.225003	0.026970	1.21907
2028- 11-15	101.5625	3588 days	9.830137	0.027138	78.058804	0.026591	78.468221	0.027144	78.05432

Out[7]:

```
In [8]: print('Cubic:',sum(bond_df['pv_3']))
    print('Second:',sum(bond_df['pv_2']))
    print('First:',sum(bond_df['pv_1']))
```

Cubic: 104.34290452180281 Second: 104.77966233454511 First: 104.346670171326

```
In [10]: bond_df.to_excel('data.xlsx')
In [ ]:
```