



MINDFUL DIABETES FREE GUIDES

Simple, practical guidance for metabolic and brain health.

The 7-Day Prevention Reset

A Gentle One-Week Plan for Building
Healthier Everyday Habits

FREE GUIDE



Notice Mea FiBe Mov Drin Sleep Plan

Mindful Diabetes Inc. | 501(c)(3) nonprofit

Published: July 30, 2026 | Medical review: pending



WELCOME

A reset is not a cleanse

This reset means pausing, observing, and creating a few useful routines. It is not a detox, crash diet, or promise.

 a D	 a D	 a D
 a D	 a D	 a D
 a D		

- Do not change medicines or insulin based on this guide.
- Choose movement that is safe for your body.



HABITS

How habits work

Habits often need a cue, a routine, and a reward. The smaller the routine, the easier it is to repeat when life gets busy.

- Tie a new habit to something you already do.
- Make backup plans part of the habit.

Cue: after coffee

Routine: 5-minute walk

Reward: mark tracker

Repeat and adjust



OVERVIEW

Seven-day overview

Day 1 notice

Day 2 meal

Day 3 fiber

Day 4 move

Day 5 drink

Day 6 sleep

Day 7 plan

Each day asks for one main action. You can repeat a day, skip a day, or adapt the plan. The point is learning, not proving anything.

- Day 1 notice.
- Day 2 build one balanced meal.
- Day 3 add fiber.
- Day 4 break up sitting.
- Day 5 improve one drink.
- Day 6 protect sleep.
- Day 7 plan next week.



DAY 1

Notice your starting point

Record a normal day without judgment. Notice drinks, meals, movement, sleep, energy, mood, and one thing that felt hard.

Today I noticed

One drink pattern

One meal pattern

One movement pattern

One sleep note

One realistic goal




DAY 2

Build one balanced meal

Use the Mindful Plate method for one meal only.
Add vegetables, protein, carbohydrate, and a
lower-sugar drink if possible.

- One meal is enough.
- Mixed dishes can still count.





DAY 3

Add a source of fiber

Add one vegetable

Add beans or lentils

Choose oats or whole grains

Add berries, nuts, or seeds

Drink fluids and notice comfort

Add one fiber source such as beans, lentils, oats, berries, vegetables, whole grains, nuts, or seeds. Increase gradually and drink fluids.

- Stop and ask for advice if fiber worsens symptoms.
- People with some medical diets need individual guidance.



DAY 4

Break up sitting time

Short activity breaks can help many people. Options include walking, standing, chair movement, stretching, or gentle household tasks.

- The CDC describes 150 minutes per week as a common adult activity goal, but starting slowly is okay. [9]
- Ask which activities are safest for you.



Walk

short or longer



Stand

brief breaks



Chair movement

seated options



Stretch

gentle range



DAY 5

Improve one drink

Choose one drink you have often and adjust it. Try less sugar, a smaller size, unsweet tea, water, sparkling water, or a gradual step-down.

Choose less often

- Large soda, sweet tea, energy drinks
- Juice as a frequent drink
- Sweet coffee additions

Choose more often

- Water or sparkling water
- Unsweet tea or coffee
- Smaller sweet drink as a step-down

- You do not need to love plain water overnight.
- Alcohol and diabetes medicine require safety awareness.



DAY 6

Protect sleep

Morning wake cue

Daylight and movement

Less late caffeine

Dim lights

Wind-down routine

A realistic sleep routine may include a consistent wake time, dimmer light, less late caffeine, a wind-down cue, and a plan for pain, caregiving, or work shifts.

- Sleep problems deserve care, not blame.
- Ask about snoring, breathing pauses, insomnia, or restless legs.



DAY 7

Prepare the next week

Look back at what helped, what felt irritating, and what was too much. Pick one habit to repeat for another week.

What worked

What was difficult

What I will continue

What I will pause

Question for care team



HYDRATION TRACKER

Hydration tracker

Track drinks for awareness, not judgment. A beverage inventory can reveal one easy place to reduce added sugar.

Privacy reminder

Store completed health notes securely if they include personal information.

Day	Water	Sweet drinks	Coffee additions	Juice	Alcohol	Timing/notes



MOVEMENT TRACKER

Movement tracker

Record movement that is safe for your body. Chair movement, stretching, physical therapy exercises, and short walks all count as information.

Activity	Minutes	Type	How it felt	Pain/symptoms



MEAL AND FIBER TRACKER

Meal and fiber tracker

Use this page to notice meals that kept you satisfied. Write the vegetable, protein, carbohydrate, and fiber source when you can.

Meal	Vegetable	Protein	Carb	Fiber	Satisfaction



SLEEP CHECK-IN

Sleep check-in

Sleep is affected by stress, shift work, caregiving, pain, medications, breathing problems, and mental health. This page helps you notice what is changeable.

Bedtime	Wake	Waking	Naps	Caffeine	Screens	Notes



MOOD AND ENERGY

Mood and energy

Energy can change with meals, sleep, movement, stress, and blood glucose. A simple mood and energy note can help you see patterns.

Day	Mood 1-5	Energy 1-5	Meal note	Sleep note	Other notes



GLUCOSE NOTES

Optional glucose notes

If you monitor glucose, use this page only in the way your care team recommends. Do not chase perfect numbers.

Safety note

Record action taken according to your care plan. Do not change medicine based on this worksheet alone.

Date/time	Reading	Meal	Medicine	Activity/stress/sl	Action per plan



OBSTACLES

Obstacles and backup plans

Plan for busy days before they arrive. A backup meal, safe movement option, and lower-sugar drink can protect momentum.

If this obstacle happens

My easiest backup meal

My safest movement option

My drink backup

Who can help

What I can let be imperfect



30-DAY PLAN

30-day continuation plan

After seven days, continue one or two habits. A prevention plan should fit real life well enough to survive an ordinary month.

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35



NEXT STEPS

Repeat what worked

Keep one or two helpful routines. Drop what was unrealistic. Add one next step only when the current habit feels repeatable.

- Explore other Mindful Diabetes guides.
- Visit Health Tools.
- Ask your care team about patterns you noticed.

Explore the Guide

Visit Health Tools

Try JEIR

Support free education

Medical disclaimer

This guide is general education, not medical advice. Individual needs vary. Do not change medication, insulin, or glucose targets based on this guide.



REFERENCES AND SAFETY

References and medical disclaimer

Medical disclaimer

This guide is for general education only. It is not medical advice, diagnosis, or treatment. Individual needs vary. Do not change medication, insulin, or glucose targets based on this guide. Seek appropriate medical attention for severe low blood sugar, severe high blood sugar, sudden confusion, chest pain, trouble breathing, fainting, seizures, or other urgent symptoms.

References

- [1] Centers for Disease Control and Prevention. What Is the National Diabetes Prevention Program?. CDC. 2024. <https://www.cdc.gov/diabetes-prevention/programs/what-is-the-national-dpp.html>
- [2] Centers for Disease Control and Prevention. Get Active. CDC. 2024. <https://www.cdc.gov/diabetes/living-with/physical-activity.html>
- [3] Centers for Disease Control and Prevention. About Sleep. CDC. 2024. <https://www.cdc.gov/sleep/about/index.html>
- [4] American Diabetes Association. Standards of Care in Diabetes - 2026. Diabetes Care. 2026. https://diabetesjournals.org/care/issue/49/Supplement_1
- [5] U.S. Food and Drug Administration. Added Sugars on the Nutrition Facts Label. FDA. 2026. <https://www.fda.gov/food/nutrition-facts-label/added-sugars-nutrition-facts-label>