

Helium Technical report

Table of Contents

1 Overall structure	
1.1 Techniques &libraries	1
1.1.1 Attribute Grammars	1
1.1.2 Extreme programming	
1.1.3 Parsec	1
1.1.4 Lazy Virtual Machine	1
1.1.5 Constraint–based type inference	1
1.2 Intermediate data types	1
1.2.1 Unified Haskell Architecture	1
1.2.2 Core	
1.3 Modules	1
1.3.1 Main	1
1.3.2 Compile	1
•	
2 Front-end	2
2.1 Lexer	2
2.1.1 Layout-rule	2
2.2 Parser	2
2.2.1 Operators & priorities	2
2.2.2 Putting multiple functionbindings together	2
3 Static Analysis	3
3.1 Typeinference	
3.2 Other static checks.	
4 Back-end	4
5 Case studies: enhancing the compiler	5
5.1 Adding a static check	
5.2 Using another backend	
5.3 Providing a new syntax	
5.4 Inserting a better pattern–matching compiler.	
5.7 inserting a better pattern—matering compiler	
6 Appendices	6
	6

1 Overall structure

1.1 Techniques &libraries

- 1.1.1 Attribute Grammars
- 1.1.2 Extreme programming
- 1.1.3 Parsec
- 1.1.4 Lazy Virtual Machine
- 1.1.5 Constraint-based type inference
- 1.2 Intermediate data types
- 1.2.1 Unified Haskell Architecture
- 1.2.2 Core
- 1.3 Modules
- 1.3.1 Main
- 1.3.2 Compile

1 Overall structure

2 Front-end

- 2.1 Lexer
- 2.1.1 Layout-rule
- 2.2 Parser
- 2.2.1 Operators &priorities
- 2.2.2 Putting multiple functionbindings together

- 3 Static Analysis
- 3.1 Typeinference
- 3.2 Other static checks

3 Static Analysis 3

4 Back-end

4 Back-end

5 Case studies: enhancing the compiler

- 5.1 Adding a static check
- 5.2 Using another backend
- 5.3 Providing a new syntax
- 5.4 Inserting a better pattern-matching compiler

6 Appendices

6.1 AG by example

6 Appendices 6