Log in

G

Gerodias PT

Sign in to see employees, customers, sales, and payments.

Log in

Use the email and password you registered with.

Email

superadmin@gmail.com

Password

••••••••••

Log in

Create an account

Forgot password?

Page: index.html. State shown: email field focused, password filled. Sample data.

G Gerodias PT

Create an account to get access to the company data.

Create an account

Your password needs at least 8 characters.

Email

Password

Confirm password

Create account

Account created. Check your email and click the confirmation link.

Already registered? Log in

Page: register.html. State shown: after a successful sign-up (form cleared, success message under the button).

Main page (dashboard, admin view)

G Gerodias PT | Dashboard | Users and rights | System settings | superadmin@gmail.com | Superadmin | Change password | Log out

Dashboard

Full system view. Deleted rows are shown with their status and stamp.

32	8	14	54	82
Employees	Departments	Jobs	Job history and salaries	Customers

57	79	124	313	165
Products	Price history	Sales	Sales details	Payments

Browse records

Module: Employees | Rows: All rows | Show: 25

Search this table… | 32 rows | Showing 25 of 32 rows

EMPNO	LASTNAME	FIRSTNAME	GENDER	BIRTHDATE	HIREDATE	SEPDATE	STATUS	STAMP
1	Smith	John	M	1985-02-20	2010-05-11		Active	ADD system 2026-10-26 03:46 PM
3	Smith	Jane	F	1990-05-16	2010-05-11		Active	ADD system 2026-10-26 03:46 PM
15	Zulueta	Maggie	F	1990-08-03	2010-07-05	2011-03-30	Deleted	DEL admin 2026-10-27 09:12 AM
5	King	Don	M	1986-02-14	2010-06-23		Active	ADD system 2026-10-26 03:46 PM

Page: dashboard.html. Search box and sortable headers come from js/dashboard-extras.js. Sample data; one row shown as deleted to illustrate that style.

User management

G Gerodias PT | Dashboard | Users and rights | System settings | superadmin@gmail.com | Superadmin | Change password | Log out

Users and rights

Assign any role and set what each staff member may do. You cannot change your own role.

adminone@gmail.com is now Admin.

EMAIL	ROLE	REGISTERED	ACCESS
user@gmail.com	Staff	10/26/2026	Set rights
superadmin@gmail.com	Superadmin	10/26/2026	Full access
adminone@gmail.com	Admin	10/26/2026	Full access

Page: users.html. State shown: after a role change (success message). Superadmin row has no dropdown because you cannot change your own role.

Rights dialog



PROPOSED design. The built page shows these controls in an inline panel under the table; see the handoff notes for what changes.

Developer handoff: overview

What was designed, what is already built, and what still needs a change.

DELIVERABLES

Five hi-fi mockups (pages 1 to 5 of this PDF): Log in, Register, Main page, User management and Rights dialog. They follow Gerodias-PT-design-system.pdf and the wireframes. All sample data in the mockups is for illustration.

IMPLEMENTATION STATUS

MOCKUP	FILE	STATUS
1. Log in	`index.html`	Built. The live page already matches the mockup through css/style.css. No HTML changes.
2. Register	`register.html`	Built. Matches the mockup. No HTML changes.
3. Main page	`dashboard.html`	Built. Matches the mockup. The search box and sortable headers are added by js/dashboard-extras.js, loaded by one extra script line at the end of the page.
4. User management	`users.html`	Built. Matches the mockup. No HTML changes.
5. Rights dialog	`users.html`	NOT built. The live page shows rights in an inline panel (#rightsPanel) under the table. The dialog is a proposed design; the changes needed are listed on page 8.

NOT MOCKED UP, BUT STYLED BY THE SAME CSS

forgot-password.html, reset-password.html and settings.html use the same auth layout, form, table and button styles. No separate mockups were made.

FOLDER STRUCTURE

```
index.html, register.html, forgot-password.html, reset-password.html
dashboard.html, users.html, settings.html
css/style.css            all colors, type and component styles (shared by every page)
js/supabase.js           back-end helpers: db, requireLogin, renderNav, showMsg, setBusy
js/dashboard-extras.js   dashboard search and sort only; never calls Supabase
```

RULE FOR EVERYONE

Visual changes belong in css/style.css. Do not rename element IDs or the class names the scripts use (listed on pages 6 and 7); the Supabase code finds elements by them.

Design tokens

Defined once as CSS variables at the top of css/style.css.

COLORS

`--green-900`	`#14532d`	Brand panel, headings	`--mint-200`	`#d6efdc`	Borders, pills
`--green-800`	`#166534`	Primary button hover	`--ink`	`#14281d`	Main text
`--green-700`	`#15803d`	Buttons, links, numbers	`--muted`	`#4b6355`	Secondary text
`--green-500`	`#22c55e`	Focus ring, accents	`--danger`	`#b91c1c`	Error text
`--mint-50`	`#f6fbf7`	Page background	`--danger-bg`	`#fee2e2`	Error box
`--mint-100`	`#ecf8ef`	Table header, hover	`--ok-bg`	`#dcfce7`	Success box

CONTRAST CHECKS (WCAG AA NEEDS 4.5:1 FOR NORMAL TEXT)

White on #15803d (button text)	**5.0 : 1**	**Pass**	#4b6355 on #f6fbf7 (muted on page)	**6.2 : 1**	**Pass**
#15803d on white (links)	**5.0 : 1**	**Pass**	#b91c1c on #fee2e2 (error)	**5.3 : 1**	**Pass**
#14281d on white (body)	**15.5 : 1**	**Pass**	#14532d on #dcfce7 (success)	**8.3 : 1**	**Pass**
#4b6355 on white (muted)	**6.5 : 1**	**Pass**	#14532d on #d6efdc (nav pill)	**7.5 : 1**	**Pass**

TYPE, SHAPE AND LAYOUT

ITEM	VALUE
Typeface	Public Sans, loaded from Google Fonts. Fallbacks: system-ui, sans-serif.
Sizes (px)	Brand 35 / 800, stat number 32 / 800, page title 26 / 700, section title 18 / 700, body 16 / 400, label 14 / 600, table 15 / 400, table header 13 / 700 uppercase, pill 12 / 700.
Radius	8 px inputs, buttons, messages. 12 px cards, tables, panels. 16 px login card. Pills fully round.
Shadow	Cards: 0 8px 24px -8px at 18% of #14532d. Focus ring: 3px #22c55e, 2px offset.
Layout	Content max width 70rem (1120 px), padding 2rem 1.5rem. Login pages are a 5:6 two-column grid that stacks below 820 px.
Motion	0.15 s on hover and focus. Disabled when the visitor prefers reduced motion.

Page specs (1 of 2)

Element IDs below are used by the scripts. Keep them exactly as they are.

PAGE	IDS AND CLASSES THE CODE USES	BEHAVIOR AND STATES
Log in **index.html**	`#form #email #password #btn #msg` `links: register.html, forgot-password.html`	Signs in with email and password, then goes to dashboard.html. Anyone already signed in is sent straight to the dashboard. Errors from Supabase (for example "Invalid login credentials" or "Email not confirmed") appear in #msg as .msg.error. While waiting, the button reads "Please wait..." and is disabled.
Register **register.html**	`#form #email #password #confirm #btn #msg`	Needs at least 8 characters. Mismatched passwords and already-registered emails show an error. If the project signs the user in immediately, goes to dashboard.html. Otherwise the form clears and a success message asks the user to confirm by email.

Main page
dashboard.html
	`#topbar #intro #empty #stats .stat .n .l .l2`
	`#browser #tableSelect #statusSelect #limitSelect`
	`#count #wrap #result #msg`
	`Added by extras: #rowSearch #clearSearch #toolInfo`
		Signed-out visitors go to index.html. Staff see only the modules they have View rights for, active rows only, no Status or Stamp columns. Admin and superadmin see every module, deleted rows (class .is-deleted, status cell .status-deleted) and the Status and Stamp columns. Count cards show "..." while loading. If a user has no modules, #empty is shown.

User management
users.html
	`#users (tbody) #msg`
	`role <select> per row`
	`"Set rights" button per staff row`
		Admin and superadmin only; staff are sent to the dashboard. Only the superadmin gets role dropdowns, and never on their own row. Admin and superadmin rows show "Full access". A successful or failed change appears in #msg.

Page specs (2 of 2): rights dialog

Current build versus the proposed dialog in mockup 5.

CURRENT BUILD (USERS.HTML)

Clicking "Set rights" opens #rightsPanel below the user table. It contains #rightsTitle, #rightsTable (checkboxes in td.check), #saveRights, #closeRights and #rmsg. View is required for Add, Edit and Delete: ticking any of those ticks View, and unticking View clears the other three. Save writes to user_rights.

WHAT CHANGES TO GET THE DIALOG

- Wrap #rightsPanel in a full-screen backdrop (dark overlay, about 50%) and center the panel. Width 660 px, radius 16 px, shadow as in the tokens. On phones use the full width minus 16 px.
- Add role="dialog", aria-modal="true" and aria-labelledby="rightsTitle" to the panel.
- Toggle visibility with the existing hidden attribute, so openRights() and the Close button logic stay as they are.
- Move focus into the dialog when it opens and keep Tab inside it. Close on Escape, on a click on the backdrop and on the Close button, then return focus to the "Set rights" button that opened it.
- Lock page scrolling behind the dialog. Let #rightsTable scroll inside the dialog (about 60% of the screen height) with a sticky header, because there are 10 modules.
- Keep the Save and Close buttons and #rmsg at the bottom, outside the scrolling area, so the success message stays visible.
- Keep every ID and the Supabase calls unchanged. This is a change to the markup of users.html plus new CSS classes, not to the data logic.

CHECKBOX STYLE (TD.CHECK INPUTS)

18 px square, 4 px radius. Checked: #15803d fill with a white tick. Unchecked: white fill, 1.5 px border #8fbf9d. Focus: the same green ring as inputs. Keep the aria-label on each box.

Accessibility and open items

Check these before sign-off.

ACCESSIBILITY

- Every input has a visible label tied by for and id. Keep that in any new markup.
- Focus is always visible (green ring). Never remove outlines.
- Messages use role="alert", so screen readers announce errors and successes.
- Sortable headers set aria-sort and work with Enter and Space; the search box has a hidden label.
- Colors pass AA contrast (page 3). Do not use #22c55e as text on white; it is for rings and accents only.
- Transitions switch off for visitors who prefer reduced motion.

OPEN ITEMS

#	ITEM
1	Brand name. The mockups say "Gerodias PT" with a G logo. Check every place that still says "Hope, Inc.": the page titles and sidebar headings in the HTML files, the brand text built in renderNav() in js/supabase.js, and the app_name row in system_settings. The logo letter on the login pages and top bar is the content of ::before rules in css/style.css.
2	Font weight 800. The Google Fonts link in each HTML file requests weights 400, 600 and 700 only, but the brand name and stat numbers use 800, so browsers fall back to 700. Either add 800 to the link or change those rules to 700.
3	Rights dialog. Not built yet (page 8).
4	Search and sort only cover the rows already loaded (10, 25 or 100 per the Show dropdown). Searching the whole table needs query changes in dashboard.html, which is the back-end developer's code.
5	Data access. roles.sql turns on row level security, so the old Sprint 1 test page can no longer read tables. Only signed-in users read data, through the rules in that script.
6	Mockups use sample rows and sample emails. Real counts and records come from Supabase.