G Gerodias PT

Usability and accessibility review

Built Sprint 1 screens, WCAG 2.2 AA

with a prioritized UI fix list

27 October 2026

Reviewed: log in, register, forgot password, reset password, dashboard, users, settings

SUMMARY

26 findings

on 7 screens

6	**P1 Fix first**	Misleads users, fails WCAG AA, or risks a wrong action
10	**P2 Fix in Sprint 2**	Visible friction or a partial WCAG gap
10	**P3 Backlog**	Polish and small improvements

WCAG 2.2 AA CHECKS (23 criteria)

12 Pass	8 Partial	2 Fail	1 At risk

FIX THESE FIRST

#1 and #2 Dashboard fails silently and shows the wrong role

#3 and #4 Field borders and focus rings are too faint

#5 and #6 Sortable headers lose their role; role changes are instant

Scope, method and limits

What was reviewed, how, and what this review does not cover.

SCREENS REVIEWED

SCREEN	FILE	EVIDENCE USED
Log in	`index.html`	Your screenshot, the code, and a browser run with the sign-in service simulated.
Register	`register.html`	Your screenshot, the code, and a browser run.
Forgot password	`forgot-password.html`	Your screenshot, the code, and a browser run.
Set a new password	`reset-password.html`	Your screenshot, the code, and a browser run.
Dashboard (main page)	`dashboard.html`	Your screenshot, the code, and browser runs including forced failures, a 313-row table, search, sort and keyboard use.
Users and rights	`users.html`	Your screenshot, the code, and a browser run that opened the rights panel.
System settings	`settings.html`	No screenshot was supplied. Reviewed from the code and a browser run.

HOW IT WAS DONE


- Standard: WCAG 2.2 level AA. Criteria added in 2.2 are marked (2.2).
- Code review of all 7 HTML files, css/style.css, js/supabase.js and js/dashboard-extras.js.
- Browser tests in Chromium: the pages were opened with the sign-in service and data simulated (including forced failures), then checked at 320, 375, 820 and 1280 px, with keyboard use, focus styles, landmarks, headings, control sizes and the accessibility tree.
- Contrast was calculated with the WCAG formula from the actual colors in style.css.
- Usability: heuristic review of each screen against your screenshots.

LIMITS OF THIS REVIEW

- Not tested with a screen reader (NVDA, JAWS, VoiceOver) or on real phones. Items about announcements are based on how those tools commonly behave.
- Data was simulated, not read from your live Supabase project. Google Fonts could not load in the test browser, so sizes use a fallback font and may differ slightly.
- Only Chromium was used. Text-spacing and 200% resize were tried on the dashboard only.
- Priority definitions: P1 misleads users, fails WCAG AA or risks a wrong privileged action. P2 is visible friction or a partial gap. P3 is polish.


Screens reviewed with finding markers

Numbers match the fix list. Your screenshots, one marker per example.




Log in

Findings shown: #10, #3




Dashboard

Findings shown: #10, #13, #20, #16




Users and rights

Findings shown: #10, #14, #6




Set a new password

Findings shown: #10, #3



Register

Findings shown: #10, #3



Forgot password

Findings shown: #10, #3

Not pictured: settings.html (no screenshot supplied). The same field, focus and table findings apply to it.

The mockup and design-system PDFs use the old border and focus values, so update them when #3 and #4 are fixed.

WCAG 2.2 AA review

Each criterion checked against the built screens. Numbers in brackets point to the fix list.

CRITERION	RESULT	EVIDENCE
1.1.1 Non-text content	Pass	No informational images. The logo is the letter G in text.
1.3.1 Info and relationships	Partial	Labels are tied to inputs and tables have header cells. Gaps: sort headers (#5), no main (#12), no h1 (#13), active link (#14).
1.3.5 Identify input purpose	Pass	autocomplete is set: email, current-password, new-password.
1.4.1 Use of color	Pass	Deleted rows use color plus the word "Deleted". Links on the login pages are underlined.
1.4.3 Contrast (minimum)	Pass	Every text pair measured passes. Lowest is 4.57 : 1 (tagline on the lightest end of the green panel). Others are 4.6 to 15.5 : 1.
1.4.4 Resize text	Pass	Tested: root font size at 200% on the dashboard gave no horizontal scroll or clipping.
1.4.10 Reflow	Pass	Tested on all 7 pages at 320, 375, 820 and 1280 px: no page-level sideways scroll. Data tables scroll inside their box, which is allowed. See #11 and #15.
1.4.11 Non-text contrast	Fail	Input borders 1.22 : 1 (#3). Focus ring on links, buttons and headers 2.28 : 1 (#4). Needs 3 : 1.
1.4.12 Text spacing	Pass	Tested on the dashboard with the WCAG spacing values applied: nothing clipped. Other pages not tested.
2.1.1 Keyboard	Partial	Every control is reachable. Wide tables without focusable headers cannot be scrolled (#15).
2.4.1 Bypass blocks	Partial	App pages have header, nav and main. Login-style pages have no main (#12). No skip link.
2.4.2 Page titled	Pass	Every page has a unique title. The brand in it is wrong (#10).

WCAG 2.2 AA review (continued)

Each criterion checked against the built screens. Numbers in brackets point to the fix list.

CRITERION	RESULT	EVIDENCE
2.4.3 Focus order	Partial	Order follows the page. Focus does not move into the rights panel when it opens (#18).
2.4.6 Headings and labels	Partial	Labels are clear. App pages have no h1 (#13).
2.4.7 Focus visible	Partial	A focus indicator shows on every control, but the ring is faint on links and buttons (#4).
2.4.11 Focus not obscured (2.2)	At risk	Not tested with a keyboard on a phone. The 223 px sticky bar (#11) could cover focused items.
2.5.8 Target size minimum (2.2)	Pass	Buttons are 37 to 52 px high. 18 px checkboxes pass through the spacing exception (#21).
3.1.1 Language of page	Pass	lang="en" on every page.
3.3.1 Error identification	Partial	Errors are shown as text. Not linked to the field (#17), and a dashboard load error is invisible (#1).
3.3.2 Labels or instructions	Pass	Visible labels on every field. The 8-character rule is stated before the user types.
3.3.8 Accessible authentication (2.2)	Pass	No puzzles or memory tests. Pasting works and password managers are supported.
4.1.2 Name, role, value	Partial	Native controls have names. Sortable headers misuse roles (#5). Active link not exposed (#14).
4.1.3 Status messages	Fail	Messages are revealed from a hidden state (#7) and the dashboard error is never visible (#1). Loading "..." in the count cards is not announced.

Usability review

Heuristic review of each built screen, including what already works well.

WHAT WORKS WELL

+ The role-based menu and the "Deleted" row styling make each audience's view clear.
+ Count cards give a fast overview of every module.
+ Password reset gives a neutral message, so it does not reveal which emails are registered.
+ The password rule is stated before typing and the register success message says what to do next.
+ Labels are always visible, and fields have the right autocomplete hints.
+ No page scrolls sideways at 320, 375, 820 or 1280 px.

OBSERVATIONS BY SCREEN

SCREEN	OBSERVATION	WORST
Log in	Errors show raw service text ("Invalid login credentials"), which is clear. No show-password option (#24).	P3
Register	Rule and next step are clear. No match check until submit; success message is easy to miss under the button.	P3
Forgot / reset	Expired-link state is a dead end (#25). Brand shows "Hope, Inc." (#10).	P3
Dashboard	A failure shows a blank page (#1); no paging past 100 rows (#8); search scope unclear (#9); no prompt before a module is chosen (#16); cards look clickable (#20).	P1
Users and rights	Role changes instantly (#6). The success message is at the top, far from the changed row on long lists. Rights open below the table and need scrolling (#18).	P1
Settings	Each row has its own Save with no unsaved-changes cue. New settings cannot be given a description (#26).	P3
All phones	The sticky bar takes 28% of a 375 px screen (#11). Wide tables scroll but cannot be reached by keyboard (#15).	P2

Prioritized UI fix list

Committed order of work. Scope shows who touches the files; effort: S under 1 hour, M up to half a day.

#	PRI	ISSUE AND EVIDENCE	FIX	SCOPE	EFFORT
#1	P1	**Dashboard fails silently** Reproduced in a browser: when the modules request fails, the page shows only the title and intro. The error text exists but sits inside the hidden browse section, so nobody sees it. This is what happened during Sprint 1 setup.	Move #msg out of #browser (or unhide the section) and show a plain message, for example "We could not load your modules. Refresh, or contact support."	Back-end JS	S
#2	P1	**Role silently becomes "Staff" when the lookup fails** Reproduced: with the profile request failing, a superadmin sees the Staff badge, the staff intro text and only the Dashboard link. Same thing happened in your screenshot after login.	In requireLogin(), stop falling back to "user". Show "We could not confirm your role" with a retry, instead of a lower-access page that looks normal.	Back-end JS	S
#3	P1	**Input and dropdown borders are almost invisible** Measured: border #d6efdc on white is 1.22 : 1. Fields need 3 : 1 to be seen as controls. Affects every form, the dashboard dropdowns and the search box (screenshots 1, 4, 5, 6).	Set input and select borders to #6a9a7b (3.22 : 1 on white, 3.08 : 1 on the page background). Keep the green border and ring on focus.	CSS	S
#4	P1	**Focus ring on links, buttons and headers is too faint** Measured in the browser: 3 px ring in #22c55e, which is 2.28 : 1 on white. Inputs are fine because they switch to a dark green border.	Change the shared :focus-visible outline to #15803d (5.02 : 1). One line in style.css.	CSS	S
#5	P1	**Sortable headers lose their column-header role** Tested: dashboard-extras.js puts role="button" on each th, so screen readers stop announcing column headers. aria-sort is not allowed on a button, and the arrow glyph is read as part of the name ("empno ↕"). I wrote this script, so the fix is mine.	Keep the th as a column header with aria-sort. Put a real <button> inside it and hide the arrow glyph from assistive tech.	My script	S
#6	P1	**Changing a role takes effect immediately** Code review (users.html): choosing a value in the Role dropdown runs the update straight away. One slip can make someone an Admin, and there is no undo.	Ask first ("Make adminone@gmail.com an Admin?" with Confirm and Cancel), or add a Save button per row.	Back-end JS	M
#7	P2	**Messages may not be announced** Tested: all 8 message boxes start with the hidden attribute. Many screen readers do not announce role="alert" content that appears in an element that was display:none.	Keep each message box in the page (empty and collapsed) and fill it with text. Collapse with .msg:empty{padding:0;margin:0;border:0}.	Back-end JS + CSS	M
#8	P2	**Large tables cannot be viewed in full** Tested: the Show dropdown stops at 100 rows. sales details has 313 rows, payments 165 and sales 124; rows past 100 are unreachable ("Showing 100 of 313 rows").	Add Previous and Next with a range label ("101 to 200 of 313") using Supabase range(), or raise the options.	Back-end JS	M
#9	P2	**Search looks like it covers the whole table** Tested: the box says "Search this table…" but only searches the rows loaded ("26 of 100 rows match" on a 313-row table).	Change the placeholder to "Search the 100 loaded rows…" and add the total to the match line ("26 of 100 loaded, 313 in table").	My script	S
#10	P2	**Brand name is inconsistent** Screenshots show "Gerodias PT." with a period on the login page, "Gerodias, PT." with a comma in the top bar, and "Hope, Inc." on register, forgot and reset. Tested: all 7 page titles say "Hope, Inc.".	Use "Gerodias PT" everywhere: titles, auth headings, renderNav() text and the app_name setting. Keep it in one constant.	HTML + back-end JS	S

Prioritized UI fix list (continued)

Committed order of work.

#	PRI	ISSUE AND EVIDENCE	FIX	SCOPE	EFFORT
#11	P2	**The sticky top bar is very tall on phones** Measured at 375 px wide: the bar is about 223 px high (28% of the screen) and stays pinned. Focused items can end up hidden behind it.	Under 820 px make the bar non-sticky (or fold the links into a menu button) and add scroll-padding-top.	CSS	S
#12	P2	**No main landmark on the login-style pages** Tested: login, register, forgot and reset have 0 <main> elements; the three app pages have one.	Change <section class="auth-main"> to <main class="auth-main"> on four pages.	HTML	S
#13	P2	**App pages have no h1** Tested: dashboard, users and settings have no <h1>; the page title is an <h2> and the brand is plain text.	Make the page title an <h1> and give h1 the current h2 style.	HTML + CSS	S
#14	P2	**Current page not exposed in the menu** Tested: no aria-current anywhere and the nav has no label. Sighted users see the mint pill; screen reader users get nothing.	In renderNav() add aria-current="page" on the active link and aria-label="Main" on the nav.	Back-end JS	S
#15	P2	**Wide tables cannot be scrolled by keyboard** Tested at 375 px: tables overflow (users 636 px in a 341 px box, settings 561, dashboard data 1014) and none can take focus. Dashboard headers are focusable, but users, settings and rights tables are not.	Add tabindex="0", role="region" and an aria-label to each .table-wrap.	HTML	S
#16	P2	**Empty browse panel gives no hint** Screenshot 2: before a module is chosen, the panel shows three dropdowns and blank space.	Add one line of helper text: "Choose a module to see its records."	HTML + CSS	S
#17	P3	**Errors are not tied to the fields** Tested: 0 aria-invalid or aria-describedby on the login page. Mismatched passwords show a message at the bottom of the form.	On error set aria-invalid on the field and link the message with aria-describedby.	Back-end JS	M
#18	P3	**Rights panel does not take focus** Tested: after "Set rights", focus stays on the button and the panel has no role. It scrolls into view below the table.	Solved by the rights dialog in the handoff notes (page 9): focus moves in, Escape closes, focus returns.	HTML + back-end JS	M
#19	P3	**"Please wait…" is hard to read** Calculated from the style in style.css: white text on the faded button is 2.46 : 1. Inactive controls are exempt, but this is the only progress cue.	Keep the full button color while busy: button:disabled{opacity:1;cursor:wait}.	CSS	S
#20	P3	**Count cards look clickable but are not** Screenshot 2: the cards lift on hover like buttons but do nothing.	Either remove the hover lift or make a card select that module in the browser.	CSS (or JS)	S
#21	P3	**Rights checkboxes are small** Tested: 18 x 18 px, 78 px apart. Passes the target-size rule through its spacing exception but is small for touch.	Enlarge to 22 px: input[type=checkbox]{width:22px;height:22px}.	CSS	S

Prioritized UI fix list (continued)

Committed order of work.

#	PRI	ISSUE AND EVIDENCE	FIX	SCOPE	EFFORT
#22	P3	**Font weight 800 is never loaded** Code review: the Google Fonts link requests 400, 600 and 700, but the brand name and count numbers use 800, so they fall back to 700.	Add 800 to the font link in all 7 pages, or change those rules to 700.	HTML	S
#23	P3	**Smooth scroll ignores reduced motion** Code review: users.html scrolls to the rights panel with behavior "smooth" even when the visitor asked for less motion.	Use behavior "auto" when matchMedia("(prefers-reduced-motion: reduce)") is true.	Back-end JS	S
#24	P3	**No show-password option** Code review: login, register and reset have no way to reveal what was typed.	Optional: add a "Show password" checkbox under the field.	HTML + JS	M
#25	P3	**Expired reset link is a dead end** Code review: the message says to request a new link, but the only link on the page is "Back to log in".	Add a "Request a new link" link to forgot-password.html in that state.	HTML	S
#26	P3	**New settings cannot get a description** Code review: the settings table has a Description column, but the "Add a setting" form only asks for Name and Value.	Add an optional Description field to the form.	HTML + back-end JS	S

Ready-to-paste fixes

The CSS-only items and the one-line HTML and script changes. Nothing here has been applied yet.

HTML (all small edits)

```
<!-- #12  4 login-style pages -->
<main class="auth-main"> ... </main>

<!-- #13  3 app pages: same look as h2 -->
<h1>Dashboard</h1>   (add h1 to the h2 rules)

<!-- #15  every table wrapper -->
<div class="table-wrap" tabindex="0"
  role="region" aria-label="Users table">

<!-- #16  inside the browse panel -->
<p class="sub" id="hint">Choose a module to
  see its records.</p>

<!-- #22  all 7 pages: add weight 800 -->
...Public+Sans:wght@400;600;700;800...
```

JavaScript

```
// #14  renderNav() in js/supabase.js
nav.setAttribute('aria-label','Main');
if (id === current) a.setAttribute('aria-current','page');

// #5  dashboard-extras.js: header with a real button
th.setAttribute('aria-sort','none');
th.innerHTML = '<button type="button">' + label + '</button>';
```

After #3 and #4 are applied, update the border and focus tokens in the design system PDF and the mockups.

Committed plan and retest checklist

Three batches, grouped by who needs to be involved. Status of every item: planned, not yet started.

Batch 1 CSS only

UI developer, about half a day

- #3 Input and dropdown borders are almost invisible
- #4 Focus ring on links, buttons and headers is too faint
- #7 Messages may not be announced
- #11 The sticky top bar is very tall on phones
- #19 "Please wait…" is hard to read
- #20 Count cards look clickable but are not
- #21 Rights checkboxes are small

No back-end review needed.

Batch 2 Markup and my script

UI developer, about half a day

- #5 Sortable headers lose their column-header role
- #9 Search looks like it covers the whole table
- #12 No main landmark on the login-style pages
- #13 App pages have no h1
- #15 Wide tables cannot be scrolled by keyboard
- #16 Empty browse panel gives no hint
- #22 Font weight 800 is never loaded
- #25 Expired reset link is a dead end

Small HTML edits and the search and sort script.

Batch 3 Needs the back-end developer

About one day, review recommended

- #1 Dashboard fails silently
- #2 Role silently becomes "Staff" when the lookup fails
- #6 Changing a role takes effect immediately
- #8 Large tables cannot be viewed in full
- #10 Brand name is inconsistent
- #14 Current page not exposed in the menu
- #17 Errors are not tied to the fields
- #18 Rights panel does not take focus
- #23 Smooth scroll ignores reduced motion
- #24 No show-password option
- #26 New settings cannot get a description

Touches Supabase code, js/supabase.js and the page scripts.

RETEST BEFORE SIGN-OFF

- [ ] Keyboard only: reach every control on every page, see a clear focus ring, scroll each wide table.
- [ ] Screen reader pass (NVDA or VoiceOver) on login, dashboard and users: headings, landmarks, errors, sort headers.
- [ ] Contrast: field borders and focus rings at 3 : 1 or better with a color picker.
- [ ] Phones: 320 and 375 px, with the page zoomed to 200%, on the dashboard and users pages.
- [ ] Force failures: break the modules and profile requests and confirm a visible message and a correct role.
- [ ] Update the design system and mockup PDFs with the new border and focus values.