

Creating a RESTful API using express.js and creating a database and index in MongoDB.

Name : Tatiparthi.jogi harish

email : harishtatiparthi2003@gmail.com


Phone no : 7569669474

Roll no : 2221307

College name : P R Govt college (A)

source code :

index.js file :




```
api > JS index.js > ...
1  import path from 'path';
2  import express from 'express';
3  import {config} from 'dotenv';
4  import { connectToDB } from './db/connectToDB.js';
5  config();
6  import userRoute from './routes/user.routes.js'
7
8
9  const __dirname = path.resolve();
10 const app = express();
11
12 app.use(express.json());
13
14 app.use("/api/user",userRoute);
15
16 app.use(express.static(path.join(__dirname,"client/dist")));
17
18 app.get("*",(req,res)=>{
19   res.sendFile(path.join(__dirname,"client","dist","index.html"))
20 })
21
22 const PORT = process.env.PORT || 5000
23 app.listen(PORT,()=>{
24   connectToDB();
25   console.log("Server is running on PORT : ",PORT)
26 })
```

```
> nodemon api/index.js

[nodemon] 3.1.0
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node api/index.js`
Server is running on PORT : 5000
DB connected successfully
```

MONGODB CONNECTION :




The screenshot shows a VS Code editor with a project named 'crud'. The Explorer panel on the left shows the file structure. The main editor displays the file `connectToDB.js` with the following code:

```
api > db > JS connectToDB.js > connectToDB
1  import mongoose from 'mongoose';
2
3  export function connectToDB(){
4    mongoose.connect(process.env.CONN_STR)
5    .then(()=>{
6      console.log("DB connected successfully")
7    })
8    .catch(err=>{
9      console.log("Error while connecting to DB : ",err.message);
10   })
11 }
```

The Terminal panel at the bottom shows the output of running the application with nodemon:

```
> nodemon api/index.js
[nodemon] 3.1.0
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node api/index.js`
Server is running on PORT : 5000
DB connected successfully
```

MODEL :




The screenshot shows the same VS Code editor with the file `emp.model.js` selected. The code defines a Mongoose schema for a user and creates a model named 'Emp'.

```
api > model > JS emp.model.js > userSchema > role
1  import mongoose from 'mongoose';
2
3  const userSchema = new mongoose.Schema({
4    username:{
5      type:String,
6      unique:true,
7      required:true
8    },
9    empname:{
10     type:String,
11     required:true
12   },
13   email:{
14     type:String,
15     required:true
16   },
17   role:{
18     type:String,
19     required:true
20   },
21   salary:{
22     type: Number,
23     required: true,
24   }
25 },(timestamps:true))
26
27 const Emp = mongoose.model("User",userSchema);
28
29 export default Emp;
```

The Terminal panel shows the same output as the previous screenshot, confirming that the application is running successfully on port 5000 and the database is connected.

ROUTES:



The screenshot shows a VS Code editor with the Explorer sidebar on the left. The 'api' folder is expanded, showing subfolders 'controllers' and 'routers'. The 'routers' folder is selected, and the file 'user.routes.js' is open in the editor. The code in 'user.routes.js' is as follows:


```
1 import express from 'express'
2 import { create, readAll, read, remove, update, } from '../controllers/emp.controller.js';
3
4 const router = express.Router();
5
6 router.post('/create',create);
7 router.get('/readall',readAll);
8 router.get('/read/:id',read);
9 router.put('/update/:id',update);
10 router.delete('/remove/:id',remove);
11
12 export default router;
```

The terminal at the bottom shows the command 'nodemon api/index.js' being executed. The output is:

```
[nodemon] 3.1.0
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node api/index.js`
Server is running on PORT : 5000
DB connected successfully
```

CONTROLLERS :


CREATE :



The screenshot shows a VS Code editor with the Explorer sidebar on the left. The 'api' folder is expanded, showing subfolders 'controllers' and 'routers'. The 'controllers' folder is selected, and the file 'emp.controller.js' is open in the editor. The code in 'emp.controller.js' is as follows:

```
1 import Emp from "../model/emp.model.js";
2
3 export async function create(req,res){
4   try {
5     const {username,empname,email,role,salary} = req.body;
6
7     console.log(req.body);
8     const emp = await Emp.findOne({username});
9
10    if(emp) return res.status(400).json({error:"username is already exists"});
11
12    const newEmp = new Emp({
13      username,
14      empname,
15      email,
16      role,
17      salary
18    });
19
20    if(newEmp){
21
22      await newEmp.save();
23
24      res.status(201).json({
25        _id : newEmp._id,
26        username : newEmp.username,
27        empname : newEmp.empname,
28        email : newEmp.email,
29        role : newEmp.role,
30        salary : newEmp.salary
31      })
32    }else{
33      res.status(400).json({error:"Invalid emp data"});
34    }
35
36  } catch (error) {
37    console.log("Error in create controller : ",error.message);
38    res.status(500).json({message :error.message})
39  }
40 }
41
```


READALL:



The image shows a VS Code editor window with the file explorer on the left and the code editor in the center. The file explorer shows a project structure with a 'crud' folder containing 'api', 'controllers', 'db', 'model', 'routers', 'user.routes.js', 'index.js', 'client', 'node_modules', '.env', '.gitignore', 'package-lock.json', and 'package.json'. The 'emp.controller.js' file is selected in the 'controllers' folder. The code editor shows the following code:

```
api > controllers > JS emp.controller.js > remove
1  import Emp from "../model/emp.model.js";
2
3  > export async function create(req,res){ ...
40 }
41
42 > export async function read(req,res){ ...
58 }
59
60 export async function readAll(req,res){
61   try {
62     const emps = await Emp.find();
63
64     if(!emps || !emps.length ) return res.status(404).json({error:" no emp data found!"});
65
66     res.status(201).json({
67       emps
68     })
69   } catch (error) {
70     console.log("Error in create controller : ",error.message);
71     res.status(500).json({error:"Internal server Error"})
72   }
73 }
74
75
76
77 > export async function update(req,res){ ...
94 }
95
96 > export async function remove(req,res){ ...
110 }
```


READONE :



The image shows a VS Code editor window with the file explorer on the left and the code editor in the center. The file explorer shows a project structure with a 'crud' folder containing 'api', 'controllers', 'db', 'model', 'routers', 'user.routes.js', 'index.js', 'client', 'node_modules', '.env', '.gitignore', 'package-lock.json', and 'package.json'. The 'emp.controller.js' file is selected in the 'controllers' folder. The code editor shows the following code:

```
api > controllers > JS emp.controller.js > remove
1  import Emp from "../model/emp.model.js";
2
3  > export async function create(req,res){ ...
40 }
41
42 export async function read(req,res){
43   try {
44     const {id} = req.params;
45
46     const emp = await Emp.findById({_id:id});
47
48     if(!emp) return res.status(404).json({error:"emp not found!"});
49
50     res.status(201).json({
51       emp
52     })
53   } catch (error) {
54     console.log("Error in create controller : ",error.message);
55     res.status(500).json({error:"Internal server Error"})
56   }
57 }
58
59
60 > export async function readAll(req,res){ ...
75 }
76
77 > export async function update(req,res){ ...
94 }
95
96 > export async function remove(req,res){ ...
110 }
```


UPDATE :



The image shows a VS Code editor window with the file explorer on the left and the code editor in the center. The file explorer shows a project structure with a 'crud' folder containing 'api', 'controllers', 'db', 'model', 'routers', and 'user.routes.js'. The 'api' folder contains 'emp.controller.js'. The code editor shows the 'emp.controller.js' file with the following code:

```
api > controllers > JS emp.controller.js > remove
1  import Emp from "../model/emp.model.js";
2
3  > export async function create(req,res){ ...
40 }
41
42 > export async function read(req,res){ ...
58 }
59
60 > export async function readAll(req,res){ ...
75 }
76
77 export async function update(req,res){
78   try {
79     const {id} = req.params;
80
81     const emp = await Emp.findById({_id:id});
82
83     if(!emp) return res.status(404).json({error:"emp not found!"});
84
85     const newEmp = await Emp.findByIdAndUpdate({_id:id},{...req.body},{new:true});
86
87     res.status(201).json({
88       newEmp
89     })
90   } catch (error) {
91     console.log("Error in create controller : ",error.message);
92     res.status(500).json({error:"Internal server Error"})
93   }
94 }
95
96 > export async function remove(req,res){ ...
110 }
```

DELETE :




The image shows a VS Code editor window with the file explorer on the left and the code editor in the center. The file explorer shows a project structure with a 'crud' folder containing 'api', 'controllers', 'db', 'model', 'routers', and 'user.routes.js'. The 'api' folder contains 'emp.controller.js'. The code editor shows the 'emp.controller.js' file with the following code:

```
api > controllers > JS emp.controller.js > remove
1  import Emp from "../model/emp.model.js";
2
3  > export async function create(req,res){ ...
40 }
41
42 > export async function read(req,res){ ...
58 }
59
60 > export async function readAll(req,res){ ...
75 }
76
77 > export async function update(req,res){ ...
94 }
95
96 export async function remove(req,res){
97   try {
98     const {id} = req.params;
99
100     await Emp.findByIdAndDelete({_id:id});
101
102     res.status(201).json({
103       id,
104       message : 'deleted successfully..',
105     })
106   } catch (error) {
107     console.log("Error in create controller : ",error.message);
108     res.status(500).json({error:"Internal server Error"})
109   }
110 }
```

HOW TO RUN ON LOCALLY :

- 1 . Create a folder as any name.
- 2 . Open that folder in any code editor (vs code).
- 3 . Open terminal (ctrl + ~) on code editor.
- 4 . Type this code to get code locally.
- 5 . Now move to crud folder (cd crud in terminal)
- 6 . Ignore client folder.
- 7 . Here crud is root folder.
- 8 . In root folder create a .env file and create a PORT and
CONN_STR variables and assign value.
ex : PORT = 3000 (commonly any number between 3000 - 8080).
CONN_STR = your mongodb_connection_string.



--- trouble in above process ? :

simply paste this code in .env file .

PORT = 5000

**CONN_STR=mongodb+srv://bhavanidibbidi:rough@cluster0.wbclvtg.mongodb.net
/?retryWrites=true&w=majority&appName=Cluster0**

9 . After in terminal (in crud folder as root folder) type this command to run server.

npm i (installing all dependencies)

npm run dev (to run server)

10 . if you get below message in terminal then your server will running successfully.

```
PS C:\Users\4727y\OneDrive\Desktop\internshala\crud> npm run dev

> crud@1.0.0 dev
> nodemon api/index.js

[nodemon] 3.1.0
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node api/index.js`
Server is running on PORT : 5000
DB connected successfully
█
```

route and its functionality :

For this use any API using tools like Postman or Thunder Client.

i use THUNDER CLIENT.

CREATE ROUTE :

1 . This route is used to create a new employee in database with a below fields.

username, empname, email, role, salary

**2 . in thunder client click on new request and select this options
method as post**

url as `http://localhost:5000/api/user/create`

pass this json data as a body as your required value.

```
{  
  "username": "jack",  
  "empname": "jack rider",  
  "email": "jack@gmail.com",  
  "role": "Front End Developer",  
  "salary": 60000  
}
```

**3 . finally press send to insert data in mongodb data base and get a
inserted**

data as a response.

**4 . If user is already in db it will return User is already exist as
response.**

for more details visit below output images...

READONE :

- 1 . This route is used to read specific user info by passing that user id as a param.

method as get

url as

http://localhost:5000/api/user/read/65ed7b3d76e1dcc9a51654ca

- 2 . After sending you will get that specific user details as response.

READALL :

- 1 . Read all route is used to get all the user data existing in the mongodb data base .

method as get

url as http://localhost:5000/api/user/readall

- 2 . After sending you will get that all user details as response.

UPDATE :

- 1 . This route is used to update specific user by passing that user id as a param.

method as put

url as

http://localhost:5000/api/user/update/65ed7b3d76e1dcc9a51654ca

- 2 . After sending you will get updated user details as response.

DELETE :

1 . This route is used to delete specific user by passing that user id as a param.

method as delete


url as

<http://localhost:5000/api/user/delete/65ed7b3d76e1dcc9a51654ca>


2 . After sending you will deleted successfully as response.

OUTPUT :


CREATE A NEW USER :




CREATING USER WITH EXISTING USERNAEM :




READONE :



READ ALL :



UPDATE :



DELETE :

The screenshot shows the Visual Studio Code interface with a REST client extension. The main editor displays a DELETE request to `http://localhost:5000/api/user/remove/65ed7b3d76e1dcc9a51654ca`. The request is configured with the following details:

- Method:** DELETE
- URL:** `http://localhost:5000/api/user/remove/65ed7b3d76e1dcc9a51654ca`
- Query Parameters:** A table with one row:

parameter	value

The response is displayed on the right side of the editor:

```
Status: 201 Created Size: 68 Bytes Time: 111 ms
Response
1 {
2   "id": "65ed7b3d76e1dcc9a51654ca",
3   "message": "deleted successfully.."
4 }
```

The bottom panel shows the TERMINAL output, indicating that the application is running on port 5000 and the database is connected successfully.

```
Node.js v20.11.0
[nodemon] app crashed - waiting for file changes before starting...
[nodemon] restarting due to changes...
[nodemon] starting node api/index.js
Server is running on PORT : 5000
DB connected successfully
```