

Plexuspharmaco — Complete Website QA Audit

220 mistakes, issues and verification findings covering spelling, product data, content consistency, regulatory wording, navigation, forms, SEO, accessibility and performance. Live homepage content was checked on 17 August 2026; items marked “Review” require factual/technical verification rather than assuming the claim is false.

Audit total: 220 findings **Directly observable:** 37 **Verify/review:** 183

Homepage

#	Issue / mistake	Fix / action	Status
1	“kid s health support” appears in product copy.	Use “kids’ health support” only if that is an approved claim; otherwise use product-specific wording.	Confirmed
2	“multiviamin” is misspelled.	Correct to “multivitamin”.	Confirmed
3	“PlexWell_Junior” exposes an underscore.	Use the approved customer-facing brand/product spelling.	Confirmed
4	“multivitamin kids liquid” is awkward English.	Use a natural approved product description.	Confirmed
5	“200ml” formatting is inconsistent.	Use “200 mL” consistently.	Confirmed
6	“50ml” formatting is inconsistent.	Use “50 mL” consistently.	Confirmed
7	“20ml” formatting is inconsistent.	Use “20 mL” consistently.	Confirmed
8	“daily 2 multivitamin gummies” is awkward.	Use “2 gummies daily” if that is the approved dosage wording.	Confirmed
9	Kids Digesmart uses “anti aging ageslow complex support”.	Replace with the correct product-specific description.	Confirmed
10	Diacare uses “anti aging ageslow complex support”.	Replace with the correct product-specific description.	Confirmed
11	Featured products repeat the same generic manufacturing/efficacy sentence.	Create product-specific descriptions and approved claims.	Confirmed
12	Global Partners counter displays 0+.	Fix the data binding or remove the counter until a verified value exists.	Confirmed
13	Years Combined Experience counter displays 0+.	Fix the data binding or remove it.	Confirmed
14	Therapeutic Categories counter displays 0.	Fix the data binding or remove it.	Confirmed
15	Research Scientists counter displays 0+.	Fix the data binding or remove it.	Confirmed
16	“life-saving medicines” is an absolute/high-risk marketing phrase.	Use factual, substantiated wording.	Review
17	“absolute transparency” is an absolute statement.	Prefer “transparency, accountability, and trust” if appropriate.	Review
18	“strictest WHO GMP and EU GMP standards” is broad.	State the exact applicable standards/certifications and scope.	Review
19	“uncompromising safety and efficacy” is absolute.	Use evidence-based quality language.	Review
20	“absolute precision” is an absolute manufacturing claim.	Use “high-precision” or factual process language.	Review
21	“ensuring uninterrupted supply” is an absolute supply-chain claim.	Use “supporting reliable supply” unless uninterrupted supply is demonstrable.	Review
22	“life-saving therapeutics” appears in the Pharmaceuticals section.	Verify that the portfolio and claim support this wording.	Review
23	“high-growth segments” is promotional.	Replace with factual business-segment wording if desired.	Review
24	“high unmet medical needs” is broad.	Specify therapeutic areas/evidence or soften the wording.	Review
25	“rapid market access” is a strong promise.	Use only if supported by actual regulatory/service metrics.	Review
26	“critical therapeutics” is broad.	Use specific product/therapy wording.	Review
27	“state-of-the-art production facilities” is generic promotional language.	Replace with measurable capabilities or certifications.	Review
28	“world-class supply chain” is subjective.	Use measurable logistics/service indicators.	Review
29	UK/France/USA/Singapore hubs are shown in Global Reach.	Verify these are real operational locations and match the legal/company pages.	Review
30	Footer lists Germany and India offices, creating a location mismatch with Global Reach.	Reconcile all office/facility information.	Confirmed
31	WHO GMP Certified appears as a certification badge.	Verify certificate holder, facility, scope, validity and issuing authority.	Review
32	ISO 9001:2015 appears as a certification.	Verify certificate number, entity, scope and validity.	Review
33	EU GMP Compliance is presented as an accreditation.	Use precise facility/product scope rather than a blanket statement.	Review
34	“EMA guidelines” is used as support for EU GMP compliance.	Use precise EU GMP/regulatory terminology.	Review
35	Three named testimonials appear on the homepage.	Verify identities, permissions and authenticity before publication.	Review
36	Testimonials claim EU-GMP adherence and supply-chain impact.	Verify evidence and customer approval.	Review
37	News says EMA granted a “fast-track designation”.	Verify the exact regulatory designation and terminology before publication.	Review

#	Issue / mistake	Fix / action	Status
38	News claims a €150M API investment.	Verify the investment and publish supporting corporate information if real.	Review
39	News claims 100% zero-liquid discharge and 60% renewable energy.	Verify the underlying ESG data and scope.	Review

Product Catalogue

#	Issue / mistake	Fix / action	Status
40	Category "Men Health" is grammatically inconsistent.	Use "Men's Health".	Confirmed
41	Category "Women Health" is grammatically inconsistent.	Use "Women's Health".	Confirmed
42	"Kids Health" lacks possessive punctuation if using that style.	Use "Kids' Health" consistently.	Review
43	"Beauty & Care" is vague.	Consider "Beauty & Personal Care" if accurate.	Review
44	Product naming mixes uppercase and title case.	Define one naming convention.	Review
45	Product names expose underscores.	Remove database/internal formatting from customer-facing names.	Confirmed
46	Pack sizes and dosage forms use inconsistent punctuation.	Standardize all product-title formatting.	Review
47	"FERTi-PRO TABLET (Fertility Support))" has an extra closing parenthesis.	Remove the extra parenthesis.	Confirmed
48	"1000mg" style may be inconsistent with other products.	Standardize spacing and number formatting for units.	Review
49	"10000 IU" style may be inconsistent.	Standardize IU formatting and spacing.	Review
50	"20000 IU" style may be inconsistent.	Standardize IU formatting and spacing.	Review
51	"PlexWell_FERTi-PRO" exposes an underscore.	Use the approved public product name.	Confirmed
52	"PlexWell_PROSTi-PRO_softgel" exposes underscores.	Remove underscores and standardize dosage-form capitalization.	Confirmed
53	"PlexWell_ERECTi-PRO_Capsule" exposes underscores.	Remove underscores.	Confirmed
54	"softgel_blister pack" exposes an underscore.	Use "softgel blister pack".	Confirmed
55	"Omega+Probiotics+Curcumin" is difficult to scan.	Use a readable product title with separators/approved naming.	Review
56	Product descriptions are frequently generic rather than formulation-specific.	Create a controlled description field for each SKU.	Review
57	Product claims should be separated from marketing copy.	Create an approved-claims field and an editorial description field.	Review
58	Children's products should not use adult wellness copy.	Audit all age-targeted product descriptions.	Review
59	Diacare should not inherit anti-ageing copy.	Correct the product mapping.	Confirmed
60	Digesmart should not inherit anti-ageing copy.	Correct the product mapping.	Confirmed
61	Product badges all appear as "New".	Only display "New" for genuinely new products.	Review
62	"New" status lacks a visible launch date/period.	Consider a launch date or controlled badge status.	Review
63	N100/N60/N30/N14 notation is mixed with liquid mL notation.	Standardize pack-size presentation.	Review
64	Liquid products use mL while tablets use N-count without a consistent format.	Define a pack-size style guide.	Review
65	"Vit D3" and "Vitamin D3" naming may be inconsistent.	Choose one approved naming convention.	Review
66	Brand spelling varies between Plexwell/PlexWell/PLEXWELL.	Lock the official brand spelling in the CMS.	Review
67	Product descriptions include "therapeutic profile" for supplement-style products.	Verify product classification and use appropriate terminology.	Review
68	"clinical efficacy" appears as a generic claim.	Require evidence/approval before using it per SKU.	Review
69	"maximum bioavailability" appears as a generic claim.	Use only if substantiated for the specific formulation.	Review
70	"optimal" is used generically in claims.	Replace with measurable/approved claims where appropriate.	Review
71	"scientifically designed" is repeated as a blanket phrase.	Use product-specific evidence or remove the generic claim.	Review
72	Manufacturing claim is repeated on every product.	Move verified facility/certification information to a dedicated section and use concise product copy.	Review
73	Product descriptions may not identify intended age group clearly.	Add an approved age/intended-use field where relevant.	Review
74	Dosage information is mixed into marketing copy.	Use structured dosage/usage fields where appropriate.	Review
75	Ingredient information is not visible in the featured cards.	Provide a clear route to composition/ingredients if legally appropriate.	Review
76	No obvious content-governance indicator for product claims.	Add internal approval/versioning in the CMS.	Review
77	Product count must be synchronized across catalogue and other pages.	Use a single database source of truth.	Review
78	Search/filter results should preserve shareable URLs.	Implement query/filter state in the URL if not already present.	Review

Pipeline/R&D;

#	Issue / mistake	Fix / action	Status
79	Pipeline can become a very large rendered page.	Use pagination, virtualization or progressive loading.	Performance
80	"162 active programs" should have a clear definition.	Define whether this means products, indications, formulations or projects.	Review
81	R&D; page and Pipeline may use different project counts.	Explain the relationship between the metrics.	Review
82	Clinical phase labels on supplement-style products can mislead.	Use clinical-development phases only for applicable drug candidates.	Review
83	Phase II/III terminology requires precise study context.	Add study/indication context where applicable.	Review
84	"Large Scale Trials" lacks hyphenation.	Use "Large-Scale Trials".	Confirmed
85	"Men Health" appears in pipeline categorization.	Use "Men's Health".	Confirmed
86	"Women Health" appears in pipeline categorization.	Use "Women's Health".	Confirmed
87	"kid s health support" appears in pipeline copy.	Correct punctuation or rewrite.	Confirmed
88	"men s health support" appears in pipeline copy.	Correct punctuation or rewrite.	Confirmed
89	"women s health support" appears in pipeline copy.	Correct punctuation or rewrite.	Confirmed
90	"men women wellness pouches support" is ungrammatical.	Rewrite as product-specific English.	Confirmed
91	"Multiitamin" appears as a typo.	Correct to "Multivitamin".	Confirmed
92	"PLexwell" has inconsistent capitalization.	Standardize the brand name.	Confirmed
93	"Omeha-Alpha" should be verified for spelling.	Check against the approved product name.	Review
94	"OMGA 3 6 9" should be verified.	Use the approved "Omega 3-6-9" style if applicable.	Review
95	"200ml" appears in pipeline data.	Use "200 mL".	Review
96	"150ml" appears in pipeline data.	Use "150 mL".	Review
97	"75ml" appears in pipeline data.	Use "75 mL".	Review
98	"20ml" appears in pipeline data.	Use "20 mL".	Review
99	"10000 IU" needs consistent formatting.	Apply the same unit style across all products.	Review
100	"20000 IU" needs consistent formatting.	Apply the same unit style across all products.	Review
101	Children's products should not inherit men/women wellness descriptions.	Audit all age-targeted records.	Review
102	Adult Vitamin D3 records should not inherit generic anti-ageing copy.	Map descriptions to the correct SKU.	Review
103	Osteomax records should use product-specific claims.	Replace inherited generic copy.	Review
104	Omega products use generic wellness language.	Use formulation-specific descriptions.	Review
105	Children's Omega products need child-appropriate copy.	Audit all children's Omega records.	Review
106	Eye-health products repeat generic eye-support wording.	Use approved product-specific claims.	Review
107	Male-health products repeat generic men's-health wording.	Use formulation-specific copy.	Review
108	Pipeline names expose internal underscores.	Remove underscores from public labels.	Review
109	Pipeline filters need empty-state messaging.	Show a clear "No results" message and reset action.	UX
110	Pipeline filters should be keyboard accessible.	Test keyboard navigation and focus states.	Accessibility
111	Pipeline search should be debounced.	Avoid excessive requests/rendering while typing.	Performance
112	Pipeline cards should reserve image dimensions.	Prevent layout shift while images load.	Performance
113	Pipeline images should be lazy-loaded below the fold.	Reduce initial page payload.	Performance
114	Pipeline should have stable pagination/filter URLs.	Improve sharing, navigation and SEO where appropriate.	SEO
115	Each pipeline detail page should have a unique title.	Verify metadata for every detail route.	SEO
116	Each pipeline detail page should have a unique meta description.	Generate controlled metadata from the record.	SEO
117	Pipeline schema/structured data should be reviewed.	Use only valid schema types for the content.	SEO
118	Clinical claims should have supporting evidence links where appropriate.	Add references or remove unsupported claims.	Review

About

#	Issue / mistake	Fix / action	Status
119	Company age and combined team experience should be clearly distinguished.	Do not imply the company has more years than it has existed.	Review
120	"over 25+ years" is redundant if present.	Use either "25+ years" or "more than 25 years".	Confirmed
121	Manufacturing locations should match Global Reach.	Create one authoritative location list.	Review

#	Issue / mistake	Fix / action	Status
122	R&D; locations should match the Global Reach section.	Verify every stated site.	Review
123	Regional headquarters should appear consistently across the site.	Remove or document unlisted offices.	Review
124	Country/market counts vary across the site.	Define the metric and use one controlled number.	Review
125	"global pharmaceutical powerhouse" is promotional.	Prefer factual corporate positioning.	Review
126	FDA registration claims need precise entity/scope.	Identify the registered facility/product/entity if applicable.	Review
127	GLP compliance claims need precise scope.	State the laboratory/facility and applicable standard if true.	Review

Corporate Governance

#	Issue / mistake	Fix / action	Status
128	Governance page should identify the legal entity clearly.	Use the registered company name consistently.	Review
129	Board/leadership titles should be consistent with About/Contact pages.	Use one source of truth for people and roles.	Review
130	Corporate group relationships should be explicit.	Clarify parent/subsidiary/affiliate relationships where relevant.	Review

CSR/Sustainability

#	Issue / mistake	Fix / action	Status
131	Carbon-neutral and net-zero targets must use consistent terminology.	Choose the correct target framework and date.	Review
132	2030 and 2035 target dates appear potentially inconsistent.	Reconcile all sustainability targets.	Review
133	100% wastewater claim requires scope and evidence.	Define sites, baseline and reporting period.	Review
134	60% renewable-energy claim requires baseline and scope.	Add methodology/reporting period if published.	Review
135	10,000 volunteering-hours KPI needs a reporting period.	State annual/calendar/fiscal period clearly.	Review
136	Community-health claims should link to real programs/reports.	Add evidence or remove placeholder claims.	Review
137	"aggressive carbon reduction targets" is subjective.	Use measurable targets instead.	Review
138	"zero-liquid discharge" needs facility scope.	Identify sites and definition.	Review

Media

#	Issue / mistake	Fix / action	Status
139	News items should link to actual articles.	Ensure every "Read Article" destination exists.	Functional
140	EMA news requires verification.	Confirm designation and exact regulatory terminology.	Review
141	€150M investment news requires verification.	Confirm the amount, date and corporate disclosure.	Review
142	Sustainability news requires verification.	Confirm the 100%/60% figures and scope.	Review
143	News dates should use a consistent format.	Standardize date display across articles.	UX
144	News categories should be standardized.	Use a controlled category list.	UX

Testimonials

#	Issue / mistake	Fix / action	Status
145	Named testimonials require consent/permission.	Verify publication rights.	Review
146	Customer/company names need verification.	Confirm the entities and affiliations are real and approved.	Review
147	Testimonial claims should be traceable to actual customer experiences.	Keep evidence/approval internally.	Review

Quality

#	Issue / mistake	Fix / action	Status
148	"guarantees product safety" style wording should be avoided.	Use quality-system language rather than guarantees.	Review
149	"continuous patient protection" is absolute.	Use "supports patient safety" if appropriate and substantiated.	Review
150	QbD terminology should be used accurately.	Confirm that the company actually operates a QbD framework.	Review
151	FDA/MHRA/EMA/WHO references need precise context.	Specify which requirements apply to which operations.	Review
152	ISO 9001:2015 claim requires certificate details.	Verify scope and validity.	Review

Regulatory

#	Issue / mistake	Fix / action	Status
153	“full adherence” should identify jurisdiction and product scope.	Use precise regulatory statements.	Review
154	Regulatory claims should distinguish medicines, supplements and devices.	Create classification-specific wording.	Review
155	EU regulatory terminology should be checked by a qualified regulatory reviewer.	Avoid broad or inaccurate references to agencies/guidelines.	Review
156	Pharmacovigilance contact details should be verified.	Test the mailbox and escalation process before launch.	Review
157	Product-quality complaint process should be clearly documented.	Provide the correct reporting route and required information.	Review

Manufacturing

#	Issue / mistake	Fix / action	Status
158	“billions of doses annually” needs evidence.	Verify capacity and reporting period.	Review
159	“5B+ doses annually” needs evidence if displayed.	Verify exact capacity and scope.	Review
160	“12+ global facilities” needs an authoritative facility list.	Ensure the figure matches Global Presence.	Review
161	“zero-defect” language is absolute.	Use “quality-focused” or measurable defect/quality metrics.	Review
162	“entire value chain” is a broad claim.	Use only if all stages are controlled by the company/group.	Review
163	Facility capabilities should identify dosage forms accurately.	Avoid implying capabilities that are not actually available.	Review

Contract Manufacturing

#	Issue / mistake	Fix / action	Status
164	CMO and CDMO definitions should be separated.	Explain development vs manufacturing scope.	Review
165	White Labelling/White Labeling spelling should be consistent.	Choose UK or US English.	Review
166	Capacity claims should be substantiated.	Add factual production scales where appropriate.	Review
167	Tech-transfer claims should be supported.	Describe actual transfer methodology/capabilities.	Review

Global Presence

#	Issue / mistake	Fix / action	Status
168	Office, manufacturing and distribution sites should be distinguished.	Do not label an office as a manufacturing hub unless it is one.	Review
169	All countries shown on the homepage should appear in the authoritative locations page.	Synchronize location data.	Review
170	Legal entity names and addresses must match registration documents.	Verify every footer address.	Review

Business Enquiry

#	Issue / mistake	Fix / action	Status
171	Placeholder names such as “John Doe” should not remain in live fields.	Replace with neutral examples or blank fields.	Confirmed/Review
172	Placeholder company/email values should not remain as live defaults.	Remove or clearly mark examples.	Review
173	Annual Revenue field may reduce conversion for first contact.	Consider moving it to a later qualification step if unnecessary.	UX
174	Required fields should be clearly marked.	Add accessible required indicators.	Accessibility
175	Error messages should be specific and accessible.	Test validation states.	Accessibility
176	Success confirmation should explain next steps.	Add expected response time/contact path if appropriate.	UX
177	Spam protection should be implemented without harming accessibility.	Use an accessible anti-abuse solution.	Security/UX

Newsletter

#	Issue / mistake	Fix / action	Status
178	Corporate email input should have correct email validation.	Test invalid and valid addresses.	Functional
179	Subscription consent language should match actual data processing.	Review against Privacy Policy.	Compliance
180	Newsletter submission should show a clear success/error state.	Test both paths.	Functional

Footer

#	Issue / mistake	Fix / action	Status
181	Footer office list conflicts with Global Reach.	Synchronize all location content.	Confirmed
182	Footer email should be tested.	Confirm info@plexuspharmaco.com receives mail.	Functional
183	Germany phone number should be tested.	Confirm formatting, country code and availability.	Functional
184	India phone number should be tested.	Confirm formatting and availability.	Functional
185	Copyright year should update automatically or be checked annually.	Avoid stale year values.	Maintenance
186	Privacy Policy should be reviewed for actual data collection.	Ensure it covers forms, newsletter, analytics and cookies.	Compliance
187	Terms of Service should reflect the actual site/business model.	Review with legal counsel if needed.	Compliance

Navigation

#	Issue / mistake	Fix / action	Status
188	Every menu item should resolve to a working page.	Run a complete link crawl.	Functional
189	No menu item should lead to a placeholder page.	Check all routes before launch.	Functional
190	Active menu state should be visible.	Test desktop and mobile navigation.	UX
191	Mobile menu should be keyboard accessible.	Test Tab, Enter, Escape and focus trapping.	Accessibility
192	Language selector should actually switch translated content.	Test English/German/French/Spanish routes.	Functional
193	Language selector should not leave mixed-language content.	Audit every translated page.	Localization
194	Language URLs should be indexable only when translations are complete.	Avoid thin/duplicate translated pages.	SEO
195	Breadcrumbs should be consistent on deep pages.	Use them where helpful for catalogue/detail routes.	UX/SEO

SEO

#	Issue / mistake	Fix / action	Status
196	Every page should have a unique title tag.	Audit all routes.	SEO
197	Every page should have a unique meta description.	Audit all routes.	SEO
198	Canonical URLs should be defined.	Check duplicates and query/filter pages.	SEO
199	Open Graph metadata should be present and accurate.	Set title, description and image per page.	SEO
200	Twitter/X card metadata should be reviewed.	Add if relevant to the marketing strategy.	SEO
201	Sitemap should contain only valid canonical URLs.	Validate sitemap.xml.	SEO
202	robots.txt should be reviewed.	Ensure important pages are crawlable and staging routes are excluded.	SEO
203	Each page should have one clear H1.	Audit headings across all templates.	SEO
204	Heading hierarchy should not skip levels unnecessarily.	Check H1/H2/H3 structure.	Accessibility/SEO
205	Images need meaningful alt text.	Audit all informative images.	Accessibility/SEO
206	Decorative images should use empty alt text.	Avoid redundant screen-reader output.	Accessibility

Performance

#	Issue / mistake	Fix / action	Status
207	Homepage hero image should be optimized for LCP.	Use responsive image sizing and modern formats.	Performance
208	Below-the-fold images should be lazy-loaded.	Reduce initial payload.	Performance
209	Product images should use responsive srcset/sizes.	Avoid downloading oversized images.	Performance

#	Issue / mistake	Fix / action	Status
210	Pipeline should not render hundreds of cards unnecessarily.	Use pagination/virtualization/progressive loading.	Performance
211	JavaScript bundle size should be measured.	Remove unused libraries/code.	Performance
212	Third-party scripts should be minimized.	Load analytics and embeds only when needed.	Performance
213	Font loading should be optimized.	Preload only critical fonts and limit weights.	Performance
214	Layout shifts should be tested.	Reserve dimensions for images/cards/hero content.	Performance
215	Mobile network performance should be tested on throttled 4G/3G.	Fix bottlenecks before launch.	Performance

Technical QA

#	Issue / mistake	Fix / action	Status
216	Run Lighthouse/PageSpeed and record baseline scores.	Keep a before/after performance report.	QA
217	Check for console errors on every major template.	Run browser DevTools and resolve runtime errors/warnings that affect users.	QA
218	Check for failed API/image requests.	Review the Network panel for 4xx/5xx requests and broken assets.	QA

Accessibility

#	Issue / mistake	Fix / action	Status
219	Visible keyboard focus should be present on links, buttons and form controls.	Test focus contrast and focus order on desktop/mobile browsers.	Accessibility
220	Color contrast should be checked across text, buttons and badges.	Run an automated WCAG contrast check and manually verify key states.	Accessibility

Launch checklist — highest priority

- Fix the four homepage counters showing 0/0+.
- Correct the product-database spelling and inherited-description errors.
- Remove internal underscores and inconsistent product naming from public text.
- Reconcile all company, market, facility and employee/researcher numbers.
- Verify every GMP, ISO, FDA, EMA, GLP and clinical claim against actual documentation.
- Reconcile Global Reach locations with the legal/footer office list.
- Verify testimonials and obtain publication permission.
- Verify or remove placeholder/demo news stories and investment/ESG claims.
- Complete FAQ answers and test every navigation destination.
- Test newsletter and business-enquiry forms end-to-end.
- Audit privacy/terms/cookie/consent wording against actual data processing.
- Run Lighthouse/PageSpeed on desktop and mobile and record LCP, INP and CLS.
- Optimize hero/product images and large Pipeline rendering.
- Run a full broken-link crawl and check 404/redirect/canonical behavior.
- Audit all translated pages for missing or mixed-language content.

Source and limitation

Website reviewed: <https://plexuspharmaco-eu.vercel.app/>. The live homepage exposes the navigation, product cards, counters, locations, certifications, testimonials, news, FAQ, newsletter and footer information used for this audit. Some deeper-page and legal/performance items are QA checks that should be verified in a full browser/Lighthouse crawl. Regulatory and corporate claims are flagged for verification, not declared false without supporting records.