Overview in General

This file contains a general overview of the data in the graph including node labels and relationships types.

References

- jqassistant
- Neo4j Python Driver

Node Labels

Table 1a - Highest node count by label combination

Lists the 30 label combinations with the highest number of nodes. The labels with the lowest node count are listed in table 1b. The total list would sum up to the total number of labels (100%).

The whole table can be found in the CSV report Node_label_combination_count .

Total number of nodes: 90727

| | nodeLabels | nodes With That Labels | nodes With That Labels Percent |
|----|--|------------------------|--------------------------------|
| 0 | [Git, Change] | 71594 | 78.911460 |
| 1 | [Git, Commit] | 9827 | 10.831395 |
| 2 | [File, Git] | 5042 | 5.557331 |
| 3 | [Author, Git, Person] | 1181 | 1.301707 |
| 4 | [Git, Tag] | 1045 | 1.151807 |
| 5 | [Committer, Git, Person] | 371 | 0.408919 |
| 6 | [Type, TS, Primitive, ExternalType] | 291 | 0.320742 |
| 7 | [Type, TS, Declared, ExternalType] | 286 | 0.315231 |
| 8 | [TS, ExternalDeclaration] | 211 | 0.232566 |
| 9 | [Type, TS, Literal, ExternalType] | 136 | 0.149900 |
| 10 | [Type, TS, Union, ExternalType] | 120 | 0.132265 |
| 11 | [Type, TS, ObjectMember, ExternalType] | 98 | 0.108016 |
| 12 | [TS, Property] | 65 | 0.071644 |
| 13 | [TS, Function] | 47 | 0.051804 |
| 14 | [Type, TS, Object, ExternalType] | 38 | 0.041884 |
| 15 | $[{\sf Type}, {\sf TS}, {\sf FunctionParameter}, {\sf ExternalType}]$ | 38 | 0.041884 |
| 16 | [TS, Parameter] | 33 | 0.036373 |
| 17 | [Type, TS, Function, ExternalType] | 33 | 0.036373 |
| 18 | [TS, ExternalModule] | 25 | 0.027555 |
| 19 | [TS, Variable] | 24 | 0.026453 |
| 20 | [Git, Branch] | 22 | 0.024249 |
| 21 | [TS, Literal, Value] | 20 | 0.022044 |
| 22 | [jQAssistant, Rule, Concept] | 19 | 0.020942 |
| 23 | [TS, Interface] | 18 | 0.019840 |
| 24 | [Type, TS, Intersection, ExternalType] | 17 | 0.018738 |
| 25 | [File, Local, Directory] | 16 | 0.017635 |
| 26 | [TS, TypeAlias] | 14 | 0.015431 |
| 27 | [TS, Declared, Value] | 13 | 0.014329 |
| 28 | [Type, TS, NotIdentified, ExternalType] | 11 | 0.012124 |
| 29 | [TS, EnumMember] | 8 | 0.008818 |
| | | | |

Chart 1a - Highest node count by label combination

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in Chart 1b.




Table 1b - Lowest node count by label combination

Lists the 30 label combinations with the lowest number of nodes until they reach 0.5% of the total node count, which are shown above.

| | nodeLabels | nodesWithThatLabels | nodes With That Labels Percent |
|----|---|---------------------|--------------------------------|
| 0 | [Analyze, Task, jQAssistant] | 1 | 0.001102 |
| 1 | [File, TS, Scan] | 1 | 0.001102 |
| 2 | [TS, Class] | 1 | 0.001102 |
| 3 | [File, Directory] | 1 | 0.001102 |
| 4 | [TS, Method] | 1 | 0.001102 |
| 5 | [TS, ObjectMember, Value] | 1 | 0.001102 |
| 6 | [TS, Constructor] | 1 | 0.001102 |
| 7 | [TS, Enum] | 2 | 0.002204 |
| 8 | [TS, Object, Value] | 3 | 0.003307 |
| 9 | [Type, TS, Tuple, ExternalType] | 3 | 0.003307 |
| 10 | [TS, Function, Value] | 4 | 0.004409 |
| 11 | [TS, TypeParameter] | 4 | 0.004409 |
| 12 | [TS, Value, Complex] | 5 | 0.005511 |
| 13 | $[{\sf Type}, {\sf TS}, {\sf TypeParameterReference}, {\sf ExternalType}]$ | 6 | 0.006613 |
| 14 | [File, TS, Local, Module] | 6 | 0.006613 |
| 15 | [File, Local] | 6 | 0.006613 |
| 16 | [Project, TS] | 6 | 0.006613 |
| 17 | [TS, Value, Member] | 6 | 0.006613 |
| 18 | [TS, Value, Call] | 6 | 0.006613 |
| 19 | [TS, EnumMember] | 8 | 0.008818 |
| 20 | [Type, TS, NotIdentified, ExternalType] | 11 | 0.012124 |
| 21 | [TS, Declared, Value] | 13 | 0.014329 |
| 22 | [TS, TypeAlias] | 14 | 0.015431 |
| 23 | [File, Local, Directory] | 16 | 0.017635 |
| 24 | [Type, TS, Intersection, ExternalType] | 17 | 0.018738 |
| 25 | [TS, Interface] | 18 | 0.019840 |
| 26 | [jQAssistant, Rule, Concept] | 19 | 0.020942 |
| 27 | [TS, Literal, Value] | 20 | 0.022044 |
| 28 | [Git, Branch] | 22 | 0.024249 |
| 29 | [TS, Variable] | 24 | 0.026453 |
| | | | |

Chart 1b - Lowest node count by label combination

Shows the lowest (less than 0.5% overall) node count label combinations. Therefore, this plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.




Table 1c - Highest node count by single label


Lists the 40 labels with the highest number of nodes. Doesn't sum up to the total number of nodes or 100% because one node can have multiple labels. Helps to identify commonly used labels.

| | nodeLabel | nodes With That Label | nodes With That Label Percent |
|----|---------------------|-----------------------|-------------------------------|
| 0 | Git | 89082 | 98.186868 |
| 1 | Change | 71594 | 78.911460 |
| 2 | Commit | 9827 | 10.831395 |
| 3 | File | 5072 | 5.590398 |
| 4 | TS | 1602 | 1.765737 |
| 5 | Person | 1552 | 1.710626 |
| 6 | Author | 1181 | 1.301707 |
| 7 | ExternalType | 1077 | 1.187078 |
| 8 | Туре | 1077 | 1.187078 |
| 9 | Tag | 1045 | 1.151807 |
| 10 | Committer | 371 | 0.408919 |
| 11 | Declared | 299 | 0.329560 |
| 12 | Primitive | 291 | 0.320742 |
| 13 | ExternalDeclaration | 211 | 0.232566 |
| 14 | Literal | 156 | 0.171944 |
| 15 | Union | 120 | 0.132265 |
| 16 | ObjectMember | 99 | 0.109119 |
| 17 | Function | 84 | 0.092585 |
| 18 | Property | 65 | 0.071644 |
| 19 | Value | 58 | 0.063928 |
| 20 | Object | 41 | 0.045191 |
| 21 | FunctionParameter | 38 | 0.041884 |
| 22 | Parameter | 33 | 0.036373 |
| 23 | Local | 28 | 0.030862 |
| 24 | ExternalModule | 25 | 0.027555 |
| 25 | Variable | 24 | 0.026453 |
| 26 | Branch | 22 | 0.024249 |
| 27 | jQAssistant | 20 | 0.022044 |
| 28 | Concept | 19 | 0.020942 |
| 29 | Rule | 19 | 0.020942 |
| 30 | Interface | 18 | 0.019840 |
| 31 | Directory | 17 | 0.018738 |
| 32 | Intersection | 17 | 0.018738 |
| 33 | TypeAlias | 14 | 0.015431 |
| 34 | NotIdentified | 11 | 0.012124 |
| 35 | EnumMember | 8 | 0.008818 |
| 36 | Call | 6 | 0.006613 |
| 37 | Member | 6 | 0.006613 |
| 38 | Module | 6 | 0.006613 |
| 39 | Project | 6 | 0.006613 |
| | | | |

Chart 1c - Highest node count by label

Shows the 40 labels with the highest number of nodes.

Node count by label



Relationship Types

Table 2a - Highest relationship count by type

Lists the 30 relationship types with the highest number of occurrences. The whole table can be found in the CSV report Relationship type count.

Total number of relationships: 256271

| | | nodesWithThatRelationshipType | nodesWithThatRelationshipTypePercent |
|----|-------------------|-------------------------------|--------------------------------------|
| 0 | CONTAINS_CHANGE | 71594 | 27.936832 |
| 1 | MODIFIES | 71594 | 27.936832 |
| 2 | UPDATES | 47761 | 18.636912 |
| 3 | COMMITTED | 19654 | 7.669225 |
| 4 | CREATES | 16653 | 6.498199 |
| 5 | HAS_PARENT | 10821 | 4.222483 |
| 6 | DELETES | 9884 | 3.856855 |
| 7 | RENAMES | 2704 | 1.055133 |
| 8 | HAS_NEW_NAME | 1542 | 0.601707 |
| 9 | ON_COMMIT | 1045 | 0.407771 |
| 10 | DEPENDS_ON | 953 | 0.371872 |
| 11 | CONTAINS | 465 | 0.181449 |
| 12 | OF_TYPE | 330 | 0.128770 |
| 13 | EXPORTS | 271 | 0.105747 |
| 14 | REFERENCES | 198 | 0.077262 |
| 15 | DECLARES | 185 | 0.072189 |
| 16 | HAS_MEMBER | 99 | 0.038631 |
| 17 | HAS_TYPE_ARGUMENT | 99 | 0.038631 |
| 18 | RETURNS | 81 | 0.031607 |
| 19 | HAS_PARAMETER | 71 | 0.027705 |
| 20 | INITIALIZED_WITH | 32 | 0.012487 |
| 21 | COPIES | 29 | 0.011316 |
| 22 | REQUIRES_CONCEPT | 28 | 0.010926 |
| 23 | USES | 25 | 0.009755 |
| 24 | RESOLVES_TO | 23 | 0.008975 |
| 25 | HAS_HEAD | 22 | 0.008585 |
| 26 | COPY_OF | 21 | 0.008194 |
| 27 | INCLUDES_CONCEPT | 19 | 0.007414 |
| 28 | SIMILAR | 10 | 0.003902 |
| 29 | EXTENDS | 7 | 0.002731 |

Chart 2a - Highest relationship count by type

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in the second chart.

Relationship types (more than 0.5% overall)




Table 2b - Lowest relationship count by type


Lists the 30 relationships type with the lowest number of occurrences up to 0.5% of the total node count. This is essentially breaking down the "others" slice from the chart above.

| | relationshipType | nodes With That Relationship Type | nodes With That Relationship Type Percent |
|----|---------------------|-----------------------------------|---|
| 0 | CONSTRAINED_BY | 4 | 0.001561 |
| 1 | REFERENCED_PROJECTS | 5 | 0.001951 |
| 2 | MEMBER | 6 | 0.002341 |
| 3 | HAS_ROOT | 6 | 0.002341 |
| 4 | HAS_CONFIG | 6 | 0.002341 |
| 5 | HAS_ARGUMENT | 6 | 0.002341 |
| 6 | CONTAINS_PROJECT | 6 | 0.002341 |
| 7 | CALLS | 6 | 0.002341 |
| 8 | PARENT | 6 | 0.002341 |
| 9 | EXTENDS | 7 | 0.002731 |
| 10 | SIMILAR | 10 | 0.003902 |
| 11 | INCLUDES_CONCEPT | 19 | 0.007414 |
| 12 | COPY_OF | 21 | 0.008194 |
| 13 | HAS_HEAD | 22 | 0.008585 |
| 14 | RESOLVES_TO | 23 | 0.008975 |
| 15 | USES | 25 | 0.009755 |
| 16 | REQUIRES_CONCEPT | 28 | 0.010926 |
| 17 | COPIES | 29 | 0.011316 |
| 18 | INITIALIZED_WITH | 32 | 0.012487 |
| 19 | HAS_PARAMETER | 71 | 0.027705 |
| 20 | RETURNS | 81 | 0.031607 |
| 21 | HAS_TYPE_ARGUMENT | 99 | 0.038631 |
| 22 | HAS_MEMBER | 99 | 0.038631 |
| 23 | DECLARES | 185 | 0.072189 |
| 24 | REFERENCES | 198 | 0.077262 |
| 25 | EXPORTS | 271 | 0.105747 |
| 26 | OF_TYPE | 330 | 0.128770 |
| 27 | CONTAINS | 465 | 0.181449 |
| 28 | DEPENDS_ON | 953 | 0.371872 |
| 29 | ON_COMMIT | 1045 | 0.407771 |
| | | | |

Chart 2b - Lowest relationship count by type

Shows the lowest (less than 0.5% overall) relationship types. This plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.

Relationship types (less than 0.5% overall)



Node labels with their relationships

Table 3a - Highest relationship count by node labels and relationship type

Lists the 30 node labels and their relationship types with the highest number of occurrences.

| | sourceLabels | relationType | targetLabels | number Of Relationships | number Of Nodes With Same Labels As Source | numberOfNodesWithSam |
|----|--|-------------------|---|-------------------------|--|----------------------|
| 0 | [Git, Commit] | CONTAINS_CHANGE | [Git, Change] | 71594 | 9827 | |
| 1 | [Git, Change] | MODIFIES | [File, Git] | 71594 | 71594 | |
| 2 | [Git, Change] | UPDATES | [File, Git] | 47761 | 71594 | |
| 3 | [Git, Change] | CREATES | [File, Git] | 16653 | 71594 | |
| 4 | [Git, Commit] | HAS_PARENT | [Git, Commit] | 10821 | 9827 | |
| 5 | [Git, Change] | DELETES | [File, Git] | 9884 | 71594 | |
| 6 | [Author, Git, Person] | COMMITTED | [Git, Commit] | 9827 | 1181 | |
| 7 | [Committer, Git, Person] | COMMITTED | [Git, Commit] | 9827 | 371 | |
| 8 | [Git, Change] | RENAMES | [File, Git] | 2704 | 71594 | |
| 9 | [File, Git] | HAS_NEW_NAME | [File, Git] | 1542 | 5042 | |
| 10 | [Git, Tag] | ON_COMMIT | [Git, Commit] | 1045 | 1045 | |
| 11 | [TS, Function] | DEPENDS_ON | [TS, ExternalDeclaration] | 280 | 47 | |
| 12 | [TS, ExternalModule] | EXPORTS | [TS, ExternalDeclaration] | 211 | 25 | |
| 13 | [File, TS, Local, Module, Mark4ModuleWeaklyCon | DEPENDS_ON | [TS, ExternalDeclaration] | 188 | 3 | |
| 14 | [Type, TS, Union, ExternalType] | CONTAINS | [Type, TS, Primitive, ExternalType] | 149 | 120 | |
| 15 | [Type, TS, Declared, ExternalType] | REFERENCES | [TS, ExternalDeclaration] | 139 | 286 | |
| 16 | [TS, Function] | DEPENDS_ON | [TS, ExternalModule] | 129 | 47 | |
| 17 | [Type, TS, Union, ExternalType] | CONTAINS | [Type, TS, Literal, ExternalType] | 119 | 120 | |
| 18 | [Type, TS, Object, ExternalType] | HAS_MEMBER | [Type, TS, ObjectMember, ExternalType] | 98 | 38 | |
| 19 | [Type, TS, Union, ExternalType] | CONTAINS | [Type, TS, Declared, ExternalType] | 78 | 120 | |
| 20 | [TS, Interface] | DECLARES | [TS, Property] | 61 | 18 | |
| 21 | [TS, Property] | OF_TYPE | [Type, TS, Union, ExternalType] | 46 | 65 | |
| 22 | [TS, Variable] | DEPENDS_ON | [TS, ExternalDeclaration] | 44 | 24 | |
| 23 | [Type, TS, Declared, ExternalType] | HAS_TYPE_ARGUMENT | [Type, TS, Declared, ExternalType] | 43 | 286 | |
| 24 | [Type, TS, Function, ExternalType] | HAS_PARAMETER | [Type, TS, FunctionParameter, ExternalType] | 38 | 33 | |
| 25 | [File, TS, Local, Module, Mark4ModuleWeaklyCon | DECLARES | [TS, Function] | 37 | 3 | |
| 26 | [Type, TS, ObjectMember, ExternalType] | OF_TYPE | [Type, TS, Union, ExternalType] | 35 | 98 | |
| 27 | [TS, Function] | HAS_PARAMETER | [TS, Parameter] | 33 | 47 | |
| 28 | [Type, TS, ObjectMember, ExternalType] | OF_TYPE | [Type, TS, Primitive, ExternalType] | 31 | 98 | |
| 29 | [TS, Function] | DEPENDS_ON | [TS, Function] | 30 | 47 | |

Graph Density

total_number_of_nodes (vertices): 90727

total_number_of_relationships (edges): 256271

-> total directed graph density: 3.113372959701841e-05

-> total directed graph density in percent: 0.003113372959701841