## **Internal Dependencies**

#### References

- Analyze java package metrics in a graph database
- Calculate metrics
- Neo4j Python Driver

### **Artifacts**

List the artifacts this notebook is based on. Different sorting variations help finding artifacts by their features and support larger code bases where the list of all artifacts gets too long.

Only the top 30 entries are shown. The whole table can be found in the following CSV report: List all Java artifacts

Table 1a - Top 30 artifacts with the highest package count

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-messaging-4.10.2.jar	64	787	8	0
1	axon-server-connector-4.10.2.jar	11	132	1	4
2	axon-modelling-4.10.2.jar	10	158	6	1
3	axon-eventsourcing-4.10.2.jar	9	133	5	2
4	axon-spring-boot-autoconfigure-4.10.2.jar	9	75	0	7
5	axon-test-4.10.2.jar	8	87	1	3
6	axon-configuration-4.10.2.jar	1	41	2	4
7	axon-disruptor-4.10.2.jar	1	22	1	3
8	axon-tracing-opentelemetry-4.10.2.jar	1	5	1	1

Table 1b - Top 30 artifacts with the highest type count

	artifactName	packages	types	$incoming {\bf Dependencies}$	outgoingDependencies
0	axon-messaging-4.10.2.jar	64	787	8	0
1	axon-modelling-4.10.2.jar	10	158	6	1
2	axon-eventsourcing-4.10.2.jar	9	133	5	2
3	axon-server-connector-4.10.2.jar	11	132	1	4
4	axon-test-4.10.2.jar	8	87	1	3
5	axon-spring-boot-autoconfigure-4.10.2.jar	9	75	0	7
6	axon-configuration-4.10.2.jar	1	41	2	4
7	axon-disruptor-4.10.2.jar	1	22	1	3
8	axon-tracing-opentelemetry-4.10.2.jar	1	5	1	1

# Table 1c - Top 30 artifacts with the highest number of incoming dependencies

The following table lists the top 30 artifacts that are used the most by other artifacts (highest count of incoming dependencies, highest in-degree).

	artifactName	packages	types	$incoming {\bf Dependencies}$	outgoingDependencies
0	axon-messaging-4.10.2.jar	64	787	8	0
1	axon-modelling-4.10.2.jar	10	158	6	1
2	axon-eventsourcing-4.10.2.jar	9	133	5	2
3	axon-configuration-4.10.2.jar	1	41	2	4
4	axon-disruptor-4.10.2.jar	1	22	1	3
5	axon-server-connector-4.10.2.jar	11	132	1	4
6	axon-test-4.10.2.jar	8	87	1	3
7	axon-tracing-opentelemetry-4.10.2.jar	1	5	1	1
8	axon-spring-boot-autoconfigure-4.10.2.jar	9	75	0	7

# Table 1d - Top 30 artifacts with the highest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the highest number of other artifacts (highest count of outgoing dependencies, highest out-degree).

	artifactName	packages	types	$incoming {\tt Dependencies}$	outgoingDependencies
0	axon-spring-boot-autoconfigure-4.10.2.jar	9	75	0	7
1	axon-configuration-4.10.2.jar	1	41	2	4
2	axon-server-connector-4.10.2.jar	11	132	1	4
3	axon-disruptor-4.10.2.jar	1	22	1	3
4	axon-test-4.10.2.jar	8	87	1	3
5	axon-eventsourcing-4.10.2.jar	9	133	5	2
6	axon-modelling-4.10.2.jar	10	158	6	1
7	axon-tracing-opentelemetry-4.10.2.jar	1	5	1	1
8	axon-messaging-4.10.2.jar	64	787	8	0

Table 1e - Top 30 artifacts with the lowest package count

	artifactName	packages	types	$incoming \\ Dependencies$	outgoingDependencies
0	axon-configuration-4.10.2.jar	1	41	2	4
1	axon-disruptor-4.10.2.jar	1	22	1	3
2	axon-tracing-opentelemetry-4.10.2.jar	1	5	1	1
3	axon-test-4.10.2.jar	8	87	1	3
4	axon-eventsourcing-4.10.2.jar	9	133	5	2
5	axon-spring-boot-autoconfigure-4.10.2.jar	9	75	0	7
6	axon-modelling-4.10.2.jar	10	158	6	1
7	axon-server-connector-4.10.2.jar	11	132	1	4
8	axon-messaging-4.10.2.jar	64	787	8	0

Table 1f - Top 30 artifacts with the lowest type count

	artifactName	packages	types	$incoming {\bf Dependencies}$	outgoingDependencies
0	axon-tracing-opentelemetry-4.10.2.jar	1	5	1	1
1	axon-disruptor-4.10.2.jar	1	22	1	3
2	axon-configuration-4.10.2.jar	1	41	2	4
3	axon-spring-boot-autoconfigure-4.10.2.jar	9	75	0	7
4	axon-test-4.10.2.jar	8	87	1	3
5	axon-server-connector-4.10.2.jar	11	132	1	4
6	axon-eventsourcing-4.10.2.jar	9	133	5	2
7	axon-modelling-4.10.2.jar	10	158	6	1
8	axon-messaging-4.10.2.jar	64	787	8	0

# Table 1g - Top 30 artifacts with the lowest number of incoming dependencies

The following table lists the top 30 artifacts that are used the least by other artifacts (lowest count of incoming dependencies, lowest in-degree).

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-spring-boot-autoconfigure-4.10.2.jar	9	75	0	7
1	axon-disruptor-4.10.2.jar	1	22	1	3
2	axon-server-connector-4.10.2.jar	11	132	1	4
3	axon-test-4.10.2.jar	8	87	1	3
4	axon-tracing-opentelemetry-4.10.2.jar	1	5	1	1
5	axon-configuration-4.10.2.jar	1	41	2	4
6	axon-eventsourcing-4.10.2.jar	9	133	5	2
7	axon-modelling-4.10.2.jar	10	158	6	1
8	axon-messaging-4.10.2.jar	64	787	8	0

# Table 1h - Top 30 artifacts with the lowest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the lowest number of other artifacts (lowest count of outgoing dependencies, lowest out-degree).

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-messaging-4.10.2.jar	64	787	8	0
1	axon-modelling-4.10.2.jar	10	158	6	1
2	axon-tracing-opentelemetry-4.10.2.jar	1	5	1	1
3	axon-eventsourcing-4.10.2.jar	9	133	5	2
4	axon-disruptor-4.10.2.jar	1	22	1	3
5	axon-test-4.10.2.jar	8	87	1	3
6	axon-configuration-4.10.2.jar	1	41	2	4
7	axon-server-connector-4.10.2.jar	11	132	1	4
8	axon-spring-boot-autoconfigure-4.10.2.jar	9	75	0	7

## Cyclic Dependencies

Cyclic dependencies occur when one package uses a class of another package and vice versa. These dependencies can lead to problems when one of these packages needs to be changed.

### Table 2a - Cyclic Dependencies Overview

Show the top 40 cyclic dependencies sorted by the most promising to resolve first. This is done by calculating the number of forward dependencies (first cycle participant to second cycle participant) in relation to backward dependencies (second cycle participant back to first cycle participant). The higher this rate (approaching 1), the easier it should be to resolve the cycle by focusing on the few backward dependencies.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic Dependencies

#### Columns:

- artifactName identifies the artifact of the first participant of the cycle
- packageName identifies the package of the first participant of the cycle
- dependentArtifactName identifies the artifact of the second participant of the cycle
- dependentPackageName identifies the package of the second participant of the cycle
- forwardToBackwardBalance is between 0 and 1. High for many forward and few backward dependencies.
- numberForward contains the number of dependencies from the first participant of the cycle to the second one
- numberBackward contains the number of dependencies from the second participant of the cycle back to the first one
- someForwardDependencies lists some forward dependencies in the text format "type1 -> type2"
- backwardDependencies lists the backward dependencies in the format "type1 <- type2" that are recommended to get resolved

	artifactName	packageName	dependentArtifactName	dependentPackageName	forward
0	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	
1	axon- messaging- 4.10.2	org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	
2	axon- messaging- 4.10.2	org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.tracing	
3	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.messaging	
4	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.messaging.annotation	
5	axon- messaging- 4.10.2	org.axonframework.deadline	axon-messaging-4.10.2	org.axonframework.tracing	
6	axon- messaging- 4.10.2	org.axonframework.commandhandling	axon-messaging-4.10.2	org.axonframework.tracing	
7	axon- eventsourcing- 4.10.2	org.axonframework.eventsourcing	axon-eventsourcing- 4.10.2	org.axonframework.eventsourcing.eventstore	
8	axon- messaging- 4.10.2	org.axonframework.commandhandling.callbacks	axon-messaging-4.10.2	org.axonframework.commandhandling	
9	axon-server- connector- 4.10.2	org.axonframework.axonserver.connector.util	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector	
10	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.serialization	
11	axon- messaging- 4.10.2	org.axonframework.messaging.unitofwork	axon-messaging-4.10.2	org.axonframework.messaging	
12	axon-server- connector- 4.10.2	org.axonframework.axonserver.connector.event.axon	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector	
13	axon-server- connector- 4.10.2	org.axonframework.axonserver.connector.query	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector	
14	axon- messaging- 4.10.2	org.axonframework.eventhandling.async	axon-messaging-4.10.2	org.axonframework.eventhandling	
15	axon- messaging- 4.10.2	org.axonframework.eventhandling.replay	axon-messaging-4.10.2	org.axonframework.eventhandling	

	artifactName	packageName	dependentArtifactName	dependentPackageName	forward <sup>*</sup>
16	axon-server- connector- 4.10.2	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.event.util	
17	axon-server- connector- 4.10.2	org.axonframework.axonserver.connector.query	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.query.subscription	
18	axon- messaging- 4.10.2	org.axonframework.serialization.upcasting.event	axon-messaging-4.10.2	org.axonframework.eventhandling	
19	axon- eventsourcing- 4.10.2	org.axonframework.eventsourcing.eventstore.jdbc	axon-eventsourcing- 4.10.2	org. ax on framework. events our cing. event store. jdbc. statements	
20	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.eventhandling.tokenstore	
21	axon- modelling- 4.10.2	org.axonframework.modelling.command.inspection	axon-modelling-4.10.2	org.axonframework.modelling.command	
22	axon- messaging- 4.10.2	org.axonframework.queryhandling.registration	axon-messaging-4.10.2	org.axonframework.queryhandling	
23	axon- messaging- 4.10.2	org.axonframework.messaging	axon-messaging-4.10.2	org.axonframework.serialization	
24	axon-server- connector- 4.10.2	org.axonframework.axonserver.connector.command	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector	
25	axon- messaging- 4.10.2	org.axonframework.messaging.annotation	axon-messaging-4.10.2	org.axonframework.messaging.interceptors	
26	axon- modelling- 4.10.2	org.axonframework.modelling.saga	axon-modelling-4.10.2	org.axonframework.modelling.saga.metamodel	
27	axon- messaging- 4.10.2	org. ax on framework. command handling. distributed. command filter	axon-messaging-4.10.2	org.axonframework.commandhandling.distributed	

## Table 2b - Cyclic Dependencies Break Down

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic\_Dependencies\_Breakdown

#### **Columns in addition to Table 2a:**

	dency show (backward)	s the cycle do	ependency ir	n the text for	mat "type1 -	> type2" (fo	rward) or "ty <sub>l</sub>	oe2<-
.,	(5000.11101.01)							

	artifactName	packageName	dependentArtifactName	dependentPackageName	dependency	fon
0	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	AbstractEventBus->SpanScope	
1	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	AbstractEventProcessor\$Builder->SpanFactory	
2	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	SimpleEventBus\$Builder->SpanFactory	
3	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	AbstractEventBus\$Builder->NoOpSpanFactory	
4	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	EventMessage<-NestingSpanFactory	
5	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	DefaultEventProcessorSpanFactory\$Builder- >SpanFactory	
6	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	DefaultEventProcessorSpanFactory->Span	
7	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	DefaultEventBusSpanFactory->SpanFactory	
8	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	EventBusSpanFactory->Span	
9	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	DefaultEventBusSpanFactory\$Builder- >SpanFactory	
10	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	AbstractEventBus\$Builder->SpanFactory	
11	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	AbstractEventProcessor\$Builder- >NoOpSpanFactory	
12	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	AbstractEventBus->Span	
13	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	AbstractEventProcessor->Span	
14	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	DefaultEventProcessorSpanFactory- >SpanFactory	
15	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	TrackingEventProcessor\$Builder->SpanFactory	
16	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	DefaultEventProcessorSpanFactory- >NoOpSpanFactory\$NoOpSpan	
17	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	DefaultEventBusSpanFactory->Span	
18	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	SubscribingEventProcessor\$Builder- >SpanFactory	
19	axon- messaging- 4.10.2	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.tracing	EventProcessorSpanFactory->Span	
20	axon- messaging- 4.10.2	org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	DefaultQueryGateway->ResponseType	
21	axon- messaging- 4.10.2	org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	QueryGateway->ResponseTypes	
22	axon- messaging- 4.10.2	org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	QuerySubscription->ResponseType	
23	axon- messaging- 4.10.2	org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	SimpleQueryBus->ResponseType	
24	axon- messaging- 4.10.2	org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	StreamingQueryMessage->ResponseType	
25	axon- messaging- 4.10.2	org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	QueryMessage->ResponseType	

packageName	dependentArtifactName	dependentPackageName	dependency	for
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	GenericStreamingQueryMessage- >PublisherResponseType	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	GenericSubscriptionQueryMessage->ResponseType	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	QueryResponseMessage<- ConvertingResponseMessage	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	SubscriptionQueryMessage->ResponseType	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	QueryGateway->ResponseType	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	GenericStreamingQueryMessage- >ResponseType	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	GenericQueryMessage->ResponseType	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter- >PublisherResponseType	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter->ResponseType	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter->MultipleInstancesResponseType	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter- >OptionalResponseType	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.tracing	DefaultQueryUpdateEmitterSpanFactory\$Builder- >SpanFactory	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.tracing	SimpleQueryUpdateEmitter\$Builder- >SpanFactory	
org.axonframework.queryhandling	axon-messaging-4.10.2	org.axonframework.tracing	DefaultQueryBusSpanFactory\$Builder- >SpanFactory	
	org.axonframework.queryhandling	org.axonframework.queryhandling axon-messaging-4.10.2	axon-messaging-4.10.2 org.axonframework.messaging-responsetypes org.axonframework.queryhandling axon-messaging-4.10.2 org.axonframework.messaging-responsetypes	axon-messaging-4.10.2 org.axonframework.queryhandling axon-messaging-4.10.2 org.axonframework.messaging-responsetypes GenericSubscriptionQueryMessage-PublisherResponseType org.axonframework.queryhandling axon-messaging-4.10.2 org.axonframework.messaging-responsetypes QueryResponseMessage-ConvertingResponseMessage-ConvertingResponseMessage-ConvertingResponseMessage-ConvertingResponseMessage-ConvertingResponseMessage-ConvertingResponseMessage-ConvertingResponseMessage-ConvertingResponseMessage-ResponseMessage-ConvertingResponseMessage-Res

# Table 2c - Cyclic Dependencies Break Down - Backward Dependencies Only

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first. This table only contains the backward dependencies from the second participant of the cycle back to the first one that are the most promising to resolve.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic Dependencies Breakdown BackwardOnly

	packageName dependentArtifactName dependentPackageName		actName packageNam		
	org.axonframework.tracing	axon-messaging-4.10.2	org.axonframework.eventhandling	axon- messaging- 4.10.2	0
:	org.axonframework.messaging.responsetypes	axon-messaging-4.10.2	org.axonframework.queryhandling	axon- messaging- 4.10.2	1
ı	org.axonframework.tracing	axon-messaging-4.10.2	org.axonframework.queryhandling	axon- messaging- 4.10.2	2
ı	org.axonframework.messaging	axon-messaging-4.10.2	org.axonframework.eventhandling	axon- messaging- 4.10.2	
	org.axonframework.messaging	axon-messaging-4.10.2	org.axonframework.eventhandling	axon- messaging- 4.10.2	4
l	org.axonframework.messaging	axon-messaging-4.10.2	org.axonframework.eventhandling	axon- messaging- 4.10.2	5
AggregateTypeParar	org.axonframework.messaging.annotation	axon-messaging-4.10.2	org.axonframework.eventhandling	axon- messaging- 4.10.2	6
Sourceld	org.axonframework.messaging.annotation	axon-messaging-4.10.2	org.axonframework.eventhandling	axon- messaging- 4.10.2	7
	org.axonframework.tracing	axon-messaging-4.10.2	org.axonframework.deadline	axon- messaging- 4.10.2	8
ı	org.axonframework.tracing	axon-messaging-4.10.2	org.axonframework.commandhandling	axon- messaging- 4.10.2	9
	org.axonframework.eventsourcing.eventstore	axon-eventsourcing- 4.10.2	org.axonframework.eventsourcing	axon- eventsourcing- 4.10.2	10
	org.axonframework.eventsourcing.eventstore	axon-eventsourcing- 4.10.2	org.axonframework.eventsourcing	axon- eventsourcing- org.axonframewor 4.10.2	
ı	org.axonframework.commandhandling	axon-messaging-4.10.2	org.axonframework.commandhandling.callbacks	axon- messaging- 4.10.2	12
ı	org.axonframework.commandhandling	axon-messaging-4.10.2	org.axonframework.commandhandling.callbacks	axon- messaging- 4.10.2	13
	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.util	axon-server- connector- 4.10.2	14
G	org.axonframework.serialization	axon-messaging-4.10.2	org.axonframework.eventhandling	axon- messaging- 4.10.2	15
	org.axonframework.serialization	axon-messaging-4.10.2	org.axonframework.eventhandling	axon- messaging- 4.10.2	16
Gap/	org.axonframework.serialization	axon-messaging-4.10.2	org.axonframework.eventhandling	axon- messaging- 4.10.2	17
	org.axonframework.messaging	axon-messaging-4.10.2	org.axonframework.messaging.unitofwork	axon- messaging- 4.10.2	18
	org.axonframework.messaging	axon-messaging-4.10.2	org.axonframework.messaging.unitofwork	axon- messaging- 4.10.2	19
	org.axonframework.messaging	axon-messaging-4.10.2	org.axonframework.messaging.unitofwork	axon- messaging- 4.10.2	20
EventProces	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.event.axon	axon-server- connector- 4.10.2	21
AxonServe	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.event.axon	axon-server- connector- 4.10.2	22
AxonServ	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.event.axon	axon-server- connector- 4.10.2	23
Ax	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.event.axon	axon-server- connector- 4.10.2	24
- AxonServerEventS	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.event.axon	axon-server- connector- 4.10.2	25

	dependentPackageName	dependentArtifactName	factName packageName			
	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.2	26	
AxonServerN	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.2	27	
А	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.2	28	
Qu	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.2	29	
AxonServ	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.2	30	
	org.axonframework.axonserver.connector	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.2	31	
SequentialF	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.eventhandling.async	axon- messaging- 4.10.2	32	
	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.eventhandling.async	axon- messaging- 4.10.2	33	
	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.eventhandling.async	axon- messaging- 4.10.2	34	
	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.eventhandling.replay	axon- messaging- 4.10.2	35	
	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.eventhandling.replay	axon- messaging- 4.10.2	36	
	org.axonframework.eventhandling	axon-messaging-4.10.2	org.axonframework.eventhandling.replay	axon- messaging- 4.10.2	37	
	org.axonframework.axonserver.connector.event.util	axon-server-connector- 4.10.2	axon-server- connector- d.10.2  axon-server- org.axonframework.axonserver.connector		38	
GrpcBa	org.axonframework.axonserver.connector.query.subscription	axon-server-connector- 4.10.2	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.2	39	

## Interface Segregation Candidates

Well known from Design Principles and Design Patterns by Robert C. Martin, the *Interface Segregation Principle* suggests that software components should have narrow, focused interfaces rather than large, general-purpose ones. The goal is to minimize the dependencies between components and increase modularity, flexibility, and maintainability.

Smaller, focused and purpose-driven interfaces

- make it easier to modify individual components without affecting the rest of the system.
- · make it clearer which client is affected by which change.
- don't force their clients to depend on methods they don't need.
- reduce the scope of changes since a change to one component doesn't affect others.
- lead to a more loosely coupled architecture that is easier to understand and maintain.

Reference: Analyze java package metrics in a graph database

### How to apply the results

If just one method of a type is used, especially in many places, then the result of this method can be used to call e.g. a method or constuct an object instead of using the whole object and then just calling that single method.

If there are a couple of methods that are used for a distinct purpose, those could be factored out into a separate interface. The original type can extended/implement the new interface so that there are no breaking changes. Then all the callers, that use only this group of methods, can be changed to the new interface.

### Table 4 - Top 40 most used combinations of methods

The following table shows the top 40 most used combinations of methods of larger types that might benefit from applying the *Interface Segregation Principle*. The whole table can be found in the CSV report Candidates for Interface Segregation.

0 1 2 3 4 5 6	org.axonframework.commandhandling.CommandMessage org.axonframework.eventhandling.EventMessage org.axonframework.eventhandling.DomainEventMessage org.axonframework.eventhandling.EventMessage org.axonframework.eventhandling.TrackedEventMessage org.axonframework.commandhandling.GenericCommandResultMessage	9 9 10 9	[getCommandName] [getIdentifier, getTimestamp] [getSequenceNumber] [getIdentifier]	1 2 1	20 10 9
2 3 4 5	org.axonframework.eventhandling.DomainEventMessage org.axonframework.eventhandling.EventMessage org.axonframework.eventhandling.TrackedEventMessage org.axonframework.commandhandling.GenericCommandResultMessage	10 9 10	[getSequenceNumber]	1	9
3 4 5	org.axonframework.eventhandling.EventMessage org.axonframework.eventhandling.TrackedEventMessage org.axonframework.commandhandling.GenericCommandResultMessage	9	[getIdentifier]		
4 5 6	$org. axon framework. eventh and ling. Tracked Event Message \\org. axon framework. command handling. Generic Command Result Message \\$	10		1	
5 6	org. axon framework. command handling. Generic Command Result Message		=	_	9
6		4.4	[trackingToken]	1	8
		14	[asCommandResultMessage]	1	6
7	org.axonframework.eventhandling.DomainEventMessage	10	[getType, getAggregateIdentifier, getSequenceNumber]	3	6
	org. ax on framework. messaging. Result Message	9	[isExceptional, exceptionResult]	2	6
8	org. ax on framework. even than dling. Replay Token	13	[createReplayToken]	1	5
9	$org. ax on framework. dead line. Generic {\tt Dead line} Message$	11	[asDeadlineMessage]	1	5
10	$org. axon framework. eventh and ling. Domain {\tt EventMessage}$	10	[getAggregateIdentifier]	1	5
11	$org. ax on framework. even than d ling. Tracked {\tt Event Message}$	12	[trackingToken]	1	4
12	org. ax on framework. dead line. Dead line Message	10	[getDeadlineName]	1	4
13	org. axon framework. eventh and ling. Domain Event Message	10	[getType]	1	4
14	$org. axon framework. eventh and ling. Generic {\tt EventMessage}$	10	[asEventMessage]	1	4
15	org. axon framework. dead line. Default Dead line Manager Span Factory	8	[builder]	1	4
16	org. ax on framework. common. transaction. No Transaction Manager	4	[instance]	1	4
17	org. axon framework. query handling. Simple Query Update Emitter	17	[builder]	1	3
18	org. ax on framework. command handling. Generic Command Result Message	15	[asCommandResultMessage]	1	3
19	org. ax on framework. eventh and ling. Replay Token	13	[isReplay]	1	3
20	org. ax on framework. modelling. command. in spection. Aggregate Model	13	[type]	1	3
21	org. ax on framework. query handling. Subscription Query Message	12	[getUpdateResponseType]	1	3
22	$org. ax on framework. eventh and ling. Domain {\tt EventMessage}$	11	[getType, getAggregateIdentifier, getSequenceNumber]	3	3
23	org.axonframework.eventhandling.GenericEventMessage	11	[asEventMessage]	1	3
24	org.axonframework.queryhandling.SimpleQueryBus	11	[builder]	1	3
25	org.axonframework.eventhandling.DomainEventMessage	10	[getAggregateIdentifier, getSequenceNumber]	2	3
26	org. ax on framework. eventhand ling. Gap Aware Tracking Token	10	[newInstance, getGaps, withGapsTruncatedAt, advanceTo, getIndex]	5	3
27	org.axonframework.queryhandling.DefaultQueryBusSpanFactory	10	[builder]	1	3
28	org.axonframework.commandhandling.gateway.DefaultCommandGateway	9	[builder]	1	3
29	org.axonframework.config.Configuration	9	[getComponent]	1	3
30	org.axonframework.config.Configuration	9	[upcasterChain, snapshotFilter]	2	3
31	org.axonframework.eventhandling.EventMessage	9	[getTimestamp]	1	3
32	org.axonframework.messaging.MessageDecorator	9	[describeTo]	1	3
33	org. ax on framework. command handling. Default Command Bus Span Factory	5	[builder]	1	3
34	$org. ax on framework. event hand ling. Tracked {\tt Event Data}$	5	[trackingToken]	1	3
35	org. ax on framework. eventh and ling. to ken store. Config Token	5	[get]	1	3
36	org. ax on framework. serialization. Simple Serialized Type	5	[emptyType]	1	3
37	org. ax on framework. eventh and ling. Default Event Bus Span Factory	4	[builder]	1	3
<b>38</b> 0	org.axonframework.queryhandling.DefaultQueryUpdateEmitterSpanFactory	4	[builder]	1	3
39	org.axonframework.eventhandling.TrackerStatus	17	[getSegment, split, getTrackingToken]	3	2

## Package Usage

## Table 5 - Types that are used by multiple packages

This table shows the top 40 packages that are used by the highest number of different packages. The whole table can be found in the CSV report

List\_types\_that\_are\_used\_by\_many\_different\_packages.

	fullQualifiedDependentTypeName	dependentTypeName	dependentTypeLabels	numberOfUsingF
0	org.axonframework.common.BuilderUtils	BuilderUtils	[Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHormonic, Mark4TopCentralityHormonic, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
1	$org. ax on framework. common. Ax on Configuration {\sf Exception}$	AxonConfigurationException	[Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
2	org.axonframework.messaging.Message	Message	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPaticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHoperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInduce	
3	org.axonframework.messaging.MetaData	MetaData	[Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityHoseness, Mark4TopCentralityHoperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
4	org.axonframework.serialization.Serializer	Serializer	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityHoseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
5	org.axonframework.eventhandling.EventMessage	EventMessage	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHormonic, Mark4TopCentralityHorperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
6	org.axonframework.messaging.unitofwork.UnitOfWork	UnitOfWork	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityArticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityHoseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
7	org.axonframework.common.transaction.TransactionManager	TransactionManager	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
8	org.axonframework.common.Assert	Assert	[Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityHcleRank, Mark4TopCentralityHcleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
9	org.axonframework.serialization.SerializedObject	SerializedObject	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityHopseness, Mark4TopCentralityHoperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInduce	
10	$org. ax on framework. serialization. Serialized {\tt Type}$	SerializedType	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHormonic, Mark4TopCentralityHormonic, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
11	org.axonframework.messaging.unitofwork.CurrentUnitOfWork	CurrentUnitOfWork	[Type, File, Java, ByteCode, Class, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness]	
12	org.axonframework.common.Registration	Registration	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	

	fullQualifiedDependentTypeName	dependentTypeName	dependentTypeLabels	numberOfUsingF
13	org.axonframework.tracing.SpanFactory	SpanFactory	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityArticleRank, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
14	org.axonframework.lifecycle.Lifecycle	Lifecycle	[Type, File, Java, ByteCode, Interface]	
15	org. ax on framework. life cycle. Life cycle \$ Life cycle Registry	Lifecycle\$LifecycleRegistry	[Type, File, Java, ByteCode, Interface]	
16	org.axonframework.common.ObjectUtils	ObjectUtils	[Type, File, Java, ByteCode, Class]	
17	$org. ax on framework. eventh and ling. Tracking {\tt Token}$	TrackingToken	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
18	$org. ax on framework. eventh and ling. Domain {\sf Event Message}$	DomainEventMessage	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
19	org.axonframework.messaging.annotation.ParameterResolverFactory	ParameterResolverFactory	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
20	org. ax on framework. common. Ax on Non Transient Exception	AxonNonTransientException	[Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness]	
21	$org. ax on framework. eventh and ling. Generic {\tt EventMessage}$	GenericEventMessage	[Type, File, Java, ByteCode, Class, GenericDeclaration, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
22	org.axonframework.messaging.MessageDispatchInterceptor	MessageDispatchInterceptor	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
23	org.axonframework.messaging.MessageHandlerInterceptor	MessageHandlerInterceptor	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityBetweenness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
24	org. ax on framework. serialization. Simple Serialized Object	SimpleSerializedObject	[Type, File, Java, ByteCode, Class, GenericDeclaration, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness]	
25	org. ax on framework. tracing. No Op Span Factory	NoOpSpanFactory	[Type, File, Java, ByteCode, Class]	
26	org.axonframework.commandhandling.CommandMessage	CommandMessage	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
27	org.axonframework.eventhandling.EventBus	EventBus	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
28	org. ax on framework. messaging. annotation. Handler Definition	HandlerDefinition	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
29	org. ax on framework. common. transaction. No Transaction Manager	NoTransactionManager	[Type, File, Java, ByteCode, Enum]	
30	org.axonframework.messaging.ResultMessage	ResultMessage	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness]	
31	org.axonframework.tracing.Span	Span	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
32	org. ax on framework. messaging. unit of work. Default Unit Of Work	DefaultUnitOfWork	[Type, File, Java, ByteCode, Class, GenericDeclaration]	
33	org. ax on framework. common. Reflection Utils	ReflectionUtils	[Type, File, Java, ByteCode, Class]	
34	$org. ax on framework. eventh and ling. Tracked {\tt EventMessage}$	TrackedEventMessage	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityArticleRank, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TopCentralityHyperlinkInducedTopicSearchHub]	
35	org.axonframework.common.AxonException	AxonException	[Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness]	
36	$org. ax on framework. common. Date {\it Time Utils}$	DateTimeUtils	[Type, File, Java, ByteCode, Class]	
37	org. ax on framework. messaging. Default Interceptor Chain	DefaultInterceptorChain	[Type, File, Java, ByteCode, Class, GenericDeclaration]	
38	org. ax on framework. eventh and ling. Generic Domain Event Message	GenericDomainEventMessage	[Type, File, Java, ByteCode, Class, GenericDeclaration]	

	fullQualifiedDependentTypeName	dependentTypeName	dependentTypeLabels numberOfUsingF
39	org.axonframework.messaging.InterceptorChain	InterceptorChain	[Type, File, Java, ByteCode, Interface]

## Table 6 - Packages that are used by multiple artifacts

This table shows the top 30 artifacts that only use a few (compared to all existing) packages of another artifact. The whole table can be found in the CSV report ArtifactPackageUsage.

	artifactName	dependentArtifactName	dependentPackages	dependentArtifactPackages	packageUsagePercentage	dependentFullQualifiedPacka
0	axon-tracing- opentelemetry- 4.10.2	axon-messaging-4.10.2	3	64	0.046875	[org.axonframework.messaging, org.axonframework org.axonframework
1	axon-server- connector- 4.10.2	axon-modelling-4.10.2	1	10	0.100000	[org.axonframework.modelling.
2	axon-spring- boot- autoconfigure- 4.10.2	axon-test-4.10.2	1	8	0.125000	[org.axonframework.t
3	axon-disruptor- 4.10.2	axon-messaging-4.10.2	9	64	0.140625	[org.axonframework.commandhandling org.axonframework.commo org.axonframework.common.tr org.axonframework.n org.axonframework.m org.axonframework messaging.t org.axonframework.comman org.axonframework.comman org.axonframework.r org.axonframework.r
4	axon-test- 4.10.2	axon-messaging-4.10.2	10	64	0.156250	[org.axonframework.messaging, org.axonframework org.axonframework org.axonframework.messaging.torg.axonframework.messaging.torg.axonframework.comman org.axonframework.comman org.axonframework.commandhandlini org.axonframework.commandhandlini org.axonframework.comfr
5	axon- eventsourcing- 4.10.2	axon-modelling-4.10.2	2	10	0.200000	[org.axonframework.modelling.org.axonframework.modelling.command.i
6	axon-disruptor- 4.10.2	axon-modelling-4.10.2	2	10	0.200000	$[org. ax on framework. modelling. \\ org. ax on framework. modelling. command. i$
7	axon-test- 4.10.2	axon-eventsourcing- 4.10.2	2	9	0.222222	[org.axonframework.eventsourcing.e org.axonframework.ever
8	axon-disruptor- 4.10.2	axon-eventsourcing- 4.10.2	2	9	0.222222	[org.axonframework.eventsourcing.e org.axonframework.ever
9	axon- modelling- 4.10.2	axon-messaging-4.10.2	18	64	0.281250	[org.axonframework.n org.axonframework.common.a org.axonframework.messaging.a org.axonframework.commol org.axonframework.commol org.axonframework.ever org.axonframework.seriali: org.axonframework.serialii
10	axon- eventsourcing- 4.10.2	axon-messaging-4.10.2	20	64	0.312500	[org.axonframework.se org.axonframework.ever org.axonframework.common, org.axonframewor org.axonframework.c org.axonframework.seriali; org.axonframework.tracing, org.axonframework.r org.axonframework.common.jdbc, org.axonframe
11	axon-server- connector- 4.10.2	axon-eventsourcing- 4.10.2	3	9	0.333333	[org.axonframework.eventsourcing.snates org.axonframework.eventsourcing.expressions.eventsourcing.expressions.eventsourcing.expressions.eventsourcing.expressions.eventsourcing.expressions.eventsourcing.expressions.expression.expressions.expression.expre
12	axon-spring- boot- autoconfigure- 4.10.2	axon-server-connector- 4.10.2	4	11	0.363636	[org.axonframework.axonserver. org.axonframework.axonserver.connector.e org.axonframework.axonserver.conne org.axonframework.axonserver.connector.
13	axon-server- connector- 4.10.2	axon-messaging-4.10.2	25	64	0.390625	[org.axonframework.n org.axonframework.seriali; org.axonframewor org.axonframework.ever org.axonframework.serialization.upcas org.axonframework org.axonframework.messaging.u org.axonframework.org.ax
14	axon- configuration- 4.10.2	axon-eventsourcing- 4.10.2	4	9	0.444444	[org.axonframework.eventsourcing.e org.axonframework.ever org.axonframework.eventsourcing.ever org.axonframework.eventsourcing.sna
15	axon-test- 4.10.2	axon-modelling-4.10.2	5	10	0.500000	[org.axonframework.mode org.axonframework.modelling.saga. org.axonframework.modelling.saga.repository. org.axonframework.modelling.command.i org.axonframework.modelling.

artifactName	dependentArtifactName	dependentPackages	dependentArtifactPackages	packageUsagePercentage	dependentFullQualifiedPacka
--------------	-----------------------	-------------------	---------------------------	------------------------	-----------------------------

16	axon- configuration- 4.10.2	axon-messaging-4.10.2	34	64	0.531250	[org.axonframeworkorg.axonframeworkorg.axonframework.eventhandling.tokeorg.axonframework.eventhandling.sorg.axonframework.eventhandling.sorg.axonframework.eventhandling.org.axonframeworkorg.axonframeworkorg.axonframework
17	axon-spring- boot- autoconfigure- 4.10.2	axon-eventsourcing- 4.10.2	5	9	0.555556	[org.axonframework.eventsourcing.e org.axonframework.eventsourcing.eventstore. org.axonframework.ever org.axonframework.eventsourcing.ever org.axonframework.eventsourcing.event
18	axon-spring- boot- autoconfigure- 4.10.2	axon-modelling-4.10.2	6	10	0.600000	[org.axonframework.modelling.saga. org.axonframework.modelling.saga.repository. org.axonframework.mode org.axonframework.modelling. org.axonframework.modelling.saga.repo org.axonframework.modelling.saga.repo
19	axon- modelling- 4.10.2	axon-modelling-4.10.2	6	10	0.600000	[org.axonframework.modelling.saga.m org.axonframework.mode org.axonframework.modelling.saga. org.axonframework.modelling.saga.repi org.axonframework.modelling. org.axonframework.modelling.command.i
20	axon- configuration- 4.10.2	axon-modelling-4.10.2	6	10	0.600000	[org.axonframework.modelling.saga. org.axonframework.modelling. org.axonframework.modelling.command.i org.axonframework.mode org.axonframework.modelling.saga.repository. org.axonframework.modelling.saga.rep
21	axon-spring- boot- autoconfigure- 4.10.2	axon-messaging-4.10.2	39	64	0.609375	[org.axonframework.ever org.axonframework.messaging. org.axonframework.common. org.axonframework.eventhandling.t org.axonframework.se org.axonframework.eventhandling.deadletter. org.axonframework.common.tr org.axonfra
22	axon-test- 4.10.2	axon-test-4.10.2	5	8	0.625000	[org.axonframework.test, org.axonframework.test org.axonframework.test.event org.axonframework org.axonframework.tes
23	axon- messaging- 4.10.2	axon-messaging-4.10.2	41	64	0.640625	[org.axonframework org.axonframework.common.tr org.axonframework.n org.axonframework.common.a org.axonframework.messaging.i org.axonframework.messaging.inl org.axonframework.ever org.axonframework.common.property, org.axon
24	axon- eventsourcing- 4.10.2	axon-eventsourcing- 4.10.2	7	9	0.777778	[org.axonframework.ever org.axonframework.eventsourcing.sn org.axonframework.eventsourcing.e org.axonframework.eventsourcing.eventstore.jdbc.s org.axonframework.eventsourcing.conflict org.axonframework.eventsourcing.ever
25	axon-server- connector- 4.10.2	axon-server-connector- 4.10.2	9	11	0.818182	[org.axonframework.axonserver.connector. org.axonframework.axonserver.connector org.axonframework.axonserver. org.axonframework.axonserver.con org.axonframework.axonserver.connector. org.axonframework.axonserver.connector.
26	axon-spring- boot- autoconfigure- 4.10.2	axon-spring-boot- autoconfigure-4.10.2	8	9	0.88889	[org.axonframework.actuator, org.axonframework.sprir org.axonframework.springboot.util. org.axonframework.springboot.atil. org.axonframework.springboot.service.c org.axonframework.actuator.a org.axonframework.sp
27	axon-spring- boot- autoconfigure- 4.10.2	axon-configuration-4.10.2	1	1	1.000000	[org.axonframew
28	axon-server- connector- 4.10.2	axon-configuration-4.10.2	1	1	1.000000	[org.axonframew

artifactName	dependentArtifactName	dependentPackages	dependentArtifactPackages	packageUsagePercentage	dependentFullQualifiedPacka
axon-spring- boot- autoconfigure- 4.10.2	axon-tracing- opentelemetry-4.10.2	1	1	1.000000	[org.axonframework.tracing.oper

## Table 7 - Types that are used by multiple artifacts

This table shows the top 30 types that only use a few (compared to all existing) types of another artifact. The whole table can be found in the CSV report ClassesPerPackageUsageAcrossArtifacts.

	artifactName	dependentArtifactName	packageName	dependentPackage.fqn	dependentTypes	depend
0	axon- modelling- 4.10.2	axon-messaging-4.10.2	org.axonframework.modelling.saga.metamodel	org.axonframework.eventhandling	1	
1	axon-spring- boot- autoconfigure- 4.10.2	axon-messaging-4.10.2	org.axonframework.springboot.util	org.axonframework.eventhandling	1	
2	axon- eventsourcing- 4.10.2	axon-messaging-4.10.2	org.axonframework.eventsourcing.snapshotting	org.axonframework.eventhandling	1	
3	axon-spring- boot- autoconfigure- 4.10.2	axon-messaging-4.10.2	org.axonframework.springboot.autoconfig.legacyjpa	org.axonframework.eventhandling	1	
4	axon-test- 4.10.2	axon-messaging-4.10.2	org.axonframework.test.matchers	org.axonframework.eventhandling	1	
5	axon-server- connector- 4.10.2	axon-messaging-4.10.2	org.axonframework.axonserver.connector	org.axonframework.eventhandling	1	
6	axon- eventsourcing- 4.10.2	axon-modelling-4.10.2	org.axonframework.eventsourcing.eventstore.jdbc	org.axonframework.modelling.command	1	
7	axon-server- connector- 4.10.2	axon-modelling-4.10.2	org.axonframework.axonserver.connector	org.axonframework.modelling.command	1	
8	axon- eventsourcing- 4.10.2	axon-modelling-4.10.2	org.axonframework.eventsourcing.conflictresolution	org.axonframework.modelling.command	1	
9	axon- eventsourcing- 4.10.2	axon-messaging-4.10.2	org.axonframework.eventsourcing.conflictresolution	org.axonframework.eventhandling	2	
10	axon- modelling- 4.10.2	axon-messaging-4.10.2	org.axonframework.modelling.command	org.axonframework.eventhandling	2	
11	axon- modelling- 4.10.2	axon-messaging-4.10.2	org.axonframework.modelling.command.legacyjpa	org.axonframework.eventhandling	2	
12	axon-test- 4.10.2	axon-messaging-4.10.2	org.axonframework.test.eventscheduler	org.axonframework.eventhandling	2	
13	axon-server- connector- 4.10.2	axon-eventsourcing- 4.10.2	org.axonframework.axonserver.connector.event.axon	org.axonframework.eventsourcing	1	
14	axon-spring- boot- autoconfigure- 4.10.2	axon-configuration-4.10.2	org.axonframework.springboot.autoconfig.legacyjpa	org.axonframework.config	1	
15	axon-spring- boot- autoconfigure- 4.10.2	axon-configuration-4.10.2	org.axonframework.springboot	org.axonframework.config	1	
16	axon-server- connector- 4.10.2	axon-configuration-4.10.2	org.axonframework.axonserver.connector.processor	org.axonframework.config	1	
17	axon- eventsourcing- 4.10.2	axon-messaging-4.10.2	org.axonframework.eventsourcing.conflictresolution	org.axonframework.messaging	1	
18	axon-test- 4.10.2	axon-messaging-4.10.2	org.axonframework.test	org.axonframework.messaging	1	
19	axon-test- 4.10.2	axon-messaging-4.10.2	org.axonframework.test.matchers	org.axonframework.messaging	1	
20	axon- eventsourcing- 4.10.2	axon-messaging-4.10.2	org.axonframework.eventsourcing.eventstore	org.axonframework.messaging	1	
21	axon- eventsourcing- 4.10.2	axon-messaging-4.10.2	org.axonframework.eventsourcing.eventstore.jpa	org.axonframework.serialization	1	
22	axon-spring- boot- autoconfigure- 4.10.2	axon-messaging-4.10.2	org.axonframework.springboot.autoconfig.legacyjpa	org.axonframework.serialization	1	
23	axon- eventsourcing- 4.10.2	axon-messaging-4.10.2	org.axonframework.eventsourcing.eventstore.legacyjpa	org.axonframework.serialization	1	
24	axon- eventsourcing- 4.10.2	axon-messaging-4.10.2	org.axonframework.eventsourcing.eventstore.jdbc	org.axonframework.serialization	1	
25	axon- eventsourcing- 4.10.2	axon-messaging-4.10.2	org. axon framework. events our cing. events tore. jdbc. statements	org.axonframework.eventhandling	3	

	artifactName	dependentArtifactName	packageName	dependentPackage.fqn	dependentTypes	depend
26	axon-test- 4.10.2	axon-modelling-4.10.2	org.axonframework.test.utils	org.axonframework.modelling.saga	1	
27	axon-test- 4.10.2	axon-messaging-4.10.2	org.axonframework.test.matchers	org.axonframework.commandhandling	1	
28	axon- eventsourcing- 4.10.2	axon-messaging-4.10.2	org. ax on framework. events our cing. conflict resolution	org.axonframework.commandhandling	1	
29	axon-server- connector- 4.10.2	axon-eventsourcing- 4.10.2	org.axonframework.axonserver.connector	org.axonframework.eventsourcing.eventstore	1	

#### Table 8 - Duplicate package names across artifacts

This table shows the top 30 duplicate package names across artifacts. They are ordered by the number of duplicates descending.

This might lead to confusion, makes importing more error prone and might even lead to duplicate classes where only one of them will be loaded by the class loader. If a package is named the same way in two or more artifacts this even allows another artifact to access package protected classes, methods or members which might not be intended.

The whole table can be found in the CSV report DuplicatePackageNamesAcrossArtifacts.

packageName duplicates artifactNames

#### Table 9 - Annotated elements

This table shows 30 most used Java Annotations including some examples where they are used.

	annotationName	languageElement	numberOfAnnotatedElements	
0	javax.annotation.Nonnull	Parameter	1617	[org.axonframework.axonse org.axonframew org.axonframeworl
1	java.lang.Deprecated	Method	132	$[org. \\ Flow Control Configuration. get Initial N_1 \\ . connector. Axon Server Configuration \\ org. axon framework of the configuration of the configurati$
2	org.springframework.context.annotation.Bean	Method	111	[org.axonframework.springboot.autoconf org.axonframework.sprin org.axonframework.springboot.autoconfig.A
3	org. spring framework. boot. autoconfigure. condition. Conditional On Missing Bean	Method	78	[org.axonframework.sprin org.axonframework.springboot.autoconfig.A org.axonframework.springboot.autoconfi
4	java.lang.FunctionalInterface	Interface	65	[org.ax org.axo org.axon org.axonframework.axonserver.coni
5	javax.annotation.Nullable	Parameter	61	[org.axonframeworl org.axonframework org.axonframework org.axonframew
6	javax.annotation.Nonnull	Method	50	[org.axonframework.a org.axonfram org.axonframew
7	java.lang.annotation.Target	Annotation	43	[org.axonframework.eventsourcing.Even org.axonframework.commandhandling.Commandramework.commandramework.commandramework.commandramework.commandramework.commandramework.commandramework.commandramework.commandramework.com
8	java.lang.Deprecated	Class	43	[org.axo org.ax org.axonframe org.axonframework.axons
9	java.lang.annotation.Retention	Annotation	43	[org.axonframework.eventsourcing.Even org.axonframework.commandhandling.Comma org.axonframework.commandf
10	javax.persistence.Basic	Field	39	[org. org.axonframewor org.axonframewor org.axonframework.eventt
11	jakarta.persistence.Basic	Field	33	[org. org.axonframewor org.axonframewor org.axonframework.eventt
12	com.fasterxml.jackson.annotation.JsonProperty	Parameter	32	[org.axonframework.commandhandling.dist org.axonframework.commandhandling org.axonframework.commandhandling
13	java.lang.annotation.Documented	Annotation	23	[org.axonframework.eventsourcing.Even org.axonframework.commandhandling.Cor org.axonframework.eventhandling.Di
14	org. spring framework. boot. autoconfigure. Auto Configuration	Class	22	[org.axonfram org.axonframewc o org.axonframework.springbc
15	java.beans.ConstructorProperties	Constructor	21	[org.axonframework.commandhandling.c org.axonframework.commandhand org.axonframework.commandhandlir
16	org. spring framework. beans. factory. annotation. Qualifier	Parameter	20	[org.axonframework.springboot.autoconfig org.axonframework.springboot.autoconfig org.axonframework.springb
17	java.lang.Deprecated	Constructor	20	[org.axonframework.axonserver.connecto org.axonframework.axonse org.axonfra
18	com.fasterxml.jackson.annotation.JsonCreator	Constructor	16	[org org.axonf org.a
19	org.spring framework.boot. autoconfigure. Auto Configure After	Class	16	[org.axonfram org.axonframewc o org.axonframework.springbc

	umberOfAnnotatedElements	languageElement	annotationName	
[org.axonframework.sprin org.axonframework.springboot.autoconfig.A org.axonframework.springboot.autoconfig.	15	Method	org.springframework.boot.autoconfigure.condition.ConditionalOnProperty	20
[org.axonfram org.axonframewc org.axonframework.springbc org	14	Class	org.spring framework.boot.autoconfigure. Auto Configure Before	21
[org.av o org.axonframewor	12	Field	javax.persistence.Column	22
[org.axonfram org.axonframew org.a org.axonframework.sprin	12	Class	org. spring framework. boot. autoconfigure. condition. Conditional On Class	23
[org.ɛ org. org.axonframework.co org.axonframework.eventhandling.Seq.	11	Class	org.axonframework.common.Priority	24
[org.axonframewc o org.axonframew org.axonframework.spr	11	Class	org.spring framework.boot.context.properties. Enable Configuration Properties	25
[org.a> o org.axonframewor	11	Field	jakarta.persistence.Column	26
o org.axonframe org.axonframework.eventhandling.deadlett	10	Field	javax.persistence.Lob	27
[org.axonframework.eventsourc org.axonframework.eventsour org.axonframew	10	Field	javax.persistence.ld	28
org.axonframework.springboot.autoconfig.legacj org.axonframework.springboot.autoc org.axonframework.springboot.auto	10	Method	org. spring framework. boot. autoconfigure. condition. Conditional On Bean	29

## Table 10 - Distance distribution between dependent files

This table shows the file directory distance distribution between dependent files. Intuitively, the distance is given by the fewest number of change directory commands needed to navigate between a file and a dependency it uses. Those are aggregate to see how many dependent files are in the same directory, how many are just one change directory command apart, and so on.

	$dependency. file {\tt Distance As Fewest Change Directory Commands}$	number Of Dependencies	number Of Dependency Users	number Of Dependency Providers	
0	0	2601	1026	1160	[/axon-sprin /org/axonframe /org /org/axonfr /org
1	1	90	82	38	[/org/axonframe /org/axonframe /org/axonframe /org/axonframe
2	2	2503	760	472	[/org/axonframew uses /org/axonfram /org/axonframev /
3	4	2595	449	541	[/or /org, /org/axonfrai