

Overview in General

This file contains a general overview of the data in the graph including node labels and relationships types.

References

- [jqassistant](#)
- [Neo4j Python Driver](#)

Node Labels

Table 1a - Highest node count by label combination

Lists the 30 label combinations with the highest number of nodes. The labels with the lowest node count are listed in table 1b. The total list would sum up to the total number of labels (100%).

The whole table can be found in the CSV report `Node_label_combination_count`.

	nodeLabels	nodesWithThatLabels	nodesWithThatLabelsPercent
0	[Git, Change]	85775	78.314023
1	[Git, Commit]	11121	10.153661
2	[File, Git]	5754	5.253499
3	[Git, Tag]	1664	1.519260
4	[Author, Git, Person]	1257	1.147662
5	[Json, Key]	668	0.609895
6	[Json, Value, Scalar]	603	0.550549
7	[Committer, Git, Person]	370	0.337816
8	[NPM, Dependency]	338	0.308600
9	[Type, TS, Primitive]	291	0.265688
10	[Type, TS, Declared]	277	0.252906
11	[TS, ExternalDeclaration]	215	0.196299
12	[Type, TS, Literal]	136	0.124170
13	[Json, Value, Object]	133	0.121431
14	[Type, TS, Union]	119	0.108649
15	[Type, TS, ObjectMember]	102	0.093128
16	[NPM, Script]	91	0.083085
17	[TS, Property]	65	0.059346
18	[TS, Function]	47	0.042912
19	[Type, TS, FunctionParameter]	40	0.036521
20	[Type, Object, TS]	39	0.035608
21	[Git, Branch]	38	0.034695
22	[File, Directory]	34	0.031043
23	[Type, TS, Function]	34	0.031043
24	[TS, Parameter]	33	0.030130
25	[Package, File, Json, NPM]	29	0.026477
26	[TS, Variable]	24	0.021912
27	[Value, TS, Literal]	20	0.018260
28	[jqAssistant, Rule, Concept]	19	0.017347
29	[Type, TS, Intersection]	17	0.015521

Chart 1a - Highest node count by label combination

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in Chart 1b.

<Figure size 640x480 with 0 Axes>




Table 1b - Lowest node count by label combination

Lists the 30 label combinations with the lowest number of nodes until they reach 0.5% of the total node count, which are shown above.

	nodeLabels	nodesWithThatLabels	nodesWithThatLabelsPercent
0	[Analyze, Task, JQAssistant]	1	0.000913
1	[File, TS, Scan]	1	0.000913
2	[TS, Method]	1	0.000913
3	[Repository, File, Git]	1	0.000913
4	[TS, Constructor]	1	0.000913
5	[Value, TS, ObjectMember]	1	0.000913
6	[TS, Class]	1	0.000913
7	[TS, Enum]	2	0.001826
8	[Value, Object, TS]	3	0.002739
9	[Type, TS, Tuple]	3	0.002739
10	[Value, TS, Function]	4	0.003652
11	[TS, TypeParameter]	4	0.003652
12	[Value, TS, Complex]	5	0.004565
13	[NPM, Engine]	6	0.005478
14	[Project, TS]	6	0.005478
15	[File, Local]	6	0.005478
16	[Value, TS, Call]	6	0.005478
17	[Value, TS, Member]	6	0.005478
18	[File, TS, Local, Module]	6	0.005478
19	[Type, TS, TypeParameterReference]	6	0.005478
20	[TS, EnumMember]	8	0.007304
21	[Type, TS, NotIdentified]	11	0.010043
22	[TS, ExternalModule]	11	0.010043
23	[Json, Value, Array]	12	0.010956
24	[Value, TS, Declared]	13	0.011869
25	[TS, TypeAlias]	16	0.014608
26	[File, Directory, Local]	16	0.014608
27	[Type, TS, Intersection]	17	0.015521
28	[TS, Interface]	17	0.015521
29	[JQAssistant, Rule, Concept]	19	0.017347

Chart 1b - Lowest node count by label combination

Shows the lowest (less than 0.5% overall) node count label combinations. Therefore, this plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.

<Figure size 640x480 with 0 Axes>

Nodes per label combination (less than 0.5% overall)




Table 1c - Highest node count by single label

Lists the 40 labels with the highest number of nodes. Doesn't sum up to the total number of nodes or 100% because one node can have multiple labels. Helps to identify commonly used labels.


	nodeLabel	nodesWithThatLabel	nodesWithThatLabelPercent
0	Git	105980	96.761529
1	Change	85775	78.314023
2	Commit	11121	10.153661
3	File	5847	5.338410
4	Tag	1664	1.519260
5	Person	1627	1.485478
6	TS	1591	1.452610
7	Json	1445	1.319309
8	Author	1257	1.147662
9	Type	1075	0.981493
10	Value	806	0.735892
11	Key	668	0.609895
12	Scalar	603	0.550549
13	NPM	464	0.423640
14	Committer	370	0.337816
15	Dependency	338	0.308600
16	Primitive	291	0.265688
17	Declared	290	0.264775
18	ExternalDeclaration	215	0.196299
19	Object	175	0.159778
20	Literal	156	0.142431
21	Union	119	0.108649
22	ObjectMember	103	0.094041
23	Script	91	0.083085
24	Function	85	0.077606
25	Property	65	0.059346
26	Directory	50	0.045651
27	FunctionParameter	40	0.036521
28	Branch	38	0.034695
29	Parameter	33	0.030130
30	Package	29	0.026477
31	Local	28	0.025564
32	Variable	24	0.021912
33	jQAssistant	20	0.018260
34	Concept	19	0.017347
35	Rule	19	0.017347
36	Interface	17	0.015521
37	Intersection	17	0.015521
38	TypeAlias	16	0.014608
39	Array	12	0.010956

Chart 1c - Highest node count by label

Shows the 40 labels with the highest number of nodes.

<Figure size 640x480 with 0 Axes>

Node count by label



Relationship Types

Table 2a - Highest relationship count by type

Lists the 30 relationship types with the highest number of occurrences. The whole table can be found in the CSV report `Relationship_type_count`.

Total number of relationships: 327044

	relationshipType	nodesWithThatRelationshipType	nodesWithThatRelationshipTypePercent
0	CONTAINS_CHANGE	85775	26.227358
1	MODIFIES	85775	26.227358
2	UPDATES	57101	17.459730
3	COMMITTED	22242	6.800920
4	CREATES	20022	6.122112
5	HAS_PARENT	12191	3.727633
6	DELETES	11940	3.650885
7	HAS_COMMIT	11121	3.400460
8	HAS_FILE	5754	1.759396
9	RENAMES	3288	1.005369
10	HAS_NEW_NAME	1763	0.539071
11	HAS_TAG	1664	0.508800
12	ON_COMMIT	1664	0.508800
13	HAS_AUTHOR	1257	0.384352
14	DEPENDS_ON	887	0.271217
15	HAS_KEY	668	0.204254
16	HAS_VALUE	668	0.204254
17	CONTAINS	594	0.181627
18	HAS_COMMITTER	370	0.113135
19	OF_TYPE	338	0.103350
20	EXPORTS	309	0.094483
21	REFERENCES	197	0.060237
22	DECLARES	186	0.056873
23	DECLARES_DEV_DEPENDENCY	169	0.051675
24	DECLARES_DEPENDENCY	161	0.049229
25	HAS_MEMBER	103	0.031494
26	HAS_TYPE_ARGUMENT	94	0.028742
27	DECLARES_SCRIPT	91	0.027825
28	COPIES	83	0.025379
29	RETURNS	82	0.025073

Chart 2a - Highest relationship count by type

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in the second chart.

<Figure size 640x480 with 0 Axes>

Relationship types (more than 0.5% overall)




Table 2b - Lowest relationship count by type

Lists the 30 relationships type with the lowest number of occurrences up to 0.5% of the total node count. This is essentially breaking down the "others" slice from the chart above.


	relationshipType	nodesWithThatRelationshipType	nodesWithThatRelationshipTypePercent
0	CONSTRAINED_BY	4	0.001223
1	REFERENCED_PROJECTS	5	0.001529
2	MEMBER	6	0.001835
3	HAS_ROOT	6	0.001835
4	HAS_NPM_PACKAGE	6	0.001835
5	HAS_CONFIG	6	0.001835
6	HAS_ARGUMENT	6	0.001835
7	EXTENDS	6	0.001835
8	DECLARES_ENGINE	6	0.001835
9	CONTAINS_PROJECT	6	0.001835
10	CALLS	6	0.001835
11	PARENT	6	0.001835
12	DECLARES_PEER_DEPENDENCY	8	0.002446
13	USES	11	0.003363
14	INCLUDES_CONCEPT	19	0.005810
15	REQUIRES_CONCEPT	28	0.008562
16	INITIALIZED_WITH	32	0.009785
17	IS_DESCRIBED_IN_NPM_PACKAGE	33	0.010090
18	HAS_BRANCH	38	0.011619
19	HAS_HEAD	39	0.011925
20	RESOLVES_TO	41	0.012537
21	COPY_OF	45	0.013760
22	CONTAINS_VALUE	51	0.015594
23	HAS_PARAMETER	73	0.022321
24	RETURNS	82	0.025073
25	COPIES	83	0.025379
26	DECLARES_SCRIPT	91	0.027825
27	HAS_TYPE_ARGUMENT	94	0.028742
28	HAS_MEMBER	103	0.031494
29	DECLARES_DEPENDENCY	161	0.049229

Chart 2b - Lowest relationship count by type

Shows the lowest (less than 0.5% overall) relationship types. This plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.

<Figure size 640x480 with 0 Axes>

Relationship types (less than 0.5% overall)



Node labels with their relationships

Table 3a - Highest relationship count by node labels and relationship type

Lists the 30 node labels and their relationship types with the highest number of occurrences.

	sourceLabels	relationType	targetLabels	numberOfRelationships	numberOfNodesWithSameLabelsAsSource	numberOf
0	[Git, Change]	MODIFIES	[File, Git]	85775	85775	
1	[Git, Commit]	CONTAINS_CHANGE	[Git, Change]	85775	11121	
2	[Git, Change]	UPDATES	[File, Git]	57101	85775	
3	[Git, Change]	CREATES	[File, Git]	20022	85775	
4	[Git, Commit]	HAS_PARENT	[Git, Commit]	12191	11121	
5	[Git, Change]	DELETES	[File, Git]	11940	85775	
6	[Repository, File, Git]	HAS_COMMIT	[Git, Commit]	11121	1	
7	[Author, Git, Person]	COMMITTED	[Git, Commit]	11121	1257	
8	[Committer, Git, Person]	COMMITTED	[Git, Commit]	11121	370	
9	[Repository, File, Git]	HAS_FILE	[File, Git]	5754	1	
10	[Git, Change]	RENAMES	[File, Git]	3288	85775	
11	[File, Git]	HAS_NEW_NAME	[File, Git]	1763	5754	
12	[Repository, File, Git]	HAS_TAG	[Git, Tag]	1664	1	
13	[Git, Tag]	ON_COMMIT	[Git, Commit]	1664	1664	
14	[Repository, File, Git]	HAS_AUTHOR	[Author, Git, Person]	1257	1	
15	[Json, Value, Object]	HAS_KEY	[Json, Key]	668	133	
16	[Json, Key]	HAS_VALUE	[Json, Value, Scalar]	552	668	
17	[Repository, File, Git]	HAS_COMMITTER	[Committer, Git, Person]	370	1	
18	[TS, Function]	DEPENDS_ON	[TS, ExternalDeclaration]	293	47	
19	[File, TS, Local, Module]	DEPENDS_ON	[TS, ExternalDeclaration]	236	6	
20	[TS, ExternalModule]	EXPORTS	[TS, ExternalDeclaration]	215	11	
21	[Package, File, Json, NPM]	DECLARES_DEV_DEPENDENCY	[NPM, Dependency]	169	29	
22	[Package, File, Json, NPM]	DECLARES_DEPENDENCY	[NPM, Dependency]	161	29	
23	[Type, TS, Union]	CONTAINS	[Type, TS, Primitive]	147	119	
24	[Type, TS, Declared]	REFERENCES	[TS, ExternalDeclaration]	143	277	
25	[Type, TS, Union]	CONTAINS	[Type, TS, Literal]	119	119	
26	[Json, Key]	HAS_VALUE	[Json, Value, Object]	104	668	
27	[Type, Object, TS]	HAS_MEMBER	[Type, TS, ObjectMember]	102	39	
28	[Package, File, Json, NPM]	DECLARES_SCRIPT	[NPM, Script]	91	29	
29	[Git, Change]	COPIES	[File, Git]	83	85775	

Graph Density

total_number_of_nodes (vertices): 109527

total_number_of_relationships (edges): 327044

-> total directed graph density: 2.726263106959576e-05

-> total directed graph density in percent: 0.002726263106959576