

Overview in General

This file contains a general overview of the data in the graph including node labels and relationships types.

References

- [jqassistant](#)
- [Neo4j Python Driver](#)

Node Labels

Table 1a - Highest node count by label combination

Lists the 30 label combinations with the highest number of nodes. The labels with the lowest node count are listed in table 1b. The total list would sum up to the total number of labels (100%).

The whole table can be found in the CSV report `Node_label_combination_count`.

	nodeLabels	nodesWithThatLabels	nodesWithThatLabelsPercent
0	[Git, Update, Change]	138781	46.070523
1	[Git, Change, Create]	44929	14.914884
2	[Git, Change, Delete]	22781	7.562509
3	[Java, ByteCode, Member, Method]	13526	4.490167
4	[Java, ByteCode, Parameter]	13306	4.417135
5	[Git, Commit]	11390	3.781089
6	[File, Git]	8286	2.750667
7	[Java, ByteCode, ParameterizedType, Bound]	7286	2.418702
8	[Java, ByteCode, Bound]	7245	2.405091
9	[Git, Change, Rename]	7018	2.329735
10	[Java, ByteCode, Member, Field]	3611	1.198728
11	[Java, ByteCode, Bound, WildcardType]	2950	0.979299
12	[Java, Value, ByteCode, Annotation]	2936	0.974651
13	[Xml, Element]	2162	0.717710
14	[Java, ByteCode, Member, Constructor, Method]	2123	0.704763
15	[Xml, Text]	1450	0.481350
16	[Java, ByteCode, Bound, TypeVariable]	1111	0.368814
17	[Java, ByteCode, Member, Method, Lambda]	968	0.321343
18	[Type, File, Java, ByteCode, ResolvedDuplicate...	890	0.295449
19	[Type, File, Java, Class, ByteCode]	845	0.280511
20	[Json, Key]	739	0.245323
21	[Value, Json, Scalar]	723	0.240011
22	[Java, Value, ByteCode, Primitive]	673	0.223413
23	[Type, File, Java, ByteCode, JavaType]	649	0.215446
24	[Java, ByteCode, Member, Method, GenericDeclar...	578	0.191876
25	[Type, File, Java, ByteCode, ExternalType]	412	0.136770
26	[Git, Change, Copy]	298	0.098926
27	[Author, Git, Person]	295	0.097930
28	[Value, Array]	289	0.095938
29	[Committer, Git, Person]	242	0.080336

Chart 1a - Highest node count by label combination

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in Chart 1b.

<Figure size 640x480 with 0 Axes>

Nodes per label combination (more than 0.5% overall)




Table 1b - Lowest node count by label combination

Lists the 30 label combinations with the lowest number of nodes until they reach 0.5% of the total node count, which are shown above.

	nodeLabels	nodesWithThatLabels	nodesWithThatLabelsPercent
0	[Analyze, Task, jQAssistant]	1	0.000332
1	[Git, Branch]	1	0.000332
2	[Repository, File, Git]	1	0.000332
3	[File, Json]	2	0.000664
4	[File]	3	0.000996
5	[Java, ByteCode, Member, Constructor, Method, ...]	4	0.001328
6	[Maven, Exclusion]	5	0.001660
7	[Value, Json, Array]	6	0.001992
8	[File, Maven, Xml, Pom, Document]	9	0.002988
9	[Type, File, Java, ByteCode, Void]	9	0.002988
10	[Java, ManifestSection]	9	0.002988
11	[File, Artifact, Jar, Archive, Zip, Java]	9	0.002988
12	[File, Java, Manifest]	9	0.002988
13	[File, Java, ServiceLoader]	10	0.003320
14	[File, Java, Properties]	12	0.003984
15	[Maven, ExecutionGoal]	16	0.005311
16	[Maven, PluginExecution]	16	0.005311
17	[Xml, Attribute]	18	0.005975
18	[jQAssistant, Rule, Concept]	19	0.006307
19	[Type, File, Java, ByteCode, Throwable, Extern...	21	0.006971
20	[Maven, Plugin]	21	0.006971
21	[Maven, Configuration]	21	0.006971
22	[Type, File, Java, ByteCode, Throwable, Resolv...	22	0.007303
23	[Type, File, Java, ByteCode, Enum]	28	0.009295
24	[Type, File, Java, ByteCode, PrimitiveType]	30	0.009959
25	[Xml, Namespace]	36	0.011951
26	[Type, File, Java, ByteCode, Annotation]	44	0.014606
27	[File, Directory]	44	0.014606
28	[Type, File, Java, Class, ByteCode, Throwable]	55	0.018258
29	[Type, File, Java, ByteCode, Interface, Generi...	85	0.028217

Chart 1b - Lowest node count by label combination

Shows the lowest (less than 0.5% overall) node count label combinations. Therefore, this plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.

<Figure size 640x480 with 0 Axes>

Nodes per label combination (less than 0.5% overall)




Table 1c - Highest node count by single label

Lists the 40 labels with the highest number of nodes. Doesn't sum up to the total number of nodes or 100% because one node can have multiple labels. Helps to identify commonly used labels.


	nodeLabel	nodesWithThatLabel	nodesWithThatLabelPercent
0	Git	234151	77.730085
1	Change	213807	70.976577
2	Update	138781	46.070523
3	Java	60734	20.161601
4	ByteCode	60544	20.098527
5	Create	44929	14.914884
6	Delete	22781	7.562509
7	Member	20810	6.908205
8	Bound	18758	6.227011
9	Method	17199	5.709477
10	Parameter	13306	4.417135
11	File	12244	4.064587
12	Commit	11390	3.781089
13	ParameterizedType	7286	2.418702
14	Rename	7018	2.329735
15	Value	5483	1.820168
16	Type	3718	1.234248
17	Xml	3675	1.219974
18	Field	3611	1.198728
19	Annotation	2980	0.989258
20	WildcardType	2950	0.979299
21	Element	2162	0.717710
22	Constructor	2127	0.706091
23	Json	1652	0.548407
24	Text	1450	0.481350
25	Class	1327	0.440518
26	TypeVariable	1111	0.368814
27	Lambda	968	0.321343
28	ResolvedDuplicateType	912	0.302753
29	GenericDeclaration	904	0.300097
30	JavaType	754	0.250302
31	Key	739	0.245323
32	Scalar	723	0.240011
33	Primitive	673	0.223413
34	Person	537	0.178266
35	ExternalType	528	0.175278
36	Maven	346	0.114860
37	Copy	298	0.098926
38	Array	295	0.097930
39	Author	295	0.097930

Chart 1c - Highest node count by label

Shows the 40 labels with the highest number of nodes.

<Figure size 640x480 with 0 Axes>

Node count by label



Relationship Types

Table 2a - Highest relationship count by type

Lists the 30 relationship types with the highest number of occurrences. The whole table can be found in the CSV report `Relationship_type_count`.

Total number of relationships: 936008

	relationshipType	nodesWithThatRelationshipType	nodesWithThatRelationshipTypePercent
0	CONTAINS_CHANGE	213807	22.842433
1	MODIFIES	213807	22.842433
2	UPDATES	138781	14.826903
3	CREATES	52245	5.581683
4	INVOKES	36647	3.915244
5	DELETES	29799	3.183627
6	COMMITTED	22780	2.433740
7	DEPENDS_ON	22504	2.404253
8	OF_TYPE	21945	2.344531
9	DECLARES	21270	2.272416
10	OF_RAW_TYPE	17367	1.855433
11	HAS	14444	1.543149
12	HAS_PARENT	13921	1.487274
13	RETURNS	12858	1.373706
14	HAS_COMMIT	11390	1.216870
15	READS	9382	1.002342
16	HAS_ACTUAL_TYPE_ARGUMENT	8414	0.898924
17	HAS_FILE	8286	0.885249
18	RENAMES	7018	0.749780
19	OF_GENERIC_TYPE	6000	0.641020
20	RESOLVES_TO	4244	0.453415
21	SIMILAR	4078	0.435680
22	WRITES	3948	0.421791
23	CONTAINS	3928	0.419655
24	HAS_NEW_NAME	3662	0.391236
25	RETURNS_GENERIC	3597	0.384292
26	CHANGED_TOGETHER_WITH	3034	0.324143
27	ANNOTATED_BY	2924	0.312390
28	REQUIRES	2233	0.238566
29	HAS_FIRST_CHILD	2162	0.230981

Chart 2a - Highest relationship count by type

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in the second chart.

<Figure size 640x480 with 0 Axes>

Relationship types (more than 0.5% overall)




Table 2b - Lowest relationship count by type

Lists the 30 relationships type with the lowest number of occurrences up to 0.5% of the total node count. This is essentially breaking down the "others" slice from the chart above.


	relationshipType	nodesWithThatRelationshipType	nodesWithThatRelationshipTypePercent
0	HAS_PROPERTY	1	0.000107
1	HAS_BRANCH	1	0.000107
2	HAS_HEAD	2	0.000214
3	THROWS_GENERIC	5	0.000534
4	EXCLUDES	5	0.000534
5	DESCRIBES	9	0.000962
6	HAS_ROOT_ELEMENT	10	0.001068
7	HAS_GOAL	16	0.001709
8	HAS_EXECUTION	16	0.001709
9	OF_NAMESPACE	18	0.001923
10	HAS_ATTRIBUTE	18	0.001923
11	INCLUDES_CONCEPT	19	0.002030
12	USES_PLUGIN	21	0.002244
13	IS_ARTIFACT	21	0.002244
14	HAS_CONFIGURATION	21	0.002244
15	REQUIRES_TYPE_PARAMETER	24	0.002564
16	REQUIRES_CONCEPT	28	0.002991
17	DECLARES_NAMESPACE	36	0.003846
18	HAS_DEFAULT	39	0.004167
19	COPY_OF	119	0.012714
20	HAS_TAG	129	0.013782
21	ON_COMMIT	129	0.013782
22	DECLARES_DEPENDENCY	165	0.017628
23	TO_ARTIFACT	165	0.017628
24	HAS_COMPONENT_TYPE	166	0.017735
25	CONTAINS_VALUE	170	0.018162
26	HAS_COMMITTER	242	0.025854
27	HAS_AUTHOR	295	0.031517
28	COPIES	298	0.031837
29	IMPLEMENTS_GENERIC	378	0.040384

Chart 2b - Lowest relationship count by type

Shows the lowest (less than 0.5% overall) relationship types. This plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.

<Figure size 640x480 with 0 Axes>

Relationship types (less than 0.5% overall)



Node labels with their relationships

Table 3a - Highest relationship count by node labels and relationship type

Lists the 30 node labels and their relationship types with the highest number of occurrences.

	sourceLabels	relationType	targetLabels	numberOfRelationships	numberOfNodesWithSameLabelsAsSource	numbe
0	[Git, Update, Change]	MODIFIES	[File, Git]	138781	138781	
1	[Git, Update, Change]	UPDATES	[File, Git]	138781	138781	
2	[Git, Commit]	CONTAINS_CHANGE	[Git, Update, Change]	138781	11390	
3	[Git, Change, Create]	MODIFIES	[File, Git]	44929	44929	
4	[Git, Change, Create]	CREATES	[File, Git]	44929	44929	
5	[Git, Commit]	CONTAINS_CHANGE	[Git, Change, Create]	44929	11390	
6	[Git, Commit]	CONTAINS_CHANGE	[Git, Change, Delete]	22781	11390	
7	[Git, Change, Delete]	MODIFIES	[File, Git]	22781	22781	
8	[Git, Change, Delete]	DELETES	[File, Git]	22781	22781	
9	[Java, ByteCode, Member, Method]	INVOKES	[Java, ByteCode, Member, Method]	22189	13426	
10	[Git, Commit]	HAS_PARENT	[Git, Commit]	13912	11390	
11	[Repository, File, Git]	HAS_COMMIT	[Git, Commit]	11390	1	
12	[Author, Git, Person]	COMMITTED	[Git, Commit]	11390	295	
13	[Committer, Git, Person]	COMMITTED	[Git, Commit]	11390	242	
14	[Java, ByteCode, Member, Method]	HAS	[Java, ByteCode, Parameter]	8515	13426	
15	[Java, ByteCode, Member, Method]	READS	[Java, ByteCode, Member, Field]	8375	13426	
16	[Repository, File, Git]	HAS_FILE	[File, Git]	8286	1	
17	[Git, Commit]	CONTAINS_CHANGE	[Git, Change, Rename]	7018	11390	
18	[Git, Change, Rename]	MODIFIES	[File, Git]	7018	7018	
19	[Git, Change, Rename]	DELETES	[File, Git]	7018	7018	
20	[Git, Change, Rename]	CREATES	[File, Git]	7018	7018	
21	[Git, Change, Rename]	RENAMES	[File, Git]	7018	7018	
22	[Java, ByteCode, Parameter]	OF_TYPE	[Type, File, Java, ByteCode, JavaType]	6160	13306	
23	[File, Git]	HAS_NEW_NAME	[File, Git]	3662	8286	
24	[Java, ByteCode, Bound]	OF_RAW_TYPE	[Type, File, Java, ByteCode, JavaType]	3466	7245	
25	[Java, ByteCode, ParameterizedType, Bound]	OF_RAW_TYPE	[Type, File, Java, ByteCode, JavaType]	3114	7286	
26	[Java, ByteCode, ParameterizedType, Bound]	HAS_ACTUAL_TYPE_ARGUMENT	[Java, ByteCode, Bound, WildcardType]	2950	7286	
27	[Java, ByteCode, Parameter]	OF_GENERIC_TYPE	[Java, ByteCode, ParameterizedType, Bound]	2698	13306	
28	[Java, ByteCode, Member, Constructor, Method]	WRITES	[Java, ByteCode, Member, Field]	2520	2123	
29	[Java, ByteCode, ParameterizedType, Bound]	HAS_ACTUAL_TYPE_ARGUMENT	[Java, ByteCode, Bound, TypeVariable]	2475	7286	

Graph Density

```
total_number_of_nodes (vertices): 301236
total_number_of_relationships (edges): 936008
-> total directed graph density: 1.0314953109958483e-05
-> total directed graph density in percent: 0.0010314953109958483
```