

Wordcloud

References

- [jqassistant](#)
- [py2neo](#)

Word Cloud

WordCloud of names in code

```
Received notification from DBMS server: {severity: WARNING} {code: Neo.ClientNotification.Statement.UnknownLabelWarning} {category: UNRECOGNIZED} {title: The provided label is not in the database.} {description: One of the labels in your query is not available in the database, make sure you didn't misspell it or that the label is available when you run this statement in your application (the missing label name is: PrimitiveType)} {position: line: 3, column: 32, offset: 66} for query: "// Words for universal Wordcloud\n\n MATCH (named:!Key&!Primitive&!PrimitiveType&!Void&!JavaType&!ResolvedDuplicateType&!ExternalType&!Git)\n WHERE named.name > ''\n AND named.name <> 'package-info'\n AND named.name <> '<init>'\n AND named.name <> '<clinit>'\n WITH apoc.text.replace(named.name, '(?<!^)([-_A-Z\\W])', ' $1') AS words\n WITH apoc.text.replace(words, '[-_0-9\\W]', ' ')\n AS words\n WITH apoc.text.replace(words, '\\s+', ' ')\n AS words\n WITH split(toLower(trim(words)), ' ')\n AS words\n UNWIND words AS word\n WITH word AS word\n\n WHERE size(word) > 1\n RETURN word\n // ,count(*) as numberOfAppearances\n //ORDER BY numberOfAppearances DESC, word"
```

Received notification from DBMS server: {severity: WARNING} {code: Neo.ClientNotification.Statement.UnknownLabelWarning} {category: UNRECOGNIZED} {title: The provided label is not in the database.} {description: One of the labels in your query is not available in the database, make sure you didn't misspell it or that the label is available when you run this statement in your application (the missing label name is: ExternalType)} {position: line: 3, column: 86, offset: 120} for query: "// Words for universal Wordcloud\n\n MATCH (named:!Key&!Primitive&!PrimitiveType&!Void&!JavaType&!ResolvedDuplicateType&!ExternalType&!Git)\n WHERE named.name > ''\n AND named.name <> 'package-info'\n AND named.name <> '<init>'\n AND named.name <> '<clinit>'\n WITH apoc.text.replace(named.name, '(?!^)([-_A-Z\\W])', ' \$1') AS words\n WITH apoc.text.replace(words, '[-_0-9\\W]', ' ')\n AS words\n WITH apoc.text.replace(words, '\\s+', ' ')\n AS words\n WITH split(toLower(trim(words)), ' ')\n AS words\n UNWIND words AS word\n WITH word AS word\n WHERE size(word) > 1\n RETURN word\n // ,count(*) as numberOfAppearances\n //ORDER BY numberOfAppearances DESC, word"

Received notification from DBMS server: {severity: WARNING} {code: Neo.ClientNotification.Statement.UnknownLabelWarning} {category: UNRECOGNIZED} {title: The provided label is not in the database.} {description: One of the labels in your query is not available in the database, make sure you didn't misspell it or that the label is available when you run this statement in your application (the missing label name is: ResolvedDuplicateType)} {position: line: 3, column: 63, offset: 97} for query: "// Words for universal Wordcloud\n\n MATCH (named:!Key&!Primitive&!PrimitiveType&!Void&!JavaType&!ResolvedDuplicateType&!ExternalType&!Git)\n WHERE named.name > ''\n AND named.name <> 'package-info'\n AND named.name <> '<init>'\n AND named.name <> '<clinit>'\n WITH apoc.text.replace(named.name, '(?!^)([-_A-Z\\W])', ' \$1') AS words\n WITH apoc.text.replace(words, '[-_0-9\\W]', ' ')\n AS words\n WITH apoc.text.replace(words, '\\s+', ' ')\n AS words\n WITH split(toLower(trim(words)), ' ')\n AS words\n UNWIND words AS word\n WITH word AS word\n WHERE size(word) > 1\n RETURN word\n // ,count(*) as numberOfAppearances\n //ORDER BY numberOfAppearances DESC, word"

Received notification from DBMS server: {severity: WARNING} {code: Neo.ClientNotification.Statement.UnknownLabelWarning} {category: UNRECOGNIZED} {title: The provided label is not in the database.} {description: One of the labels in your query is not available in the database, make sure you didn't misspell it or that the label is available when you run this statement in your application (the missing label name is: Void)} {position: line: 3, column: 47, offset: 81} for query: "// Words for universal Wordcloud\n\n MATCH (named:!Key&!Primitive&!PrimitiveType&!Void&JavaType&!ResolvedDuplicateType&!ExternalType&!Git)\n WHERE named.name > ''\n AND named.name <> 'package-info'\n AND named.name <> '<init>'\n AND named.name <> '<clinit>'\n WITH apoc.text.replace(named.name, '(?!^)([-_A-Z\\W])', ' \$1') AS words\n WITH apoc.text.replace(words, '[-_0-9\\W]', ' ')\n AS words\n WITH apoc.text.replace(words, '\\s+', ' ')\n AS words\n WITH split(toLower(trim(words)), ' ')\n AS words\n UNWIND words AS word\n WITH word AS word\n WHERE size(word) > 1\n RETURN word\n // ,count(*) as numberOfAppearances\n //ORDER BY numberOfAppearances DESC, word"

```
Received notification from DBMS server: {severity: WARNING} {code: Neo.ClientNotification.Statement.UnknownLabelWarning} {category: UNRECOGNIZED} {title: The provided label is not in the database.} {description: One of the labels in your query is not available in the database, make sure you didn't misspell it or that the label is available when you run this statement in your application (the missing label name is: JavaType)} {position: line: 3, column: 53, offset: 87} for query: "// Words for universal Wordcloud\n\n MATCH (named:!Key&!Primitive&!PrimitiveType&!Void&!JavaType&!ResolvedDuplicateType&!ExternalType&!Git)\n WHERE named.name > ''\n    AND named.name <> 'package-info'\n    AND named.name <> '<init>'\n    AND named.name <> '<clinit>'\n    WITH apoc.text.replace(named.name, '(?!^)([-_A-Z\\W])', ' $1') AS words\n    WITH apoc.text.replace(words, '[_0-9\\W]', ' ') AS words\n    WITH apoc.text.replace(words, '\\s+', ' ') AS words\n    WITH split(toLower(trim(words)), ' ') AS words\n    UNWIND words AS word\n    WITH word AS word\n    WHERE size(word) > 1\n    RETURN word\n // ,count(*) as numberOfAppearances\n //ORDER BY numberOfAppearances DESC, word"
```

	word
0	artifacts
1	npm
2	package
3	json
4	react
5	router
6	packages
7	router
8	react
9	router

There are 2475 words in the dataset for the plot titled 'Wordcloud of names in code'.

Wordcloud of names in code



WordCloud of git authors

	word	frequency
0	Peter Ruszel	1
1	Remix Run Bot	531
2	Matt Brophy	2131
3	Jacob Ebey	329
4	Tim Dorr	392
5	Mikaël Sévigny	1
6	Brooks Lybrand	81
7	Mat Milbury	1
8	Dima Smirnov	1
9	Michaël De Boey	157

