Object Oriented Design Quality Metrics for Java with Neo4j

References

- [Analyze java package metrics in a graph database](#)
- [Calculate metrics](#)
- [jqassistant](#)
- [notebook walks through examples for integrating various packages with Neo4j](#)
- [OO Design Quality Metrics](#)
- [py2neo](#)

Artifacts

Table 1

- List all the artifacts this notebook is based on

	artifactName	packages	types
0	axon-test-4.7.5.jar	8	85
1	axon-disruptor-4.7.5.jar	1	22
2	axon-eventsourcing-4.7.5.jar	9	130
3	axon-messaging-4.7.5.jar	61	729
4	axon-modelling-4.7.5.jar	10	149
5	axon-configuration-4.7.5.jar	1	39

Incoming Dependencies

Incoming dependencies are also denoted as "Fan-in", "Afferent Couplings" or "in-degree". These are the ones that use the listed package.

If these packages get changed, the incoming dependencies might be affected by the change. The more incoming dependencies, the harder it gets to change the code without the need to adapt the dependent code ("rigid code"). Even worse, it might affect the behavior of the dependent code in an unwanted way ("fragile code").

Table 2

- Show the top 20 packages with the most incoming dependencies
- Set the "incomingDependencies" properties on Package nodes.

	packageName	incomingDependencies	incomingDependenciesWeight	incomingDependentTypes	incomingDependentInterfaces	inco
0	org.axonframework.messaging	8421	33487	308	64	
1	org.axonframework.eventhandling	4380	27743	278	52	
2	org.axonframework.commandhandling	1524	7472	121	18	
3	org.axonframework.serialization	1070	5590	125	15	
4	org.axonframework.messaging.annotation	1024	5074	147	18	
5	org.axonframework.common	872	2048	311	12	
6	org.axonframework.common.transaction	272	1044	66	5	
7	org.axonframework.messaging.unitofwork	247	1323	80	5	
8	org.axonframework.modelling.command	244	925	73	8	
9	org.axonframework.modelling.saga	242	1482	57	11	
10	org.axonframework.eventsourcing.eventstore.jdbc	218	1404	26	14	
11	org.axonframework.monitoring	189	641	39	6	
12	org.axonframework.queryhandling	175	935	47	10	
13	org.axonframework.tracing	170	707	64	4	
14	org.axonframework.eventsourcing.eventstore	169	814	60	5	
15	org.axonframework.deadline	159	1361	32	8	
16	org.axonframework.messaging.deadletter	135	978	28	7	
17	org.axonframework.eventsourcing	134	657	41	6	
18	org.axonframework.config	115	1483	34	0	
19	org.axonframework.commandhandling.gateway	101	409	35	1	

Outgoing Dependencies

Outcoming dependencies are also denoted as "Fan-out", "Efferent Couplings" or "out-degree". These are the ones that are used by the listed package.

Code from other packages and libraries you're depending on (outgoing) might change over time. The more outgoing changes, the more likely and frequently code changes are needed. This involves time and effort which can be reduced by automation of tests and version updates. Automated tests are crucial to reveal updates, that change the behavior of the code unexpectedly ("fragile code"). As soon as more effort is required, keeping up becomes difficult ("rigid code"). Not being able to use a newer version might not only restrict features, it can get problematic if there are security issues. This might force you to take "fast but ugly" solutions into account which further increases technical dept.

Table 3

- Show the top 20 packages with the most outgoing dependencies
- Set the "outgoingDependencies" properties on Package nodes.

	packageName	outgoingDependencies	outgoingDependentTypes	outgoingDependentInterfaces	outgoingDependentPackages	outg
0	org.axonframework.config	7942	212	84	46	
1	org.axonframework.test.aggregate	2223	92	34	16	
2	org.axonframework.eventhandling	1551	150	54	16	
3	org.axonframework.disruptor.commandhandling	1487	85	31	14	
4	org.axonframework.test.saga	1375	79	26	17	
5	org.axonframework.eventsourcing.eventstore.jdbc	1340	51	27	11	
6	org.axonframework.queryhandling	1108	78	28	11	
7	org.axonframework.eventhandling.pooled	1022	57	26	12	
8	org.axonframework.eventsourcing	976	91	31	16	
9	org.axonframework.modelling.command	710	87	32	14	
10	org.axonframework.modelling.command.inspection	649	64	27	10	
11	org.axonframework.commandhandling	642	70	28	9	
12	org.axonframework.commandhandling.distributed	603	67	23	11	
13	org.axonframework.eventsourcing.eventstore	603	64	25	16	
14	org.axonframework.deadline.quartz	481	38	18	10	
15	org.axonframework.commandhandling.gateway	447	58	11	10	
16	org.axonframework.modelling.saga	386	58	21	9	
17	org.axonframework.eventsourcing.eventstore.leg...	375	47	17	15	
18	org.axonframework.deadline.jobrunr	348	31	15	8	
19	org.axonframework.deadline	347	43	21	8	

Instability

$$Instability = \frac{Outgoing\ Dependencies}{Outgoing\ Dependencies + Incoming\ Dependencies}$$

Instability is expressed as the ratio of the number of outgoing dependencies of a module (i.e., the number of packages that depend on it) to the total number of dependencies (i.e., the sum of incoming and outgoing dependencies).

Small values near zero indicate low *Instability*. With no outgoing but some incoming dependencies the Instability is zero which is denoted as maximally stable. Such code units are more rigid and difficult to change without impacting other parts of the system. If they are changed less because of that, they are considered stable.

Conversely, high values approaching one indicate high *Instability*. With some outgoing dependencies but no incoming ones the *Instability* is denoted as maximally unstable. Such code units are easier to change without affecting other modules, making them more flexible and less prone to cascading changes throughout the system. If they are changed more often because of that, they are considered unstable.

Table 4

- Show the top 20 packages with the lowest *Instability*

	p.fqn	p.name	instability	instabilityTypes	instabilityInterfaces	instabilityPackages	instabilityArtifacts	p.outgoingDe
0	org.axonframework.messaging	messaging	0.015548	0.102041	0.189873	0.107143	0.142857	
1	org.axonframework.common.transaction	transaction	0.021583	0.057143	0.000000	0.040000	0.200000	
2	org.axonframework.common	common	0.025698	0.046012	0.000000	0.013333	0.142857	
3	org.axonframework.monitoring	monitoring	0.100000	0.152174	0.333333	0.230769	0.200000	
4	org.axonframework.eventhandling.scheduling	scheduling	0.111111	0.166667	0.000000	0.250000	0.250000	
5	org.axonframework.common.annotation	annotation	0.125000	0.125000	0.000000	0.166667	0.250000	
6	org.axonframework.lifecycle	lifecycle	0.138889	0.259259	0.000000	0.214286	0.250000	
7	org.axonframework.serialization	serialization	0.141252	0.269006	0.318182	0.230769	0.200000	
8	org.axonframework.common.stream	stream	0.147059	0.166667	0.000000	0.125000	0.250000	
9	org.axonframework.common.jpa	jpa	0.210526	0.222222	1.000000	0.300000	0.200000	
10	org.axonframework.messaging.annotation	annotation	0.220700	0.300000	0.419355	0.218750	0.142857	
11	org.axonframework.eventhandling	eventhandling	0.261507	0.350467	0.509434	0.266667	0.166667	
12	org.axonframework.commandhandling	commandhandling	0.296399	0.366492	0.608696	0.333333	0.142857	
13	org.axonframework.common.legacyjpa	legacyjpa	0.300000	0.277778	1.000000	0.333333	0.250000	
14	org.axonframework.serialization.upcasting	upcasting	0.312500	0.083333	0.000000	0.333333	0.500000	
15	org.axonframework.messaging.unitofwork	unitofwork	0.332432	0.200000	0.583333	0.128205	0.142857	
16	org.axonframework.common.lock	lock	0.352113	0.363636	0.500000	0.222222	0.200000	
17	org.axonframework.messaging.correlation	correlation	0.358974	0.230769	0.400000	0.333333	0.333333	
18	org.axonframework.eventhandling.tokenstore	tokenstore	0.378378	0.342105	0.571429	0.333333	0.333333	
19	org.axonframework.common.property	property	0.394737	0.380952	1.000000	0.285714	0.333333	

Abstractness

$$Abstractness = \frac{abstract\ classes\ in\ category}{total\ number\ of\ classes\ in\ category}$$

Package *Abstractness* is expressed as the ratio of the number of abstract classes and interfaces to the total number of classes of a package.

Zero *Abstractness* means that there are no abstract types or interfaces in the package. On the other hand, a value of one means that there are only abstract types.

Table 5

- Show the top 30 packages with the lowest *Abstractness*

	fullQualifiedPackageName	packageName	abstractness	numberAbstractTypes	numberTypes
0	org.axonframework.eventsourcing.eventstore.leg...	legacyjpa	0.000000	0	10
1	org.axonframework.commandhandling.distributed....	commandfilter	0.000000	0	7
2	org.axonframework.serialization.json	json	0.000000	0	7
3	org.axonframework.serialization.xml	xml	0.000000	0	7
4	org.axonframework.tracing.attributes	attributes	0.000000	0	6
5	org.axonframework.serialization.converters	converters	0.000000	0	5
6	org.axonframework.commandhandling.callbacks	callbacks	0.000000	0	4
7	org.axonframework.deadline.quartz	quartz	0.000000	0	4
8	org.axonframework.eventhandling.deadletter	deadletter	0.000000	0	4
9	org.axonframework.eventhandling.scheduling.java	java	0.000000	0	4
10	org.axonframework.eventhandling.tokenstore.jpa	jpa	0.000000	0	4
11	org.axonframework.deadline.jobrunr	jobrunr	0.000000	0	3
12	org.axonframework.eventhandling.scheduling.job...	jobrunr	0.000000	0	3
13	org.axonframework.util	util	0.000000	0	3
14	org.axonframework.modelling.saga.repository.le...	legacyjpa	0.000000	0	3
15	org.axonframework.test.server	server	0.000000	0	2
16	org.axonframework.eventsourcing.eventstore.inm...	inmemory	0.000000	0	2
17	org.axonframework.eventhandling.tokenstore.inm...	inmemory	0.000000	0	2
18	org.axonframework.eventhandling.tokenstore.leg...	legacyjpa	0.000000	0	2
19	org.axonframework.messaging.interceptors.legac...	legacyvalidation	0.000000	0	2
20	org.axonframework.modelling.command.legacyjpa	legacyjpa	0.000000	0	2
21	org.axonframework.modelling.saga.repository.in...	inmemory	0.000000	0	2
22	org.axonframework.common.digest	digest	0.000000	0	1
23	org.axonframework.common.io	io	0.000000	0	1
24	org.axonframework.eventhandling.interceptors	interceptors	0.000000	0	1
25	org.axonframework.disruptor.commandhandling	commandhandling	0.045455	1	22
26	org.axonframework.eventhandling.deadletter.jpa	jpa	0.111111	1	9
27	org.axonframework.eventhandling.tokenstore.jdbc	jdbc	0.111111	1	9
28	org.axonframework.modelling.saga.repository.jdbc	jdbc	0.111111	1	9
29	org.axonframework.test.matchers	matchers	0.125000	3	24

Distance from the main sequence

The *main sequence* is a imaginary line that represents a good compromise between *Abstractness* and *Instability*. A high distance to this line may indicate problems. For example is very *stable* (rigid) code with low abstractness hard to change.

Read more details on that in OO Design Quality Metrics and Calculate metrics.

Table 6

- Show the top 20 packages with the highest distance from the "main sequence"

	artifactName	fullQualifiedPackageName	packageName	distance	abstractness	instability	typesInPackage
0	axon-test-4.7.5	org.axonframework.test.server	server	1.000000	0.000000	0.000000	2
1	axon-messaging-4.7.5	org.axonframework.common.io	io	1.000000	0.000000	0.000000	1
2	axon-eventsourcing-4.7.5	org.axonframework.eventsourcing.eventstore.jdb...	statements	0.727273	1.000000	0.727273	15
3	axon-messaging-4.7.5	org.axonframework.monitoring	monitoring	0.566667	0.333333	0.100000	6
4	axon-messaging-4.7.5	org.axonframework.serialization	serialization	0.564630	0.294118	0.141252	34
5	axon-messaging-4.7.5	org.axonframework.common.jpa	jpa	0.539474	0.250000	0.210526	4
6	axon-messaging-4.7.5	org.axonframework.messaging.annotation	annotation	0.501522	0.277778	0.220700	54
7	axon-messaging-4.7.5	org.axonframework.common.digest	digest	0.500000	0.000000	0.500000	1
8	axon-messaging-4.7.5	org.axonframework.common.transaction	transaction	0.478417	0.500000	0.021583	4
9	axon-messaging-4.7.5	org.axonframework.common.lock	lock	0.466069	0.181818	0.352113	11
10	axon-messaging-4.7.5	org.axonframework.common.legacyjpa	legacyjpa	0.450000	0.250000	0.300000	4
11	axon-messaging-4.7.5	org.axonframework.eventhandling.gateway	gateway	0.425397	0.600000	0.825397	5
12	axon-configuration-4.7.5	org.axonframework.config	config	0.421624	0.435897	0.985727	39
13	axon-test-4.7.5	org.axonframework.test.matchers	matchers	0.419643	0.125000	0.455357	24
14	axon-messaging-4.7.5	org.axonframework.messaging.correlation	correlation	0.391026	0.250000	0.358974	4
15	axon-messaging-4.7.5	org.axonframework.messaging	messaging	0.384452	0.600000	0.015548	35
16	axon-messaging-4.7.5	org.axonframework.messaging.unitofwork	unitofwork	0.381853	0.285714	0.332432	14
17	axon-messaging-4.7.5	org.axonframework.serialization.xml	xml	0.377778	0.000000	0.622222	7
18	axon-messaging-4.7.5	org.axonframework.tracing	tracing	0.359970	0.222222	0.417808	18
19	axon-test-4.7.5	org.axonframework.test	test	0.351724	0.200000	0.448276	5

Abstractness vs. *Instability* Plot with "Main Sequence" line as reference

Figure 1

- Plot *Abstractness* vs. *Instability* of all packages
- Draw the "main sequence" as dashed green line
- Scale the packages by the number of types they contain
- Color the packages by their distance to the "main sequence" (blue=near, red=far)

Abstractness vs. Instability ("Main Sequence")