External Dependencies of Java Artifacts with Neo4j

References

- jqassistant
- py2neo

External Package Usage

Table 1 - Top 20 most used external packages overall

| | externalPackageName | numberOfExternalTypeCaller | numberOfExternalTypeCalls | allTypes | externalTypeNames |
|----|-------------------------------------|----------------------------|---------------------------|----------|--|
| 0 | javax.annotation | 324 | 1406 | 2503 | [Nonnull, Nullable, PreDestroy] |
| 1 | org.slf4j | 190 | 534 | 2503 | [Logger, LoggerFactory] |
| 2 | javax.persistence | 75 | 334 | 2503 | [Index, Table, Entity, EntityExistsException, \dots |
| 3 | jakarta.persistence | 66 | 322 | 2503 | [Index, Table, Entity, EntityExistsException, \dots |
| 4 | org.hamcrest | 61 | 498 | 2503 | [CoreMatchers, Matcher, Description, StringDes |
| 5 | com.fasterxml.jackson.annotation | 54 | 84 | 2503 | [JsonProperty, JsonGetter, JsonTypeInfo, JsonT |
| 6 | org.quartz | 37 | 226 | 2503 | $[{\tt JobDataMap, Job, SchedulerContext, JobExecuti}\\$ |
| 7 | reactor.core.publisher | 31 | 124 | 2503 | $[{\tt Mono, Flux, FluxSink\$OverflowStrategy, FluxSi}$ |
| 8 | com.fasterxml.jackson.databind | 15 | 73 | 2503 | $[Deserialization Context,\ Json Deserializer,\ Jso$ |
| 9 | org.reactivestreams | 12 | 29 | 2503 | [Publisher] |
| 10 | com.thoughtworks.xstream.io | 9 | 46 | 2503 | $[Hierarchical Stream Reader, \ Hierarchical Stream W$ |
| 11 | com.lmax.disruptor | 9 | 29 | 2503 | [RingBuffer, LifecycleAware, EventHandler, Blo |
| 12 | javax.cache.event | 8 | 34 | 2503 | $[Cache Entry Listener, \ Cache Entry Expired Listener$ |
| 13 | javax.sql | 6 | 24 | 2503 | [DataSource] |
| 14 | com.thoughtworks.xstream.converters | 6 | 12 | 2503 | [MarshallingContext, UnmarshallingContext] |
| 15 | jakarta.validation | 5 | 22 | 2503 | [Constraint Violation, Validator, Validator Fact |
| 16 | com.lmax.disruptor.dsl | 5 | 22 | 2503 | [Disruptor, EventHandlerGroup, ProducerType] |
| 17 | nu.xom | 5 | 16 | 2503 | [Document, Builder, ParsingException] |
| 18 | net.sf.ehcache | 5 | 63 | 2503 | [Ehcache, Element, CacheException] |
| 19 | com.thoughtworks.xstream.mapper | 5 | 10 | 2503 | [Mapper, CannotResolveClassException] |

<Figure size 640x480 with 0 Axes>

External Package Usage




Table 2 - Top 20 least used external packages overall

| | externalPackageName | $number Of {\sf External Type Calls}$ |
|----|--|---------------------------------------|
| 0 | org.junit.rules | 1 |
| 1 | org.junit.jupiter.api | 1 |
| 2 | javax.xml.stream | 2 |
| 3 | org.testcontainers.containers.wait.strategy | 2 |
| 4 | com.fasterxml.jackson.datatype.jsr310 | 2 |
| 5 | org.quartz.impl.matchers | 2 |
| 6 | reactor.core | 2 |
| 7 | org.junit.runner | 2 |
| 8 | com.fasterxml.jackson.databind.type | 3 |
| 9 | reactor.util.concurrent | 3 |
| 10 | com.fasterxml.jackson.databind.module | 3 |
| 11 | org.dom4j.io | 3 |
| 12 | com. fasterxml. jackson. databind. jsontype | 3 |
| 13 | org.junit.jupiter.api.extension | 6 |
| 14 | reactor.util.context | 7 |
| 15 | com. thoughtworks. x stream. converters. collections | 7 |
| 16 | org.junit.runners.model | 8 |
| 17 | org.testcontainers.containers | 8 |
| 18 | net.sf.ehcache.event | 9 |
| 19 | com.thoughtworks.xstream.mapper | 10 |

Table 3 - External usage per artifact

| | artifactName | externalPackageName | number Of External Type Caller | number Of External Type Calls | number Of Types In Artifact | externalTypeNames |
|----|----------------------------------|---|--------------------------------|-------------------------------|-----------------------------|--|
| 0 | axon- configuration- 4.7.5 | javax.annotation | 12 | 104 | 39 | [Nonnull] |
| 1 | axon- configuration- 4.7.5 | org.slf4j | 9 | 28 | 39 | [Logger, LoggerFactory] |
| 2 | axon- disruptor- 4.7.5 | org.slf4j | 12 | 22 | 22 | [Logger, LoggerFactory] |
| 3 | axon- disruptor- 4.7.5 | com.lmax.disruptor | 9 | 29 | 22 | [LifecycleAware, EventHandler, BlockingWaitStr |
| 4 | axon- disruptor- 4.7.5 | javax.annotation | 6 | 23 | 22 | [Nonnull] |
| | | | | | | |
| 61 | axon-test- 4.7.5 | org.testcontainers.containers.wait.strategy | 2 | 2 | 85 | [Wait] |
| 62 | axon-test- 4.7.5 | org.testcontainers.containers | 2 | 8 | 85 | [GenericContainer] |
| 63 | axon-test- 4.7.5 | org.junit.rules | 1 | 1 | 85 | [TestRule] |
| 64 | axon-test- 4.7.5 | org.junit.runner | 1 | 2 | 85 | [Description] |
| 65 | axon-test- 4.7.5 | org.junit.jupiter.api | 1 | 1 | 85 | [Assertions] |

66 rows × 6 columns

Table 4 - External usage per artifact and package

| | artifactName | fullPackageName | externalPackageName | ternalPackageName numberOfExternalTypeCaller | | numberOfTypesInl |
|-----|------------------------------|---|------------------------|--|-----|------------------|
| 0 | axon-test- 4.7.5 | org.axonframework.test.matchers | org.hamcrest | 38 | 188 | |
| 1 | axon- messaging- 4.7.5 | org.axonframework.queryhandling | reactor.core.publisher | 24 | 90 | |
| 2 | axon- messaging- 4.7.5 | org.axonframework.eventhandling.scheduling.quartz | org.quartz | 19 | 95 | |
| 3 | axon- messaging- 4.7.5 | org.axonframework.deadline.quartz | org.quartz | 18 | 131 | |
| 4 | axon- messaging- 4.7.5 | org.axonframework.eventhandling | org.slf4j | 15 | 55 | |
| | | | | | | |
| 119 | axon- modelling- 4.7.5 | org.axonframework.modelling.saga.repository.jdbc | javax.sql | 1 | 2 | |
| 120 | axon- modelling- 4.7.5 | org.axonframework.modelling.saga.repository.jpa | javax.persistence | 1 | 2 | |
| 121 | axon-test- 4.7.5 | org.axonframework.test.aggregate | org.junit.rules | 1 | 1 | |
| 122 | axon-test- 4.7.5 | org.axonframework.test.aggregate | org.junit.runner | 1 | 2 | |
| 123 | axon-test- 4.7.5 | org.axonframework.test.saga | org.junit.jupiter.api | 1 | 1 | |

124 rows × 8 columns

Table 5 - Top 20 external package usage per type

| | artifactName | fullPackageName | typeName | number Of External Type Caller | numberOfExternalType | |
|----|----------------------------------|---|---|--------------------------------|----------------------|--|
| 0 | axon- messaging- 4.7.5 | org.axonframework.serialization.json | JacksonSerializer | 9 | | |
| 1 | axon- messaging- 4.7.5 | org.axonframework.serialization.xml | XStreamSerializer | 7 | | |
| 2 | axon- disruptor-4.7.5 | org.axonframework.disruptor.commandhandling | DisruptorCommandBus\$DisruptorRepository | 4 | | |
| 3 | axon- disruptor-4.7.5 | org.axonframework.disruptor.commandhandling | DisruptorCommandBus | 6 | | |
| 4 | axon- messaging- 4.7.5 | org.axonframework.deadline.quartz | QuartzDeadlineManager | 13 | | |
| 5 | axon- messaging- 4.7.5 | org.axonframework.messaging.responsetypes | MultipleInstancesResponseType | 7 | | |
| 6 | axon- messaging- 4.7.5 | org.axonframework.queryhandling | SimpleQueryUpdateEmitter | 13 | | |
| 7 | axon- messaging- 4.7.5 | org.axonframework.serialization | AbstractXStreamSerializer\$MetaDataConverter | 6 | | |
| 8 | axon- messaging- 4.7.5 | org.axonframework.serialization | $\label{thm:converter} Gap Aware Tracking Token Converter \$Reflectively Con$ | 6 | | |
| 9 | axon- messaging- 4.7.5 | org.axonframework.serialization | GapAwareTrackingTokenConverter | 6 | | |
| 10 | axon- messaging- 4.7.5 | org.axonframework.serialization.json | MetaDataDeserializer | 6 | | |
| 11 | axon- disruptor-4.7.5 | org.axonframework.disruptor.commandhandling | DisruptorCommandBus\$ExceptionHandler | 3 | | |
| 12 | axon- disruptor-4.7.5 | org.axonframework.disruptor.commandhandling | BlacklistDetectingCallback | 4 | | |
| 13 | axon- eventsourcing- 4.7.5 | org.axonframework.eventsourcing.eventstore.jpa | JpaEventStorageEngine | 6 | | |
| 14 | axon- eventsourcing- 4.7.5 | org.axonframework.eventsourcing.eventstore.jpa | SQLErrorCodesResolver | 4 | | |
| 15 | axon- eventsourcing- 4.7.5 | org. axon framework. events our cing. events to re.leg | JpaEventStorageEngine | 6 | | |
| 16 | axon- eventsourcing- 4.7.5 | org. ax on framework. events our cing. events to re.leg | SQLErrorCodesResolver | 4 | | |
| 17 | axon- messaging- 4.7.5 | org.axonframework.deadline.jobrunr | JobRunrDeadlineManager | 5 | | |
| 18 | axon- messaging- 4.7.5 | org. ax on framework. eventhand ling. dead letter. jp a | JpaSequencedDeadLetterQueue | 7 | | |
| 19 | axon- messaging- 4.7.5 | org. ax on framework. eventhand ling. dead letter. leg | JpaSequencedDeadLetterQueue | 7 | | |

Table 6 - External package usage distribution per type


The table shown here only includes the first 20 rows at most which typically represents the most significant entries. Have a look above to find out which types have the highest external package dependency usage.

| | artifactName | artifactTypes | number Of External Packages | numberOfTypes | numberOfTypesPercentage |
|----|--------------------------|---------------|-----------------------------|---------------|-------------------------|
| 0 | axon-configuration-4.7.5 | 39 | 1 | 5 | 12.820513 |
| 1 | axon-disruptor-4.7.5 | 22 | 1 | 2 | 9.090909 |
| 2 | axon-disruptor-4.7.5 | 22 | 2 | 4 | 18.181818 |
| 3 | axon-disruptor-4.7.5 | 22 | 3 | 3 | 13.636364 |
| 4 | axon-eventsourcing-4.7.5 | 130 | 1 | 12 | 9.230769 |
| 5 | axon-eventsourcing-4.7.5 | 130 | 2 | 3 | 2.307692 |
| 6 | axon-eventsourcing-4.7.5 | 130 | 3 | 2 | 1.538462 |
| 7 | axon-messaging-4.7.5 | 729 | 1 | 100 | 13.717421 |
| 8 | axon-messaging-4.7.5 | 729 | 2 | 29 | 3.978052 |
| 9 | axon-messaging-4.7.5 | 729 | 3 | 4 | 0.548697 |
| 10 | axon-messaging-4.7.5 | 729 | 4 | 4 | 0.548697 |
| 11 | axon-messaging-4.7.5 | 729 | 5 | 2 | 0.274348 |
| 12 | axon-modelling-4.7.5 | 149 | 1 | 9 | 6.040268 |
| 13 | axon-modelling-4.7.5 | 149 | 2 | 3 | 2.013423 |
| 14 | axon-test-4.7.5 | 85 | 1 | 28 | 32.941176 |
| 15 | axon-test-4.7.5 | 85 | 2 | 2 | 2.352941 |
| 16 | axon-test-4.7.5 | 85 | 3 | 3 | 3.529412 |

artifactName axon-configuration-4.7.5 axon-disruptor-4.7.5 axon-eventsourcing-4.7.5 axon-messaging-4.7.5 axon-modelling-4.7.5 axon-test-4.7.5 numberOfExternalPackages

| 1 | 12.820513 | 9.090909 | 9.230769 | 13.717421 | 6.040268 | 32.941176 |
|---|-----------|-----------|----------|-----------|----------|-----------|
| 2 | 0.000000 | 18.181818 | 2.307692 | 3.978052 | 2.013423 | 2.352941 |
| 3 | 0.000000 | 13.636364 | 1.538462 | 0.548697 | 0.000000 | 3.529412 |
| 4 | 0.000000 | 0.000000 | 0.000000 | 0.548697 | 0.000000 | 0.000000 |
| 5 | 0.000000 | 0.000000 | 0.00000 | 0.274348 | 0.000000 | 0.000000 |

<Figure size 640x480 with 0 Axes>



Maven POMs

Table 7 - Maven POMs and their declared dependencies

| | pom.artifactId | pom.name | scope | dependency.optional | dependentArtifact.group | dependentArtifact.name |
|-----|--------------------|--------------------------------|----------|---------------------|--------------------------|-------------------------|
| 0 | axon-configuration | Axon Framework - Configuration | test | False | javax.inject | javax.inject |
| 1 | axon-configuration | Axon Framework - Configuration | provided | False | com.google.code.findbugs | jsr305 |
| 2 | axon-configuration | Axon Framework - Configuration | test | False | org.quartz-scheduler | quartz |
| 3 | axon-configuration | Axon Framework - Configuration | default | True | jakarta.annotation | jakarta.annotation-api |
| 4 | axon-configuration | Axon Framework - Configuration | default | False | \${project.groupId} | axon-eventsourcing |
| | | | | | | |
| 104 | axon-test | Axon Framework - Test Fixtures | default | True | org.testcontainers | testcontainers |
| 105 | axon-test | Axon Framework - Test Fixtures | default | True | org.hamcrest | hamcrest-library |
| 106 | axon-test | Axon Framework - Test Fixtures | test | False | jakarta.persistence | jakarta.persistence-api |
| 107 | axon-test | Axon Framework - Test Fixtures | default | True | org.hamcrest | hamcrest |
| 108 | axon-test | Axon Framework - Test Fixtures | test | False | org.springframework | spring-beans |

109 rows × 6 columns