Overview in General

This file contains a general overview of the data in the graph including node labels and relationships types.

References

- jqassistant
- Neo4j Python Driver

Node Labels

Table 1a - Highest node count by label combination

Lists the 30 label combinations with the highest number of nodes. The labels with the lowest node count are listed in table 1b. The total list would sum up to the total number of labels (100%).

The whole table can be found in the CSV report Node_label_combination_count.

	nodeLabels	nodesWithThatLabels	nodesWithThatLabelsPercent
0	[Git, Change]	242552	73.262614
1	[Java, ByteCode, Method, Member]	13202	3.987652
2	[Java, ByteCode, Parameter]	13000	3.926638
3	[Git, Commit]	11970	3.615528
4	[File, Git]	10671	3.223166
5	[Java, ByteCode, Bound, ParameterizedType]	7166	2.164484
6	[Java, ByteCode, Bound]	7112	2.148173
7	[Java, ByteCode, Member, Field]	3494	1.055360
8	[Java, ByteCode, Bound, WildcardType]	2906	0.877755
9	[Java, Value, ByteCode, Annotation] 2821		0.852081
10	[Xml, Element]	2144	0.647593
11	[Java, ByteCode, Constructor, Method, Member]	2040	0.616180
12	[Xml, Text]	1436	0.433743
13	[Java, ByteCode, Bound, TypeVariable]	1096	0.331046
14	[Java, ByteCode, Method, Member, Lambda]	936	0.282718
15	[Type, File, Java, ByteCode, ResolvedDuplicate	900	0.271844
16	[Type, File, Java, ByteCode, Class]	861	0.260064
17	[Type, File, Java, ByteCode, JavaType]	746	0.225329
18	[Java, Value, ByteCode, Primitive]	650	0.196332
19	$[{\tt Java,ByteCode,Method,Member,GenericDeclar}$	569	0.171866
20	[Json, Key]	555	0.167637
21	[Value, Json, Scalar]	539	0.162804
22	[Type, File, Java, ByteCode, ExternalType]	396	0.119611
23	[Author, Git, Person]	292	0.088198
24	[Value, Array]	267	0.080647
25	[Committer, Git, Person]	247	0.074606
26	[Type, File, Java, ByteCode, Class, GenericDec	236	0.071284
27	[Value, Property]	202	0.061014
28	[Type, File, Java, ByteCode, Interface]	187	0.056483
29	[Java, Value, ByteCode, Class]	172	0.051952

Chart 1a - Highest node count by label combination

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in Chart 1b.




Table 1b - Lowest node count by label combination

Lists the 30 label combinations with the lowest number of nodes until they reach 0.5% of the total node count, which are shown above.

	nodeLabels	nodesWithThatLabels	nodesWithThatLabelsPercent
0	[Analyze, Task, jQAssistant]	1	0.000302
1	[File, Json]	2	0.000604
2	[File]	3	0.000906
3	[Java, ByteCode, Constructor, Method, Member, \dots	4	0.001208
4	[Maven, Exclusion]	5	0.001510
5	[Value, Array, Json]	6	0.001812
6	[File, Xml, Maven, Pom, Document]	9	0.002718
7	[Type, File, Java, ByteCode, Void]	9	0.002718
8	[Java, ManifestSection]	9	0.002718
9	[File, Java, Manifest]	9	0.002718
10	[Artifact, File, Jar, Archive, Zip, Java]	9	0.002718
11	[File, Java, ServiceLoader]	10	0.003020
12	[File, Java, Properties]	12	0.003625
13	[Maven, ExecutionGoal]	16	0.004833
14	[Maven, PluginExecution]	16	0.004833
15	[Xml, Attribute]	18	0.005437
16	[jQAssistant, Rule, Concept]	19	0.005739
17	[Maven, Plugin]	21	0.006343
18	[Maven, Configuration]	21	0.006343
19	[Type, File, Java, ByteCode, Enum]	28	0.008457
20	[Git, Branch]	29	0.008759
21	[Type, File, Java, ByteCode, PrimitiveType]	29	0.008759
22	[Xml, Namespace]	36	0.010874
23	[Type, File, Java, ByteCode, Annotation]	43	0.012988
24	[File, Directory]	44	0.013290
25	[Type, File, Java, ByteCode, GenericDeclaratio	85	0.025674
26	[Artifact, Maven]	92	0.027789
27	[Type, File, Java, ByteCode, ExternalType, Ext	93	0.028091
28	[Value, ManifestEntry]	120	0.036246
29	[Value, Json, Object]	132	0.039870

Chart 1b - Lowest node count by label combination

Shows the lowest (less than 0.5% overall) node count label combinations. Therefore, this plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.




Table 1c - Highest node count by single label


Lists the 40 labels with the highest number of nodes. Doesn't sum up to the total number of nodes or 100% because one node can have multiple labels. Helps to identify commonly used labels.

	nodeLabel	nodes With That Label	nodes With That Label Percent
0	Git	265928	80.323313
1	Change	242552	73.262614
2	Java	59277	17.904565
3	ByteCode	59089	17.847779
4	Member	20245	6.114984
5	Bound	18438	5.569181
6	Method	16751	5.059624
7	File	14521	4.386055
8	Parameter	13000	3.926638
9	Commit	11970	3.615528
10	ParameterizedType	7166	2.164484
11	Value	5059	1.528066
12	Xml	3643	1.100365
13	Туре	3613	1.091303
14	Field	3494	1.055360
15	WildcardType	2906	0.877755
16	Annotation	2864	0.865069
17	Element	2144	0.647593
18	Constructor	2044	0.617388
19	Text	1436	0.433743
20	Class	1269	0.383300
21	Json	1234	0.372729
22	TypeVariable	1096	0.331046
23	Lambda	936	0.282718
24	ResolvedDuplicateType	900	0.271844
25	GenericDeclaration	894	0.270032
26	JavaType	746	0.225329
27	Primitive	650	0.196332
28	Key	555	0.167637
29	Person	539	0.162804
30	Scalar	539	0.162804
31	ExternalType	489	0.147702
32	Maven	343	0.103603
33	Author	292	0.088198
34	Array	273	0.082459
35	Interface	272	0.082157
36	Committer	247	0.074606
37	Property	202	0.061014
38	Directory	183	0.055275
39	Enum	178	0.053765

Chart 1c - Highest node count by label

Shows the 40 labels with the highest number of nodes.

Node count by label



Relationship Types

Table 2a - Highest relationship count by type

Lists the 30 relationship types with the highest number of occurrences. The whole table can be found in the CSV report Relationship_type_count .

Total number of relationships: 1003699

	relationshipType	nodesWithThatRelationshipType	nodesWithThatRelationshipTypePercent
0	CONTAINS_CHANGE	242552	24.165811
1	MODIFIES	242552	24.165811
2	UPDATES	156734	15.615638
3	CREATES	59224	5.900574
4	DELETES	36771	3.663549
5	INVOKES	35576	3.544489
6	COMMITTED	23940	2.385177
7	DEPENDS_ON	21873	2.179239
8	OF_TYPE	21347	2.126833
9	DECLARES	20686	2.060976
10	OF_RAW_TYPE	17077	1.701406
11	HAS_PARENT	14555	1.450136
12	HAS	14094	1.404206
13	RETURNS	12547	1.250076
14	RENAMES	10177	1.013949
15	READS	9076	0.904255
16	HAS_ACTUAL_TYPE_ARGUMENT	8276	0.824550
17	HAS_NEW_NAME	6196	0.617317
18	OF_GENERIC_TYPE	5902	0.588025
19	RESOLVES_TO	5226	0.520674
20	SIMILAR	3968	0.395338
21	CONTAINS	3805	0.379098
22	WRITES	3803	0.378898
23	RETURNS_GENERIC	3543	0.352994
24	ANNOTATED_BY	2809	0.279865
25	REQUIRES	2173	0.216499
26	HAS_FIRST_CHILD	2144	0.213610
27	HAS_LAST_CHILD	2144	0.213610
28	HAS_ELEMENT	2126	0.211816
29	HAS_UPPER_BOUND	1521	0.151539

Chart 2a - Highest relationship count by type

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in the second chart.




Table 2b - Lowest relationship count by type


Lists the 30 relationships type with the lowest number of occurrences up to 0.5% of the total node count. This is essentially breaking down the "others" slice from the chart above.

	relationshipType	nodesWithThatRelationshipType nodesWithThatRelationshipTypePerce	
0	HAS_PROPERTY	1	0.000100
1	THROWS_GENERIC	5	0.000498
2	EXCLUDES	5	0.000498
3	HAS_ROOT_ELEMENT	9	0.000897
4	DESCRIBES	9	0.000897
5	HAS_GOAL	16	0.001594
6	HAS_EXECUTION	16	0.001594
7	OF_NAMESPACE	18	0.001793
8	HAS_ATTRIBUTE	18	0.001793
9	INCLUDES_CONCEPT	19	0.001893
10	USES_PLUGIN	21	0.002092
11	REQUIRES_TYPE_PARAMETER	21	0.002092
12	IS_ARTIFACT	21	0.002092
13	HAS_CONFIGURATION	21	0.002092
14	REQUIRES_CONCEPT	28	0.002790
15	HAS_HEAD	29	0.002889
16	DECLARES_NAMESPACE	36	0.003587
17	HAS_DEFAULT	36	0.003587
18	CONTAINS_VALUE	120	0.011956
19	COPY_OF	125	0.012454
20	HAS_COMPONENT_TYPE	158	0.015742
21	TO_ARTIFACT	163	0.016240
22	DECLARES_DEPENDENCY	163	0.016240
23	ON_COMMIT	167	0.016638
24	COPIES	326	0.032480
25	IMPLEMENTS_GENERIC	373	0.037163
26	IS	377	0.037561
27	HAS_LOWER_BOUND	435	0.043340
28	EXTENDS_GENERIC	508	0.050613
29	HAS_VALUE	555	0.055295

Chart 2b - Lowest relationship count by type

Shows the lowest (less than 0.5% overall) relationship types. This plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.

Relationship types (less than 0.5% overall)



Node labels with their relationships

Table 3a - Highest relationship count by node labels and relationship type

Lists the 30 node labels and their relationship types with the highest number of occurrences.

	sourceLabels	relationType	targetLabels	numberOfRelationships	number Of Nodes With Same Labels As Source	numberOfNodesWithS
0	[Git, Commit]	CONTAINS_CHANGE	[Git, Change]	242552	11970	
1	[Git, Change]	MODIFIES	[File, Git]	242552	242552	
2	[Git, Change]	UPDATES	[File, Git]	156734	242552	
3	[Git, Change]	CREATES	[File, Git]	59224	242552	
4	[Git, Change]	DELETES	[File, Git]	36771	242552	
5	[Java, ByteCode, Method, Member]	INVOKES	[Java, ByteCode, Method, Member]	21523	13078	
6	[Git, Commit]	HAS_PARENT	[Git, Commit]	14546	11970	
7	[Author, Git, Person]	COMMITTED	[Git, Commit]	11970	292	
8	[Committer, Git, Person]	COMMITTED	[Git, Commit]	11970	247	
9	[Git, Change]	RENAMES	[File, Git]	10177	242552	
10	[Java, ByteCode, Method, Member]	HAS	[Java, ByteCode, Parameter]	8297	13078	
11	[Java, ByteCode, Method, Member]	READS	[Java, ByteCode, Member, Field]	8100	13078	
12	[Java, ByteCode, Parameter]	OF_TYPE	[Type, File, Java, ByteCode, JavaType]	6360	13000	
13	[File, Git]	HAS_NEW_NAME	[File, Git]	6196	10671	
14	[Java, ByteCode, Bound]	OF_RAW_TYPE	[Type, File, Java, ByteCode, JavaType]	3569	7112	
15	[Java, ByteCode, Bound, ParameterizedType]	OF_RAW_TYPE	[Type, File, Java, ByteCode, JavaType]	3043	7166	
16	[Java, ByteCode, Bound, ParameterizedType]	HAS_ACTUAL_TYPE_ARGUMENT	[Java, ByteCode, Bound, WildcardType]	2906	7166	
17	[Java, ByteCode, Parameter]	OF_GENERIC_TYPE	[Java, ByteCode, Bound, ParameterizedType]	2655	13000	
18	[Java, ByteCode, Bound, ParameterizedType]	HAS_ACTUAL_TYPE_ARGUMENT	[Java, ByteCode, Bound, TypeVariable]	2454	7166	
19	[Java, ByteCode, Constructor, Method, Member]	WRITES	[Java, ByteCode, Member, Field]	2426	2040	
20	[Java, Value, ByteCode, Annotation]	OF_TYPE	[Type, File, Java, ByteCode, ExternalType, Ext	2340	2821	
21	[Xml, Element]	HAS_ELEMENT	[Xml, Element]	2126	2144	
22	[Java, ByteCode, Constructor, Method, Member]	INVOKES	[Java, ByteCode, Constructor, Method, Member]	2111	2040	
23	[Java, ByteCode, Method, Member]	RETURNS	[Type, File, Java, ByteCode, JavaType]	2088	13078	
24	[Java, ByteCode, Constructor, Method, Member]	HAS	[Java, ByteCode, Parameter]	2023	2040	
25	[Java, ByteCode, Parameter]	OF_GENERIC_TYPE	[Java, ByteCode, Bound]	2023	13000	
26	[Java, ByteCode, Method, Member]	INVOKES	[Java, ByteCode, Constructor, Method, Member]	2007	13078	
27	[Java, ByteCode, Method, Member, Lambda]	INVOKES	[Java, ByteCode, Method, Member]	1883	936	
28	[Java, ByteCode, Bound, ParameterizedType]	HAS_ACTUAL_TYPE_ARGUMENT	[Java, ByteCode, Bound]	1802	7166	
29	[Java, ByteCode, Constructor, Method, Member]	INVOKES	[Java, ByteCode, Method, Member]	1796	2040	

Graph Density

total_number_of_nodes (vertices): 331072

total_number_of_relationships (edges): 1003699

- -> total directed graph density: 9.157140937347305e-06
- -> total directed graph density in percent: 0.0009157140937347306