## **Internal Dependencies**

#### References

- Analyze java package metrics in a graph database
- Calculate metrics
- Neo4j Python Driver

#### 1 - Modules

List the modules this notebook is based on. Different sorting variations help finding modules by their features and support larger code bases where the list of all modules gets very long.

Only the top 30 entries are shown. The whole table can be found in the following CSV report: List all Typescript modules

Table 1a - Top 30 modules with the highest element count

|   | moduleName          | numberOfElements | incomingDependencies | outgoingDependencies | moduleFullQualifiedName                        |
|---|---------------------|------------------|----------------------|----------------------|--|
| 0 | react-router-dom    | 35               | 2                    | 148                  | /home/runner/work/code-graph-analysis-pipeline |
| 1 | react-router-native | 12               | 0                    | 24                   | /home/runner/work/code-graph-analysis-pipeline |
| 2 | react-router        | 6                | 19                   | 17                   | /home/runner/work/code-graph-analysis-pipeline |
| 3 | server              | 6                | 0                    | 40                   | /home/runner/work/code-graph-analysis-pipeline |

# Table 1b - Top 30 modules with the highest number of incoming dependencies

The following table lists the top 30 internal modules that are used the most by other modules (highest count of incoming dependencies, highest in-degree).

|   | moduleName          | number Of Elements | $incoming {\bf Dependencies}$ | $outgoing {\bf Dependencies}$ | moduleFullQualifiedName                        |
|---|---------------------|--------------------|-------------------------------|-------------------------------|--|
| 0 | react-router        | 6                  | 19                            | 17                            | /home/runner/work/code-graph-analysis-pipeline |
| 1 | react-router-dom    | 35                 | 2                             | 148                           | /home/runner/work/code-graph-analysis-pipeline |
| 2 | react-router-native | 12                 | 0                             | 24                            | /home/runner/work/code-graph-analysis-pipeline |
| 3 | server              | 6                  | 0                             | 40                            | /home/runner/work/code-graph-analysis-pipeline |

Table 1c - Top 30 modules with the highest number of outgoing

#### dependencies

The following table lists the top 30 internal modules that are depending on the highest number of other modules (highest count of outgoing dependencies, highest out-degree).

|   | moduleName          | number Of Elements | incoming Dependencies | $outgoing {\bf Dependencies}$ | moduleFullQualifiedName                        |
|---|---------------------|--------------------|-----------------------|-------------------------------|--|
| 0 | react-router-dom    | 35                 | 2                     | 148                           | /home/runner/work/code-graph-analysis-pipeline |
| 1 | server              | 6                  | 0                     | 40                            | lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:       |
| 2 | react-router-native | 12                 | 0                     | 24                            | /home/runner/work/code-graph-analysis-pipeline |
| 3 | react-router        | 6                  | 19                    | 17                            | /home/runner/work/code-graph-analysis-pipeline |

#### Table 1d - Top 30 modules with the lowest element count

|   | moduleName          | numberOfElements | incomingDependencies | outgoingDependencies | moduleFullQualifiedName                        |
|---|---------------------|------------------|----------------------|----------------------|--|
| 0 | react-router        | 6                | 19                   | 17                   | /home/runner/work/code-graph-analysis-pipeline |
| 1 | server              | 6                | 0                    | 40                   | /home/runner/work/code-graph-analysis-pipeline |
| 2 | react-router-native | 12               | 0                    | 24                   | /home/runner/work/code-graph-analysis-pipeline |
| 3 | react-router-dom    | 35               | 2                    | 148                  | /home/runner/work/code-graph-analysis-pipeline |

# Table 1e - Top 30 modules with the lowest number of incoming dependencies

The following table lists the top 30 internal modules that are used the least by other modules (lowest count of incoming dependencies, lowest in-degree).

|   | moduleName          | number Of Elements | incomingDependencies | outgoingDependencies | moduleFullQualifiedName                        |
|---|---------------------|--------------------|----------------------|----------------------|--|
| 0 | react-router-native | 12                 | 0                    | 24                   | /home/runner/work/code-graph-analysis-pipeline |
| 1 | server              | 6                  | 0                    | 40                   | /home/runner/work/code-graph-analysis-pipeline |
| 2 | react-router-dom    | 35                 | 2                    | 148                  | /home/runner/work/code-graph-analysis-pipeline |
| 3 | react-router        | 6                  | 19                   | 17                   | /home/runner/work/code-graph-analysis-pipeline |

# Table 1f - Top 30 modules with the lowest number of outgoing dependencies

The following table lists the top 30 internal modules that are depending on the lowest number of other modules (lowest count of outgoing dependencies, lowest out-degree).

|   | moduleName          | number Of Elements | $incoming \\ Dependencies$ | outgoingDependencies | moduleFullQualifiedName                        |
|---|---------------------|--------------------|----------------------------|----------------------|--|
| 0 | react-router        | 6                  | 19                         | 17                   | /home/runner/work/code-graph-analysis-pipeline |
| 1 | react-router-native | 12                 | 0                          | 24                   | /home/runner/work/code-graph-analysis-pipeline |
| 2 | server              | 6                  | 0                          | 40                   | /home/runner/work/code-graph-analysis-pipeline |
| 3 | react-router-dom    | 35                 | 2                          | 148                  | /home/runner/work/code-graph-analysis-pipeline |

### 2 - Cyclic Dependencies

Cyclic dependencies occur when one module uses an elements of another module and vice versa. These dependencies can lead to problems when one of these modules needs to be changed.

### Table 2a - Cyclic Dependencies Overview

Show the top 40 cyclic dependencies sorted by the most promising to resolve first. This is done by calculating the number of forward dependencies (first cycle participant to second cycle participant) in relation to backward dependencies (second cycle participant back to first cycle participant). The higher this rate (approaching 1), the easier it should be to resolve the cycle by focussing on the few backward dependencies.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic Dependencies for Typescript

#### Columns:

- projectFileName identifies the project of the first participant of the cycle
- modulePathName identifies the module of the first participant of the cycle
- dependentProjectFileName identifies the project of the second participant of the cycle
- dependentModulePathName identifies the module of the second participant of the cycle
- forwardToBackwardBalance is between 0 and 1. High for many forward and few backward dependencies.
- *numberForward* contains the number of dependencies from the first participant of the cycle to the second one
- numberBackward contains the number of dependencies from the second participant of the cycle back to the first one
- someForwardDependencies lists some forward dependencies in the text format "type1 -> type2"
- backwardDependencies lists the backward dependencies in the format "type1 <- type2" that are recommended to get resolved

projectFileName moduleName dependentProjectFileName dependentModulePathName forwardToBackwardBalance numberForward numberBackward forwardDep

### Table 2b - Cyclic Dependencies Break Down

Lists modules with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic\_Dependencies\_Breakdown\_for\_Typescript

#### Columns in addition to Table 2a:

dependency shows the cycle dependency in the text format "type1 -> type2" (forward) or "type2<-type1" (backward)</li>

## Table 2c - Cyclic Dependencies Break Down - Backward Dependencies Only

Lists modules with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first. This table only contains the backward dependencies from the second participant of the cycle back to the first one that are the most promising to resolve.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic\_Dependencies\_Breakdown\_BackwardOnly\_for\_Typescript

projectFileName moduleName dependentProjectFileName dependentModulePathName dependency forwardToBackwardBalance numberForward numberBackward

## 3 - Module Usage

#### Table 3a - Elements that are used by multiple modules

This table shows the top 40 modules that are used by the highest number of different modules. The whole table can be found in the CSV report WidelyUsedTypescriptElements.

fullQualifiedDependentElementName dependentElementModuleName dependentElementName dependentElementLabels numberOfUsingModules

### Table 3b - Elements that are used by multiple modules

This table shows the top 30 modules that only use a few (compared to all existing) elements of another module. The whole table can be found in the CSV report ModuleElementsUsageTypescript.

sourceModuleName dependentModuleName dependentElementsCount dependentModuleElementsCount elementUsagePercentage dependentElementFullNameExam