# **Internal Dependencies**

#### References

- Analyze java package metrics in a graph database
- Calculate metrics
- Neo4j Python Driver

### **Artifacts**

List the artifacts this notebook is based on. Different sorting variations help finding artifacts by their features and support larger code bases where the list of all artifacts gets too long.

Only the top 30 entries are shown. The whole table can be found in the following CSV report: List\_all\_Java\_artifacts

Table 1a - Top 30 artifacts with the highest package count

|   | artifactName                              | packages | types | incomingDependencies | outgoingDependencies |
|---|---|----------|-------|----------------------|----------------------|
| 0 | axon-messaging-4.10.1.jar                 | 64       | 787   | 8                    | 0                    |
| 1 | axon-server-connector-4.10.1.jar          | 11       | 132   | 1                    | 4                    |
| 2 | axon-modelling-4.10.1.jar                 | 10       | 158   | 6                    | 1                    |
| 3 | axon-eventsourcing-4.10.1.jar             | 9        | 133   | 5                    | 2                    |
| 4 | axon-spring-boot-autoconfigure-4.10.1.jar | 9        | 75    | 0                    | 7                    |
| 5 | axon-test-4.10.1.jar                      | 8        | 87    | 1                    | 3                    |
| 6 | axon-configuration-4.10.1.jar             | 1        | 41    | 2                    | 4                    |
| 7 | axon-disruptor-4.10.1.jar                 | 1        | 22    | 1                    | 3                    |
| 8 | axon-tracing-opentelemetry-4.10.1.jar     | 1        | 5     | 1                    | 1                    |

Table 1b - Top 30 artifacts with the highest type count

|                                 | artifactName                              | packages | types | incomingDependencies | outgoingDependencies |
|---------------------------------|---|----------|-------|----------------------|----------------------|
| 0                               | axon-messaging-4.10.1.jar                 | 64       | 787   | 8                    | 0                    |
| 1                               | axon-modelling-4.10.1.jar                 | 10       | 158   | 6                    | 1                    |
| 2 axon-eventsourcing-4.10.1.jar | 9   | 133      | 5     | 2                    |                      |
| 3                               | 3 axon-server-connector-4.10.1.jar        | 11       | 132   | 1                    | 4                    |
| 4                               | axon-test-4.10.1.jar                      | 8        | 87    | 1                    | 3                    |
| 5                               | axon-spring-boot-autoconfigure-4.10.1.jar | 9        | 75    | 0                    | 7                    |
| 6                               | axon-configuration-4.10.1.jar             | 1        | 41    | 2                    | 4                    |
| 7                               | axon-disruptor-4.10.1.jar                 | 1        | 22    | 1                    | 3                    |
| 8                               | axon-tracing-opentelemetry-4.10.1.jar     | 1        | 5     | 1                    | 1                    |

# Table 1c - Top 30 artifacts with the highest number of incoming dependencies

The following table lists the top 30 artifacts that are used the most by other artifacts (highest count of incoming dependencies, highest in-degree).

|   | artifactName                              | packages | types | $incoming {\bf Dependencies}$ | outgoingDependencies |
|---|---|----------|-------|-------------------------------|----------------------|
| 0 | axon-messaging-4.10.1.jar                 | 64       | 787   | 8                             | 0                    |
| 1 | axon-modelling-4.10.1.jar                 | 10       | 158   | 6                             | 1                    |
| 2 | axon-eventsourcing-4.10.1.jar             | 9        | 133   | 5                             | 2                    |
| 3 | axon-configuration-4.10.1.jar             | 1        | 41    | 2                             | 4                    |
| 4 | axon-disruptor-4.10.1.jar                 | 1        | 22    | 1                             | 3                    |
| 5 | axon-server-connector-4.10.1.jar          | 11       | 132   | 1                             | 4                    |
| 6 | axon-test-4.10.1.jar                      | 8        | 87    | 1                             | 3                    |
| 7 | axon-tracing-opentelemetry-4.10.1.jar     | 1        | 5     | 1                             | 1                    |
| 8 | axon-spring-boot-autoconfigure-4.10.1.jar | 9        | 75    | 0                             | 7                    |

# Table 1d - Top 30 artifacts with the highest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the highest number of other artifacts (highest count of outgoing dependencies, highest out-degree).

|   | artifactName                              | packages | types | $incoming {\bf Dependencies}$ | outgoingDependencies |
|---|---|----------|-------|-------------------------------|----------------------|
| 0 | axon-spring-boot-autoconfigure-4.10.1.jar | 9        | 75    | 0                             | 7                    |
| 1 | axon-configuration-4.10.1.jar             | 1        | 41    | 2                             | 4                    |
| 2 | axon-server-connector-4.10.1.jar          | 11       | 132   | 1                             | 4                    |
| 3 | axon-disruptor-4.10.1.jar                 | 1        | 22    | 1                             | 3                    |
| 4 | axon-test-4.10.1.jar                      | 8        | 87    | 1                             | 3                    |
| 5 | axon-eventsourcing-4.10.1.jar             | 9        | 133   | 5                             | 2                    |
| 6 | axon-modelling-4.10.1.jar                 | 10       | 158   | 6                             | 1                    |
| 7 | axon-tracing-opentelemetry-4.10.1.jar     | 1        | 5     | 1                             | 1                    |
| 8 | axon-messaging-4.10.1.jar                 | 64       | 787   | 8                             | 0                    |

Table 1e - Top 30 artifacts with the lowest package count

|   | artifactName                              | packages | types | $incoming \\ Dependencies$ | outgoingDependencies |
|---|---|----------|-------|----------------------------|----------------------|
| 0 | axon-configuration-4.10.1.jar             | 1        | 41    | 2                          | 4                    |
| 1 | axon-disruptor-4.10.1.jar                 | 1        | 22    | 1                          | 3                    |
| 2 | axon-tracing-opentelemetry-4.10.1.jar     | 1        | 5     | 1                          | 1                    |
| 3 | 3 axon-test-4.10.1.jar                    | 8        | 87    | 1                          | 3                    |
| 4 | axon-eventsourcing-4.10.1.jar             | 9        | 133   | 5                          | 2                    |
| 5 | axon-spring-boot-autoconfigure-4.10.1.jar | 9        | 75    | 0                          | 7                    |
| 6 | 6 axon-modelling-4.10.1.jar               | 10       | 158   | 6                          | 1                    |
| 7 | axon-server-connector-4.10.1.jar          | 11       | 132   | 1                          | 4                    |
| 8 | axon-messaging-4.10.1.jar                 | 64       | 787   | 8                          | 0                    |

Table 1f - Top 30 artifacts with the lowest type count

|   | artifactName                              | packages | types | incomingDependencies | outgoingDependencies |
|---|---|----------|-------|----------------------|----------------------|
| 0 | axon-tracing-opentelemetry-4.10.1.jar     | 1        | 5     | 1                    | 1                    |
| 1 | axon-disruptor-4.10.1.jar                 | 1        | 22    | 1                    | 3                    |
| 2 | axon-configuration-4.10.1.jar             | 1        | 41    | 2                    | 4                    |
| 3 | axon-spring-boot-autoconfigure-4.10.1.jar | 9        | 75    | 0                    | 7                    |
| 4 | axon-test-4.10.1.jar                      | 8        | 87    | 1                    | 3                    |
| 5 | axon-server-connector-4.10.1.jar          | 11       | 132   | 1                    | 4                    |
| 6 | axon-eventsourcing-4.10.1.jar             | 9        | 133   | 5                    | 2                    |
| 7 | axon-modelling-4.10.1.jar                 | 10       | 158   | 6                    | 1                    |
| 8 | axon-messaging-4.10.1.jar                 | 64       | 787   | 8                    | 0                    |

# Table 1g - Top 30 artifacts with the lowest number of incoming dependencies

The following table lists the top 30 artifacts that are used the least by other artifacts (lowest count of incoming dependencies, lowest in-degree).

|                    | artifactName                              | packages | types | $incoming {\bf Dependencies}$ | outgoingDependencies |
|--------------------|---|----------|-------|-------------------------------|----------------------|
| 0                  | axon-spring-boot-autoconfigure-4.10.1.jar | 9        | 75    | 0                             | 7                    |
| 1                  | axon-disruptor-4.10.1.jar                 | 1        | 22    | 1                             | 3                    |
| 2                  | 2 axon-server-connector-4.10.1.jar        | 11       | 132   | 1                             | 4                    |
| 3 axon-test-4.10.1 | axon-test-4.10.1.jar                      | 8        | 87    | 1                             | 3                    |
| 4                  | axon-tracing-opentelemetry-4.10.1.jar     | 1        | 5     | 1                             | 1                    |
| 5                  | axon-configuration-4.10.1.jar             | 1        | 41    | 2                             | 4                    |
| 6                  | axon-eventsourcing-4.10.1.jar             | 9        | 133   | 5                             | 2                    |
| 7                  | axon-modelling-4.10.1.jar                 | 10       | 158   | 6                             | 1                    |
| 8                  | axon-messaging-4.10.1.jar                 | 64       | 787   | 8                             | 0                    |

# Table 1h - Top 30 artifacts with the lowest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the lowest number of other artifacts (lowest count of outgoing dependencies, lowest out-degree).

|   | artifactName                              | packages | types | incomingDependencies | outgoingDependencies |
|---|---|----------|-------|----------------------|----------------------|
| 0 | axon-messaging-4.10.1.jar                 | 64       | 787   | 8                    | 0                    |
| 1 | axon-modelling-4.10.1.jar                 | 10       | 158   | 6                    | 1                    |
| 2 | axon-tracing-opentelemetry-4.10.1.jar     | 1        | 5     | 1                    | 1                    |
| 3 | axon-eventsourcing-4.10.1.jar             | 9        | 133   | 5                    | 2                    |
| 4 | axon-disruptor-4.10.1.jar                 | 1        | 22    | 1                    | 3                    |
| 5 | axon-test-4.10.1.jar                      | 8        | 87    | 1                    | 3                    |
| 6 | axon-configuration-4.10.1.jar             | 1        | 41    | 2                    | 4                    |
| 7 | axon-server-connector-4.10.1.jar          | 11       | 132   | 1                    | 4                    |
| 8 | axon-spring-boot-autoconfigure-4.10.1.jar | 9        | 75    | 0                    | 7                    |

### Cyclic Dependencies

Cyclic dependencies occur when one package uses a class of another package and vice versa. These dependencies can lead to problems when one of these packages needs to be changed.

### Table 2a - Cyclic Dependencies Overview

Show the top 40 cyclic dependencies sorted by the most promising to resolve first. This is done by calculating the number of forward dependencies (first cycle participant to second cycle participant) in relation to backward dependencies (second cycle participant back to first cycle participant). The higher this rate (approaching 1), the easier it should be to resolve the cycle by focusing on the few backward dependencies.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic Dependencies

#### Columns:

- artifactName identifies the artifact of the first participant of the cycle
- packageName identifies the package of the first participant of the cycle
- dependentArtifactName identifies the artifact of the second participant of the cycle
- dependentPackageName identifies the package of the second participant of the cycle
- forwardToBackwardBalance is between 0 and 1. High for many forward and few backward dependencies.
- numberForward contains the number of dependencies from the first participant of the cycle to the second one
- *numberBackward* contains the number of dependencies from the second participant of the cycle back to the first one
- someForwardDependencies lists some forward dependencies in the text format "type1 -> type2"
- backwardDependencies lists the backward dependencies in the format "type1 <- type2" that are recommended to get resolved

|    | artifactName                         | packageName   | dependentArtifactName            | dependentPackageName                                    | forwardToBackwardBalance |
|----|--------------------------------------|---|----------------------------------|---|--------------------------|
| 0  | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                             | axon-messaging-4.10.1            | org.axonframework.tracing                               | 0.900000                 |
| 1  | axon-<br>messaging-<br>4.10.1        | org.axonframework.queryhandling                             | axon-messaging-4.10.1            | org.axonframework.messaging.responsetypes               | 0.882353                 |
| 2  | axon-<br>messaging-<br>4.10.1        | org.axonframework.queryhandling                             | axon-messaging-4.10.1            | org.axonframework.tracing                               | 0.875000                 |
| 3  | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                             | axon-messaging-4.10.1            | org.axonframework.messaging                             | 0.857143                 |
| 4  | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                             | axon-messaging-4.10.1            | org.axonframework.messaging.annotation                  | 0.840000                 |
| 5  | axon-<br>messaging-<br>4.10.1        | org.axonframework.deadline                                  | axon-messaging-4.10.1            | org.axonframework.tracing                               | 0.800000                 |
| 6  | axon-<br>messaging-<br>4.10.1        | org.axonframework.commandhandling                           | axon-messaging-4.10.1            | org.axonframework.tracing                               | 0.777778                 |
| 7  | axon-<br>eventsourcing-<br>4.10.1    | org.axonframework.eventsourcing                             | axon-eventsourcing-<br>4.10.1    | org.axonframework.eventsourcing.eventstore              | 0.777778                 |
| 8  | axon-<br>messaging-<br>4.10.1        | org.axonframework.commandhandling.callbacks                 | axon-messaging-4.10.1            | org.axonframework.commandhandling                       | 0.733333                 |
| 9  | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.util                 | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector                  | 0.666667                 |
| 10 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                             | axon-messaging-4.10.1            | org.axonframework.serialization                         | 0.647059                 |
| 11 | axon-<br>messaging-<br>4.10.1        | org.axonframework.messaging.unitofwork                      | axon-messaging-4.10.1            | org.axonframework.messaging                             | 0.647059                 |
| 12 | axon-server-<br>connector-<br>4.10.1 | org. ax on framework. ax on server. connector. event. ax on | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector                  | 0.615385                 |
| 13 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.query                | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector                  | 0.571429                 |
| 14 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling.async                       | axon-messaging-4.10.1            | org.axonframework.eventhandling                         | 0.538462                 |
| 15 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling.replay                      | axon-messaging-4.10.1            | org.axonframework.eventhandling                         | 0.454545                 |
| 16 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector                      | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector.event.util       | 0.333333                 |
| 17 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.query                | axon-server-connector-<br>4.10.1 | org. ax on framework. ax on server. connector. query. s | 0.333333                 |
| 18 | axon-<br>messaging-<br>4.10.1        | org.axonframework.serialization.upcasting.event             | axon-messaging-4.10.1            | org.axonframework.eventhandling                         | 0.333333                 |
| 19 | axon-<br>eventsourcing-<br>4.10.1    | org.axonframework.eventsourcing.eventstore.jdbc             | axon-eventsourcing-<br>4.10.1    | org. axon framework. events our cing. events to re. jdb | 0.317073                 |
| 20 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                             | axon-messaging-4.10.1            | org.axonframework.eventhandling.tokenstore              | 0.285714                 |
| 21 | axon-<br>modelling-<br>4.10.1        | org.axonframework.modelling.command.inspection              | axon-modelling-4.10.1            | org.axonframework.modelling.command                     | 0.250000                 |
| 22 | axon-<br>messaging-<br>4.10.1        | org.axonframework.queryhandling.registration                | axon-messaging-4.10.1            | org.axonframework.queryhandling                         | 0.250000                 |
| 23 | axon-<br>messaging-<br>4.10.1        | org.axonframework.messaging                                 | axon-messaging-4.10.1            | org.axonframework.serialization                         | 0.238095                 |
| 24 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.command              | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector                  | 0.222222                 |
| 25 | axon-<br>messaging-<br>4.10.1        | org.axonframework.messaging.annotation                      | axon-messaging-4.10.1            | org.axonframework.messaging.interceptors                | 0.200000                 |

|   | artifactName                  | packageName                                   | dependentArtifactName | dependentPackageName                                | forwardToBackwardBalance |
|---|-------------------------------|---|-----------------------|---|--------------------------|
|   | axon-<br>modelling-<br>4.10.1 | org.axonframework.modelling.saga              | axon-modelling-4.10.1 | org.axonframework.modelling.saga.metamodel          | 0.142857                 |
| : | axon-<br>messaging-<br>4.10.1 | org.axonframework.commandhandling.distributed | axon-messaging-4.10.1 | org. ax on framework. command handling. distributed | 0.076923                 |

### Table 2b - Cyclic Dependencies Break Down

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic\_Dependencies\_Breakdown

#### **Columns in addition to Table 2a:**

dependency shows the cycle dependency in the text format "type1 -> type2" (forward) or "type2<-type1" (backward)</li>

|    | artifactName                  | packageName                     | dependentArtifactName | dependentPackageName                      | dependency   | forward |
|----|-------------------------------|---------------------------------|-----------------------|---|--|---------|
| 0  | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | SimpleEventBus\$Builder->SpanFactory                 |         |
| 1  | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | DefaultEventProcessorSpanFactory-<br>>NoOpSpanFact   |         |
| 2  | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | DefaultEventBusSpanFactory->SpanFactory              |         |
| 3  | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | AbstractEventBus\$Builder-<br>>NoOpSpanFactory       |         |
| 4  | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | EventMessage<-NestingSpanFactory                     |         |
| 5  | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | AbstractEventProcessor->Span                         |         |
| 6  | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | AbstractEventBus->Span                               |         |
| 7  | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | DefaultEventBusSpanFactory->Span                     |         |
| 8  | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | DefaultEventProcessorSpanFactory->Span               |         |
| 9  | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | AbstractEventBus\$Builder->SpanFactory               |         |
| 10 | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | DefaultEventBusSpanFactory\$Builder-<br>>SpanFactory |         |
| 11 | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | AbstractEventProcessor\$Builder-<br>>SpanFactory     |         |
| 12 | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | TrackingEventProcessor\$Builder-<br>>SpanFactory     |         |
| 13 | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | EventProcessorSpanFactory->Span                      |         |
| 14 | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | EventBusSpanFactory->Span                            |         |
| 15 | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | AbstractEventBus->SpanScope                          |         |
| 16 | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | SubscribingEventProcessor\$Builder->SpanFactory      |         |
| 17 | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | DefaultEventProcessorSpanFactory\$Builder->Span      |         |
| 18 | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | AbstractEventProcessor\$Builder-<br>>NoOpSpanFactory |         |
| 19 | axon-<br>messaging-<br>4.10.1 | org.axonframework.eventhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | DefaultEventProcessorSpanFactory-<br>>SpanFactory    |         |
| 20 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | SubscriptionQueryMessage->ResponseType               |         |
| 21 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | StreamingQueryMessage->ResponseType                  |         |
| 22 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | QueryGateway->ResponseType                           |         |
| 23 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | SimpleQueryUpdateEmitter-<br>>PublisherResponseType  |         |
| 24 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | SimpleQueryUpdateEmitter->ResponseType               |         |
| 25 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | SimpleQueryUpdateEmitter-<br>>OptionalResponseType   |         |

|    | artifactName                  | packageName                     | dependentArtifactName | dependentPackageName                      | dependency  | forward |
|----|-------------------------------|---------------------------------|-----------------------|---|---|---------|
| 26 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | QueryMessage->ResponseType                          |         |
| 27 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | GenericQueryMessage->ResponseType                   |         |
| 28 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | QueryGateway->ResponseTypes                         |         |
| 29 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | SimpleQueryBus->ResponseType                        |         |
| 30 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | GenericSubscriptionQueryMessage->ResponseType       |         |
| 31 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | DefaultQueryGateway->ResponseType                   |         |
| 32 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | SimpleQueryUpdateEmitter->MultipleInstancesRes      |         |
| 33 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | QueryResponseMessage<-<br>ConvertingResponseMessage |         |
| 34 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | QuerySubscription->ResponseType                     |         |
| 35 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | GenericStreamingQueryMessage-<br>>ResponseType      |         |
| 36 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.messaging.responsetypes | GenericStreamingQueryMessage-<br>>PublisherRespons  |         |
| 37 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | QueryMessage<-SpanUtils                             |         |
| 38 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | SimpleQueryBus\$Builder->SpanFactory                |         |
| 39 | axon-<br>messaging-<br>4.10.1 | org.axonframework.queryhandling | axon-messaging-4.10.1 | org.axonframework.tracing                 | SimpleQueryBus\$Builder-<br>>NoOpSpanFactory        |         |
|    |                               |                                 |                       |   |   |         |

# Table 2c - Cyclic Dependencies Break Down - Backward Dependencies Only

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first. This table only contains the backward dependencies from the second participant of the cycle back to the first one that are the most promising to resolve.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic Dependencies Breakdown BackwardOnly

|    | artifactName                         | packageName                                       | dependentArtifactName            | dependentPackageName                       |                           |
|----|--------------------------------------|---|----------------------------------|--|---------------------------|
| 0  | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                   | axon-messaging-4.10.1            | org.axonframework.tracing                  | EventMess                 |
| 1  | axon-<br>messaging-<br>4.10.1        | org.axonframework.queryhandling                   | axon-messaging-4.10.1            | org.axonframework.messaging.responsetypes  | ς<br>Cor                  |
| 2  | axon-<br>messaging-<br>4.10.1        | org.axonframework.queryhandling                   | axon-messaging-4.10.1            | org.axonframework.tracing                  | (                         |
| 3  | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                   | axon-messaging-4.10.1            | org.axonframework.messaging                |                           |
| 4  | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                   | axon-messaging-4.10.1            | org.axonframework.messaging                | Domaiı                    |
| 5  | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                   | axon-messaging-4.10.1            | org.axonframework.messaging                | TrackingToken<-S          |
| 6  | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                   | axon-messaging-4.10.1            | org.axonframework.messaging.annotation     | DomainEventMessage<-Sour  |
| 7  | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                   | axon-messaging-4.10.1            | org.axonframework.messaging.annotation     | Aggre                     |
| 8  | axon-<br>messaging-<br>4.10.1        | org.axonframework.deadline                        | axon-messaging-4.10.1            | org.axonframework.tracing                  | Dea                       |
| 9  | axon-<br>messaging-<br>4.10.1        | org.axonframework.commandhandling                 | axon-messaging-4.10.1            | org.axonframework.tracing                  | Com                       |
| 10 | axon-<br>eventsourcing-<br>4.10.1    | org.axonframework.eventsourcing                   | axon-eventsourcing-<br>4.10.1    | org.axonframework.eventsourcing.eventstore | EventStreaml              |
| 11 | axon-<br>eventsourcing-<br>4.10.1    | org.axonframework.eventsourcing                   | axon-eventsourcing-<br>4.10.1    | org.axonframework.eventsourcing.eventstore | EventStreamUtils<-Ab      |
| 12 | axon-<br>messaging-<br>4.10.1        | org.axonframework.commandhandling.callbacks       | axon-messaging-4.10.1            | org.axonframework.commandhandling          | NoOpCallback<-Sin         |
| 13 | axon-<br>messaging-<br>4.10.1        | org.axonframework.commandhandling.callbacks       | axon-messaging-4.10.1            | org.axonframework.commandhandling          | LoggingCallback<-Sin      |
| 14 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.util       | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector     | Exce                      |
| 15 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                   | axon-messaging-4.10.1            | org.axonframework.serialization            | (<br>Gaj                  |
| 16 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                   | axon-messaging-4.10.1            | org.axonframework.serialization            | GenericEventMessage<-     |
| 17 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling                   | axon-messaging-4.10.1            | org.axonframework.serialization            | GenericDomainEventMessag  |
| 18 | axon-<br>messaging-<br>4.10.1        | org.axonframework.messaging.unitofwork            | axon-messaging-4.10.1            | org.axonframework.messaging                | UnitOfWorl                |
| 19 | axon-<br>messaging-<br>4.10.1        | org.axonframework.messaging.unitofwork            | axon-messaging-4.10.1            | org.axonframework.messaging                | CurrentUnit               |
| 20 | axon-<br>messaging-<br>4.10.1        | org.axonframework.messaging.unitofwork            | axon-messaging-4.10.1            | org.axonframework.messaging                | UnitOfWork<-N             |
| 21 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.event.axon | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector     | AxonServerEventStoreFact  |
| 22 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.event.axon | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector     | AxonServerEventStoreFacto |
| 23 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.event.axon | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector     | EventProcessorInfoConfig  |
| 24 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.event.axon | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector     | AxonServerEventStore\$Bui |
| 25 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.event.axon | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector     | AxonServerEventStore<-Se  |

|    | artifactName                         | packageName                                  | dependentArtifactName            | dependentPackageName                                    |                            |
|----|--------------------------------------|--|----------------------------------|---|----------------------------|
| 26 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.query | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector                  | AxonServerQueryBus<-Serv   |
| 27 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.query | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector                  | QueryPriorityCalculator<   |
| 28 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.query | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector                  | AxonServerRemote(          |
| 29 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.query | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector                  | AxonServerNonTransientRem  |
| 30 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.query | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector                  | AxonServerQueryDisp        |
| 31 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.query | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector                  | AxonServerQueryBus\$Builde |
| 32 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling.async        | axon-messaging-4.10.1            | org.axonframework.eventhandling                         | SequencingPolicy<-SimpleI  |
| 33 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling.async        | axon-messaging-4.10.1            | org.axonframework.eventhandling                         | SequencingPolicy<-S        |
| 34 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling.async        | axon-messaging-4.10.1            | org.axonframework.eventhandling                         | SequentialPerAggregatePo   |
| 35 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling.replay       | axon-messaging-4.10.1            | org.axonframework.eventhandling                         | GenericResetContext<-Ann   |
| 36 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling.replay       | axon-messaging-4.10.1            | org.axonframework.eventhandling                         | Re                         |
| 37 | axon-<br>messaging-<br>4.10.1        | org.axonframework.eventhandling.replay       | axon-messaging-4.10.1            | org.axonframework.eventhandling                         | ResetContext<-Annot        |
| 38 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector       | axon-server-connector-<br>4.10.1 | org.axonframework.axonserver.connector.event.util       | ErrorCc                    |
| 39 | axon-server-<br>connector-<br>4.10.1 | org.axonframework.axonserver.connector.query | axon-server-connector-<br>4.10.1 | org. ax on framework. ax on server. connector. query. s | GrpcBa                     |

## Interface Segregation Candidates

Well known from Design Principles and Design Patterns by Robert C. Martin, the *Interface Segregation Principle* suggests that software components should have narrow, focused interfaces rather than large, general-purpose ones. The goal is to minimize the dependencies between components and increase modularity, flexibility, and maintainability.

Smaller, focused and purpose-driven interfaces

- make it easier to modify individual components without affecting the rest of the system.
- make it clearer which client is affected by which change.
- don't force their clients to depend on methods they don't need.
- reduce the scope of changes since a change to one component doesn't affect others.
- lead to a more loosely coupled architecture that is easier to understand and maintain.

Reference: Analyze java package metrics in a graph database

### How to apply the results

If just one method of a type is used, especially in many places, then the result of this method can be used to call e.g. a method or constuct an object instead of using the whole object and then just calling that single method.

If there are a couple of methods that are used for a distinct purpose, those could be factored out into a separate interface. The original type can extended/implement the new interface so that there are no breaking changes. Then all the callers, that use only this group of methods, can be changed to the new interface.

### Table 4 - Top 40 most used combinations of methods

The following table shows the top 40 most used combinations of methods of larger types that might benefit from applying the *Interface Segregation Principle*. The whole table can be found in the CSV report Candidates for Interface Segregation.

|    | fullDependentTypeName  | declaredMethods | calledMethodNames                                     | calledMethods | callerTypes |
|----|--|-----------------|---|---------------|-------------|
| 0  | org. axon framework. command handling. Command Message             | 9               | [getCommandName]                                      | 1             | 20          |
| 1  | org. ax on framework. event handling. Event Message                | 9               | [getIdentifier, getTimestamp]                         | 2             | 10          |
| 2  | org. ax on framework. eventh and ling. Domain Event Mes            | 10              | [getSequenceNumber]                                   | 1             | 9           |
| 3  | org. ax on framework. eventh and ling. Event Message               | 9               | [getIdentifier]                                       | 1             | 9           |
| 4  | $org. ax on framework. eventh and ling. Tracked {\tt EventMe}$     | 10              | [trackingToken]                                       | 1             | 8           |
| 5  | org. ax on framework. command handling. Generic Comma              | 14              | [asCommandResultMessage]                              | 1             | 6           |
| 6  | $org. ax on framework. eventh and ling. Domain {\tt Event Mes}$    | 10              | [get Type,  get Sequence Number,  get Aggregate Ident | 3             | 6           |
| 7  | org. ax on framework. messaging. Result Message                    | 9               | [exceptionResult, isExceptional]                      | 2             | 6           |
| 8  | org. ax on framework. eventh and ling. Replay Token                | 13              | [createReplayToken]                                   | 1             | 5           |
| 9  | $org. ax on framework. dead line. Generic {\tt Dead line} Message$ | 11              | [asDeadlineMessage]                                   | 1             | 5           |
| 10 | $org. ax on framework. eventh and ling. Domain {\tt Event Mes}$    | 10              | [getAggregateIdentifier]                              | 1             | 5           |
| 11 | org. ax on framework. eventh and ling. Tracked Event Me            | 12              | [trackingToken]                                       | 1             | 4           |
| 12 | org. ax on framework. dead line. Dead line Message                 | 10              | [getDeadlineName]                                     | 1             | 4           |
| 13 | org. ax on framework. eventh and ling. Domain Event Mes            | 10              | [getType]   | 1             | 4           |
| 14 | org. ax on framework. eventhand ling. Generic Event Me             | 10              | [asEventMessage]                                      | 1             | 4           |
| 15 | org. ax on framework. dead line. Default Dead line Mana            | 8               | [builder]   | 1             | 4           |
| 16 | org. ax on framework. common. transaction. No Transac              | 4               | [instance]  | 1             | 4           |
| 17 | org. ax on framework. query handling. Simple Query Upd             | 17              | [builder]   | 1             | 3           |
| 18 | org. ax on framework. command handling. Generic Comma              | 15              | [asCommandResultMessage]                              | 1             | 3           |
| 19 | org.axonframework.eventhandling.ReplayToken                        | 13              | [isReplay]  | 1             | 3           |
| 20 | org. ax on framework. modelling. command. in spection              | 13              | [type]  | 1             | 3           |
| 21 | org. ax on framework. query handling. Subscription Qu              | 12              | [getUpdateResponseType]                               | 1             | 3           |
| 22 | $org. ax on framework. eventh and ling. Domain {\tt Event Mes}$    | 11              | [get Type,  get Sequence Number,  get Aggregate Ident | 3             | 3           |
| 23 | $org. ax on framework. eventh and ling. Generic {\tt Event Me}$    | 11              | [asEventMessage]                                      | 1             | 3           |
| 24 | org. ax on framework. query handling. Simple Query Bus             | 11              | [builder]   | 1             | 3           |
| 25 | org. ax on framework. eventh and ling. Domain Event Mes            | 10              | [getSequenceNumber, getAggregateIdentifier]           | 2             | 3           |
| 26 | org. ax on framework. eventh and ling. Gap Aware Tracki            | 10              | [newInstance,getIndex,with Gaps Truncated At,a        | 5             | 3           |
| 27 | org. ax on framework. query handling. Default Query Bu             | 10              | [builder]   | 1             | 3           |
| 28 | org. ax on framework. command handling. gateway. Defa              | 9               | [builder]   | 1             | 3           |
| 29 | org.axonframework.config.Configuration                             | 9               | [snapshotFilter, upcasterChain]                       | 2             | 3           |
| 30 | org.axonframework.config.Configuration                             | 9               | [getComponent]  | 1             | 3           |
| 31 | org. ax on framework. event handling. Event Message                | 9               | [getTimestamp]  | 1             | 3           |
| 32 | org. ax on framework. messaging. Message Decorator                 | 9               | [describeTo]  | 1             | 3           |
| 33 | org. ax on framework. query handling. Query Message                | 9               | [getResponseType, getQueryName]                       | 2             | 3           |
| 34 | org. ax on framework. command handling. Default Comma              | 5               | [builder]   | 1             | 3           |
| 35 | $org. ax on framework. eventhand ling. Tracked {\sf EventData}$    | 5               | [trackingToken]                                       | 1             | 3           |
| 36 | org. ax on framework. eventhand ling. to ken store. Con            | 5               | [get]   | 1             | 3           |
| 37 | org. ax on framework. serialization. Simple Serializ               | 5               | [emptyType]   | 1             | 3           |
| 38 | org. ax on framework. eventhand ling. Default Event Bu             | 4               | [builder]   | 1             | 3           |
| 39 | org. ax on framework. query handling. Default Query Up             | 4               | [builder]   | 1             | 3           |

## Package Usage

### Table 5 - Types that are used by multiple packages

This table shows the top 40 packages that are used by the highest number of different packages. The whole table can be found in the CSV report

 ${\tt List\_types\_that\_are\_used\_by\_many\_different\_packages}\ .$ 

|    | full Qualified Dependent Type Name                             | dependentTypeName            | dependentTypeLabels                            | numberOfUsingPackages |
|----|--|------------------------------|--|-----------------------|
| 0  | org.axonframework.common.BuilderUtils                          | BuilderUtils                 | [Type, File, Java, ByteCode, Class, Mark4TopCe | 49                    |
| 1  | org. ax on framework. common. Ax on Configuration Exce         | AxonConfigurationException   | [Type, File, Java, ByteCode, Class, Mark4TopCe | 42                    |
| 2  | org.axonframework.messaging.Message                            | Message                      | [Type, File, Java, ByteCode, GenericDeclaratio | 41                    |
| 3  | org. ax on framework. messaging. Meta Data                     | MetaData                     | [Type, File, Java, ByteCode, Class, Mark4TopCe | 39                    |
| 4  | org. ax on framework. serialization. Serializer                | Serializer                   | [Type, File, Java, ByteCode, Interface, Mark4T | 36                    |
| 5  | org. ax on framework. eventh and ling. Event Message           | EventMessage                 | [Type, File, Java, ByteCode, GenericDeclaratio | 35                    |
| 6  | org. ax on framework. messaging. unit of work. Unit Of Work    | UnitOfWork                   | [Type, File, Java, ByteCode, GenericDeclaratio | 32                    |
| 7  | org. ax on framework. common. transaction. Transacti           | TransactionManager           | [Type, File, Java, ByteCode, Interface, Mark4T | 31                    |
| 8  | org.axonframework.common.Assert                                | Assert                       | [Type, File, Java, ByteCode, Class, Mark4TopCe | 29                    |
| 9  | org. ax on framework. serialization. Serialized Object         | SerializedObject             | [Type, File, Java, ByteCode, GenericDeclaratio | 27                    |
| 10 | $org. ax on framework. serialization. Serialized {\it Type}$   | SerializedType               | [Type, File, Java, ByteCode, Interface, Mark4T | 27                    |
| 11 | org. ax on framework. messaging. unit of work. Current         | CurrentUnitOfWork            | [Type, File, Java, ByteCode, Class, Mark4TopCe | 22                    |
| 12 | org.axonframework.common.Registration                          | Registration                 | [Type, File, Java, ByteCode, Interface, Mark4T | 22                    |
| 13 | org.axonframework.tracing.SpanFactory                          | SpanFactory                  | [Type, File, Java, ByteCode, Interface, Mark4T | 22                    |
| 14 | org.axonframework.lifecycle.Lifecycle                          | Lifecycle                    | [Type, File, Java, ByteCode, Interface, Mark4T | 20                    |
| 15 | org. ax on framework. life cycle. Life cycle \$ Life cycl      | Lifecycle\$LifecycleRegistry | [Type, File, Java, ByteCode, Interface, Mark4T | 20                    |
| 16 | org.axonframework.common.ObjectUtils                           | ObjectUtils                  | [Type, File, Java, ByteCode, Class, Mark4TypeW | 20                    |
| 17 | org. ax on framework. even than dling. Tracking Token          | TrackingToken                | [Type, File, Java, ByteCode, Interface, Mark4T | 20                    |
| 18 | org. ax on framework. event handling. Domain Event Mes         | DomainEventMessage           | [Type, File, Java, ByteCode, GenericDeclaratio | 19                    |
| 19 | org. ax on framework. messaging. annotation. Paramet           | ParameterResolverFactory     | [Type, File, Java, ByteCode, Interface, Mark4T | 19                    |
| 20 | org. ax on framework. common. Ax on Non Transient Excep        | AxonNonTransientException    | [Type, File, Java, ByteCode, Class, Mark4TopCe | 18                    |
| 21 | $org. ax on framework. eventh and ling. Generic {\tt EventMe}$ | GenericEventMessage          | [Type, File, Java, ByteCode, Class, GenericDec | 18                    |
| 22 | $org. ax on framework. messaging. Message {\tt DispatchInt}$   | MessageDispatchInterceptor   | [Type, File, Java, ByteCode, GenericDeclaratio | 18                    |
| 23 | org. ax on framework. messaging. Message Handler In te         | MessageHandlerInterceptor    | [Type, File, Java, ByteCode, GenericDeclaratio | 18                    |
| 24 | org. ax on framework. serialization. Simple Serializ           | SimpleSerializedObject       | [Type, File, Java, ByteCode, Class, GenericDec | 18                    |
| 25 | org. ax on framework. tracing. No Op Span Factory              | NoOpSpanFactory              | [Type, File, Java, ByteCode, Class, Mark4TypeW | 17                    |
| 26 | org. ax on framework. command handling. Command Message        | CommandMessage               | [Type, File, Java, ByteCode, GenericDeclaratio | 16                    |
| 27 | org. ax on framework. event handling. Event Bus                | EventBus                     | [Type, File, Java, ByteCode, Interface, Mark4T | 15                    |
| 28 | org. ax on framework. messaging. annotation. Handler           | HandlerDefinition            | [Type, File, Java, ByteCode, Interface, Mark4T | 15                    |
| 29 | org. ax on framework. common. transaction. No Transac          | NoTransactionManager         | [Type, File, Java, ByteCode, Enum, Mark4TypeWe | 15                    |
| 30 | org.axonframework.messaging.ResultMessage                      | ResultMessage                | [Type, File, Java, ByteCode, GenericDeclaratio | 15                    |
| 31 | org.axonframework.tracing.Span                                 | Span                         | [Type, File, Java, ByteCode, Interface, Mark4T | 15                    |
| 32 | org.axonframework.messaging.unitofwork.Default                 | DefaultUnitOfWork            | [Type, File, Java, ByteCode, Class, GenericDec | 14                    |
| 33 | org.axonframework.common.ReflectionUtils                       | ReflectionUtils              | [Type, File, Java, ByteCode, Class, Mark4TypeW | 14                    |
| 34 | org. ax on framework. eventhand ling. Tracked Event Me         | TrackedEventMessage          | [Type, File, Java, ByteCode, GenericDeclaratio | 13                    |
| 35 | org.axonframework.common.AxonException                         | AxonException                | [Type, File, Java, ByteCode, Class, Mark4TopCe | 12                    |
| 36 | org.axonframework.common.DateTimeUtils                         | DateTimeUtils                | [Type, File, Java, ByteCode, Class, Mark4TypeW | 12                    |
| 37 | org.axonframework.messaging.DefaultInterceptor                 | DefaultInterceptorChain      | [Type, File, Java, ByteCode, Class, GenericDec | 12                    |
| 38 | org. ax on framework. event handling. Generic Domain E         | GenericDomainEventMessage    | [Type, File, Java, ByteCode, Class, GenericDec | 12                    |
| 39 | org. ax on framework. messaging. Interceptor Chain             | InterceptorChain             | [Type, File, Java, ByteCode, Interface, Mark4T | 12                    |

### Table 6 - Packages that are used by multiple artifacts

This table shows the top 30 artifacts that only use a few (compared to all existing) packages of another artifact. The whole table can be found in the CSV report ArtifactPackageUsage .

|    | artifactName                                      | dependentArtifactName            | dependentPackages | dependentArtifactPackages | packageUsagePercentage | dependentFullQualifiedPackageNames                   |
|----|---|----------------------------------|-------------------|---------------------------|------------------------|--|
| 0  | axon-tracing-<br>opentelemetry-<br>4.10.1         | axon-messaging-4.10.1            | 3                 | 64                        | 0.046875               | [org.axonframework.common, org.axonframework.m       |
| 1  | axon-server-<br>connector-<br>4.10.1              | axon-modelling-4.10.1            | 1                 | 10                        | 0.100000               | [org.axonframework.modelling.command]                |
| 2  | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.1 | axon-test-4.10.1                 | 1                 | 8                         | 0.125000               | [org.axonframework.test.server]                      |
| 3  | axon-disruptor-<br>4.10.1                         | axon-messaging-4.10.1            | 9                 | 64                        | 0.140625               | [org.axonframework.common, org.axonframework.c       |
| 4  | axon-test-<br>4.10.1                              | axon-messaging-4.10.1            | 10                | 64                        | 0.156250               | [org.axonframework.messaging, org.axonframewor       |
| 5  | axon-<br>eventsourcing-<br>4.10.1                 | axon-modelling-4.10.1            | 2                 | 10                        | 0.200000               | [org.axonframework.modelling.command, org.axon       |
| 6  | axon-disruptor-<br>4.10.1                         | axon-modelling-4.10.1            | 2                 | 10                        | 0.200000               | [org. axon framework. modelling. command. in spectio |
| 7  | axon-disruptor-<br>4.10.1                         | axon-eventsourcing-<br>4.10.1    | 2                 | 9                         | 0.222222               | [org.axonframework.eventsourcing.eventstore, o       |
| 8  | axon-test-<br>4.10.1                              | axon-eventsourcing-<br>4.10.1    | 2                 | 9                         | 0.222222               | [org.axonframework.eventsourcing, org.axonfram       |
| 9  | axon-<br>modelling-<br>4.10.1                     | axon-messaging-4.10.1            | 18                | 64                        | 0.281250               | [org.axonframework.serialization.xml, org.axon       |
| 10 | axon-<br>eventsourcing-<br>4.10.1                 | axon-messaging-4.10.1            | 20                | 64                        | 0.312500               | [org.axonframework.messaging, org.axonframewor       |
| 11 | axon-server-<br>connector-<br>4.10.1              | axon-eventsourcing-<br>4.10.1    | 3                 | 9                         | 0.333333               | [org.axonframework.eventsourcing, org.axonfram       |
| 12 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.1 | axon-server-connector-<br>4.10.1 | 4                 | 11                        | 0.363636               | [org.axonframework.axonserver.connector, org.a       |
| 13 | axon-server-<br>connector-<br>4.10.1              | axon-messaging-4.10.1            | 25                | 64                        | 0.390625               | [org.axonframework.lifecycle, org.axonframewor       |
| 14 | axon-<br>configuration-<br>4.10.1                 | axon-eventsourcing-<br>4.10.1    | 4                 | 9                         | 0.444444               | [org.axonframework.eventsourcing, org.axonfram       |
| 15 | axon-test-<br>4.10.1                              | axon-modelling-4.10.1            | 5                 | 10                        | 0.500000               | [org.axonframework.modelling.saga, org.axonfra       |
| 16 | axon-<br>configuration-<br>4.10.1                 | axon-messaging-4.10.1            | 34                | 64                        | 0.531250               | [org.axonframework.commandhandling, org.axonfr       |
| 17 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.1 | axon-eventsourcing-<br>4.10.1    | 5                 | 9                         | 0.55556                | [org.axonframework.eventsourcing.eventstore.le       |
| 18 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.1 | axon-modelling-4.10.1            | 6                 | 10                        | 0.600000               | [org.axonframework.modelling.saga.repository.l       |
| 19 | axon-<br>modelling-<br>4.10.1                     | axon-modelling-4.10.1            | 6                 | 10                        | 0.600000               | [org.axonframework.modelling.saga, org.axonfra       |
| 20 | axon-<br>configuration-<br>4.10.1                 | axon-modelling-4.10.1            | 6                 | 10                        | 0.600000               | [org. axon framework. modelling. command. in spectio |
| 21 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.1 | axon-messaging-4.10.1            | 39                | 64                        | 0.609375               | [org.axonframework.common.jpa,<br>org.axonframewo    |
| 22 | axon-test-<br>4.10.1                              | axon-test-4.10.1                 | 5                 | 8                         | 0.625000               | [org.axonframework.test, org.axonframework.tes       |
| 23 | axon-<br>messaging-<br>4.10.1                     | axon-messaging-4.10.1            | 41                | 64                        | 0.640625               | [org.axonframework.common.transaction, org.axo       |
| 24 | axon-<br>eventsourcing-<br>4.10.1                 | axon-eventsourcing-<br>4.10.1    | 7                 | 9                         | 0.777778               | [org.axonframework.eventsourcing, org.axonfram       |
| 25 | axon-server-<br>connector-<br>4.10.1              | axon-server-connector-<br>4.10.1 | 9                 | 11                        | 0.818182               | [org.axonframework.axonserver.connector.util,        |

|    | artifactName                                      | dependentArtifactName                     | dependentPackages | dependentArtifactPackages | packageUsagePercentage | dependent Full Qualified Package Names        |
|----|---|---|-------------------|---------------------------|------------------------|---|
| 26 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.1 | axon-spring-boot-<br>autoconfigure-4.10.1 | 8                 | 9                         | 0.888889               | [org.axonframework.springboot.autoconfig, org |
| 27 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.1 | axon-configuration-4.10.1                 | 1                 | 1                         | 1.000000               | [org.axonframework.config]                    |
| 28 | axon-server-<br>connector-<br>4.10.1              | axon-configuration-4.10.1                 | 1                 | 1                         | 1.000000               | [org.axonframework.config]                    |
| 29 | axon-<br>configuration-<br>4.10.1                 | axon-disruptor-4.10.1                     | 1                 | 1                         | 1.000000               | [org.axonframework.disruptor.commandhandling] |

### Table 7 - Types that are used by multiple artifacts

This table shows the top 30 types that only use a few (compared to all existing) types of another artifact. The whole table can be found in the CSV report ClassesPerPackageUsageAcrossArtifacts.

|    | artifactName                                      | dependentArtifactName         | packageName  | dependentPackage.fqn                | dependentTypes dependentPac |
|----|---|-------------------------------|--|-------------------------------------|-----------------------------|
| 0  | axon-test-<br>4.10.1                              | axon-messaging-4.10.1         | org.axonframework.test.matchers                          | org.axonframework.eventhandling     | 1                           |
| 1  | axon-<br>modelling-<br>4.10.1                     | axon-messaging-4.10.1         | org.axonframework.modelling.saga.metamodel               | org.axonframework.eventhandling     | 1                           |
| 2  | axon-server-<br>connector-<br>4.10.1              | axon-messaging-4.10.1         | org.axonframework.axonserver.connector                   | org.axonframework.eventhandling     | 1                           |
| 3  | axon-<br>eventsourcing-<br>4.10.1                 | axon-messaging-4.10.1         | org.axonframework.eventsourcing.snapshotting             | org.axonframework.eventhandling     | 1                           |
| 4  | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.1 | axon-messaging-4.10.1         | org.axonframework.springboot.autoconfig.legacyjpa        | org.axonframework.eventhandling     | 1                           |
| 5  | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.1 | axon-messaging-4.10.1         | org.axonframework.springboot.util                        | org.axonframework.eventhandling     | 1                           |
| 6  | axon-server-<br>connector-<br>4.10.1              | axon-modelling-4.10.1         | org.axonframework.axonserver.connector                   | org.axonframework.modelling.command | 1                           |
| 7  | axon-<br>eventsourcing-<br>4.10.1                 | axon-modelling-4.10.1         | org.axonframework.eventsourcing.conflictresolu           | org.axonframework.modelling.command | 1                           |
| 8  | axon-<br>eventsourcing-<br>4.10.1                 | axon-modelling-4.10.1         | org.axonframework.eventsourcing.eventstore.jdbc          | org.axonframework.modelling.command | 1                           |
| 9  | axon-<br>eventsourcing-<br>4.10.1                 | axon-messaging-4.10.1         | org.axonframework.eventsourcing.conflictresolu           | org.axonframework.eventhandling     | 2                           |
| 10 | axon-<br>modelling-<br>4.10.1                     | axon-messaging-4.10.1         | org.axonframework.modelling.command.legacyjpa            | org.axonframework.eventhandling     | 2                           |
| 11 | axon-<br>modelling-<br>4.10.1                     | axon-messaging-4.10.1         | org.axonframework.modelling.command                      | org.axonframework.eventhandling     | 2                           |
| 12 | axon-test-<br>4.10.1                              | axon-messaging-4.10.1         | org.axonframework.test.eventscheduler                    | org.axonframework.eventhandling     | 2                           |
| 13 | axon-server-<br>connector-<br>4.10.1              | axon-eventsourcing-<br>4.10.1 | org.axonframework.axonserver.connector.event.axon        | org.axonframework.eventsourcing     | 1                           |
| 14 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.1 | axon-configuration-4.10.1     | org.axonframework.springboot.autoconfig.legacyjpa        | org.axonframework.config            | 1                           |
| 15 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.1 | axon-configuration-4.10.1     | org.axonframework.springboot                             | org.axonframework.config            | 1                           |
| 16 | axon-server-<br>connector-<br>4.10.1              | axon-configuration-4.10.1     | org.axonframework.axonserver.connector.processor         | org.axonframework.config            | 1                           |
| 17 | axon-<br>eventsourcing-<br>4.10.1                 | axon-messaging-4.10.1         | org.axonframework.eventsourcing.eventstore               | org.axonframework.messaging         | 1                           |
| 18 | axon-<br>eventsourcing-<br>4.10.1                 | axon-messaging-4.10.1         | org.axonframework.eventsourcing.conflictresolu           | org.axonframework.messaging         | 1                           |
| 19 | axon-test-<br>4.10.1                              | axon-messaging-4.10.1         | org.axonframework.test.matchers                          | org.axonframework.messaging         | 1                           |
| 20 | axon-test-<br>4.10.1                              | axon-messaging-4.10.1         | org.axonframework.test                                   | org.axonframework.messaging         | 1                           |
| 21 | axon-<br>eventsourcing-<br>4.10.1                 | axon-messaging-4.10.1         | org.axonframework.eventsourcing.eventstore.jpa           | org.axonframework.serialization     | 1                           |
| 22 | axon-<br>eventsourcing-<br>4.10.1                 | axon-messaging-4.10.1         | org.axonframework.eventsourcing.eventstore.leg           | org.axonframework.serialization     | 1                           |
| 23 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.1 | axon-messaging-4.10.1         | org.axonframework.springboot.autoconfig.legacyjpa        | org.axonframework.serialization     | 1                           |
| 24 | axon-<br>eventsourcing-<br>4.10.1                 | axon-messaging-4.10.1         | org.axonframework.eventsourcing.eventstore.jdbc          | org.axonframework.serialization     | 1                           |
| 25 | axon-<br>eventsourcing-<br>4.10.1                 | axon-messaging-4.10.1         | org. ax on framework. events our cing. events to re. jdb | org.axonframework.eventhandling     | 3                           |

|    | artifactName                         | dependentArtifactName         | packageName                                    | dependentPackage.fqn                       | dependentTypes | dependentPac |
|----|--------------------------------------|-------------------------------|--|--|----------------|--------------|
| 26 | axon-test-<br>4.10.1                 | axon-modelling-4.10.1         | org.axonframework.test.utils                   | org.axonframework.modelling.saga           | 1              |              |
| 27 | axon-<br>eventsourcing-<br>4.10.1    | axon-messaging-4.10.1         | org.axonframework.eventsourcing.conflictresolu | org.axonframework.commandhandling          | 1              |              |
| 28 | axon-test-<br>4.10.1                 | axon-messaging-4.10.1         | org.axonframework.test.matchers                | org.axonframework.commandhandling          | 1              |              |
| 29 | axon-server-<br>connector-<br>4.10.1 | axon-eventsourcing-<br>4.10.1 | org.axonframework.axonserver.connector         | org.axonframework.eventsourcing.eventstore | 1              |              |

### Table 8 - Duplicate package names across artifacts

This table shows the top 30 duplicate package names across artifacts. They are ordered by the number of duplicates descending.

This might lead to confusion, makes importing more error prone and might even lead to duplicate classes where only one of them will be loaded by the class loader. If a package is named the same way in two or more artifacts this even allows another artifact to access package protected classes, methods or members which might not be intended.

The whole table can be found in the CSV report DuplicatePackageNamesAcrossArtifacts.

packageName duplicates artifactNames

#### Table 9 - Annotated elements

This table shows 30 most used Java Annotations including some examples where they are used.

|    | annotationName                                      | languageElement | numberOfAnnotatedElements | examples  |
|----|---|-----------------|---------------------------|---|
| 0  | javax.annotation.Nonnull                            | Parameter       | 1616                      | [org.axonframework.eventsourcing.AbstractSnaps          |
| 1  | java.lang.Deprecated                                | Method          | 132                       | [org. ax on framework. events our cing. Abstract Snaps  |
| 2  | org. spring framework. context. annotation. Be an   | Method          | 111                       | [org. axon framework. spring boot. autocon fig. Axon S  |
| 3  | org.spring framework.boot.autoconfigure.conditi     | Method          | 78                        | [org. axon framework. spring boot. autocon fig. Axon S  |
| 4  | java.lang.FunctionalInterface                       | Interface       | 65                        | [org. axon framework. events our cing. conflict resol   |
| 5  | javax.annotation.Nullable                           | Parameter       | 61                        | [org. axon framework. events our cing. events to re. Ev |
| 6  | javax.annotation.Nonnull                            | Method          | 50                        | [org. ax on framework. ax on server. connector. util. P |
| 7  | java.lang.Deprecated                                | Class           | 43                        | [org. axon framework. events our cing. MultiStream ab   |
| 8  | java.lang.annotation.Retention                      | Annotation      | 43                        | [org. axon framework. events our cing. Event Sour cing  |
| 9  | java.lang.annotation.Target                         | Annotation      | 43                        | [org. axon framework. events our cing. Event Sour cing  |
| 10 | javax.persistence.Basic                             | Field           | 39                        | [org. ax on framework. eventh and ling. Abstract Domai  |
| 11 | jakarta.persistence.Basic                           | Field           | 33                        | [org. axon framework. eventhand ling. Abstract Domai    |
| 12 | com. fasterxml. jackson. annotation. Json Property  | Parameter       | 32                        | [org. ax on framework. command handling. distributed    |
| 13 | java.lang.annotation.Documented                     | Annotation      | 23                        | [org. axon framework. events our cing. Event Sour cing  |
| 14 | org.spring framework.boot.autoconfigure.AutoCon     | Class           | 22                        | [org. axon framework. spring boot. autocon fig. Axon S  |
| 15 | java.beans.ConstructorProperties                    | Constructor     | 21                        | [org. ax on framework. command handling. distributed    |
| 16 | org.spring framework.beans.factory.annotation.Q     | Parameter       | 20                        | [org. axon framework. spring boot. autocon fig. Axon S  |
| 17 | java.lang.Deprecated                                | Constructor     | 20                        | [org. ax on framework. events our cing. MultiStream ab  |
| 18 | com. fasterxml. jackson. annotation. Json Creator   | Constructor     | 16                        | [org. axon framework. eventhand ling. Gap Aware Track   |
| 19 | org.spring framework.boot.autoconfigure.AutoCon     | Class           | 16                        | [org. axon framework. spring boot. autoconfig. Axon S   |
| 20 | org. spring framework. boot. autoconfigure. conditi | Method          | 15                        | [org. axon framework. spring boot. autocon fig. Axon S  |
| 21 | org.spring framework.boot.autoconfigure.AutoCon     | Class           | 14                        | [org. axon framework. spring boot. autoconfig. Axon S   |
| 22 | org. spring framework. boot. autoconfigure. conditi | Class           | 12                        | [org. axon framework. spring boot. autoconfig. Axon S   |
| 23 | javax.persistence.Column                            | Field           | 12                        | [org. axon framework. eventh and ling. Abstract Event   |
| 24 | org.axonframework.common.Priority                   | Class           | 11                        | [org. ax on framework. command handling. Current Unit   |
| 25 | jakarta.persistence.Column                          | Field           | 11                        | [org. axon framework. eventh and ling. Abstract Event   |
| 26 | org.spring framework.boot.context.properties. En    | Class           | 11                        | [org. axon framework. spring boot. autoconfig. legac    |
| 27 | javax.persistence.Lob                               | Field           | 10                        | [org. ax on framework. eventh and ling. Abstract Event  |
| 28 | javax.persistence.ld                                | Field           | 10                        | [org. axon framework. events our cing. events to re. Ab |
| 29 | org.spring framework.boot.autoconfigure.conditi     | Method          | 10                        | [org. axon framework. spring boot. autoconfig. legac    |

## Table 10 - Distance distribution between dependent files

This table shows the file directory distance distribution between dependent files. Intuitively, the distance is given by the fewest number of change directory commands needed to navigate between a file and a dependency it uses. Those are aggregate to see how many dependent files are in the same directory, how many are just one change directory command apart, and so on.

|                  | numberOfDependencyProviders | numberOfDependencyUsers | numberOfDependencies | dependency. file Distance As Fewest Change Directory Commands |   |
|------------------|-----------------------------|-------------------------|----------------------|---|---|
| [/axon-disrupt   | 1160                        | 1026                    | 2600                 | 0 0   | 0 |
| [/org/axonframe  | 38                          | 82                      | 90                   | 1 1   | 1 |
| [/org/axonframew | 472                         | 760                     | 2503                 | 2   | 2 |
| [/org/axonframe) | 541                         | 449                     | 2595                 | 3 4   | 3 |