

Internal Dependencies

References

- [Analyze java package metrics in a graph database](#)
- [Calculate metrics](#)
- [Neo4j Python Driver](#)

1 - Modules

List the modules this notebook is based on. Different sorting variations help finding modules by their features and support larger code bases where the list of all modules gets very long.

Only the top 30 entries are shown. The whole table can be found in the following CSV report:

List_all_Typescript_modules

Table 1a - Top 30 modules with the highest element count

	rootProjectName	moduleName	numberOfElements	numberOfGitCommits	incomingDependencies	outgoingDependencies
0	react-router-6.28.1	react-router-dom	35	422	0	153
1	react-router-6.28.1	react-router	15	246	20	17
2	react-router-6.28.1	react-router-native	12	154	0	24
3	react-router-6.28.1	server	6	164	0	38

Table 1b - Top 30 modules with the highest number of incoming dependencies

The following table lists the top 30 internal modules that are used the most by other modules (highest count of incoming dependencies, highest in-degree).

	rootProjectName	moduleName	numberOfElements	numberOfGitCommits	incomingDependencies	outgoingDependencies
0	react-router-6.28.1	react-router	15	246	20	17
1	react-router-6.28.1	react-router-dom	35	422	0	153
2	react-router-6.28.1	react-router-native	12	154	0	24
3	react-router-6.28.1	server	6	164	0	38

Table 1c - Top 30 modules with the highest number of outgoing dependencies

The following table lists the top 30 internal modules that are depending on the highest number of other modules (highest count of outgoing dependencies, highest out-degree).

	rootProjectName	moduleName	numberOfElements	numberOfGitCommits	incomingDependencies	outgoingDependencies
0	react-router-6.28.1	react-router-dom	35	422	0	153
1	react-router-6.28.1	server	6	164	0	38
2	react-router-6.28.1	react-router-native	12	154	0	24
3	react-router-6.28.1	react-router	15	246	20	17

Table 1d - Top 30 modules with the lowest element count

	rootProjectName	moduleName	numberOfElements	numberOfGitCommits	incomingDependencies	outgoingDependencies
0	react-router-6.28.1	server	6	164	0	38
1	react-router-6.28.1	react-router-native	12	154	0	24
2	react-router-6.28.1	react-router	15	246	20	17
3	react-router-6.28.1	react-router-dom	35	422	0	153

Table 1e - Top 30 modules with the lowest number of incoming dependencies

The following table lists the top 30 internal modules that are used the least by other modules (lowest count of incoming dependencies, lowest in-degree).

	rootProjectName	moduleName	numberOfElements	numberOfGitCommits	incomingDependencies	outgoingDependencies
0	react-router-6.28.1	react-router-dom	35	422	0	153
1	react-router-6.28.1	react-router-native	12	154	0	24
2	react-router-6.28.1	server	6	164	0	38
3	react-router-6.28.1	react-router	15	246	20	17

Table 1f - Top 30 modules with the lowest number of outgoing dependencies

The following table lists the top 30 internal modules that are depending on the lowest number of other modules (lowest count of outgoing dependencies, lowest out-degree).

	rootProjectName	moduleName	numberOfElements	numberOfGitCommits	incomingDependencies	outgoingDependencies
0	react-router-6.28.1	react-router	15	246	20	17
1	react-router-6.28.1	react-router-native	12	154	0	24
2	react-router-6.28.1	server	6	164	0	38
3	react-router-6.28.1	react-router-dom	35	422	0	153

2 - Cyclic Dependencies

Cyclic dependencies occur when one module uses an elements of another module and vice versa. These dependencies can lead to problems when one of these modules needs to be changed.

Table 2a - Cyclic Dependencies Overview

Show the top 40 cyclic dependencies sorted by the most promising to resolve first. This is done by calculating the number of forward dependencies (first cycle participant to second cycle participant) in relation to backward dependencies (second cycle participant back to first cycle participant). The higher this rate (approaching 1), the easier it should be to resolve the cycle by focussing on the few backward dependencies.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic_Dependencies_for_Typescript

Columns:

- *projectFileName* identifies the project of the first participant of the cycle
- *modulePathName* identifies the module of the first participant of the cycle
- *dependentProjectFileName* identifies the project of the second participant of the cycle
- *dependentModulePathName* identifies the module of the second participant of the cycle
- *forwardToBackwardBalance* is between 0 and 1. High for many forward and few backward dependencies.
- *numberForward* contains the number of dependencies from the first participant of the cycle to the second one
- *numberBackward* contains the number of dependencies from the second participant of the cycle back to the first one
- *someForwardDependencies* lists some forward dependencies in the text format "type1 -> type2"
- *backwardDependencies* lists the backward dependencies in the format "type1 <- type2" that are recommended to get resolved

projectFileName	moduleName	dependentProjectFileName	dependentModulePathName	forwardToBackwardBalance	numberForward	numberBackward	forwardDep
-----------------	------------	--------------------------	-------------------------	--------------------------	---------------	----------------	------------

Table 2b - Cyclic Dependencies Break Down

Lists modules with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic_Dependencies_Breakdown_for_Typescript

Columns in addition to Table 2a:

- *dependency* shows the cycle dependency in the text format "type1 -> type2" (forward) or "type2<- type1" (backward)

projectFileName	moduleName	dependentProjectFileName	dependentModulePathName	dependency	forwardToBackwardBalance	numberForward	numberBackward
-----------------	------------	--------------------------	-------------------------	------------	--------------------------	---------------	----------------

Table 2c - Cyclic Dependencies Break Down - Backward Dependencies Only

Lists modules with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first. This table only contains the backward dependencies from the second participant of the cycle back to the first one that are the most promising to resolve.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

[Cyclic_Dependencies_Breakdown_BackwardOnly_for_Typescript](#)

projectFileName	moduleName	dependentProjectFileName	dependentModulePathName	dependency	forwardToBackwardBalance	numberForward	numberBackward
-----------------	------------	--------------------------	-------------------------	------------	--------------------------	---------------	----------------

3 - Module Usage

Table 3a - Elements that are used by multiple modules

This table shows the top 40 modules that are used by the highest number of different modules. The whole table can be found in the CSV report [WidelyUsedTypescriptElements](#).

	fullQualifiedDependentElementName	dependentElementModuleName	dependentElementName	dependentElementLabels	numberOfUsingModules
0	"/home/runner/work/code-graph-analysis-pipeline/code-graph-analysis-pipeline/temp/react-router-6.28.1/source/react-router-6.28.1/packages/react-router".useLocation	react-router	useLocation	ExternalDeclaration	2
1	"/home/runner/work/code-graph-analysis-pipeline/code-graph-analysis-pipeline/temp/react-router-6.28.1/source/react-router-6.28.1/packages/react-router".useNavigate	react-router	useNavigate	ExternalDeclaration	2
2	"/home/runner/work/code-graph-analysis-pipeline/code-graph-analysis-pipeline/temp/react-router-6.28.1/source/react-router-6.28.1/packages/react-router".createPath	react-router	createPath	ExternalDeclaration	1
3	"/home/runner/work/code-graph-analysis-pipeline/code-graph-analysis-pipeline/temp/react-router-6.28.1/packages/react-router".useBlocker	react-router	useBlocker	ExternalDeclaration	1
4	"/home/runner/work/code-graph-analysis-pipeline/code-graph-analysis-pipeline/temp/react-router-6.28.1/packages/react-router".useHref	react-router	useHref	ExternalDeclaration	1
5	"/home/runner/work/code-graph-analysis-pipeline/code-graph-analysis-pipeline/temp/react-router-6.28.1/packages/react-router".useMatches	react-router	useMatches	ExternalDeclaration	1
6	"/home/runner/work/code-graph-analysis-pipeline/code-graph-analysis-pipeline/temp/react-router-6.28.1/packages/react-router".useNavigation	react-router	useNavigation	ExternalDeclaration	1
7	"/home/runner/work/code-graph-analysis-pipeline/code-graph-analysis-pipeline/temp/react-router-6.28.1/packages/react-router".useResolvedPath	react-router	useResolvedPath	ExternalDeclaration	1

Table 3b - Elements that are used by multiple modules

This table shows the top 30 modules that only use a few (compared to all existing) elements of another module. The whole table can be found in the CSV report `ModuleElementsUsageTypescript`.

	sourceModuleName	dependentModuleName	dependentElementsCount	dependentModuleElementsCount	elementUsagePercentage	dependentElementFullNameExa
0	react-router-native	react-router	2	15	0.133333	["/home/runner/work/code- analysis-pipeline/code-graph-an- pipeline/temp/react-r 6.28.1/source/react-r 6.28.1/packages, router".useNav "/home/runner/work/code- analysis-pipeline/code-graph-an- pipeline/temp/react-r 6.28.1/source/react-r
1	react-router-dom	react-router	8	15	0.533333	["/home/runner/work/code- analysis-pipeline/code-graph-an- pipeline/temp/react-r 6.28.1/source/react-r 6.28.1/packages, router".useBl "/home/runner/work/code- analysis-pipeline/code-graph-an- pipeline/temp/react-r 6.28.1/source/react-router-6.28.

Table 3c - Distance distribution between dependent files

This table shows the file directory distance distribution between dependent files. Intuitively, the distance is given by the fewest number of change directory commands needed to navigate between a file and a dependency it uses. Those are aggregate to see how many dependent files are in the same directory, how many are just one change directory command apart, and so on.

	dependency.fileDistanceAsFewestChangeDirectoryCommands	numberOfDependencies	numberOfDependencyUsers	numberOfDependencyProviders	examples
0		4	3	3	1 [./index.tsx uses ./index.ts, ./server.tsx uses ./index.ts, ./index.tsx uses ./index.ts]