## **Internal Dependencies**

#### References

- Analyze java package metrics in a graph database
- Calculate metrics
- Neo4j Python Driver

### **Artifacts**

List the artifacts this notebook is based on. Different sorting variations help finding artifacts by their features and support larger code bases where the list of all artifacts gets too long.

Only the top 30 entries are shown. The whole table can be found in the following CSV report: List all Java artifacts

Table 1a - Top 30 artifacts with the highest package count

|   | artifactName                              | packages | types | incomingDependencies | outgoingDependencies |
|---|---|----------|-------|----------------------|----------------------|
| 0 | axon-messaging-4.10.2.jar                 | 64       | 787   | 8                    | 0                    |
| 1 | axon-server-connector-4.10.2.jar          | 11       | 132   | 1                    | 4                    |
| 2 | axon-modelling-4.10.2.jar                 | 10       | 158   | 6                    | 1                    |
| 3 | axon-eventsourcing-4.10.2.jar             | 9        | 133   | 5                    | 2                    |
| 4 | axon-spring-boot-autoconfigure-4.10.2.jar | 9        | 75    | 0                    | 7                    |
| 5 | axon-test-4.10.2.jar                      | 8        | 87    | 1                    | 3                    |
| 6 | axon-configuration-4.10.2.jar             | 1        | 41    | 2                    | 4                    |
| 7 | axon-disruptor-4.10.2.jar                 | 1        | 22    | 1                    | 3                    |
| 8 | axon-tracing-opentelemetry-4.10.2.jar     | 1        | 5     | 1                    | 1                    |

Table 1b - Top 30 artifacts with the highest type count

|   | artifactName                              | packages | types | $incoming {\bf Dependencies}$ | outgoingDependencies |
|---|---|----------|-------|-------------------------------|----------------------|
| 0 | axon-messaging-4.10.2.jar                 | 64       | 787   | 8                             | 0                    |
| 1 | axon-modelling-4.10.2.jar                 | 10       | 158   | 6                             | 1                    |
| 2 | axon-eventsourcing-4.10.2.jar             | 9        | 133   | 5                             | 2                    |
| 3 | axon-server-connector-4.10.2.jar          | 11       | 132   | 1                             | 4                    |
| 4 | axon-test-4.10.2.jar                      | 8        | 87    | 1                             | 3                    |
| 5 | axon-spring-boot-autoconfigure-4.10.2.jar | 9        | 75    | 0                             | 7                    |
| 6 | axon-configuration-4.10.2.jar             | 1        | 41    | 2                             | 4                    |
| 7 | axon-disruptor-4.10.2.jar                 | 1        | 22    | 1                             | 3                    |
| 8 | axon-tracing-opentelemetry-4.10.2.jar     | 1        | 5     | 1                             | 1                    |

# Table 1c - Top 30 artifacts with the highest number of incoming dependencies

The following table lists the top 30 artifacts that are used the most by other artifacts (highest count of incoming dependencies, highest in-degree).

|   | artifactName                              | packages | types | $incoming {\bf Dependencies}$ | outgoingDependencies |
|---|---|----------|-------|-------------------------------|----------------------|
| 0 | axon-messaging-4.10.2.jar                 | 64       | 787   | 8                             | 0                    |
| 1 | axon-modelling-4.10.2.jar                 | 10       | 158   | 6                             | 1                    |
| 2 | axon-eventsourcing-4.10.2.jar             | 9        | 133   | 5                             | 2                    |
| 3 | axon-configuration-4.10.2.jar             | 1        | 41    | 2                             | 4                    |
| 4 | axon-disruptor-4.10.2.jar                 | 1        | 22    | 1                             | 3                    |
| 5 | axon-server-connector-4.10.2.jar          | 11       | 132   | 1                             | 4                    |
| 6 | axon-test-4.10.2.jar                      | 8        | 87    | 1                             | 3                    |
| 7 | axon-tracing-opentelemetry-4.10.2.jar     | 1        | 5     | 1                             | 1                    |
| 8 | axon-spring-boot-autoconfigure-4.10.2.jar | 9        | 75    | 0                             | 7                    |

# Table 1d - Top 30 artifacts with the highest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the highest number of other artifacts (highest count of outgoing dependencies, highest out-degree).

|   | artifactName                              | packages | types | $incoming {\tt Dependencies}$ | outgoingDependencies |
|---|---|----------|-------|-------------------------------|----------------------|
| 0 | axon-spring-boot-autoconfigure-4.10.2.jar | 9        | 75    | 0                             | 7                    |
| 1 | axon-configuration-4.10.2.jar             | 1        | 41    | 2                             | 4                    |
| 2 | axon-server-connector-4.10.2.jar          | 11       | 132   | 1                             | 4                    |
| 3 | axon-disruptor-4.10.2.jar                 | 1        | 22    | 1                             | 3                    |
| 4 | axon-test-4.10.2.jar                      | 8        | 87    | 1                             | 3                    |
| 5 | axon-eventsourcing-4.10.2.jar             | 9        | 133   | 5                             | 2                    |
| 6 | axon-modelling-4.10.2.jar                 | 10       | 158   | 6                             | 1                    |
| 7 | axon-tracing-opentelemetry-4.10.2.jar     | 1        | 5     | 1                             | 1                    |
| 8 | axon-messaging-4.10.2.jar                 | 64       | 787   | 8                             | 0                    |

Table 1e - Top 30 artifacts with the lowest package count

|   | artifactName                              | packages | types | $incoming \\ Dependencies$ | outgoingDependencies |
|---|---|----------|-------|----------------------------|----------------------|
| 0 | axon-configuration-4.10.2.jar             | 1        | 41    | 2                          | 4                    |
| 1 | axon-disruptor-4.10.2.jar                 | 1        | 22    | 1                          | 3                    |
| 2 | axon-tracing-opentelemetry-4.10.2.jar     | 1        | 5     | 1                          | 1                    |
| 3 | axon-test-4.10.2.jar                      | 8        | 87    | 1                          | 3                    |
| 4 | axon-eventsourcing-4.10.2.jar             | 9        | 133   | 5                          | 2                    |
| 5 | axon-spring-boot-autoconfigure-4.10.2.jar | 9        | 75    | 0                          | 7                    |
| 6 | axon-modelling-4.10.2.jar                 | 10       | 158   | 6                          | 1                    |
| 7 | axon-server-connector-4.10.2.jar          | 11       | 132   | 1                          | 4                    |
| 8 | axon-messaging-4.10.2.jar                 | 64       | 787   | 8                          | 0                    |

Table 1f - Top 30 artifacts with the lowest type count

|   | artifactName                              | packages | types | $incoming {\bf Dependencies}$ | outgoingDependencies |
|---|---|----------|-------|-------------------------------|----------------------|
| 0 | axon-tracing-opentelemetry-4.10.2.jar     | 1        | 5     | 1                             | 1                    |
| 1 | axon-disruptor-4.10.2.jar                 | 1        | 22    | 1                             | 3                    |
| 2 | axon-configuration-4.10.2.jar             | 1        | 41    | 2                             | 4                    |
| 3 | axon-spring-boot-autoconfigure-4.10.2.jar | 9        | 75    | 0                             | 7                    |
| 4 | axon-test-4.10.2.jar                      | 8        | 87    | 1                             | 3                    |
| 5 | axon-server-connector-4.10.2.jar          | 11       | 132   | 1                             | 4                    |
| 6 | axon-eventsourcing-4.10.2.jar             | 9        | 133   | 5                             | 2                    |
| 7 | axon-modelling-4.10.2.jar                 | 10       | 158   | 6                             | 1                    |
| 8 | axon-messaging-4.10.2.jar                 | 64       | 787   | 8                             | 0                    |

# Table 1g - Top 30 artifacts with the lowest number of incoming dependencies

The following table lists the top 30 artifacts that are used the least by other artifacts (lowest count of incoming dependencies, lowest in-degree).

|   | artifactName                              | packages | types | incomingDependencies | outgoingDependencies |
|---|---|----------|-------|----------------------|----------------------|
| 0 | axon-spring-boot-autoconfigure-4.10.2.jar | 9        | 75    | 0                    | 7                    |
| 1 | axon-disruptor-4.10.2.jar                 | 1        | 22    | 1                    | 3                    |
| 2 | axon-server-connector-4.10.2.jar          | 11       | 132   | 1                    | 4                    |
| 3 | axon-test-4.10.2.jar                      | 8        | 87    | 1                    | 3                    |
| 4 | axon-tracing-opentelemetry-4.10.2.jar     | 1        | 5     | 1                    | 1                    |
| 5 | axon-configuration-4.10.2.jar             | 1        | 41    | 2                    | 4                    |
| 6 | axon-eventsourcing-4.10.2.jar             | 9        | 133   | 5                    | 2                    |
| 7 | axon-modelling-4.10.2.jar                 | 10       | 158   | 6                    | 1                    |
| 8 | axon-messaging-4.10.2.jar                 | 64       | 787   | 8                    | 0                    |

# Table 1h - Top 30 artifacts with the lowest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the lowest number of other artifacts (lowest count of outgoing dependencies, lowest out-degree).

|   | artifactName                              | packages | types | incomingDependencies | outgoingDependencies |
|---|---|----------|-------|----------------------|----------------------|
| 0 | axon-messaging-4.10.2.jar                 | 64       | 787   | 8                    | 0                    |
| 1 | axon-modelling-4.10.2.jar                 | 10       | 158   | 6                    | 1                    |
| 2 | axon-tracing-opentelemetry-4.10.2.jar     | 1        | 5     | 1                    | 1                    |
| 3 | axon-eventsourcing-4.10.2.jar             | 9        | 133   | 5                    | 2                    |
| 4 | axon-disruptor-4.10.2.jar                 | 1        | 22    | 1                    | 3                    |
| 5 | axon-test-4.10.2.jar                      | 8        | 87    | 1                    | 3                    |
| 6 | axon-configuration-4.10.2.jar             | 1        | 41    | 2                    | 4                    |
| 7 | axon-server-connector-4.10.2.jar          | 11       | 132   | 1                    | 4                    |
| 8 | axon-spring-boot-autoconfigure-4.10.2.jar | 9        | 75    | 0                    | 7                    |

### Cyclic Dependencies

Cyclic dependencies occur when one package uses a class of another package and vice versa. These dependencies can lead to problems when one of these packages needs to be changed.

### Table 2a - Cyclic Dependencies Overview

Show the top 40 cyclic dependencies sorted by the most promising to resolve first. This is done by calculating the number of forward dependencies (first cycle participant to second cycle participant) in relation to backward dependencies (second cycle participant back to first cycle participant). The higher this rate (approaching 1), the easier it should be to resolve the cycle by focusing on the few backward dependencies.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic Dependencies

#### Columns:

- artifactName identifies the artifact of the first participant of the cycle
- packageName identifies the package of the first participant of the cycle
- dependentArtifactName identifies the artifact of the second participant of the cycle
- dependentPackageName identifies the package of the second participant of the cycle
- forwardToBackwardBalance is between 0 and 1. High for many forward and few backward dependencies.
- numberForward contains the number of dependencies from the first participant of the cycle to the second one
- numberBackward contains the number of dependencies from the second participant of the cycle back to the first one
- someForwardDependencies lists some forward dependencies in the text format "type1 -> type2"
- backwardDependencies lists the backward dependencies in the format "type1 <- type2" that are recommended to get resolved

|    | artifactName                         | packageName                                       | dependentArtifactName            | dependentPackageName                       | forward |
|----|--------------------------------------|---|----------------------------------|--|---------|
| 0  | axon-<br>messaging-<br>4.10.2        | org.axonframework.eventhandling                   | axon-messaging-4.10.2            | org.axonframework.tracing                  |         |
| 1  | axon-<br>messaging-<br>4.10.2        | org.axonframework.queryhandling                   | axon-messaging-4.10.2            | org.axonframework.messaging.responsetypes  |         |
| 2  | axon-<br>messaging-<br>4.10.2        | org.axonframework.queryhandling                   | axon-messaging-4.10.2            | org.axonframework.tracing                  |         |
| 3  | axon-<br>messaging-<br>4.10.2        | org.axonframework.eventhandling                   | axon-messaging-4.10.2            | org.axonframework.messaging                |         |
| 4  | axon-<br>messaging-<br>4.10.2        | org.axonframework.eventhandling                   | axon-messaging-4.10.2            | org.axonframework.messaging.annotation     |         |
| 5  | axon-<br>messaging-<br>4.10.2        | org.axonframework.deadline                        | axon-messaging-4.10.2            | org.axonframework.tracing                  |         |
| 6  | axon-<br>messaging-<br>4.10.2        | org.axonframework.commandhandling                 | axon-messaging-4,10.2            | org.axonframework.tracing                  |         |
| 7  | axon-<br>eventsourcing-<br>4.10.2    | org.axonframework.eventsourcing                   | axon-eventsourcing-<br>4.10.2    | org.axonframework.eventsourcing.eventstore |         |
| 8  | axon-<br>messaging-<br>4.10.2        | org.axonframework.commandhandling.callbacks       | axon-messaging-4.10.2            | org.axonframework.commandhandling          |         |
| 9  | axon-server-<br>connector-<br>4.10.2 | org.axonframework.axonserver.connector.util       | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector     |         |
| 10 | axon-<br>messaging-<br>4.10.2        | org.axonframework.eventhandling                   | axon-messaging-4.10.2            | org.axonframework.serialization            |         |
| 11 | axon-<br>messaging-<br>4.10.2        | org.axonframework.messaging.unitofwork            | axon-messaging-4.10.2            | org.axonframework.messaging                |         |
| 12 | axon-server-<br>connector-<br>4.10.2 | org.axonframework.axonserver.connector.event.axon | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector     |         |

|    | artifactName                         | packageName                                     | dependentArtifactName            | dependentPackageName  | forward |
|----|--------------------------------------|---|----------------------------------|---|---------|
| 13 | axon-server-<br>connector-<br>4.10.2 | org.axonframework.axonserver.connector.query    | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector                                |         |
| 14 | axon-<br>messaging-<br>4.10.2        | org.axonframework.eventhandling.async           | axon-messaging-4.10.2            | org.axonframework.eventhandling                                       |         |
| 15 | axon-<br>messaging-<br>4.10.2        | org.axonframework.eventhandling.replay          | axon-messaging-4.10.2            | org.axonframework.eventhandling                                       |         |
| 16 | axon-server-<br>connector-<br>4.10.2 | org.axonframework.axonserver.connector          | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector.event.util                     |         |
| 17 | axon-server-<br>connector-<br>4.10.2 | org.axonframework.axonserver.connector.query    | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector.query.subscription             |         |
| 18 | axon-<br>messaging-<br>4.10.2        | org.axonframework.serialization.upcasting.event | axon-messaging-4.10.2            | org.axonframework.eventhandling                                       |         |
| 19 | axon-<br>eventsourcing-<br>4.10.2    | org.axonframework.eventsourcing.eventstore.jdbc | axon-eventsourcing-<br>4.10.2    | org. ax on framework. events our cing. events to re. jdbc. statements |         |
| 20 | axon-<br>messaging-<br>4.10.2        | org.axonframework.eventhandling                 | axon-messaging-4.10.2            | org.axonframework.eventhandling.tokenstore                            |         |
| 21 | axon-<br>modelling-<br>4.10.2        | org.axonframework.modelling.command.inspection  | axon-modelling-4.10.2            | org.axonframework.modelling.command                                   |         |
| 22 | axon-<br>messaging-<br>4.10.2        | org.axonframework.queryhandling.registration    | axon-messaging-4.10.2            | org.axonframework.queryhandling                                       |         |
| 23 | axon-<br>messaging-<br>4.10.2        | org.axonframework.messaging                     | axon-messaging-4.10.2            | org.axonframework.serialization                                       |         |

|    | artifactName                         | packageName   | dependentArtifactName            | dependentPackageName                          | forward |
|----|--------------------------------------|---|----------------------------------|---|---------|
| 24 | axon-server-<br>connector-<br>4.10.2 | org.axonframework.axonserver.connector.command                      | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector        |         |
| 25 | axon-<br>messaging-<br>4.10.2        | org.axonframework.messaging.annotation                              | axon-messaging-4.10.2            | org.axonframework.messaging.interceptors      |         |
| 26 | axon-<br>modelling-<br>4.10.2        | org.axonframework.modelling.saga                                    | axon-modelling-4.10.2            | org.axonframework.modelling.saga.metamodel    |         |
| 27 | axon-<br>messaging-<br>4.10.2        | org. ax on framework. command handling. distributed. command filter | axon-messaging-4.10.2            | org.axonframework.commandhandling.distributed |         |

### Table 2b - Cyclic Dependencies Break Down

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic\_Dependencies\_Breakdown

#### **Columns in addition to Table 2a:**

dependency shows the cycle dependency in the text format "type1 -> type2" (forward) or "type2<-type1" (backward)</li>

|    | artifactName                  | packageName                     | dependentArtifactName | dependentPackageName                      | dependency  | forward |
|----|-------------------------------|---------------------------------|-----------------------|---|---|---------|
| 0  | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | AbstractEventProcessor\$Builder-<br>>SpanFactory                |         |
| 1  | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | AbstractEventBus->Span  |         |
| 2  | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | AbstractEventBus\$Builder-<br>>NoOpSpanFactory                  |         |
| 3  | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | DefaultEventBusSpanFactory\$Builder-<br>>SpanFactory            |         |
| 4  | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | EventMessage<-NestingSpanFactory                                |         |
| 5  | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | DefaultEventBusSpanFactory->SpanFactory                         |         |
| 6  | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | EventProcessorSpanFactory->Span                                 |         |
| 7  | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | AbstractEventProcessor->Span                                    |         |
| 8  | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | AbstractEventBus->SpanScope                                     |         |
| 9  | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | EventBusSpanFactory->Span                                       |         |
| 10 | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | DefaultEventProcessorSpanFactory-<br>>NoOpSpanFactory\$NoOpSpan |         |
| 11 | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | AbstractEventBus\$Builder->SpanFactory                          |         |
| 12 | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | DefaultEventProcessorSpanFactory->Span                          |         |
| 13 | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | SubscribingEventProcessor\$Builder-<br>>SpanFactory             |         |
| 14 | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | DefaultEventProcessorSpanFactory-<br>>SpanFactory               |         |
| 15 | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | AbstractEventProcessor\$Builder-<br>>NoOpSpanFactory            |         |
| 16 | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | DefaultEventBusSpanFactory->Span                                |         |
| 17 | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | SimpleEventBus\$Builder->SpanFactory                            |         |
| 18 | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | TrackingEventProcessor\$Builder-<br>>SpanFactory                |         |
| 19 | axon-<br>messaging-<br>4.10.2 | org.axonframework.eventhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | DefaultEventProcessorSpanFactory\$Builder-<br>>SpanFactory      |         |
| 20 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | SimpleQueryUpdateEmitter-<br>>PublisherResponseType             |         |
| 21 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | DefaultQueryGateway->ResponseType                               |         |
| 22 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | SimpleQueryUpdateEmitter-<br>>OptionalResponseType              |         |
| 23 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | QueryGateway->ResponseType                                      |         |
| 24 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | QueryGateway->ResponseTypes                                     |         |
| 25 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | GenericSubscriptionQueryMessage->ResponseType                   |         |

|    | artifactName                  | packageName                     | dependentArtifactName | dependentPackageName                      | dependency  | forward |
|----|-------------------------------|---------------------------------|-----------------------|---|---|---------|
| 26 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | SimpleQueryBus->ResponseType                            |         |
| 27 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | SimpleQueryUpdateEmitter->ResponseType                  |         |
| 28 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | QueryResponseMessage<-<br>ConvertingResponseMessage     |         |
| 29 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | SimpleQueryUpdateEmitter->MultipleInstancesResponseType |         |
| 30 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | SubscriptionQueryMessage->ResponseType                  |         |
| 31 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | StreamingQueryMessage->ResponseType                     |         |
| 32 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | QuerySubscription->ResponseType                         |         |
| 33 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | QueryMessage->ResponseType                              |         |
| 34 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | GenericQueryMessage->ResponseType                       |         |
| 35 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | GenericStreamingQueryMessage-<br>>ResponseType          |         |
| 36 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.messaging.responsetypes | GenericStreamingQueryMessage-<br>>PublisherResponseType |         |
| 37 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | DefaultQueryBusSpanFactory\$Builder-<br>>SpanFactory    |         |
| 38 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | SimpleQueryUpdateEmitter->Span                          |         |
| 39 | axon-<br>messaging-<br>4.10.2 | org.axonframework.queryhandling | axon-messaging-4.10.2 | org.axonframework.tracing                 | SimpleQueryBus\$Builder-<br>>NoOpSpanFactory            |         |
|    |                               |                                 |                       |   |   |         |

# Table 2c - Cyclic Dependencies Break Down - Backward Dependencies Only

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first. This table only contains the backward dependencies from the second participant of the cycle back to the first one that are the most promising to resolve.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic Dependencies Breakdown BackwardOnly

|                    | dependentPackageName                       | packageName dependentArtifactName depen |   | artifactName                         |    |
|--------------------|--|---|---|--------------------------------------|----|
|                    | org.axonframework.tracing                  | axon-messaging-4.10.2                   | org.axonframework.eventhandling                   | axon-<br>messaging-<br>4.10.2        | 0  |
|                    | org.axonframework.messaging.responsetypes  | axon-messaging-4.10.2                   | org.axonframework.queryhandling                   | axon-<br>messaging-<br>4.10.2        | 1  |
|                    | org.axonframework.tracing                  | axon-messaging-4.10.2                   | org.axonframework.queryhandling                   | axon-<br>messaging-<br>4.10.2        | 2  |
|                    | org.axonframework.messaging                | axon-messaging-4.10.2                   | org.axonframework.eventhandling                   | axon-<br>messaging-<br>4.10.2        | 3  |
|                    | org.axonframework.messaging                | axon-messaging-4.10.2                   | org.axonframework.eventhandling                   | axon-<br>messaging-<br>4.10.2        | 4  |
|                    | org.axonframework.messaging                | axon-messaging-4.10.2                   | org.axonframework.eventhandling                   | axon-<br>messaging-<br>4.10.2        | 5  |
| AggregateTypeParar | org.axonframework.messaging.annotation     | axon-messaging-4.10.2                   | org.axonframework.eventhandling                   | axon-<br>messaging-<br>4.10.2        | 6  |
| Sourceld           | org.axonframework.messaging.annotation     | axon-messaging-4.10.2                   | org.axonframework.eventhandling                   | axon-<br>messaging-<br>4.10.2        | 7  |
|                    | org.axonframework.tracing                  | axon-messaging-4.10.2                   | org.axonframework.deadline                        | axon-<br>messaging-<br>4.10.2        | 8  |
|                    | org.axonframework.tracing                  | axon-messaging-4.10.2                   | org.axonframework.commandhandling                 | axon-<br>messaging-<br>4.10.2        | 9  |
|                    | org.axonframework.eventsourcing.eventstore | axon-eventsourcing-<br>4.10.2           | org.axonframework.eventsourcing                   | axon-<br>eventsourcing-<br>4.10.2    | 10 |
|                    | org.axonframework.eventsourcing.eventstore | axon-eventsourcing-<br>4.10.2           | org.axonframework.eventsourcing                   | axon-<br>eventsourcing-<br>4.10.2    | 11 |
|                    | org.axonframework.commandhandling          | axon-messaging-4.10.2                   | org.axonframework.commandhandling.callbacks       | axon-<br>messaging-<br>4.10.2        | 12 |
|                    | org.axonframework.commandhandling          | axon-messaging-4.10.2                   | org.axonframework.commandhandling.callbacks       | axon-<br>messaging-<br>4.10.2        | 13 |
|                    | org.axonframework.axonserver.connector     | axon-server-connector-<br>4.10.2        | org.axonframework.axonserver.connector.util       | axon-server-<br>connector-<br>4.10.2 | 14 |
| Gap#               | org.axonframework.serialization            | axon-messaging-4.10.2                   | org.axonframework.eventhandling                   | axon-<br>messaging-<br>4.10.2        | 15 |
|                    | org.axonframework.serialization            | axon-messaging-4.10.2                   | org.axonframework.eventhandling                   | axon-<br>messaging-<br>4.10.2        | 16 |
| G                  | org.axonframework.serialization            | axon-messaging-4.10.2                   | org.axonframework.eventhandling                   | axon-<br>messaging-<br>4.10.2        | 17 |
|                    | org.axonframework.messaging                | axon-messaging-4.10.2                   | org.axonframework.messaging.unitofwork            | axon-<br>messaging-<br>4.10.2        | 18 |
|                    | org.axonframework.messaging                | axon-messaging-4.10.2                   | org.axonframework.messaging.unitofwork            | axon-<br>messaging-<br>4.10.2        | 19 |
|                    | org.axonframework.messaging                | axon-messaging-4.10.2                   | org.axonframework.messaging.unitofwork            | axon-<br>messaging-<br>4.10.2        | 20 |
| EventProces        | org.axonframework.axonserver.connector     | axon-server-connector-<br>4.10.2        | org.axonframework.axonserver.connector.event.axon | axon-server-<br>connector-<br>4.10.2 | 21 |
| AxonServe          | org.axonframework.axonserver.connector     | axon-server-connector-<br>4.10.2        | org.axonframework.axonserver.connector.event.axon | axon-server-<br>connector-<br>4.10.2 | 22 |
| AxonServ           | org.axonframework.axonserver.connector     | axon-server-connector-<br>4.10.2        | org.axonframework.axonserver.connector.event.axon | axon-server-<br>connector-<br>4.10.2 | 23 |
| Ax                 | org.axonframework.axonserver.connector     | axon-server-connector-<br>4.10.2        | org.axonframework.axonserver.connector.event.axon | axon-server-<br>connector-<br>4.10.2 | 24 |
| AxonServerEventS   | org.axonframework.axonserver.connector     | axon-server-connector-<br>4.10.2        | org.axonframework.axonserver.connector.event.axon | axon-server-<br>connector-<br>4.10.2 | 25 |
|                    |  |   |   |                                      |    |

|             | dependentPackageName                                      | dependentArtifactName            | packageName                                  | artifactName                         |    |
|-------------|---|----------------------------------|--|--------------------------------------|----|
| Qu          | org.axonframework.axonserver.connector                    | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector.query | axon-server-<br>connector-<br>4.10.2 | 26 |
| AxonServ    | org.axonframework.axonserver.connector                    | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector.query | axon-server-<br>connector-<br>4.10.2 | 27 |
| AxonServerN | org.axonframework.axonserver.connector                    | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector.query | axon-server-<br>connector-<br>4.10.2 | 28 |
|             | org.axonframework.axonserver.connector                    | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector.query | axon-server-<br>connector-<br>4.10.2 | 29 |
|             | org.axonframework.axonserver.connector                    | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector.query | axon-server-<br>connector-<br>4.10.2 | 30 |
| А           | org.axonframework.axonserver.connector                    | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector.query | axon-server-<br>connector-<br>4.10.2 | 31 |
| SequentialF | org.axonframework.eventhandling                           | axon-messaging-4.10.2            | org.axonframework.eventhandling.async        | axon-<br>messaging-<br>4.10.2        | 32 |
|             | org.axonframework.eventhandling                           | axon-messaging-4.10.2            | org.axonframework.eventhandling.async        | axon-<br>messaging-<br>4.10.2        | 33 |
|             | org.axonframework.eventhandling                           | axon-messaging-4.10.2            | org.axonframework.eventhandling.async        | axon-<br>messaging-<br>4.10.2        | 34 |
|             | org.axonframework.eventhandling                           | axon-messaging-4.10.2            | org.axonframework.eventhandling.replay       | axon-<br>messaging-<br>4.10.2        | 35 |
|             | org.axonframework.eventhandling                           | axon-messaging-4.10.2            | org.axonframework.eventhandling.replay       | axon-<br>messaging-<br>4.10.2        | 36 |
|             | org.axonframework.eventhandling                           | axon-messaging-4.10.2            | org.axonframework.eventhandling.replay       | axon-<br>messaging-<br>4.10.2        | 37 |
|             | org.axonframework.axonserver.connector.event.util         | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector       | axon-server-<br>connector-<br>4.10.2 | 38 |
| GrpcBa      | org.axonframework.axonserver.connector.query.subscription | axon-server-connector-<br>4.10.2 | org.axonframework.axonserver.connector.query | axon-server-<br>connector-<br>4.10.2 | 39 |
|             |   |                                  |  |                                      |    |

### **Interface Segregation Candidates**

Well known from Design Principles and Design Patterns by Robert C. Martin, the *Interface Segregation Principle* suggests that software components should have narrow, focused interfaces rather than large, general-purpose ones. The goal is to minimize the dependencies between components and increase modularity, flexibility, and maintainability.

Smaller, focused and purpose-driven interfaces

- make it easier to modify individual components without affecting the rest of the system.
- make it clearer which client is affected by which change.
- don't force their clients to depend on methods they don't need.
- reduce the scope of changes since a change to one component doesn't affect others.
- lead to a more loosely coupled architecture that is easier to understand and maintain.

Reference: Analyze java package metrics in a graph database

### How to apply the results

If just one method of a type is used, especially in many places, then the result of this method can be used to call e.g. a method or constuct an object instead of using the whole object and then just calling that single method.

If there are a couple of methods that are used for a distinct purpose, those could be factored out into a separate interface. The original type can extended/implement the new interface so that there are no breaking changes. Then all the callers, that use only this group of methods, can be changed to the new interface.

### Table 4 - Top 40 most used combinations of methods

The following table shows the top 40 most used combinations of methods of larger types that might benefit from applying the *Interface Segregation Principle*. The whole table can be found in the CSV report Candidates for Interface Segregation.

|    | fullDependentTypeName   | declaredMethods | calledMethodNames  | calledMethods | callerTypes |
|----|---|-----------------|--|---------------|-------------|
| 0  | org. ax on framework. command handling. Command Message                         | 9               | [getCommandName]   | 1             | 20          |
| 1  | org. ax on framework. event handling. Event Message                             | 9               | [getIdentifier, getTimestamp]                                    | 2             | 10          |
| 2  | $org. ax on framework. event handling. Domain {\tt Event Message}$              | 10              | [getSequenceNumber]  | 1             | 9           |
| 3  | org. ax on framework. event handling. Event Message                             | 9               | [getIdentifier]  | 1             | 9           |
| 4  | $org. ax on framework. even than dling. Tracked {\tt Event Message}$            | 10              | [trackingToken]  | 1             | 8           |
| 5  | org. ax on framework. command handling. Generic Command Result Message          | 14              | [asCommandResultMessage]   | 1             | 6           |
| 6  | org. ax on framework. eventh and ling. Domain Event Message                     | 10              | [getSequenceNumber, getAggregateIdentifier, getType]             | 3             | 6           |
| 7  | org.axonframework.messaging.ResultMessage                                       | 9               | [exceptionResult, isExceptional]                                 | 2             | 6           |
| 8  | org.axonframework.eventhandling.ReplayToken                                     | 13              | [createReplayToken]  | 1             | 5           |
| 9  | org. ax on framework. dead line. Generic Dead line Message                      | 11              | [asDeadlineMessage]  | 1             | 5           |
| 10 | org. ax on framework. event hand ling. Domain Event Message                     | 10              | [getAggregateIdentifier]   | 1             | 5           |
| 11 | $org. ax on framework. eventh and ling. Tracked {\tt EventMessage}$             | 12              | [trackingToken]  | 1             | 4           |
| 12 | org.axonframework.deadline.DeadlineMessage                                      | 10              | [getDeadlineName]  | 1             | 4           |
| 13 | org.axonframework.eventhandling.DomainEventMessage                              | 10              | [getType]  | 1             | 4           |
| 14 | org. ax on framework. eventh and ling. Generic Event Message                    | 10              | [asEventMessage]   | 1             | 4           |
| 15 | org. ax on framework. dead line. Default Dead line Manager Span Factory         | 8               | [builder]  | 1             | 4           |
| 16 | org. ax on framework. common. transaction. No Transaction Manager               | 4               | [instance]   | 1             | 4           |
| 17 | org. ax on framework. query handling. Simple Query Update Emitter               | 17              | [builder]  | 1             | 3           |
| 18 | org. ax on framework. command handling. Generic Command Result Message          | 15              | [asCommandResultMessage]   | 1             | 3           |
| 19 | org.axonframework.eventhandling.ReplayToken                                     | 13              | [isReplay]   | 1             | 3           |
| 20 | org.axonframework.modelling.command.inspection.AggregateModel                   | 13              | [type]   | 1             | 3           |
| 21 | org. ax on framework. query handling. Subscription Query Message                | 12              | [getUpdateResponseType]  | 1             | 3           |
| 22 | $org. axon framework. eventh and ling. Domain {\sf EventMessage}$               | 11              | [getSequenceNumber, getAggregateIdentifier, getType]             | 3             | 3           |
| 23 | org.axonframework.eventhandling.GenericEventMessage                             | 11              | [asEventMessage]   | 1             | 3           |
| 24 | org.axonframework.queryhandling.SimpleQueryBus                                  | 11              | [builder]  | 1             | 3           |
| 25 | org.axonframework.eventhandling.DomainEventMessage                              | 10              | [getSequenceNumber, getAggregateIdentifier]                      | 2             | 3           |
| 26 | org. ax on framework. even than d ling. Gap Aware Tracking Token                | 10              | [newInstance, withGapsTruncatedAt, getIndex, advanceTo, getGaps] | 5             | 3           |
| 27 | org.axonframework.queryhandling.DefaultQueryBusSpanFactory                      | 10              | [builder]  | 1             | 3           |
| 28 | org.axonframework.commandhandling.gateway.DefaultCommandGateway                 | 9               | [builder]  | 1             | 3           |
| 29 | org.axonframework.config.Configuration  | 9               | [snapshotFilter, upcasterChain]                                  | 2             | 3           |
| 30 | org.axonframework.config.Configuration  | 9               | [getComponent]   | 1             | 3           |
| 31 | org.axonframework.eventhandling.EventMessage                                    | 9               | [getTimestamp]   | 1             | 3           |
| 32 | org.axonframework.messaging.MessageDecorator                                    | 9               | [describeTo]   | 1             | 3           |
| 33 | org. ax on framework. command handling. Default Command Bus Span Factory        | 5               | [builder]  | 1             | 3           |
| 34 | org.axonframework.eventhandling.TrackedEventData                                | 5               | [trackingToken]  | 1             | 3           |
| 35 | org. ax on framework. eventhand ling. to ken store. Config Token                | 5               | [get]  | 1             | 3           |
| 36 | org.axonframework.eventhandling.DefaultEventBusSpanFactory                      | 4               | [builder]  | 1             | 3           |
| 37 | org. ax on framework. query handling. Default Query Update Emitter Span Factory | 4               | [builder]  | 1             | 3           |
| 38 | org.axonframework.modelling.command.inspection.AnnotatedAggregate               | 17              | [getAggregateRoot, initialize, initSequence]                     | 4             | 2           |
| 39 | org.axonframework.queryhandling.DefaultQueryGateway                             | 17              | [builder]  | 1             | 2           |

## Package Usage

### Table 5 - Types that are used by multiple packages

This table shows the top 40 packages that are used by the highest number of different packages. The whole table can be found in the CSV report

List\_types\_that\_are\_used\_by\_many\_different\_packages.

|   | fullQualifiedDependentTypeName                          | dependentTypeName          | dependentTypeLabels   | numberOfUsingF |
|---|---|----------------------------|---|----------------|
| 0 | org.axonframework.common.BuilderUtils                   | BuilderUtils               | [Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunit   |                |
| 1 | org.axonframework.common.AxonConfigurationException     | AxonConfigurationException | [Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunit   |                |
| 2 | org.axonframework.messaging.Message                     | Message                    | [Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPageRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent   |                |
| 3 | org.axonframework.messaging.MetaData                    | MetaData                   | [Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityPaticleRank, Mark4TopCentralityPaticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropaga   |                |
| 4 | org.axonframework.serialization.Serializer              | Serializer                 | [Type, File, Java, ByteCode, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPaticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPro   |                |
| 5 | org.axonframework.eventhandling.EventMessage            | EventMessage               | [Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagationO,  |                |
| 6 | org.axonframework.messaging.unitofwork.UnitOfWork       | UnitOfWork                 | [Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityArticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponentO, Mark4TypeLabelPropagation   |                |
| 7 | org.axonframework.common.transaction.TransactionManager | TransactionManager         | [Type, File, Java, ByteCode, Interface, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLovainCommunity4, Mark4TypeLeidenCommu  |                |
| 8 | org.axonframework.common.Assert                         | Assert                     | [Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunit   |                |
| 9 | org.axonframework.serialization.SerializedObject        | SerializedObject           | [Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPaticeRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonics, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityCloseness, Mark4TopCentralityClosenes, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent |                |

|    | fullQualifiedDependentTypeName                                  | dependentTypeName            | dependentTypeLabels  | numberOfUsingF |
|----|---|------------------------------|--|----------------|
| 10 | org. ax on framework. serialization. Serialized Type            | SerializedType               | [Type, File, Java, ByteCode, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPageRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityHoperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainComm                                 |                |
| 11 | org.axonframework.messaging.unitofwork.CurrentUnitOfWork        | CurrentUnitOfWork            | [Type, File, Java, ByteCode, Class, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity13, Mark4TypeLeidenCommunity8, Mark4TypeLeidenCommunity8, Mark4TypeKCoreDecomposition10]                        |                |
| 12 | org.axonframework.common.Registration                           | Registration                 | [Type, File, Java, ByteCode, Interface, Mark4TopCentralityHarmonic, Mark4TopCentralityHymonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity14, Mark4TypeLeidenCommunity14, Mark4TypeKcoreDecomposi |                |
| 13 | org.axonframework.tracing.SpanFactory                           | SpanFactory                  | [Type, File, Java, ByteCode, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLovainCommunity2, Mark4TypeLeidenCommunity2, Mark4TypeLeidenCommunity2, Mark4TypeKCoreDecomposition10]  |                |
| 14 | org.axonframework.lifecycle.Lifecycle                           | Lifecycle                    | [Type, File, Java, ByteCode, Interface,<br>Mark4TypeWeaklyConnectedComponent0,<br>Mark4TypeLabelPropagation0,<br>Mark4TypeLouvainCommunity0,<br>Mark4TypeLeidenCommunity5,<br>Mark4TypeKCoreDecomposition10]   |                |
| 15 | org.axonframework.lifecycle.Lifecycle\$LifecycleRegistry        | Lifecycle\$LifecycleRegistry | [Type, File, Java, ByteCode, Interface, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity0, Mark4TypeLeidenCommunity5, Mark4TypeKCoreDecomposition10]  |                |
| 16 | org.axonframework.common.ObjectUtils                            | ObjectUtils                  | [Type, File, Java, ByteCode, Class,<br>Mark4TypeWeaklyConnectedComponent0,<br>Mark4TypeLabelPropagation0,<br>Mark4TypeLouvainCommunity5,<br>Mark4TypeLeidenCommunity7,<br>Mark4TypeKCoreDecomposition10]   |                |
| 17 | org.axonframework.eventhandling.TrackingToken                   | TrackingToken                | [Type, File, Java, ByteCode, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPageRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityHoseness, Mark4TopCentralityUserlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation16, Mark4TypeLouvainCom      |                |
| 18 | org.axonframework.eventhandling.DomainEventMessage              | DomainEventMessage           | [Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPageRank, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity16, Mark4TypeLoudnocmmunity16, Mark4TypeLeidenCommunity4, M     |                |
| 19 | org.axonframework.messaging.annotation.ParameterResolverFactory | ParameterResolverFactory     | [Type, File, Java, ByteCode, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity15, Mark4TypeLeidenCommunity14, Mark4TypeKCoreDecomposition10]  |                |
| 20 | org.axonframework.common.AxonNonTransientException              | AxonNonTransientException    | [Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityPaticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity12, Mark4TypeLeidenCommunity12, Mark4TypeKCoreDecomposi                             |                |
| 21 | org.axonframework.eventhandling.GenericEventMessage             | GenericEventMessage          | [Type, File, Java, ByteCode, Class, GenericDeclaration, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity2, Mark4TypeLeidenCommunity8, Mark4TypeKCoreDecomposition10]  |                |

|    | fullQualifiedDependentTypeName                                  | dependentTypeName          | dependentTypeLabels  | numberOfUsingF |
|----|---|----------------------------|--|----------------|
| 22 | org. ax on framework. messaging. Message Dispatch Interceptor   | MessageDispatchInterceptor | [Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity1, Mark4TypeLeidenCommunity1, Mark4TypeLeidenCommunity1, Mark4TypeKcoreDecomposition10]   |                |
| 23 | org.axonframework.messaging.MessageHandlerInterceptor           | MessageHandlerInterceptor  | [Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityBetweenness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity0, Mark4TypeLidenCommunity0, Mark4TypeKoreDecomposition10]   |                |
| 24 | org. ax on framework. serialization. Simple Serialized Object   | SimpleSerializedObject     | [Type, File, Java, ByteCode, Class, GenericDeclaration, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity6, Mark4TypeLidenCommunity5, Mark4TypeKOreDecomposition10]   |                |
| 25 | org.axonframework.tracing.NoOpSpanFactory                       | NoOpSpanFactory            | [Type, File, Java, ByteCode, Class,<br>Mark4TypeWeaklyConnectedComponent0,<br>Mark4TypeLabelPropagation0,<br>Mark4TypeLouvainCommunity2,<br>Mark4TypeLeidenCommunity2,<br>Mark4TypeKCoreDecomposition10]   |                |
| 26 | org.axonframework.commandhandling.CommandMessage                | CommandMessage             | [Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation0,                            |                |
| 27 | org.axonframework.eventhandling.EventBus                        | EventBus                   | [Type, File, Java, ByteCode, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity12, Mark4TypeLeidenCommunity13, Mark4TypeKcoreDecomposition10]  |                |
| 28 | org. ax on framework. messaging. annotation. Handler Definition | HandlerDefinition          | [Type, File, Java, ByteCode, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity15, Mark4TypeLeidenCommunity14, Mark4TypeKCoreDecomposition10, Mark4TypeMaximumKCut0.15615615615615616                                    |                |
| 29 | org.axonframework.common.transaction.NoTransactionManager       | NoTransactionManager       | [Type, File, Java, ByteCode, Enum,<br>Mark4TypeWeaklyConnectedComponent0,<br>Mark4TypeLabelPropagation0,<br>Mark4TypeLouvainCommunity6,<br>Mark4TypeLeidenCommunity5,<br>Mark4TypeKCoreDecomposition10,<br>Mark4TypeMaximumKCut0.14285714285714285]  |                |
| 30 | org.axonframework.messaging.ResultMessage                       | ResultMessage              | [Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPaticleRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity                           |                |
| 31 | org.axonframework.tracing.Span                                  | Span                       | [Type, File, Java, ByteCode, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPageRank, Mark4TopCentralityHricleRank, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLabelPropagation0, Mark4TypeLovainCommunity2, Mark4TypeLeidenCommunity2, Mark4TypeLeoreDecompos |                |
| 32 | org.axonframework.messaging.unitofwork.DefaultUnitOfWork        | DefaultUnitOfWork          | [Type, File, Java, ByteCode, Class, GenericDeclaration, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity13, Mark4TypeLeidenCommunity8, Mark4TypeLeidenCommunity8, Mark4TypeKCoreDecomposition10]  |                |
| 33 | org.axonframework.common.ReflectionUtils                        | ReflectionUtils            | [Type, File, Java, ByteCode, Class,<br>Mark4TypeWeaklyConnectedComponent0,<br>Mark4TypeLabelPropagation0,<br>Mark4TypeLouvainCommunity15,<br>Mark4TypeLeidenCommunity14,<br>Mark4TypeKCoreDecomposition7]  |                |

|    | fullQualifiedDependentTypeName                                      | dependentTypeName         | dependentTypeLabels   | numberOfUsingF |
|----|---|---------------------------|---|----------------|
| 34 | org.axonframework.eventhandling.TrackedEventMessage                 | TrackedEventMessage       | [Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityArticleRank, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity4, Mark4TypeLeidenCommunity3, Mark4TypeLeidenCommunity3, Mark4TypeLeidenCommunity3,                           |                |
| 35 | org.axonframework.common.AxonException                              | AxonException             | [Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityPageRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation14, Mark4TypeLouvainCommunity11, Mark4TypeLeidenCommunity12, Mark4TypeLecommunity12, Mark4TypeKcoreDecompos |                |
| 36 | org.axonframework.common.DateTimeUtils                              | DateTimeUtils             | [Type, File, Java, ByteCode, Class,<br>Mark4TypeWeaklyConnectedComponent0,<br>Mark4TypeLabelPropagation0,<br>Mark4TypeLouvainCommunity5,<br>Mark4TypeLeidenCommunity7,<br>Mark4TypeKcoreDecomposition8]   |                |
| 37 | org.axonframework.messaging.DefaultInterceptorChain                 | DefaultInterceptorChain   | [Type, File, Java, ByteCode, Class, GenericDeclaration, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLovainCommunity0, Mark4TypeLeidenCommunity2, Mark4TypeLeidenCommunity2, Mark4TypeKCoreDecomposition10]   |                |
| 38 | org. ax on framework. even than dling. Generic Domain Event Message | GenericDomainEventMessage | [Type, File, Java, ByteCode, Class, GenericDeclaration, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLovainCommunity2, Mark4TypeLeidenCommunity8, Mark4TypeLeidenCommunity8, Mark4TypeKCoreDecomposition10, Mark4TypeMaximumKCut0.272727272727272727  |                |
| 39 | org.axonframework.messaging.InterceptorChain                        | InterceptorChain          | [Type, File, Java, ByteCode, Interface, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation0, Mark4TypeLouvainCommunity13, Mark4TypeLeidenCommunity8, Mark4TypeKCoreDecomposition10]  |                |

### Table 6 - Packages that are used by multiple artifacts

This table shows the top 30 artifacts that only use a few (compared to all existing) packages of another artifact. The whole table can be found in the CSV report ArtifactPackageUsage.

|    | artifactName                                      | dependentArtifactName            | dependentPackages | dependentArtifactPackages | packageUsagePercentage | dependentFullQualifiedPacka   |
|----|---|----------------------------------|-------------------|---------------------------|------------------------|---|
| 0  | axon-tracing-<br>opentelemetry-<br>4.10.2         | axon-messaging-4.10.2            | 3                 | 64                        | 0.046875               | [org.axonframework.messaging, org.axonframework<br>org.axonframework  |
| 1  | axon-server-<br>connector-<br>4.10.2              | axon-modelling-4.10.2            | 1                 | 10                        | 0.100000               | [org.axonframework.modelling.   |
| 2  | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-test-4.10.2                 | 1                 | 8                         | 0.125000               | [org.axonframework.t  |
| 3  | axon-disruptor-<br>4.10.2                         | axon-messaging-4.10.2            | 9                 | 64                        | 0.140625               | [org.axonframework.commo org.axonframework.commo org.axonframework.messaging.t org.axonframework.n org.axonframework.comman org.axonframework.r org.axonframework.common.tr org.axonframework.messaging.a org.axonframework   |
| 4  | axon-test-<br>4.10.2                              | axon-messaging-4.10.2            | 10                | 64                        | 0.156250               | [org.axonframework.deadline, org.axonframework<br>org.axonframework.messaging.t<br>org.axonframework.n<br>org.axonframework.comman<br>org.axonframework.ever<br>org.axonframework.messaging.a<br>org.axonframework.commandhandlint<br>org.axonframework.messaging.axonframework.commandhandlint |
| 5  | axon-<br>eventsourcing-<br>4.10.2                 | axon-modelling-4.10.2            | 2                 | 10                        | 0.200000               | [org.axonframework.modelling.org.axonframework.modelling.command.i  |
| 6  | axon-disruptor-<br>4.10.2                         | axon-modelling-4.10.2            | 2                 | 10                        | 0.200000               | $[org. axon framework. modelling. \\ org. axon framework. modelling. command. i$  |
| 7  | axon-test-<br>4.10.2                              | axon-eventsourcing-<br>4.10.2    | 2                 | 9                         | 0.222222               | [org.axonframework.ever org.axonframework.eventsourcing.e   |
| 8  | axon-disruptor-<br>4.10.2                         | axon-eventsourcing-<br>4.10.2    | 2                 | 9                         | 0.222222               | [org.axonframework.eventsourcing.e<br>org.axonframework.ever  |
| 9  | axon-<br>modelling-<br>4.10.2                     | axon-messaging-4.10.2            | 18                | 64                        | 0.281250               | [org.axonframework.messaging.a<br>org.axonframework.ever<br>org.axonframework.common, org.axonframework.common<br>org.axonframework.common.a<br>org.axonframework.common.a<br>org.axonframework.messaging.u<br>org.axonframework.comm   |
| 10 | axon-<br>eventsourcing-<br>4.10.2                 | axon-messaging-4.10.2            | 20                | 64                        | 0.312500               | [org.axonframework.se<br>org.axonframework.ever<br>org.axonframework.com<br>org.axonframework.com<br>org.axonframework.seriali:<br>org.axonframework.r<br>org.axonframework.serialization.upcas<br>org.axonframework.com  |
| 11 | axon-server-<br>connector-<br>4.10.2              | axon-eventsourcing-<br>4.10.2    | 3                 | 9                         | 0.333333               | [org.axonframework.eventsourcing.e<br>org.axonframework.eventsourcing.sne<br>org.axonframework.ever   |
| 12 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-server-connector-<br>4.10.2 | 4                 | 11                        | 0.363636               | [org.axonframework.axonserver.<br>org.axonframework.axonserver.connector.e<br>org.axonframework.axonserver.conne<br>org.axonframework.axonserver.connector.   |
| 13 | axon-server-<br>connector-<br>4.10.2              | axon-messaging-4.10.2            | 25                | 64                        | 0.390625               | [org.axonframewor org.axonframework.eventhandli org.axonframework.eventhandli org.axonframework.ever org.axonframework.eventhandling.t org.axonframework.moitoring, org.axonframework.moitoring, org.axonframework.serialization.upcasting.eve  |
| 14 | axon-<br>configuration-<br>4.10.2                 | axon-eventsourcing-<br>4.10.2    | 4                 | 9                         | 0.444444               | [org.axonframework.eventsourcing.sna<br>org.axonframework.eventsourcing.ever<br>org.axonframework.eventsourcing.ever<br>org.axonframework.ever  |
| 15 | axon-test-<br>4.10.2                              | axon-modelling-4.10.2            | 5                 | 10                        | 0.500000               | [org.axonframework.modelling.saga.<br>org.axonframework.modelling.saga.repository.<br>org.axonframework.modelling.command.i<br>org.axonframework.modelling.   |
|    |   |                                  |                   |                           |                        | org.axormaniework.modelling.  |

| rtifactName | dependentArtifactName | dependentPackages | dependentArtifactPackages | packageUsagePercentage | dependentFullQualifiedPacka |
|-------------|-----------------------|-------------------|---------------------------|------------------------|-----------------------------|
|-------------|-----------------------|-------------------|---------------------------|------------------------|-----------------------------|

| 16 | axon-<br>configuration-<br>4.10.2                 | axon-messaging-4.10.2                     | 34 | 64 | 0.531250 | [org.axonframework.queryhandling.a<br>org.axonframework.eventhandli<br>org.axonframework<br>org.axonframework.eventhandling.toke<br>org.axonframework.serialization.upcas<br>org.axonframework.ever<br>org.axonframework.common.annotation, org.axonf |
|----|---|---|----|----|----------|---|
| 17 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-eventsourcing-<br>4.10.2             | 5  | 9  | 0.555556 | [org.axonframework.eventsourcing.e<br>org.axonframework.eventsourcing.event<br>org.axonframework.eventsourcing.ever<br>org.axonframework.eventsourcing.eventstore.  |
| 18 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-modelling-4.10.2                     | 6  | 10 | 0.600000 | [org.axonframework.modelling.<br>org.axonframework.mode<br>org.axonframework.modelling.saga.repo<br>org.axonframework.modelling.saga.repo<br>org.axonframework.modelling.saga.<br>org.axonframework.modelling.saga.repository.                        |
| 19 | axon-<br>modelling-<br>4.10.2                     | axon-modelling-4.10.2                     | 6  | 10 | 0.600000 | [org.axonframework.mode<br>org.axonframework.modelling.saga.nr<br>org.axonframework.modelling.<br>org.axonframework.modelling.saga.<br>org.axonframework.modelling.command.i<br>org.axonframework.modelling.saga.rep                                  |
| 20 | axon-<br>configuration-<br>4.10.2                 | axon-modelling-4.10.2                     | 6  | 10 | 0.600000 | [org.axonframework.modelling.saga.repo<br>org.axonframework.modelling.saga.repository.<br>org.axonframework.modelling.command.i<br>org.axonframework.modelling.<br>org.axonframework.mode<br>org.axonframework.modelling.saga.                        |
| 21 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-messaging-4.10.2                     | 39 | 64 | 0.609375 | [org.axonframework.ever org.axonframework.messaging.org.axonframework.cs org.axonframework.co org.axonframework.common.tr org.axonframework.eventhandlini org.axonframework.quer org.axonframework.axonframework.quer                                 |
| 22 | axon-test-<br>4.10.2                              | axon-test-4.10.2                          | 5  | 8  | 0.625000 | [org.axonframework.test, org.axonframework.test<br>org.axonframework.tes<br>org.axonframeworl<br>org.axonframework.test.event   |
| 23 | axon-<br>messaging-<br>4.10.2                     | axon-messaging-4.10.2                     | 41 | 64 | 0.640625 | [org.axonframework<br>org.axonframework.common.tr<br>org.axonframework.common.a<br>org.axonframework.messaging.to<br>org.axonframework.messaging.inl<br>org.axonframework.ever<br>org.axonframework.ever  |
| 24 | axon-<br>eventsourcing-<br>4.10.2                 | axon-eventsourcing-<br>4.10.2             | 7  | 9  | 0.777778 | [org.axonframework.eventsourcing.sna<br>org.axonframework.ever<br>org.axonframework.eventsourcing.e<br>org.axonframework.eventsourcing.conflict<br>org.axonframework.eventsourcing.conflict<br>org.axonframework.eventsourcing.ever<br>org.a          |
| 25 | axon-server-<br>connector-<br>4.10.2              | axon-server-connector-<br>4.10.2          | 9  | 11 | 0.818182 | [org.axonframework.axonserver.<br>org.axonframework.axonserver.connector.<br>org.axonframework.axonserver.connector<br>org.axonframework.axonserver.connector.<br>org.axonframework.axonserver.connector.<br>org.axonframework.axonserver.conne       |
| 26 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-spring-boot-<br>autoconfigure-4.10.2 | 8  | 9  | 0.888889 | [org.axonframework.springboot, org.axonframewor org.axonframework.springboot, org.axonframework.springboot.service.c org.axonframework.springboot.util. org.axonframework.springboot.util. org.axonframework.springboot.util.                         |
| 27 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-configuration-4.10.2                 | 1  | 1  | 1.000000 | [org.axonframew   |
| 28 | axon-server-<br>connector-<br>4.10.2              | axon-configuration-4.10.2                 | 1  | 1  | 1.000000 | [org.axonframew   |

| artifactName                                      | dependentArtifactName                 | dependentPackages | dependentArtifactPackages | packageUsagePercentage | dependentFullQualifiedPacka     |
|---|---------------------------------------|-------------------|---------------------------|------------------------|---------------------------------|
| axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-tracing-<br>opentelemetry-4.10.2 | 1                 | 1                         | 1.000000               | [org.axonframework.tracing.oper |

## Table 7 - Types that are used by multiple artifacts

This table shows the top 30 types that only use a few (compared to all existing) types of another artifact. The whole table can be found in the CSV report ClassesPerPackageUsageAcrossArtifacts.

|    | artifactName                                      | dependentArtifactName         | packageName  | dependentPackage.fqn                | dependentTypes | depend |
|----|---|-------------------------------|--|-------------------------------------|----------------|--------|
| 0  | axon-server-<br>connector-<br>4.10.2              | axon-messaging-4.10.2         | org.axonframework.axonserver.connector                               | org.axonframework.eventhandling     | 1              |        |
| 1  | axon-<br>eventsourcing-<br>4.10.2                 | axon-messaging-4.10.2         | org.axonframework.eventsourcing.snapshotting                         | org.axonframework.eventhandling     | 1              |        |
| 2  | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-messaging-4.10.2         | org.axonframework.springboot.util                                    | org.axonframework.eventhandling     | 1              |        |
| 3  | axon-<br>modelling-<br>4.10.2                     | axon-messaging-4.10.2         | org.axonframework.modelling.saga.metamodel                           | org.axonframework.eventhandling     | 1              |        |
| 4  | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-messaging-4.10.2         | org.axonframework.springboot.autoconfig.legacyjpa                    | org.axonframework.eventhandling     | 1              |        |
| 5  | axon-test-<br>4.10.2                              | axon-messaging-4.10.2         | org.axonframework.test.matchers                                      | org.axonframework.eventhandling     | 1              |        |
| 6  | axon-<br>eventsourcing-<br>4.10.2                 | axon-modelling-4.10.2         | org.axonframework.eventsourcing.eventstore.jdbc                      | org.axonframework.modelling.command | 1              |        |
| 7  | axon-server-<br>connector-<br>4.10.2              | axon-modelling-4.10.2         | org.axonframework.axonserver.connector                               | org.axonframework.modelling.command | 1              |        |
| 8  | axon-<br>eventsourcing-<br>4.10.2                 | axon-modelling-4.10.2         | org.axonframework.eventsourcing.conflictresolution                   | org.axonframework.modelling.command | 1              |        |
| 9  | axon-<br>modelling-<br>4.10.2                     | axon-messaging-4.10.2         | org.axonframework.modelling.command.legacyjpa                        | org.axonframework.eventhandling     | 2              |        |
| 10 | axon-test-<br>4.10.2                              | axon-messaging-4.10.2         | org.axonframework.test.eventscheduler                                | org.axonframework.eventhandling     | 2              |        |
| 11 | axon-<br>modelling-<br>4.10.2                     | axon-messaging-4.10.2         | org.axonframework.modelling.command                                  | org.axonframework.eventhandling     | 2              |        |
| 12 | axon-<br>eventsourcing-<br>4.10.2                 | axon-messaging-4.10.2         | org.axonframework.eventsourcing.conflictresolution                   | org.axonframework.eventhandling     | 2              |        |
| 13 | axon-server-<br>connector-<br>4.10.2              | axon-eventsourcing-<br>4.10.2 | org.axonframework.axonserver.connector.event.axon                    | org.axonframework.eventsourcing     | 1              |        |
| 14 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-configuration-4.10.2     | org.axonframework.springboot.autoconfig.legacyjpa                    | org.axonframework.config            | 1              |        |
| 15 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-configuration-4.10.2     | org.axonframework.springboot   | org.axonframework.config            | 1              |        |
| 16 | axon-server-<br>connector-<br>4.10.2              | axon-configuration-4.10.2     | org.axonframework.axonserver.connector.processor                     | org.axonframework.config            | 1              |        |
| 17 | axon-<br>eventsourcing-<br>4.10.2                 | axon-messaging-4.10.2         | org.axonframework.eventsourcing.eventstore                           | org.axonframework.messaging         | 1              |        |
| 18 | axon-test-<br>4.10.2                              | axon-messaging-4.10.2         | org.axonframework.test   | org.axonframework.messaging         | 1              |        |
| 19 | axon-test-<br>4.10.2                              | axon-messaging-4.10.2         | org.axonframework.test.matchers                                      | org.axonframework.messaging         | 1              |        |
| 20 | axon-<br>eventsourcing-<br>4.10.2                 | axon-messaging-4.10.2         | org.axonframework.eventsourcing.conflictresolution                   | org.axonframework.messaging         | 1              |        |
| 21 | axon-<br>eventsourcing-<br>4.10.2                 | axon-messaging-4.10.2         | org.axonframework.eventsourcing.eventstore.jpa                       | org.axonframework.serialization     | 1              |        |
| 22 | axon-spring-<br>boot-<br>autoconfigure-<br>4.10.2 | axon-messaging-4.10.2         | org.axonframework.springboot.autoconfig.legacyjpa                    | org.axonframework.serialization     | 1              |        |
| 23 | axon-<br>eventsourcing-<br>4.10.2                 | axon-messaging-4.10.2         | org.axonframework.eventsourcing.eventstore.legacyjpa                 | org.axonframework.serialization     | 1              |        |
| 24 | axon-<br>eventsourcing-<br>4.10.2                 | axon-messaging-4.10.2         | org.axonframework.eventsourcing.eventstore.jdbc                      | org.axonframework.serialization     | 1              |        |
| 25 | axon-<br>eventsourcing-<br>4.10.2                 | axon-messaging-4.10.2         | org. ax on framework. events our cing. events to re.jdbc. statements | org.axonframework.eventhandling     | 3              |        |

|    | artifactName                         | dependentArtifactName         | packageName  | dependentPackage.fqn                       | dependentTypes | depend |
|----|--------------------------------------|-------------------------------|--|--|----------------|--------|
| 26 | axon-test-<br>4.10.2                 | axon-modelling-4.10.2         | org.axonframework.test.utils                       | org.axonframework.modelling.saga           | 1              |        |
| 27 | axon-<br>eventsourcing-<br>4.10.2    | axon-messaging-4.10.2         | org.axonframework.eventsourcing.conflictresolution | org.axonframework.commandhandling          | 1              |        |
| 28 | axon-test-<br>4.10.2                 | axon-messaging-4.10.2         | org.axonframework.test.matchers                    | org.axonframework.commandhandling          | 1              |        |
| 29 | axon-server-<br>connector-<br>4.10.2 | axon-eventsourcing-<br>4.10.2 | org.axonframework.axonserver.connector             | org.axonframework.eventsourcing.eventstore | 1              |        |

#### Table 8 - Duplicate package names across artifacts

This table shows the top 30 duplicate package names across artifacts. They are ordered by the number of duplicates descending.

This might lead to confusion, makes importing more error prone and might even lead to duplicate classes where only one of them will be loaded by the class loader. If a package is named the same way in two or more artifacts this even allows another artifact to access package protected classes, methods or members which might not be intended.

The whole table can be found in the CSV report DuplicatePackageNamesAcrossArtifacts.

packageName duplicates artifactNames

#### Table 9 - Annotated elements

This table shows 30 most used Java Annotations including some examples where they are used.

|    | annotationName   | languageElement | numberOfAnnotatedElements |   |
|----|--|-----------------|---------------------------|---|
| 0  | javax.annotation.Nonnull   | Parameter       | 1617                      | [org.axonframework.axonse<br>org.axonframew<br>org.axonframeworl  |
| 1  | java.lang.Deprecated   | Method          | 132                       | $[org. \\ Flow Control Configuration. \ get Initial N_1 \\ . \ connector. \ Axon Server Configuration$  |
| 2  | org.springframework.context.annotation.Bean  | Method          | 111                       | org.axonframework.springboot.autoconl<br>org.axonframework.sprin  |
|    |  |                 |                           | org.axonframework.springboot.autoconfig.A<br>[org.axonframework.sprin   |
| 3  | org. spring framework. boot. autoconfigure. condition. Conditional On Missing Bean | Method          | 78                        | org.axonframework.springboot.autoconfig.A<br>org.axonframework.springboot.autoconfi   |
| 4  | java.lang.FunctionalInterface  | Interface       | 65                        | [org.ax<br>org.axo<br>org.axon<br>org.axonframework.axonserver.con  |
| 5  | javax.annotation.Nullable  | Parameter       | 61                        | [org.axonframeworl<br>org.axonframework<br>org.axonframework<br>org.axonframew  |
| 6  | javax.annotation.Nonnull   | Method          | 50                        | [org.axonframework.a<br>org.axonfram<br>org.axonframew  |
| 7  | java.lang.annotation.Retention   | Annotation      | 43                        | [org.axonframework.eventsourcing.Even<br>org.axonframework.commandhandling.Comma<br>org.axonframework.commandh  |
| 8  | java.lang.annotation.Target  | Annotation      | 43                        | [org.axonframework.eventsourcing.Even org.axonframework.commandhandling.Commandramework.commandramework.commandramework.commandramework.commandramework.commandramework.commandramework.commandramework.commandramework.com |
| 9  | java.lang.Deprecated   | Class           | 43                        | [org.axo<br>org.ax<br>org.axonframe<br>org.axonframework.axons  |
| 10 | javax.persistence.Basic  | Field           | 39                        | [org.<br>org.axonframewor<br>org.axonframewc<br>org.axonframework.eventt  |
| 11 | jakarta.persistence.Basic  | Field           | 33                        | [org.<br>org.axonframewor<br>org.axonframewc<br>org.axonframework.eventt  |
| 12 | com.fasterxml.jackson.annotation.JsonProperty                                      | Parameter       | 32                        | [org.axonframework.commandhandling.dist<br>org.axonframework.commandhandlinç<br>org.axonframework.commandhandlinç   |
| 13 | java.lang.annotation.Documented  | Annotation      | 23                        | [org.axonframework.eventsourcing.Even<br>org.axonframework.commandhandling.Cor<br>org.axonframework.eventhandling.Di  |
| 14 | org. spring framework. boot. autoconfigure. Auto Configuration                     | Class           | 22                        | [org.axonfram<br>org.axonframewc<br>o<br>org.axonframework.springbc   |
| 15 | java.beans.ConstructorProperties   | Constructor     | 21                        | [org.axonframework.commandhandling.c<br>org.axonframework.commandhand<br>org.axonframework.commandhandlir   |
| 16 | org.springframework.beans.factory.annotation.Qualifier                             | Parameter       | 20                        | [org.axonframework.springboot.autoconfig<br>org.axonframework.springboot.autoconfig<br>org.axonframework.springb  |
| 17 | java.lang.Deprecated   | Constructor     | 20                        | [org.axonframework.axonserver.connecto<br>org.axonframework.axonse<br>org.axonfra   |
| 18 | com.fasterxml.jackson.annotation.JsonCreator                                       | Constructor     | 16                        | [org<br>org.axont<br>org.a  |
| 19 | org. spring framework. boot. autoconfigure. Auto Configure After                   | Class           | 16                        | [org.axonfram<br>org.axonframewc<br>o<br>org.axonframework.springbc   |

|  | notatedElements | languageElement | annotationName  |    |
|--|-----------------|-----------------|---|----|
| [org.axonframework.sprin<br>org.axonframework.springboot.autoconfig. A<br>org.axonframework.springboot.autoconfig.       | 15              | Method          | org.springframework.boot.autoconfigure.condition.ConditionalOnProperty            | 20 |
| [org.axonfram<br>org.axonframewo<br>org.axonframework.springbo<br>org  | 14              | Class           | org. spring framework. boot. autoconfigure. Auto Configure Before                 | 21 |
| [org.axonfram<br>org.axonframew<br>org.a<br>org.axonframework.sprin  | 12              | Class           | org. spring framework. boot. autoconfigure. condition. Conditional On Class       | 22 |
| [org.a:<br>o<br>org.axonframewor   | 12              | Field           | javax.persistence.Column  | 23 |
| [org.a<br>org.<br>org.axonframework.co<br>org.axonframework.eventhandling.Sequ   | 11              | Class           | org.axonframework.common.Priority   | 24 |
| [org.a:<br>o<br>org.axonframewor   | 11              | Field           | jakarta.persistence.Column  | 25 |
| [org.axonframewc<br>o<br>org.axonframew<br>org.axonframework.spr   | 11              | Class           | org. spring framework. boot. context. properties. Enable Configuration Properties | 26 |
| o<br>org.axonframe<br>org.axonframework.eventhandling.deadlett   | 10              | Field           | javax.persistence.Lob   | 27 |
| [org.axonframework.eventsourc<br>org.axonframework.eventsour<br>org.axonframewo  | 10              | Field           | javax.persistence.ld  | 28 |
| rg.axonframework.springboot.autoconfig.legac;<br>org.axonframework.springboot.autoc<br>org.axonframework.springboot.auto | 10              | Method          | org. spring framework. boot. autoconfigure. condition. Conditional On Bean        | 29 |

### Table 10 - Distance distribution between dependent files

This table shows the file directory distance distribution between dependent files. Intuitively, the distance is given by the fewest number of change directory commands needed to navigate between a file and a dependency it uses. Those are aggregate to see how many dependent files are in the same directory, how many are just one change directory command apart, and so on.

|   | $dependency. file {\tt Distance As Fewest Change Directory Commands}$ | numberOfDependencies | numberOfDependencyUsers | number Of Dependency Providers |   |
|---|---|----------------------|-------------------------|--------------------------------|---|
| 0 | 0   | 2601                 | 1026                    | 1160                           | [/axon-spring-book<br>4.10.2.jar, /o<br>/or<br>/org/s |
| 1 | 1   | 90                   | 82                      | 38                             | [/o <br>/o  |
| 2 | 2   | 2503                 | 760                     | 472                            | [/org/axonframew<br>/org/axon<br>/c                   |
| 3 | 4   | 2595                 | 449                     | 541                            |   |