Internal Dependencies

References

- Analyze java package metrics in a graph database
- Calculate metrics
- Neo4j Python Driver

Artifacts

List the artifacts this notebook is based on. Different sorting variations help finding artifacts by their features and support larger code bases where the list of all artifacts gets too long.

Only the top 30 entries are shown. The whole table can be found in the following CSV report:

List_all_existing_java_artifacts

Table 1a - Top 30 artifacts with the highest package count

| | artifactName | packages | types | incoming Dependencies | outgoingDependencies |
|---|------------------------------|----------|-------|-----------------------|----------------------|
| 0 | axon-messaging-4.9.3.jar | 64 | 786 | 5 | 0 |
| 1 | axon-modelling-4.9.3.jar | 10 | 156 | 4 | 1 |
| 2 | axon-eventsourcing-4.9.3.jar | 9 | 133 | 3 | 2 |
| 3 | axon-test-4.9.3.jar | 8 | 87 | 0 | 3 |
| 4 | axon-configuration-4.9.3.jar | 1 | 40 | 0 | 4 |
| 5 | axon-disruptor-4.9.3.jar | 1 | 22 | 1 | 3 |

Table 1b - Top 30 artifacts with the highest type count

| | artifactName | packages | types | incomingDependencies | outgoingDependencies |
|---|------------------------------|----------|-------|----------------------|----------------------|
| 0 | axon-messaging-4.9.3.jar | 64 | 786 | 5 | 0 |
| 1 | axon-modelling-4.9.3.jar | 10 | 156 | 4 | 1 |
| 2 | axon-eventsourcing-4.9.3.jar | 9 | 133 | 3 | 2 |
| 3 | axon-test-4.9.3.jar | 8 | 87 | 0 | 3 |
| 4 | axon-configuration-4.9.3.jar | 1 | 40 | 0 | 4 |
| 5 | axon-disruptor-4.9.3.jar | 1 | 22 | 1 | 3 |

Table 1c - Top 30 artifacts with the highest number of incoming dependencies

The following table lists the top 30 artifacts that are used the most by other artifacts (highest count of incoming dependencies, highest in-degree).

| | artifactName | packages | types | incomingDependencies | outgoingDependencies |
|---|------------------------------|----------|-------|----------------------|----------------------|
| 0 | axon-messaging-4.9.3.jar | 64 | 786 | 5 | 0 |
| 1 | axon-modelling-4.9.3.jar | 10 | 156 | 4 | 1 |
| 2 | axon-eventsourcing-4.9.3.jar | 9 | 133 | 3 | 2 |
| 3 | axon-disruptor-4.9.3.jar | 1 | 22 | 1 | 3 |
| 4 | axon-configuration-4.9.3.jar | 1 | 40 | 0 | 4 |
| 5 | axon-test-4.9.3.jar | 8 | 87 | 0 | 3 |

Table 1d - Top 30 artifacts with the highest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the highest number of other artifacts (highest count of outgoing dependencies, highest out-degree).

| | artifactName | packages | types | $incoming \\ Dependencies$ | outgoingDependencies |
|---|------------------------------|----------|-------|----------------------------|----------------------|
| 0 | axon-configuration-4.9.3.jar | 1 | 40 | 0 | 4 |
| 1 | axon-disruptor-4.9.3.jar | 1 | 22 | 1 | 3 |
| 2 | axon-test-4.9.3.jar | 8 | 87 | 0 | 3 |
| 3 | axon-eventsourcing-4.9.3.jar | 9 | 133 | 3 | 2 |
| 4 | axon-modelling-4.9.3.jar | 10 | 156 | 4 | 1 |
| 5 | axon-messaging-4.9.3.jar | 64 | 786 | 5 | 0 |

Table 1e - Top 30 artifacts with the lowest package count

| | artifactName | packages | types | $incoming \\ Dependencies$ | outgoingDependencies |
|---|------------------------------|----------|-------|----------------------------|----------------------|
| 0 | axon-configuration-4.9.3.jar | 1 | 40 | 0 | 4 |
| 1 | axon-disruptor-4.9.3.jar | 1 | 22 | 1 | 3 |
| 2 | axon-test-4.9.3.jar | 8 | 87 | 0 | 3 |
| 3 | axon-eventsourcing-4.9.3.jar | 9 | 133 | 3 | 2 |
| 4 | axon-modelling-4.9.3.jar | 10 | 156 | 4 | 1 |
| 5 | axon-messaging-4.9.3.jar | 64 | 786 | 5 | 0 |

Table 1f - Top 30 artifacts with the lowest type count

| | artifactName | packages | types | incomingDependencies | outgoingDependencies |
|---|------------------------------|----------|-------|----------------------|----------------------|
| 0 | axon-disruptor-4.9.3.jar | 1 | 22 | 1 | 3 |
| 1 | axon-configuration-4.9.3.jar | 1 | 40 | 0 | 4 |
| 2 | axon-test-4.9.3.jar | 8 | 87 | 0 | 3 |
| 3 | axon-eventsourcing-4.9.3.jar | 9 | 133 | 3 | 2 |
| 4 | axon-modelling-4.9.3.jar | 10 | 156 | 4 | 1 |
| 5 | axon-messaging-4.9.3.jar | 64 | 786 | 5 | 0 |

Table 1g - Top 30 artifacts with the lowest number of incoming dependencies

The following table lists the top 30 artifacts that are used the least by other artifacts (lowest count of incoming dependencies, lowest in-degree).

| | artifactName | packages | types | incomingDependencies | outgoingDependencies |
|---|------------------------------|----------|-------|----------------------|----------------------|
| 0 | axon-configuration-4.9.3.jar | 1 | 40 | 0 | 4 |
| 1 | axon-test-4.9.3.jar | 8 | 87 | 0 | 3 |
| 2 | axon-disruptor-4.9.3.jar | 1 | 22 | 1 | 3 |
| 3 | axon-eventsourcing-4.9.3.jar | 9 | 133 | 3 | 2 |
| 4 | axon-modelling-4.9.3.jar | 10 | 156 | 4 | 1 |
| 5 | axon-messaging-4.9.3.jar | 64 | 786 | 5 | 0 |

Table 1h - Top 30 artifacts with the lowest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the lowest number of other artifacts (lowest count of outgoing dependencies, lowest out-degree).

| | artifactName | packages | types | $incoming \\ Dependencies$ | outgoingDependencies |
|---|------------------------------|----------|-------|----------------------------|----------------------|
| 0 | axon-messaging-4.9.3.jar | 64 | 786 | 5 | 0 |
| 1 | axon-modelling-4.9.3.jar | 10 | 156 | 4 | 1 |
| 2 | axon-eventsourcing-4.9.3.jar | 9 | 133 | 3 | 2 |
| 3 | axon-disruptor-4.9.3.jar | 1 | 22 | 1 | 3 |
| 4 | axon-test-4.9.3.jar | 8 | 87 | 0 | 3 |
| 5 | axon-configuration-4.9.3.jar | 1 | 40 | 0 | 4 |

Cyclic Dependencies

Cyclic dependencies occur when one package uses a class of another package and vice versa. These dependencies can lead to problems when one of these packages needs to be changed.

Table 2a - Cyclic Dependencies Overview

Show the top 40 cyclic dependencies sorted by the most promising to resolve first. This is done by calculating the number of forward dependencies (first cycle participant to second cycle participant) in relation to backward dependencies (second cycle participant back to first cycle participant). The higher this rate (approaching 1), the easier it should be to resolve the cycle by focusing on the few backward dependencies.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic Dependencies

Columns:

- artifactName identifies the artifact of the first participant of the cycle
- packageName identifies the package of the first participant of the cycle
- dependentArtifactName identifies the artifact of the second participant of the cycle

- dependentPackageName identifies the package of the second participant of the cycle
- forwardToBackwardBalance is between 0 and 1. High for many forward and few backward dependencies.
- *numberForward* contains the number of dependencies from the first participant of the cycle to the second one
- *numberBackward* contains the number of dependencies from the second participant of the cycle back to the first one
- someForwardDependencies lists some forward dependencies in the text format "type1 -> type2"
- backwardDependencies lists the backward dependencies in the format "type1 <- type2" that are recommended to get resolved

| | artifactName | packageName | dependentArtifactName | dependentPackageName | forwardToBackwardBalance |
|----|----------------------------------|----------------------------------------------------------|--------------------------|---------------------------------------------------------|--------------------------|
| 0 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | 0.900000 |
| 1 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | 0.882353 |
| 2 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.tracing | 0.875000 |
| 3 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.messaging | 0.857143 |
| 4 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.messaging.annotation | 0.840000 |
| 5 | axon- messaging- 4.9.3 | org.axonframework.deadline | axon-messaging-4.9.3 | org.axonframework.tracing | 0.800000 |
| 6 | axon- messaging- 4.9.3 | org.axonframework.commandhandling | axon-messaging-4.9.3 | org.axonframework.tracing | 0.777778 |
| 7 | axon- eventsourcing- 4.9.3 | org.axonframework.eventsourcing | axon-eventsourcing-4.9.3 | org.axonframework.eventsourcing.eventstore | 0.777778 |
| 8 | axon- messaging- 4.9.3 | org.axonframework.commandhandling.callbacks | axon-messaging-4.9.3 | org.axonframework.commandhandling | 0.733333 |
| 9 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.serialization | 0.647059 |
| 10 | axon- messaging- 4.9.3 | org.axonframework.messaging.unitofwork | axon-messaging-4.9.3 | org.axonframework.messaging | 0.647059 |
| 11 | axon- messaging- 4.9.3 | org.axonframework.eventhandling.async | axon-messaging-4.9.3 | org.axonframework.eventhandling | 0.538462 |
| 12 | axon- messaging- 4.9.3 | org.axonframework.eventhandling.replay | axon-messaging-4.9.3 | org.axonframework.eventhandling | 0.454545 |
| 13 | axon- messaging- 4.9.3 | org.axonframework.serialization.upcasting.event | axon-messaging-4.9.3 | org.axonframework.eventhandling | 0.333333 |
| 14 | axon- eventsourcing- 4.9.3 | org. ax on framework. events our cing. events to re.jdbc | axon-eventsourcing-4.9.3 | org. axon framework. events our cing. events to re. jdb | 0.317073 |
| 15 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.eventhandling.tokenstore | 0.285714 |
| 16 | axon- modelling- 4.9.3 | org.axonframework.modelling.command.inspection | axon-modelling-4.9.3 | org.axonframework.modelling.command | 0.250000 |
| 17 | axon- messaging- 4.9.3 | org. ax on framework. query handling. registration | axon-messaging-4.9.3 | org.axonframework.queryhandling | 0.250000 |
| 18 | axon- messaging- 4.9.3 | org.axonframework.messaging | axon-messaging-4.9.3 | org.axonframework.serialization | 0.238095 |
| 19 | axon- messaging- 4.9.3 | org.axonframework.messaging.annotation | axon-messaging-4.9.3 | org.axonframework.messaging.interceptors | 0.200000 |
| 20 | axon- modelling- 4.9.3 | org.axonframework.modelling.saga | axon-modelling-4.9.3 | org.axonframework.modelling.saga.metamodel | 0.142857 |
| 21 | axon- messaging- 4.9.3 | org. ax on framework. command handling. distributed | axon-messaging-4.9.3 | org.axonframework.commandhandling.distributed | 0.076923 |
| | | | | | |

Table 2b - Cyclic Dependencies Break Down

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic_Dependencies_Breakdown

Columns in addition to Table 2a:

dependency shows the cycle dependency in the text format "type1 -> type2" (forward) or "type2<-type1" (backward)

| | artifactName | packageName | dependentArtifactName | dependentPackageName | dependency | forward |
|----|------------------------------|---------------------------------|-----------------------|-------------------------------------------|------------------------------------------------------|---------|
| 0 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | AbstractEventBus\$Builder- >NoOpSpanFactory | |
| 1 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | EventMessage<-NestingSpanFactory | |
| 2 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | DefaultEventProcessorSpanFactory- >SpanFactory | |
| 3 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | AbstractEventProcessor\$Builder- >NoOpSpanFactory | |
| 4 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | DefaultEventBusSpanFactory->SpanFactory | |
| 5 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | AbstractEventProcessor\$Builder- >SpanFactory | |
| 6 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | SubscribingEventProcessor\$Builder- >SpanFactory | |
| 7 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | EventBusSpanFactory->Span | |
| 8 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | DefaultEventBusSpanFactory\$Builder- >SpanFactory | |
| 9 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | DefaultEventBusSpanFactory->Span | |
| 10 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | EventProcessorSpanFactory->Span | |
| 11 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | DefaultEventProcessorSpanFactory->NoOpSpanFact | |
| 12 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | SimpleEventBus\$Builder->SpanFactory | |
| 13 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | AbstractEventBus\$Builder->SpanFactory | |
| 14 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | TrackingEventProcessor\$Builder- >SpanFactory | |
| 15 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | AbstractEventProcessor->Span | |
| 16 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | AbstractEventBus->Span | |
| 17 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | AbstractEventBus->SpanScope | |
| 18 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | DefaultEventProcessorSpanFactory\$Builder->Span | |
| 19 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | DefaultEventProcessorSpanFactory->Span | |
| 20 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | StreamingQueryMessage->ResponseType | |
| 21 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | GenericQueryMessage->ResponseType | |
| 22 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | QueryGateway->ResponseTypes | |
| 23 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | QueryMessage->ResponseType | |
| 24 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | DefaultQueryGateway->ResponseType | |
| 25 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | GenericSubscriptionQueryMessage->ResponseType | |

| | artifactName | packageName | dependentArtifactName | dependentPackageName | dependency | forward |
|----|------------------------------|---------------------------------|-----------------------|-------------------------------------------|--------------------------------------------------------|---------|
| 26 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | SimpleQueryUpdateEmitter- >PublisherResponseType | |
| 27 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | SimpleQueryUpdateEmitter- >OptionalResponseType | |
| 28 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | QueryGateway->ResponseType | |
| 29 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | SubscriptionQueryMessage->ResponseType | |
| 30 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | GenericStreamingQueryMessage- >PublisherRespons | |
| 31 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | SimpleQueryUpdateEmitter->ResponseType | |
| 32 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | QuerySubscription->ResponseType | |
| 33 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | SimpleQueryUpdateEmitter->MultipleInstancesRes | |
| 34 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | GenericStreamingQueryMessage->ResponseType | |
| 35 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | QueryResponseMessage<- ConvertingResponseMessage | |
| 36 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | SimpleQueryBus->ResponseType | |
| 37 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.tracing | QueryMessage<-SpanUtils | |
| 38 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.tracing | SimpleQueryUpdateEmitter->Span | |
| 39 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.tracing | SimpleQueryUpdateEmitter\$Builder- >NoOpSpanFactory | |
| | | | | | | |

Table 2c - Cyclic Dependencies Break Down - Backward Dependencies Only

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first. This table only contains the backward dependencies from the second participant of the cycle back to the first one that are the most promising to resolve.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic Dependencies Breakdown BackwardOnly

| | artifactName | packageName | dependentArtifactName | dependentPackageName | depe |
|----|----------------------------------|---------------------------------------------|--------------------------|--------------------------------------------|------------------------------------------------------|
| 0 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.tracing | EventMessage<-NestingSpan |
| 1 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.messaging.responsetypes | QueryResponseMes ConvertingResponseM |
| 2 | axon- messaging- 4.9.3 | org.axonframework.queryhandling | axon-messaging-4.9.3 | org.axonframework.tracing | QueryMessage<-St |
| 3 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.messaging | EventMessage< |
| 4 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.messaging | Tracking⁻ StreamableMessag∈ |
| 5 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.messaging | DomainEventMessage<-H |
| 6 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.messaging.annotation | DomainEventMes AggregateTypeParameter |
| 7 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.messaging.annotation | DomainEventMes SourceIdParameterRes |
| 8 | axon- messaging- 4.9.3 | org.axonframework.deadline | axon-messaging-4.9.3 | org.axonframework.tracing | DeadlineMessage<-St |
| 9 | axon- messaging- 4.9.3 | org.axonframework.commandhandling | axon-messaging-4.9.3 | org.axonframework.tracing | CommandMessage<-St |
| 10 | axon- eventsourcing- 4.9.3 | org.axonframework.eventsourcing | axon-eventsourcing-4.9.3 | org.axonframework.eventsourcing.eventstore | EventStreamUtils<-DomainEvent |
| 11 | axon- eventsourcing- 4.9.3 | org.axonframework.eventsourcing | axon-eventsourcing-4.9.3 | org.axonframework.eventsourcing.eventstore | EventStrear AbstractEventStorage |
| 12 | axon- messaging- 4.9.3 | org.axonframework.commandhandling.callbacks | axon-messaging-4.9.3 | org.axonframework.commandhandling | NoOpCal SimpleCommandBus\$ |
| 13 | axon- messaging- 4.9.3 | org.axonframework.commandhandling.callbacks | axon-messaging-4.9.3 | org.axonframework.commandhandling | LoggingCal SimpleCommandBus\$ |
| 14 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.serialization | GenericDomainEventMes AbstractXStrea |
| 15 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.serialization | GenericEventMes AbstractXStreamS |
| 16 | axon- messaging- 4.9.3 | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.serialization | GapAwareTracking ⁻ GapAwareTrackingTok |
| 17 | axon- messaging- 4.9.3 | org.axonframework.messaging.unitofwork | axon-messaging-4.9.3 | org.axonframework.messaging | CurrentUnitOfWork<-GenericM |
| 18 | axon- messaging- 4.9.3 | org.axonframework.messaging.unitofwork | axon-messaging-4.9.3 | org.axonframework.messaging | UnitOfWork<-DefaultIntercept |
| 19 | axon- messaging- 4.9.3 | org.axonframework.messaging.unitofwork | axon-messaging-4.9.3 | org.axonframework.messaging | UnitO MessageHandlerInte |
| 20 | axon- messaging- 4.9.3 | org.axonframework.eventhandling.async | axon-messaging-4.9.3 | org.axonframework.eventhandling | Sequencingl SimpleEventHandler |
| 21 | axon- messaging- 4.9.3 | org.axonframework.eventhandling.async | axon-messaging-4.9.3 | org.axonframework.eventhandling | SequentialPerAggregatel SimpleEvent |
| 22 | axon- messaging- 4.9.3 | org.axonframework.eventhandling.async | axon-messaging-4.9.3 | org.axonframework.eventhandling | Sequencingl SimpleEventHandlerInvok |
| 23 | axon- messaging- 4.9.3 | org.axonframework.eventhandling.replay | axon-messaging-4.9.3 | org.axonframework.eventhandling | GenericResetCo AnnotationEventHandle |
| 24 | axon- messaging- 4.9.3 | org.axonframework.eventhandling.replay | axon-messaging-4.9.3 | org.axonframework.eventhandling | ResetCo AnnotationEventHandler |
| 25 | axon- messaging- 4.9.3 | org.axonframework.eventhandling.replay | axon-messaging-4.9.3 | org.axonframework.eventhandling | ResetContext<-Resetl |

| depe | dependentPackageName | dependentArtifactName | packageName | artifactName | |
|------------------------------------------|----------------------------------------------------------|--------------------------|----------------------------------------------------------|----------------------------------|----|
| g EventUpcaster<-Ev | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.serialization.upcasting.event | axon- messaging- 4.9.3 | 26 |
| g InitialEventRepresentation<-Ev | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.serialization.upcasting.event | axon- messaging- 4.9.3 | 27 |
| IntermediateEventRepresen Ev | org.axonframework.eventhandling | axon-messaging-4.9.3 | org.axonframework.serialization.upcasting.event | axon- messaging- 4.9.3 | 28 |
| EventSc CreateTailTokenStatemen | org. axon framework. events our cing. events to re. jdb | axon-eventsourcing-4.9.3 | org. axon framework. events our cing. events to re. jdbc | axon- eventsourcing- 4.9.3 | 29 |
| EventSc CreateHeadTokenStatemen | org. axon framework. events our cing. events to re. jdb | axon-eventsourcing-4.9.3 | org. axon framework. events our cing. events to re. jdbc | axon- eventsourcing- 4.9.3 | 30 |
| EventSc ReadEventDataWithGapsStateme | org. axon framework. events our cing. events to re. jdb | axon-eventsourcing-4.9.3 | org. axon framework. events our cing. events to re. jdbc | axon- eventsourcing- 4.9.3 | 31 |
| EventSc LastSequenceNumberForStateme | org. axon framework. events our cing. events to re. jdb | axon-eventsourcing-4.9.3 | org. axon framework. events our cing. events to re. jdbc | axon- eventsourcing- 4.9.3 | 32 |
| EventSc ReadEventDataWithoutGapsState | org. axon framework. events our cing. events to re. jdb | axon-eventsourcing-4.9.3 | org. axon framework. events our cing. events to re. jdbc | axon- eventsourcing- 4.9.3 | 33 |
| EventSc ReadEventDataForAggregateStat | org. axon framework. events our cing. events to re. jdb | axon-eventsourcing-4.9.3 | org. axon framework. events our cing. events to re. jdbc | axon- eventsourcing- 4.9.3 | 34 |
| EventSc FetchTrackedEventsStatemen | org. axon framework. events our cing. events to re. jdb | axon-eventsourcing-4.9.3 | org. axon framework. events our cing. events to re. jdbc | axon- eventsourcing- 4.9.3 | 35 |
| EventSc ReadSnapshotDataStatemen | org. axon framework. events our cing. events to re. jdb | axon-eventsourcing-4.9.3 | org. axon framework. events our cing. events to re. jdbc | axon- eventsourcing- 4.9.3 | 36 |
| EventSc . CreateTokenAtStatemen | org. axon framework. events our cing. events to re. jdb | axon-eventsourcing-4.9.3 | org. axon framework. events our cing. events to re. jdbc | axon- eventsourcing- 4.9.3 | 37 |
| . EventSc . CleanGapsStatemen | org. ax on framework. events our cing. events to re. jdb | axon-eventsourcing-4.9.3 | org. axon framework. events our cing. events to re. jdbc | axon- eventsourcing- 4.9.3 | 38 |
| EventSc - JdbcEventStorageEngineStat | org. ax on framework. events our cing. events to re. jdb | axon-eventsourcing-4.9.3 | org. axon framework. events our cing. events to re. jdbc | axon- eventsourcing- 4.9.3 | 39 |

Interface Segregation Candidates

Well known from Design Principles and Design Patterns by Robert C. Martin, the *Interface Segregation Principle* suggests that software components should have narrow, focused interfaces rather than large, general-purpose ones. The goal is to minimize the dependencies between components and increase modularity, flexibility, and maintainability.

Smaller, focused and purpose-driven interfaces

- make it easier to modify individual components without affecting the rest of the system.
- make it clearer which client is affected by which change.
- don't force their clients to depend on methods they don't need.
- reduce the scope of changes since a change to one component doesn't affect others.
- lead to a more loosely coupled architecture that is easier to understand and maintain.

Reference: Analyze java package metrics in a graph database

How to apply the results

If just one method of a type is used, especially in many places, then the result of this method can be used to call e.g. a method or constuct an object instead of using the whole object and then just calling that single method.

If there are a couple of methods that are used for a distinct purpose, those could be factored out into a separate interface. The original type can extended/implement the new interface so that there are no breaking changes. Then all the callers, that use only this group of methods, can be changed to the new interface.

Table 4 - Top 40 most used combinations of methods

The following table shows the top 40 most used combinations of methods of larger types that might benefit from applying the *Interface Segregation Principle*. The whole table can be found in the CSV report Candidates for Interface Segregation.

| | fullDependentTypeName | declaredMethods | calledMethodNames | calledMethods | callerTypes |
|----|------------------------------------------------------------------|-----------------|--------------------------------------------------------------------------------|---------------|-------------|
| 0 | org.axonframework.commandhandling.CommandMessage | 9 | [getCommandName] | 1 | 18 |
| 1 | $org. ax on framework. eventh and ling. Domain {\tt EventMes}$ | 10 | [getSequenceNumber] | 1 | 9 |
| 2 | org. ax on framework. eventh and ling. Event Message | 9 | [getIdentifier, getTimestamp] | 2 | 9 |
| 3 | $org. ax on framework. eventh and ling. Tracked {\sf EventMe}$ | 10 | [trackingToken] | 1 | 8 |
| 4 | org. ax on framework. eventh and ling. Event Message | 9 | [getIdentifier] | 1 | 7 |
| 5 | org. ax on framework. eventh and ling. Domain Event Mes | 10 | [getAggregateIdentifier, getType, getSequenceN | 3 | 6 |
| 6 | org. ax on framework. messaging. Result Message | 9 | [exceptionResult, isExceptional] | 2 | 6 |
| 7 | org. ax on framework. command handling. Generic Comma | 14 | [asCommandResultMessage] | 1 | 5 |
| 8 | org. axon framework. dead line. Generic Dead line Message | 11 | [asDeadlineMessage] | 1 | 5 |
| 9 | org. ax on framework. eventh and ling. Replay Token | 13 | [createReplayToken] | 1 | 4 |
| 10 | org. ax on framework. eventh and ling. Tracked Event Me | 12 | [trackingToken] | 1 | 4 |
| 11 | org. ax on framework. dead line. Dead line Message | 10 | [getDeadlineName] | 1 | 4 |
| 12 | org. axon framework. eventhand ling. Domain Event Mes | 10 | [getType] | 1 | 4 |
| 13 | org. ax on framework. eventh and ling. Domain Event Mes | 10 | [getAggregateIdentifier] | 1 | 4 |
| 14 | $org. ax on framework. eventh and ling. Generic {\tt Event Me}$ | 10 | [asEventMessage] | 1 | 4 |
| 15 | org. ax on framework. dead line. Default Dead line Mana | 8 | [builder] | 1 | 4 |
| 16 | org. ax on framework. common. transaction. No Transac | 4 | [instance] | 1 | 4 |
| 17 | org. ax on framework. command handling. Generic Comma | 15 | [asCommandResultMessage] | 1 | 3 |
| 18 | org. ax on framework. modelling. command. in spection | 13 | [type] | 1 | 3 |
| 19 | org. ax on framework. eventh and ling. Domain Event Mes | 11 | [getAggregateIdentifier, getType, getSequenceN | 3 | 3 |
| 20 | $org. ax on framework. eventh and ling. Generic {\sf EventMe}$ | 11 | [asEventMessage] | 1 | 3 |
| 21 | org. ax on framework. eventh and ling. Domain Event Mes | 10 | [getAggregateIdentifier, getSequenceNumber] | 2 | 3 |
| 22 | $org. ax on framework. eventh and ling. {\tt GapAwareTracki}$ | 10 | $[with {\tt GapsTruncatedAt}, advance {\tt To}, new {\tt Instance}, \dots $ | 5 | 3 |
| 23 | org. ax on framework. event handling. Event Message | 9 | [getTimestamp] | 1 | 3 |
| 24 | org. ax on framework. messaging. Message Decorator | 9 | [describeTo] | 1 | 3 |
| 25 | $org. ax on framework. eventh and ling. Tracked {\tt EventData}$ | 5 | [trackingToken] | 1 | 3 |
| 26 | org. ax on framework. eventhand ling. to ken store. Con | 5 | [get] | 1 | 3 |
| 27 | org.axonframework.modelling.command.inspection | 17 | [initSequence, initialize, getAggregateRoot] | 4 | 2 |
| 28 | org. ax on framework. query handling. Simple Query Upd | 17 | [builder] | 1 | 2 |
| 29 | org. ax on framework. command handling. Command Messa | 14 | [commandName, isFactoryHandler] | 2 | 2 |
| 30 | org.axonframework.commandhandling.GenericComma | 14 | [asCommandResultMessage] | 2 | 2 |
| 31 | org.axonframework.deadline.DeadlineMessage | 14 | [getDeadlineName] | 1 | 2 |
| 32 | org.axonframework.messaging.GenericResultMessage | 14 | [asResultMessage] | 1 | 2 |
| 33 | org.axonframework.messaging.annotation.Wrapped | 14 | [handle] | 1 | 2 |
| 34 | org.axonframework.eventhandling.DomainEventMes | 13 | [getAggregateIdentifier, getSequenceNumber] | 2 | 2 |
| 35 | org.axonframework.eventhandling.ReplayToken | 13 | [isReplay] | 1 | 2 |
| 36 | org.axonframework.modelling.command.inspection | 13 | [types] | 1 | 2 |
| 37 | org. ax on framework. query handling. Subscription Qu | 12 | [getUpdateResponseType] | 1 | 2 |
| 38 | org.axonframework.commandhandling.GenericComma | 11 | [asCommandMessage] | 1 | 2 |
| 39 | org. ax on framework. eventh and ling. Domain Event Mes | 11 | [getSequenceNumber] | 1 | 2 |

Package Usage

Table 5 - Types that are used by multiple packages

This table shows the top 40 packages that are used by the highest number of different packages. The whole table can be found in the CSV report

 ${\tt List_types_that_are_used_by_many_different_packages}\ .$

| | fullQualifiedDependentTypeName | dependentTypeName | dependentTypeLabels | numberOfUsingPackages |
|----|------------------------------------------------------|------------------------------|---------------------------------------------------|-----------------------|
| 0 | org.axonframework.common.BuilderUtils | BuilderUtils | [Type, File, Java, ByteCode, Class, TopCentral | 44 |
| 1 | org. axon framework. common. Axon Configuration Exce | AxonConfigurationException | [Type, File, Java, ByteCode, Class, TopCentral | 37 |
| 2 | org.axonframework.messaging.Message | Message | [Type, File, Java, ByteCode, GenericDeclaratio | 34 |
| 3 | org.axonframework.messaging.MetaData | MetaData | [Type, File, Java, ByteCode, Class, TopCentral | 33 |
| 4 | org.axonframework.eventhandling.EventMessage | EventMessage | [Type, File, Java, ByteCode, GenericDeclaratio | 32 |
| 5 | org.axonframework.messaging.unitofwork.UnitOfWork | UnitOfWork | [Type, File, Java, ByteCode, GenericDeclaratio | 31 |
| 6 | org.axonframework.serialization.Serializer | Serializer | [Type, File, Java, ByteCode, Interface, TopCen | 29 |
| 7 | org.axonframework.common.Assert | Assert | [Type, File, Java, ByteCode, Class, TopCentral | 27 |
| 8 | org.axonframework.common.transaction.Transacti | TransactionManager | [Type, File, Java, ByteCode, Interface, TopCen | 27 |
| 9 | org.axonframework.serialization.SerializedObject | SerializedObject | [Type, File, Java, ByteCode, GenericDeclaratio | 25 |
| 10 | org.axonframework.serialization.SerializedType | SerializedType | [Type, File, Java, ByteCode, Interface, TopCen | 24 |
| 11 | org.axonframework.messaging.unitofwork.Current | CurrentUnitOfWork | [Type, File, Java, ByteCode, Class, TopCentral | 21 |
| 12 | org.axonframework.common.AxonNonTransientExcep | AxonNonTransientException | [Type, File, Java, ByteCode, Class, TopCentral | 18 |
| 13 | org.axonframework.eventhandling.DomainEventMes | DomainEventMessage | [Type, File, Java, ByteCode, GenericDeclaratio | 18 |
| 14 | org.axonframework.eventhandling.GenericEventMe | GenericEventMessage | [Type, File, Java, ByteCode, Class, GenericDec | 18 |
| 15 | org.axonframework.messaging.annotation.Paramet | ParameterResolverFactory | [Type, File, Java, ByteCode, Interface, TopCen | 18 |
| 16 | org.axonframework.eventhandling.TrackingToken | TrackingToken | [Type, File, Java, ByteCode, Interface, TopCen | 18 |
| 17 | org.axonframework.common.Registration | Registration | [Type, File, Java, ByteCode, Interface, TypeWe | 17 |
| 18 | org.axonframework.serialization.SimpleSerializ | SimpleSerializedObject | [Type, File, Java, ByteCode, Class, GenericDec | 17 |
| 19 | org.axonframework.messaging.MessageHandlerInte | MessageHandlerInterceptor | [Type, File, Java, ByteCode, GenericDeclaratio | 16 |
| 20 | org.axonframework.common.ObjectUtils | ObjectUtils | [Type, File, Java, ByteCode, Class, TypeWeakly | 16 |
| 21 | org.axonframework.tracing.SpanFactory | SpanFactory | [Type, File, Java, ByteCode, Interface, TopCen | 16 |
| 22 | org.axonframework.messaging.MessageDispatchInt | MessageDispatchInterceptor | [Type, File, Java, ByteCode, GenericDeclaratio | 15 |
| 23 | org.axonframework.commandhandling.CommandMessage | CommandMessage | [Type, File, Java, ByteCode, GenericDeclaratio | 14 |
| 24 | org.axonframework.messaging.unitofwork.Default | DefaultUnitOfWork | [Type, File, Java, ByteCode, Class, GenericDec | 14 |
| 25 | org.axonframework.messaging.annotation.Handler | HandlerDefinition | [Type, File, Java, ByteCode, Interface, TopCen | 14 |
| 26 | org.axonframework.common.ReflectionUtils | ReflectionUtils | [Type, File, Java, ByteCode, Class, TypeWeakly | 14 |
| 27 | org.axonframework.eventhandling.EventBus | EventBus | [Type, File, Java, ByteCode, Interface, TopCen | 13 |
| 28 | org.axonframework.lifecycle.Lifecycle | Lifecycle | [Type, File, Java, ByteCode, Interface, TypeWe | 13 |
| 29 | org.axonframework.lifecycle.Lifecycle\$Lifecycl | Lifecycle\$LifecycleRegistry | [Type, File, Java, ByteCode, Interface, TypeWe | 13 |
| 30 | org.axonframework.common.transaction.NoTransac | NoTransactionManager | [Type, File, Java, ByteCode, Enum, TypeWeaklyC | 13 |
| 31 | org.axonframework.messaging.ResultMessage | ResultMessage | [Type, File, Java, ByteCode, GenericDeclaratio | 13 |
| 32 | org.axonframework.common.DateTimeUtils | DateTimeUtils | [Type, File, Java, ByteCode, Class, TypeWeakly | 12 |
| 33 | org. ax on framework. messaging. Default Interceptor | DefaultInterceptorChain | [Type, File, Java, ByteCode, Class, GenericDec | 12 |
| 34 | org. ax on framework. messaging. Interceptor Chain | InterceptorChain | [Type, File, Java, ByteCode, Interface, TypeWe | 12 |

| | full Qualified Dependent Type Name | dependentTypeName | dependentTypeLabels | numberOfUsingPackages |
|----|-------------------------------------------------|-----------------------------------|---------------------------------------------------|-----------------------|
| 35 | org.axonframework.tracing.NoOpSpanFactory | NoOpSpanFactory | [Type, File, Java, ByteCode, Class, TypeWeakly | 12 |
| 36 | org.axonframework.messaging.ScopeDescriptor | ScopeDescriptor | [Type, File, Java, ByteCode, Interface, TypeWe | 12 |
| 37 | org.axonframework.common.AxonTransientException | AxonTransientException | [Type, File, Java, ByteCode, Class, TypeWeakly | 11 |
| 38 | org.axonframework.messaging.annotation.Classpa | ClasspathHandlerDefinition | [Type, File, Java, ByteCode, Class, TypeWeakly | 11 |
| 39 | org.axonframework.messaging.annotation.Classpa | ClasspathParameterResolverFactory | [Type, File, Java, ByteCode, Class, TypeWeakly | 11 |

Table 6 - Packages that are used by multiple artifacts

This table shows the top 30 artifacts that only use a few (compared to all existing) packages of another artifact. The whole table can be found in the CSV report ArtifactPackageUsage.

| | artifactName | dependentArtifactName | dependentPackages | dependentArtifactPackages | packageUsagePercentage | dependent Full Qualified Package Names |
|---|----------------------------------|--------------------------|-------------------|---------------------------|------------------------|------------------------------------------------|
| 0 | axon- modelling- 4.9.3 | axon-modelling-4.9.3 | 6 | 10 | 0.600000 | [org.axonframework.modelling.command, org.axon |
| 1 | axon-test- 4.9.3 | axon-test-4.9.3 | 5 | 8 | 0.625000 | [org.axonframework.test.utils, org.axonframewo |
| 2 | axon- messaging- 4.9.3 | axon-messaging-4.9.3 | 41 | 64 | 0.640625 | [org.axonframework.eventhandling, org.axonfram |
| 3 | axon- eventsourcing- 4.9.3 | axon-eventsourcing-4.9.3 | 7 | 9 | 0.777778 | [org.axonframework.eventsourcing.snapshotting, |

Table 7 - Types that are used by multiple artifacts

This table shows the top 30 types that only use a few (compared to all existing) types of another artifact. The whole table can be found in the CSV report ClassesPerPackageUsageAcrossArtifacts.

| | artifactName | dependentArtifactName | packageName | dependentPackage.fqn | dependentTypes | dependentPackageT |
|----|----------------------------------|-----------------------|--------------------------------------------------------|-------------------------------------|----------------|-------------------|
| 0 | axon- eventsourcing- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.eventsourcing.snapshotting | org.axonframework.eventhandling | 1 | |
| 1 | axon- modelling- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.modelling.saga.metamodel | org.axonframework.eventhandling | 1 | |
| 2 | axon-test- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.test.matchers | org.axonframework.eventhandling | 1 | |
| 3 | axon- eventsourcing- 4.9.3 | axon-modelling-4.9.3 | org.axonframework.eventsourcing.eventstore.jdbc | org.axonframework.modelling.command | 1 | |
| 4 | axon- eventsourcing- 4.9.3 | axon-modelling-4.9.3 | org.axonframework.eventsourcing.conflictresolu | org.axonframework.modelling.command | 1 | |
| 5 | axon- eventsourcing- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.eventsourcing.conflictresolu | org.axonframework.eventhandling | 2 | |
| 6 | axon- modelling- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.modelling.command.legacyjpa | org.axonframework.eventhandling | 2 | |
| 7 | axon-test- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.test.eventscheduler | org.axonframework.eventhandling | 2 | |
| 8 | axon- modelling- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.modelling.command | org.axonframework.eventhandling | 2 | |
| 9 | axon- eventsourcing- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.eventsourcing.eventstore | org.axonframework.messaging | 1 | |
| 10 | axon-test- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.test | org.axonframework.messaging | 1 | |
| 11 | axon- eventsourcing- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.eventsourcing.conflictresolu | org.axonframework.messaging | 1 | |
| 12 | axon-test- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.test.matchers | org.axonframework.messaging | 1 | |
| 13 | axon- eventsourcing- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.eventsourcing.eventstore.jpa | org.axonframework.serialization | 1 | |
| 14 | axon- eventsourcing- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.eventsourcing.eventstore.jdbc | org.axonframework.serialization | 1 | |
| 15 | axon- eventsourcing- 4.9.3 | axon-messaging-4.9.3 | org. axon framework. events our cing. events to re.leg | org.axonframework.serialization | 1 | |
| 16 | axon- eventsourcing- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.eventsourcing.eventstore.jdb | org.axonframework.eventhandling | 3 | |
| 17 | axon-test- 4.9.3 | axon-modelling-4.9.3 | org.axonframework.test.utils | org.axonframework.modelling.saga | 1 | |
| 18 | axon-test- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.test.matchers | org.axonframework.commandhandling | 1 | |
| 19 | axon- eventsourcing- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.eventsourcing.conflictresolu | org.axonframework.commandhandling | 1 | |
| 20 | axon-test- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.test.server | org.axonframework.common | 1 | |
| 21 | axon- eventsourcing- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.eventsourcing.snapshotting | org.axonframework.common | 1 | |
| 22 | axon-test- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.test.eventscheduler | org.axonframework.common | 1 | |
| 23 | axon-test- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.test.utils | org.axonframework.common | 1 | |
| 24 | axon- eventsourcing- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.eventsourcing.eventstore.jdb | org.axonframework.common | 1 | |
| 25 | axon- modelling- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.modelling.command.legacyjpa | org.axonframework.common | 1 | |
| 26 | axon- eventsourcing- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.eventsourcing.conflictresolu | org.axonframework.common | 1 | |
| 27 | axon- eventsourcing- 4.9.3 | axon-modelling-4.9.3 | org.axonframework.eventsourcing.eventstore | org.axonframework.modelling.command | 2 | |

| | artifactName | dependentArtifactName | packageName | dependentPackage.fqn | dependentTypes dependentPackag | еT |
|----|------------------------------|-----------------------|-----------------------------------------------|----------------------------------------|--------------------------------|----|
| 28 | axon- modelling- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.modelling.command.legacyjpa | org.axonframework.messaging.annotation | 2 | |
| 29 | axon-test- 4.9.3 | axon-messaging-4.9.3 | org.axonframework.test | org.axonframework.messaging.annotation | 2 | |

Table 8 - Duplicate package names across artifacts

This table shows the top 30 duplicate package names across artifacts. They are ordered by the number of duplicates descending.

This might lead to confusion, makes importing more error prone and might even lead to duplicate classes where only one of them will be loaded by the class loader. If a package is named the same way in two or more artifacts this even allows another artifact to access package protected classes, methods or members which might not be intended.

The whole table can be found in the CSV report DuplicatePackageNamesAcrossArtifacts.

packageName duplicates artifactNames

Table 9 - Annotated elements

This table shows 30 most used Java Annotations including some examples where they are used.

| | annotationName | languageElement | number Of Annotate d Elements | examples |
|----|-------------------------------------------------------|-----------------|-------------------------------|-------------------------------------------------------|
| 0 | javax.annotation.Nonnull | Parameter | 1501 | [org. axon framework. modelling. command. Abstract R |
| 1 | java.lang.Deprecated | Method | 96 | [org. axon framework. modelling. command. Abstract R |
| 2 | javax.annotation.Nullable | Parameter | 61 | [org. axon framework. modelling. command. Creation P |
| 3 | java.lang.FunctionalInterface | Interface | 54 | [org. axon framework. modelling. command. Creation P |
| 4 | java.lang.annotation.Retention | Annotation | 40 | [org. ax on framework. modelling. command. Aggregate |
| 5 | java.lang.annotation.Target | Annotation | 40 | [org. ax on framework. modelling. command. Aggregate |
| 6 | javax.persistence.Basic | Field | 39 | [org. axon framework. modelling. saga. repository. j |
| 7 | javax.annotation.Nonnull | Method | 37 | [org. axon framework. modelling. command. Creation P |
| 8 | jakarta.persistence.Basic | Field | 33 | [org. axon framework. modelling. saga. repository. j |
| 9 | com. fasterx ml. jacks on. annotation. Js on Property | Parameter | 32 | [org. ax on framework. modelling. command. Aggregate |
| 10 | java.lang.Deprecated | Class | 25 | [org. axon framework. modelling. command. legacyjpa |
| 11 | java.lang.annotation.Documented | Annotation | 21 | [org. axon framework. modelling. command. Aggregate |
| 12 | java.beans.ConstructorProperties | Constructor | 21 | [org. axon framework. modelling. command. Aggregate |
| 13 | java.lang.Deprecated | Constructor | 17 | [org. axon framework. modelling. command. Annotatio |
| 14 | com. fasterxml. jackson. annotation. Json Creator | Constructor | 16 | [org. axon framework. modelling. command. Aggregate |
| 15 | javax.persistence.Column | Field | 12 | [org. ax on framework. modelling. saga. repository. j |
| 16 | org.axonframework.common.Priority | Class | 11 | [org. axon framework. config. Configuration Paramet |
| 17 | jakarta.persistence.Column | Field | 11 | [org. axon framework. modelling. saga. repository. j |
| 18 | javax.persistence.Lob | Field | 10 | [org. axon framework. modelling. saga. repository. j |
| 19 | javax.persistence.ld | Field | 10 | [org. ax on framework. modelling. saga. repository. j |
| 20 | jakarta.persistence.ld | Field | 9 | [org. axon framework. modelling. saga. repository. j |
| 21 | java.lang.SafeVarargs | Constructor | 9 | [org. axon framework. command handling. gateway. Non |
| 22 | com. fasterx ml. jacks on. annotation. Js on Getter | Method | 9 | [org. axon framework. command handling. distributed |
| 23 | org. ax on framework. messaging. annotation. Has Hand | Annotation | 8 | [org. axon framework. modelling. command. Creation P |
| 24 | jakarta.persistence.Lob | Field | 8 | [org. axon framework. modelling. saga. repository. j |
| 25 | javax.persistence.MappedSuperclass | Class | 6 | [org. axon framework. modelling. saga. repository. j |
| 26 | javax.persistence.Entity | Class | 6 | [org. axon framework. modelling. saga. repository. j |
| 27 | java.lang.SafeVarargs | Method | 6 | [org. axon framework. config. Aggregate Configurer |
| 28 | jakarta.persistence.Entity | Class | 6 | [org. axon framework. modelling. saga. repository. j |
| 29 | org. ax on framework. messaging. annotation. Message | Annotation | 6 | [org. axon framework. command handling. Command Hand |