Internal Dependencies

References

- Analyze java package metrics in a graph database
- Calculate metrics
- Neo4j Python Driver

Artifacts

List the artifacts this notebook is based on. Different sorting variations help finding artifacts by their features and support larger code bases where the list of all artifacts gets too long.

Only the top 30 entries are shown. The whole table can be found in the following CSV report: List all existing artifacts

Table 1a - Top 30 artifacts with the highest package count

	artifactName	packages	types	incoming Dependencies	outgoingDependencies
0	axon-messaging-4.9.3.jar	64	786	5	0
1	axon-modelling-4.9.3.jar	10	156	4	1
2	axon-eventsourcing-4.9.3.jar	9	133	3	2
3	axon-test-4.9.3.jar	8	87	0	3
4	axon-configuration-4.9.3.jar	1	40	0	4
5	axon-disruptor-4.9.3.jar	1	22	1	3

Table 1b - Top 30 artifacts with the highest type count

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-messaging-4.9.3.jar	64	786	5	0
1	axon-modelling-4.9.3.jar	10	156	4	1
2	axon-eventsourcing-4.9.3.jar	9	133	3	2
3	axon-test-4.9.3.jar	8	87	0	3
4	axon-configuration-4.9.3.jar	1	40	0	4
5	axon-disruptor-4.9.3.jar	1	22	1	3

Table 1c - Top 30 artifacts with the highest number of incoming dependencies

The following table lists the top 30 artifacts that are used the most by other artifacts (highest count of incoming dependencies, highest in-degree).

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-messaging-4.9.3.jar	64	786	5	0
1	axon-modelling-4.9.3.jar	10	156	4	1
2	axon-eventsourcing-4.9.3.jar	9	133	3	2
3	axon-disruptor-4.9.3.jar	1	22	1	3
4	axon-configuration-4.9.3.jar	1	40	0	4
5	axon-test-4.9.3.jar	8	87	0	3

Table 1d - Top 30 artifacts with the highest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the highest number of other artifacts (highest count of outgoing dependencies, highest out-degree).

	artifactName	packages	types	$incoming \\ Dependencies$	outgoingDependencies
0	axon-configuration-4.9.3.jar	1	40	0	4
1	axon-disruptor-4.9.3.jar	1	22	1	3
2	axon-test-4.9.3.jar	8	87	0	3
3	axon-eventsourcing-4.9.3.jar	9	133	3	2
4	axon-modelling-4.9.3.jar	10	156	4	1
5	axon-messaging-4.9.3.jar	64	786	5	0

Table 1e - Top 30 artifacts with the lowest package count

	artifactName	packages	types	$incoming {\bf Dependencies}$	outgoingDependencies
0	axon-configuration-4.9.3.jar	1	40	0	4
1	axon-disruptor-4.9.3.jar	1	22	1	3
2	axon-test-4.9.3.jar	8	87	0	3
3	axon-eventsourcing-4.9.3.jar	9	133	3	2
4	axon-modelling-4.9.3.jar	10	156	4	1
5	axon-messaging-4.9.3.jar	64	786	5	0

Table 1f - Top 30 artifacts with the lowest type count

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-disruptor-4.9.3.jar	1	22	1	3
1	axon-configuration-4.9.3.jar	1	40	0	4
2	axon-test-4.9.3.jar	8	87	0	3
3	axon-eventsourcing-4.9.3.jar	9	133	3	2
4	axon-modelling-4.9.3.jar	10	156	4	1
5	axon-messaging-4.9.3.jar	64	786	5	0

Table 1g - Top 30 artifacts with the lowest number of incoming dependencies

The following table lists the top 30 artifacts that are used the least by other artifacts (lowest count of incoming dependencies, lowest in-degree).

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-configuration-4.9.3.jar	1	40	0	4
1	axon-test-4.9.3.jar	8	87	0	3
2	axon-disruptor-4.9.3.jar	1	22	1	3
3	axon-eventsourcing-4.9.3.jar	9	133	3	2
4	axon-modelling-4.9.3.jar	10	156	4	1
5	axon-messaging-4.9.3.jar	64	786	5	0

Table 1h - Top 30 artifacts with the lowest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the lowest number of other artifacts (lowest count of outgoing dependencies, lowest out-degree).

	artifactName	packages	types	$incoming \\ Dependencies$	outgoingDependencies
0	axon-messaging-4.9.3.jar	64	786	5	0
1	axon-modelling-4.9.3.jar	10	156	4	1
2	axon-eventsourcing-4.9.3.jar	9	133	3	2
3	axon-disruptor-4.9.3.jar	1	22	1	3
4	axon-test-4.9.3.jar	8	87	0	3
5	axon-configuration-4.9.3.jar	1	40	0	4

Cyclic Dependencies

Cyclic dependencies occur when one package uses a class of another package and vice versa. These dependencies can lead to problems when one of these packages needs to be changed.

Table 2a - Cyclic Dependencies Overview

Show the top 40 cyclic dependencies sorted by the most promising to resolve first. This is done by calculating the number of forward dependencies (first cycle participant to second cycle participant) in relation to backward dependencies (second cycle participant back to first cycle participant). The higher this rate (approaching 1), the easier it should be to resolve the cycle by focusing on the few backward dependencies.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic Dependencies

Columns:

- artifactName identifies the artifact of the first participant of the cycle
- packageName identifies the package of the first participant of the cycle
- dependentArtifactName identifies the artifact of the second participant of the cycle

- dependentPackageName identifies the package of the second participant of the cycle
- forwardToBackwardBalance is between 0 and 1. High for many forward and few backward dependencies.
- *numberForward* contains the number of dependencies from the first participant of the cycle to the second one
- *numberBackward* contains the number of dependencies from the second participant of the cycle back to the first one
- someForwardDependencies lists some forward dependencies in the text format "type1 -> type2"
- backwardDependencies lists the backward dependencies in the format "type1 <- type2" that are recommended to get resolved

	artifactName	packageName	dependentArtifactName	dependentPackageName	forwardToBackwardBalance
0	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	0.900000
1	axon- messaging- 4.9.3	org.axonframework.queryhandling	axon-messaging-4.9.3	org.axonframework.messaging.responsetypes	0.882353
2	axon- messaging- 4.9.3	org.axonframework.queryhandling	axon-messaging-4.9.3	org.axonframework.tracing	0.875000
3	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.messaging	0.857143
4	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.messaging.annotation	0.840000
5	axon- messaging- 4.9.3	org.axonframework.deadline	axon-messaging-4.9.3	org.axonframework.tracing	0.800000
6	axon- messaging- 4.9.3	org.axonframework.commandhandling	axon-messaging-4.9.3	org.axonframework.tracing	0.777778
7	axon- eventsourcing- 4.9.3	org.axonframework.eventsourcing	axon-eventsourcing-4.9.3	org.axonframework.eventsourcing.eventstore	0.777778
8	axon- messaging- 4.9.3	org.axonframework.commandhandling.callbacks	axon-messaging-4.9.3	org.axonframework.commandhandling	0.733333
9	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.serialization	0.647059
10	axon- messaging- 4.9.3	org.axonframework.messaging.unitofwork	axon-messaging-4.9.3	org.axonframework.messaging	0.647059
11	axon- messaging- 4.9.3	org.axonframework.eventhandling.async	axon-messaging-4.9.3	org.axonframework.eventhandling	0.538462
12	axon- messaging- 4.9.3	org.axonframework.eventhandling.replay	axon-messaging-4.9.3	org.axonframework.eventhandling	0.454545
13	axon- messaging- 4.9.3	org.axonframework.serialization.upcasting.event	axon-messaging-4.9.3	org.axonframework.eventhandling	0.333333
14	axon- eventsourcing- 4.9.3	org.axonframework.eventsourcing.eventstore.jdbc	axon-eventsourcing-4.9.3	org. axon framework. events our cing. events to re. jdb	0.317073
15	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.eventhandling.tokenstore	0.285714
16	axon- modelling- 4.9.3	org.axonframework.modelling.command.inspection	axon-modelling-4.9.3	org.axonframework.modelling.command	0.250000
17	axon- messaging- 4.9.3	org. ax on framework. query handling. registration	axon-messaging-4.9.3	org.axonframework.queryhandling	0.250000
18	axon- messaging- 4.9.3	org.axonframework.messaging	axon-messaging-4.9.3	org.axonframework.serialization	0.238095
19	axon- messaging- 4.9.3	org.axonframework.messaging.annotation	axon-messaging-4.9.3	org.axonframework.messaging.interceptors	0.200000
20	axon- modelling- 4.9.3	org.axonframework.modelling.saga	axon-modelling-4.9.3	org.axonframework.modelling.saga.metamodel	0.142857
21	axon- messaging- 4.9.3	org. ax on framework. command handling. distributed	axon-messaging-4.9.3	org.axonframework.commandhandling.distributed	0.076923

Table 2b - Cyclic Dependencies Break Down

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic_Dependencies_Breakdown

Columns in addition to Table 2a:

dependency shows the cycle dependency in the text format "type1 -> type2" (forward) or "type2<-type1" (backward)

	artifactName	packageName	dependentArtifactName	dependentPackageName	dependency	fon
0	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	EventProcessorSpanFactory->Span	
1	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	SubscribingEventProcessor\$Builder- >SpanFactory	
2	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	AbstractEventBus\$Builder->SpanFactory	
3	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	DefaultEventProcessorSpanFactory->Span	
4	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	DefaultEventBusSpanFactory\$Builder- >SpanFactory	
5	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	SimpleEventBus\$Builder->SpanFactory	
6	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	DefaultEventProcessorSpanFactory\$Builder->Span	
7	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	AbstractEventBus\$Builder->NoOpSpanFactory	
8	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	EventMessage<-NestingSpanFactory	
9	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	AbstractEventProcessor\$Builder- >NoOpSpanFactory	
10	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	AbstractEventProcessor->Span	
11	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	DefaultEventProcessorSpanFactory- >NoOpSpanFact	
12	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	AbstractEventBus->SpanScope	
13	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	AbstractEventBus->Span	
14	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	DefaultEventBusSpanFactory->SpanFactory	
15	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	DefaultEventProcessorSpanFactory- >SpanFactory	
16	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	DefaultEventBusSpanFactory->Span	
17	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	EventBusSpanFactory->Span	
18	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	AbstractEventProcessor\$Builder->SpanFactory	
19	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	TrackingEventProcessor\$Builder->SpanFactory	
20	axon- messaging- 4.9.3	org.axonframework.queryhandling	axon-messaging-4.9.3	org.axonframework.messaging.responsetypes	GenericQueryMessage->ResponseType	
21	axon- messaging- 4.9.3	org.axonframework.queryhandling	axon-messaging-4.9.3	org.axonframework.messaging.responsetypes	GenericStreamingQueryMessage- >PublisherRespons	
22	axon- messaging- 4.9.3	org.axonframework.queryhandling	axon-messaging-4.9.3	org.axonframework.messaging.responsetypes	QueryResponseMessage<- ConvertingResponseMessage	
23	axon- messaging- 4.9.3	org.axonframework.queryhandling	axon-messaging-4.9.3	org.axonframework.messaging.responsetypes	StreamingQueryMessage->ResponseType	
24	axon- messaging- 4.9.3	org.axonframework.queryhandling	axon-messaging-4.9.3	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter- >OptionalResponseType	
25	axon- messaging- 4.9.3	org.axonframework.queryhandling	axon-messaging-4.9.3	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter->ResponseType	

fon	dependency	dependentPackageName	dependentArtifactName	packageName	artifactName	
	QueryGateway->ResponseType	org.axonframework.messaging.responsetypes	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	26
	SimpleQueryBus->ResponseType	org.axonframework.messaging.responsetypes	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	27
	QueryGateway->ResponseTypes	org.axonframework.messaging.responsetypes	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	28
	GenericSubscriptionQueryMessage- >ResponseType	org.axonframework.messaging.responsetypes	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	29
	SubscriptionQueryMessage->ResponseType	org.axonframework.messaging.responsetypes	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	30
	GenericStreamingQueryMessage->ResponseType	org.axonframework.messaging.responsetypes	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	31
	DefaultQueryGateway->ResponseType	org.axonframework.messaging.responsetypes	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	32
	QuerySubscription->ResponseType	org.axonframework.messaging.responsetypes	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	33
	SimpleQueryUpdateEmitter->MultipleInstancesRes	org.axonframework.messaging.responsetypes	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	34
	QueryMessage->ResponseType	org.axonframework.messaging.responsetypes	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	35
	SimpleQueryUpdateEmitter- >PublisherResponseType	org.axonframework.messaging.responsetypes	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	36
	SimpleQueryUpdateEmitter->Span	org.axonframework.tracing	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	37
	DefaultQueryUpdateEmitterSpanFactory\$Builder->	org.axonframework.tracing	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	38
	DefaultQueryBusSpanFactory->Span	org.axonframework.tracing	axon-messaging-4.9.3	org.axonframework.queryhandling	axon- messaging- 4.9.3	39

Table 2c - Cyclic Dependencies Break Down - Backward Dependencies Only

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first. This table only contains the backward dependencies from the second participant of the cycle back to the first one that are the most promising to resolve.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic Dependencies Breakdown BackwardOnly

	artifactName	packageName	dependentArtifactName	dependentPackageName	depe
0	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.tracing	EventMessage<-NestingSpan
1	axon- messaging- 4.9.3	org.axonframework.queryhandling	axon-messaging-4.9.3	org.axonframework.messaging.responsetypes	QueryResponseMes ConvertingResponseM
2	axon- messaging- 4.9.3	org.axonframework.queryhandling	axon-messaging-4.9.3	org.axonframework.tracing	QueryMessage<-St
3	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.messaging	DomainEventMessage<-I-
4	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.messaging	EventMessage<-F
5	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.messaging	Tracking StreamableMessage
6	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.messaging.annotation	DomainEventMes AggregateTypeParameter
7	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.messaging.annotation	DomainEventMes SourceIdParameterRes
8	axon- messaging- 4.9.3	org.axonframework.deadline	axon-messaging-4.9.3	org.axonframework.tracing	DeadlineMessage<-Sp
9	axon- messaging- 4.9.3	org.axonframework.commandhandling	axon-messaging-4.9.3	org.axonframework.tracing	CommandMessage<-Sp
10	axon- eventsourcing- 4.9.3	org.axonframework.eventsourcing	axon-eventsourcing-4.9.3	org.axonframework.eventsourcing.eventstore	EventStrear AbstractEventStorage
11	axon- eventsourcing- 4.9.3	org.axonframework.eventsourcing	axon-eventsourcing-4.9.3	org.axonframework.eventsourcing.eventstore	EventStreamUtils<-DomainEvent
12	axon- messaging- 4.9.3	org.axonframework.commandhandling.callbacks	axon-messaging-4.9.3	org.axonframework.commandhandling	LoggingCal SimpleCommandBus\$
13	axon- messaging- 4.9.3	org.axonframework.commandhandling.callbacks	axon-messaging-4.9.3	org.axonframework.commandhandling	NoOpCal SimpleCommandBus\$
14	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.serialization	GenericDomainEventMes AbstractXStrea
15	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.serialization	GenericEventMes AbstractXStreamS
16	axon- messaging- 4.9.3	org.axonframework.eventhandling	axon-messaging-4.9.3	org.axonframework.serialization	GapAwareTracking ⁻ GapAwareTrackingTok
17	axon- messaging- 4.9.3	org.axonframework.messaging.unitofwork	axon-messaging-4.9.3	org.axonframework.messaging	CurrentUnitOfWork<-GenericM
18	axon- messaging- 4.9.3	org.axonframework.messaging.unitofwork	axon-messaging-4.9.3	org.axonframework.messaging	UnitOfWork<-DefaultIntercept
19	axon- messaging- 4.9.3	org.axonframework.messaging.unitofwork	axon-messaging-4.9.3	org.axonframework.messaging	UnitOl MessageHandlerInte
20	axon- messaging- 4.9.3	org.axonframework.eventhandling.async	axon-messaging-4.9.3	org.axonframework.eventhandling	Sequencingl SimpleEventHandler
21	axon- messaging- 4.9.3	org.axonframework.eventhandling.async	axon-messaging-4.9.3	org.axonframework.eventhandling	Sequencingl SimpleEventHandlerInvok
22	axon- messaging- 4.9.3	org.axonframework.eventhandling.async	axon-messaging-4.9.3	org.axonframework.eventhandling	SequentialPerAggregatel SimpleEvent
23	axon- messaging- 4.9.3	org.axonframework.eventhandling.replay	axon-messaging-4.9.3	org.axonframework.eventhandling	GenericResetCo AnnotationEventHandle
24	axon- messaging- 4.9.3	org.axonframework.eventhandling.replay	axon-messaging-4.9.3	org.axonframework.eventhandling	ResetCc AnnotationEventHandler
25	axon- messaging- 4.9.3	org.axonframework.eventhandling.replay	axon-messaging-4.9.3	org.axonframework.eventhandling	ResetContext<-Resetl

	artifactName	packageName	dependentArtifactName	dependentPackageName	depe
26	axon- messaging- 4.9.3	org.axonframework.serialization.upcasting.event	axon-messaging-4.9.3	org.axonframework.eventhandling	IntermediateEventRepresen Ev
27	axon- messaging- 4.9.3	org.axonframework.serialization.upcasting.event	axon-messaging-4.9.3	org.axonframework.eventhandling	InitialEventRepresentation<-Ev
28	axon- messaging- 4.9.3	org.axonframework.serialization.upcasting.event	axon-messaging-4.9.3	org.axonframework.eventhandling	EventUpcaster<-Ev
29	axon- eventsourcing- 4.9.3	org. axon framework. events our cing. events to re. jdbc	axon-eventsourcing-4.9.3	org. axon framework. events our cing. events to re. jdb	EventSc ReadEventDataWithoutGapsState
30	axon- eventsourcing- 4.9.3	org. axon framework. events our cing. events to re. jdbc	axon-eventsourcing-4.9.3	org. axon framework. events our cing. events to re. jdb	EventSc CreateTailTokenStatemen
31	axon- eventsourcing- 4.9.3	org. axon framework. events our cing. events to re. jdbc	axon-eventsourcing-4.9.3	org. axon framework. events our cing. events to re. jdb	EventSc CleanGapsStatemen
32	axon- eventsourcing- 4.9.3	org. axon framework. events our cing. events to re. jdbc	axon-eventsourcing-4.9.3	org. ax on framework. events our cing. events to re. jdb	EventSc FetchTrackedEventsStatemen
33	axon- eventsourcing- 4.9.3	org. axon framework. events our cing. events to re. jdbc	axon-eventsourcing-4.9.3	org. axon framework. events our cing. events to re. jdb	EventSc JdbcEventStorageEngineStat
34	axon- eventsourcing- 4.9.3	org. axon framework. events our cing. events to re. jdbc	axon-eventsourcing-4.9.3	org. axon framework. events our cing. events to re. jdb	EventSc ReadSnapshotDataStatemen
35	axon- eventsourcing- 4.9.3	org. axon framework. events our cing. events to re. jdbc	axon-eventsourcing-4.9.3	org. axon framework. events our cing. events to re. jdb	EventSc CreateTokenAtStatemen
36	axon- eventsourcing- 4.9.3	org. axon framework. events our cing. events to re. jdbc	axon-eventsourcing-4.9.3	org. axon framework. events our cing. events to re. jdb	EventSc LastSequenceNumberForStateme
37	axon- eventsourcing- 4.9.3	org. axon framework. events our cing. events to re. jdbc	axon-eventsourcing-4.9.3	org. axon framework. events our cing. events to re. jdb	EventSc ReadEventDataForAggregateStat
38	axon- eventsourcing- 4.9.3	org. axon framework. events our cing. events to re. jdbc	axon-eventsourcing-4.9.3	org. axon framework. events our cing. events to re. jdb	EventSc ReadEventDataWithGapsStateme
39	axon- eventsourcing- 4.9.3	org. axon framework. events our cing. events to re. jdbc	axon-eventsourcing-4.9.3	org. axon framework. events our cing. events to re. jdb	EventSc DeleteSnapshotsStatemen

Interface Segregation Candidates

Well known from Design Principles and Design Patterns by Robert C. Martin, the *Interface Segregation Principle* suggests that software components should have narrow, focused interfaces rather than large, general-purpose ones. The goal is to minimize the dependencies between components and increase modularity, flexibility, and maintainability.

Smaller, focused and purpose-driven interfaces

- make it easier to modify individual components without affecting the rest of the system.
- make it clearer which client is affected by which change.
- don't force their clients to depend on methods they don't need.
- reduce the scope of changes since a change to one component doesn't affect others.
- lead to a more loosely coupled architecture that is easier to understand and maintain.

Reference: Analyze java package metrics in a graph database

How to apply the results

If just one method of a type is used, especially in many places, then the result of this method can be used to call e.g. a method or constuct an object instead of using the whole object and then just calling that single method.

If there are a couple of methods that are used for a distinct purpose, those could be factored out into a separate interface. The original type can extended/implement the new interface so that there are no breaking changes. Then all the callers, that use only this group of methods, can be changed to the new interface.

Table 4 - Top 40 most used combinations of methods

The following table shows the top 40 most used combinations of methods of larger types that might benefit from applying the *Interface Segregation Principle*. The whole table can be found in the CSV report Candidates for Interface Segregation.

	fullDependentTypeName	declaredMethods	calledMethodNames	calledMethods	callerTypes
0	org. ax on framework. command handling. Command Message	9	[getCommandName]	1	18
1	org. ax on framework. event handling. Domain Event Mes	10	[getSequenceNumber]	1	9
2	$org. ax on framework. eventh and ling. Event {\tt Message}$	9	[getTimestamp, getIdentifier]	2	9
3	org. ax on framework. eventh and ling. Tracked Event Me	10	[trackingToken]	1	8
4	$org. ax on framework. eventh and ling. Event {\tt Message}$	9	[getIdentifier]	1	7
5	org. ax on framework. event handling. Domain Event Mes	10	[get Aggregate I dentifier, get Type, get Sequence N	3	6
6	org. ax on framework. messaging. Result Message	9	[isExceptional, exceptionResult]	2	6
7	org. ax on framework. command handling. Generic Comma	14	[asCommandResultMessage]	1	5
8	org. axon framework. dead line. Generic Dead line Message	11	[asDeadlineMessage]	1	5
9	org. ax on framework. eventh and ling. Replay Token	13	[createReplayToken]	1	4
10	org. ax on framework. eventh and ling. Tracked Event Me	12	[trackingToken]	1	4
11	org. ax on framework. dead line. Dead line Message	10	[getDeadlineName]	1	4
12	org. ax on framework. eventh and ling. Domain Event Mes	10	[getType]	1	4
13	org. ax on framework. eventh and ling. Domain Event Mes	10	[getAggregateIdentifier]	1	4
14	$org. ax on framework. eventh and ling. Generic {\sf Event Me}$	10	[asEventMessage]	1	4
15	org. ax on framework. dead line. Default Dead line Mana	8	[builder]	1	4
16	org. ax on framework. common. transaction. No Transac	4	[instance]	1	4
17	org. axon framework. command handling. Generic Comma	15	[asCommandResultMessage]	1	3
18	org. ax on framework. modelling. command. in spection	13	[type]	1	3
19	org. ax on framework. eventh and ling. Domain Event Mes	11	[getAggregateIdentifier, getType, getSequenceN	3	3
20	$org. ax on framework. eventh and ling. Generic {\sf Event Me}$	11	[asEventMessage]	1	3
21	org. ax on framework. eventh and ling. Domain Event Mes	10	[getAggregateIdentifier, getSequenceNumber]	2	3
22	org. ax on framework. eventh and ling. Gap Aware Tracki	10	[getIndex, with Gaps Truncated At, new Instance, a	5	3
23	org. ax on framework. eventh and ling. Event Message	9	[getTimestamp]	1	3
24	org. ax on framework. messaging. Message Decorator	9	[describeTo]	1	3
25	$org. ax on framework. eventh and ling. Tracked {\tt EventData}$	5	[trackingToken]	1	3
26	org. ax on framework. even than dling. to ken store. Con	5	[get]	1	3
27	org. ax on framework. serialization. Simple Serializ	5	[emptyType]	1	3
28	org. ax on framework. modelling. command. in spection	17	[getAggregateRoot, initialize, initSequence]	4	2
29	org. ax on framework. query handling. Simple Query Upd	17	[builder]	1	2
30	org. axon framework. command handling. Command Messa	14	[isFactoryHandler, commandName]	2	2
31	org. ax on framework. command handling. Generic Comma	14	[asCommandResultMessage]	2	2
32	org. ax on framework. dead line. Dead line Message	14	[getDeadlineName]	1	2
33	org. ax on framework. messaging. Generic Result Message	14	[asResultMessage]	1	2
34	org. ax on framework. messaging. annotation. Wrapped	14	[handle]	1	2
35	org. ax on framework. eventh and ling. Domain Event Mes	13	[getAggregateIdentifier, getSequenceNumber]	2	2
36	org. ax on framework. eventh and ling. Replay Token	13	[isReplay]	1	2
37	org. ax on framework. modelling. command. in spection	13	[types]	1	2
38	org. ax on framework. query handling. Subscription Qu	12	[getUpdateResponseType]	1	2
39	org. ax on framework. command handling. Generic Comma	11	[asCommandMessage]	1	2

Package Usage

Table 5 - Types that are used by multiple packages

This table shows the top 40 packages that are used by the highest number of different packages. The whole table can be found in the CSV report

 ${\tt List_types_that_are_used_by_many_different_packages}\ .$

	fullQualifiedDependentTypeName	dependentTypeName	dependentTypeLabels	numberOfUsingPackages
0	org.axonframework.common.BuilderUtils	BuilderUtils	[Type, File, Java, Class, ByteCode, TopCentral	44
1	org. axon framework. common. Axon Configuration Exce	AxonConfigurationException	[Type, File, Java, Class, ByteCode, TopCentral	37
2	org.axonframework.messaging.Message	Message	[Type, File, Java, ByteCode, GenericDeclaratio	34
3	org.axonframework.messaging.MetaData	MetaData	[Type, File, Java, Class, ByteCode, TopCentral	33
4	org.axonframework.eventhandling.EventMessage	EventMessage	[Type, File, Java, ByteCode, GenericDeclaratio	32
5	org.axonframework.messaging.unitofwork.UnitOfWork	UnitOfWork	[Type, File, Java, ByteCode, GenericDeclaratio	31
6	org.axonframework.serialization.Serializer	Serializer	[Type, File, Java, ByteCode, Interface, TopCen	29
7	org.axonframework.common.Assert	Assert	[Type, File, Java, Class, ByteCode, TopCentral	27
8	org.axonframework.common.transaction.Transacti	TransactionManager	[Type, File, Java, ByteCode, Interface, TopCen	27
9	org.axonframework.serialization.SerializedObject	SerializedObject	[Type, File, Java, ByteCode, GenericDeclaratio	25
10	org.axonframework.serialization.SerializedType	SerializedType	[Type, File, Java, ByteCode, Interface, TopCen	24
11	org.axonframework.messaging.unitofwork.Current	CurrentUnitOfWork	[Type, File, Java, Class, ByteCode, TopCentral	21
12	org.axonframework.common.AxonNonTransientExcep	AxonNonTransientException	[Type, File, Java, Class, ByteCode, TopCentral	18
13	org.axonframework.eventhandling.DomainEventMes	DomainEventMessage	[Type, File, Java, ByteCode, GenericDeclaratio	18
14	$org. ax on framework. eventhand ling. {\tt Generic Event Me}$	GenericEventMessage	[Type, File, Java, Class, ByteCode, GenericDec	18
15	org.axonframework.messaging.annotation.Paramet	ParameterResolverFactory	[Type, File, Java, ByteCode, Interface, TopCen	18
16	org.axonframework.eventhandling.TrackingToken	TrackingToken	[Type, File, Java, ByteCode, Interface, TopCen	18
17	org.axonframework.common.Registration	Registration	[Type, File, Java, ByteCode, Interface, TypeWe	17
18	org.axonframework.serialization.SimpleSerializ	SimpleSerializedObject	[Type, File, Java, Class, ByteCode, GenericDec	17
19	org.axonframework.messaging.MessageHandlerInte	MessageHandlerInterceptor	[Type, File, Java, ByteCode, GenericDeclaratio	16
20	org.axonframework.common.ObjectUtils	ObjectUtils	[Type, File, Java, Class, ByteCode, TypeWeakly	16
21	org.axonframework.tracing.SpanFactory	SpanFactory	[Type, File, Java, ByteCode, Interface, TopCen	16
22	org.axonframework.messaging.MessageDispatchInt	MessageDispatchInterceptor	[Type, File, Java, ByteCode, GenericDeclaratio	15
23	org.axonframework.commandhandling.CommandMessage	CommandMessage	[Type, File, Java, ByteCode, GenericDeclaratio	14
24	org.axonframework.messaging.unitofwork.Default	DefaultUnitOfWork	[Type, File, Java, Class, ByteCode, GenericDec	14
25	org.axonframework.messaging.annotation.Handler	HandlerDefinition	[Type, File, Java, ByteCode, Interface, TopCen	14
26	org.axonframework.common.ReflectionUtils	ReflectionUtils	[Type, File, Java, Class, ByteCode, TypeWeakly	14
27	org.axonframework.eventhandling.EventBus	EventBus	[Type, File, Java, ByteCode, Interface, TopCen	13
28	org.axonframework.lifecycle.Lifecycle	Lifecycle	[Type, File, Java, ByteCode, Interface, TypeWe	13
29	org.axonframework.lifecycle.Lifecycle\$Lifecycl	Lifecycle\$LifecycleRegistry	[Type, File, Java, ByteCode, Interface, TypeWe	13
30	org.axonframework.common.transaction.NoTransac	NoTransactionManager	[Type, File, Java, ByteCode, Enum, TypeWeaklyC	13
31	org.axonframework.messaging.ResultMessage	ResultMessage	[Type, File, Java, ByteCode, GenericDeclaratio	13
32	org.axonframework.common.DateTimeUtils	DateTimeUtils	[Type, File, Java, Class, ByteCode, TypeWeakly	12
33	org. ax on framework. messaging. Default Interceptor	DefaultInterceptorChain	[Type, File, Java, Class, ByteCode, GenericDec	12
34	org.axonframework.messaging.InterceptorChain	InterceptorChain	[Type, File, Java, ByteCode, Interface, TypeWe	12

	full Qualified Dependent Type Name	dependentTypeName	dependentTypeLabels	numberOfUsingPackages
35	org.axonframework.tracing.NoOpSpanFactory	NoOpSpanFactory	[Type, File, Java, Class, ByteCode, TypeWeakly	12
36	org.axonframework.messaging.ScopeDescriptor	ScopeDescriptor	[Type, File, Java, ByteCode, Interface, TypeWe	12
37	org. ax on framework. common. Ax on Transient Exception	AxonTransientException	[Type, File, Java, Class, ByteCode, TypeWeakly	11
38	org.axonframework.messaging.annotation.Classpa	ClasspathHandlerDefinition	[Type, File, Java, Class, ByteCode, TypeWeakly	11
39	org.axonframework.messaging.annotation.Classpa	ClasspathParameterResolverFactory	[Type, File, Java, Class, ByteCode, TypeWeakly	11

Table 6 - Packages that are used by multiple artifacts

This table shows the top 30 artifacts that only use a few (compared to all existing) packages of another artifact. The whole table can be found in the CSV report ArtifactPackageUsage.

	artifactName	dependentArtifactName	dependentPackages	dependentArtifactPackages	packageUsagePercentage	dependent Full Qualified Package Names
0	axon- modelling- 4.9.3	axon-modelling-4.9.3	6	10	0.600000	[org.axonframework.modelling.saga, org.axonfra
1	axon-test- 4.9.3	axon-test-4.9.3	5	8	0.625000	[org.axonframework.test, org.axonframework.tes
2	axon- messaging- 4.9.3	axon-messaging-4.9.3	41	64	0.640625	[org.axonframework.common, org.axonframework.m
3	axon- eventsourcing- 4.9.3	axon-eventsourcing-4.9.3	7	9	0.777778	[org.axonframework.eventsourcing.snapshotting,

Table 7 - Types that are used by multiple artifacts

This table shows the top 30 types that only use a few (compared to all existing) types of another artifact. The whole table can be found in the CSV report ClassesPerPackageUsageAcrossArtifacts.

	artifactName	dependentArtifactName	packageName	dependentPackage.fqn	dependentTypes	dependentPackageT
0	axon-test- 4.9.3	axon-messaging-4.9.3	org.axonframework.test.matchers	org.axonframework.eventhandling	1	
1	axon- modelling- 4.9.3	axon-messaging-4.9.3	org.axonframework.modelling.saga.metamodel	org.axonframework.eventhandling	1	
2	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org.axonframework.eventsourcing.snapshotting	org.axonframework.eventhandling	1	
3	axon- eventsourcing- 4.9.3	axon-modelling-4.9.3	org.axonframework.eventsourcing.eventstore.jdbc	org.axonframework.modelling.command	1	
4	axon- eventsourcing- 4.9.3	axon-modelling-4.9.3	org.axonframework.eventsourcing.conflictresolu	org.axonframework.modelling.command	1	
5	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org.axonframework.eventsourcing.conflictresolu	org.axonframework.eventhandling	2	
6	axon- modelling- 4.9.3	axon-messaging-4.9.3	org.axonframework.modelling.command.legacyjpa	org.axonframework.eventhandling	2	
7	axon-test- 4.9.3	axon-messaging-4.9.3	org.axonframework.test.eventscheduler	org.axonframework.eventhandling	2	
8	axon- modelling- 4.9.3	axon-messaging-4.9.3	org.axonframework.modelling.command	org.axonframework.eventhandling	2	
9	axon-test- 4.9.3	axon-messaging-4.9.3	org.axonframework.test.matchers	org.axonframework.messaging	1	
10	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org.axonframework.eventsourcing.conflictresolu	org.axonframework.messaging	1	
11	axon-test- 4.9.3	axon-messaging-4.9.3	org.axonframework.test	org.axonframework.messaging	1	
12	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org.axonframework.eventsourcing.eventstore	org.axonframework.messaging	1	
13	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org.axonframework.eventsourcing.eventstore.jpa	org.axonframework.serialization	1	
14	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org. axon framework. events our cing. events to re.leg	org.axonframework.serialization	1	
15	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org.axonframework.eventsourcing.eventstore.jdbc	org.axonframework.serialization	1	
16	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org. axon framework. events our cing. events to re. jdb	org.axonframework.eventhandling	3	
17	axon-test- 4.9.3	axon-modelling-4.9.3	org.axonframework.test.utils	org.axonframework.modelling.saga	1	
18	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org.axonframework.eventsourcing.conflictresolu	org.axonframework.commandhandling	1	
19	axon-test- 4.9.3	axon-messaging-4.9.3	org.axonframework.test.matchers	org.axonframework.commandhandling	1	
20	axon-test- 4.9.3	axon-messaging-4.9.3	org.axonframework.test.utils	org.axonframework.common	1	
21	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org. axon framework. events our cing. events to re. jdb	org.axonframework.common	1	
22	axon-test- 4.9.3	axon-messaging-4.9.3	org.axonframework.test.server	org.axonframework.common	1	
23	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org.axonframework.eventsourcing.snapshotting	org.axonframework.common	1	
24	axon-test- 4.9.3	axon-messaging-4.9.3	org.axonframework.test.eventscheduler	org.axonframework.common	1	
25	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org.axonframework.eventsourcing.conflictresolu	org.axonframework.common	1	
26	axon- modelling- 4.9.3	axon-messaging-4.9.3	org.axonframework.modelling.command.legacyjpa	org.axonframework.common	1	
27	axon- modelling- 4.9.3	axon-messaging-4.9.3	org.axonframework.modelling.command.legacyjpa	org.axonframework.messaging.annotation	2	

	artifactName	dependentArtifactName	packageName	dependentPackage.fqn	dependentTypes	dependentPackageT
28	axon- eventsourcing- 4.9.3	axon-messaging-4.9.3	org. ax on framework. events our cing. conflict resolu	org.axonframework.messaging.annotation	2	
29	axon-test- 4.9.3	axon-messaging-4.9.3	org.axonframework.test	org.axonframework.messaging.annotation	2	

Table 8 - Duplicate package names across artifacts

This table shows the top 30 duplicate package names across artifacts. They are ordered by the number of duplicates descending.

This might lead to confusion, makes importing more error prone and might even lead to duplicate classes where only one of them will be loaded by the class loader. If a package is named the same way in two or more artifacts this even allows another artifact to access package protected classes, methods or members which might not be intended.

The whole table can be found in the CSV report DuplicatePackageNamesAcrossArtifacts.

packageName duplicates artifactNames

Table 9 - Annotated elements

This table shows 30 most used Java Annotations including some examples where they are used.

December December		annotationName	languageElement	number Of Annotated Elements	examples
2 javax.annotation.Nullable Parameter 61 (org.axonframework.modelling.command.CreationP 3 java.lang.FunctionalInterface Interface 54 (org.axonframework.modelling.command.CreationP 4 java.lang.annotation.Target Annotation 40 (org.axonframework.modelling.command.Aggregate 5 java.lang.annotation.Target Annotation 40 (org.axonframework.modelling.command.Aggregate 6 javax.persistence.Basic Field 39 (org.axonframework.modelling.command.Aggregate 7 javax.annotation.Nonnull Method 37 (org.axonframework.modelling.command.Aggregate 8 javata.persistence.Basic Field 33 (org.axonframework.modelling.command.Aggregate 9 com.fasterxml.jackson.annotation.JsonProperty Parameter 32 (org.axonframework.modelling.command.Aggregate 10 java.lang.Deprecated Class 25 (org.axonframework.modelling.command.Aggregate 11 java.lang.annotation.Decumented Annotation 21 (org.axonframework.modelling.command.Aggregate 12 (org.axonframework.modelling.command.Aggregate 13 java.beans.ConstructorProperties Constructor 21 (org.axonframework.modelling.command.Aggregate 14 com.fasterxml.jackson.annotation.sponCreator Constructor 17 (org.axonframework.modelling.command.Aggregate 15 javax.persistence.Column Field 12 (org.axonframework.modelling.command.Aggregate 16 (org.axonframework.modelling.command.Aggregate 17 (org.axonframework.modelling.saga.repository) 17 org.axonframework.common.Priority Class 11 (org.axonframework.modelling.saga.repository) 18 javax.persistence.Lob Field 10 (org.axonframework.modelling.saga.repository) 19 javax.persistence.Lob Field 9 (org.axonframework.modelling.saga.repository) 19 org.axonframework.modelling.saga.repository) 19 javax.persistence.Lob Field 9 (org.axonframework.commandhandling.gaga.repository) 19 (org.axonframework.modelling.saga.repository) 19 (org.axonframework.commandhandling.gaga.repository) 19 org.axonframework.modelling.saga.repository) 19 org.axonframework.modelling.saga.repository] 19 org.axonframework.modelling.saga.repository]	0	javax.annotation.Nonnull	Parameter	1501	[org.axonframework.disruptor.commandhandling.B
java.lang.FunctionalInterface Interface 54 [org.axonframework.modelling.command.CreationP 4 java.lang.annotation.Retention Annotation 40 [org.axonframework.modelling.command.Aggregate 5 java.lang.annotation.Target Annotation 40 [org.axonframework.modelling.command.Aggregate 6 javax.persistence.Basic Field 39 [org.axonframework.modelling.command.Aggregate 7 javax.annotation.Nonnull Method 37 [org.axonframework.modelling.saga.repository.] 9 com.fasterxml.jackson.annotation.JsonProperty Parameter 32 [org.axonframework.modelling.command.Aggregate 10 java.lang.Deprecated Class 25 [org.axonframework.modelling.command.Aggregate 11 java.lang.annotation.Documented Annotation 21 [org.axonframework.modelling.command.Aggregate 12 java.bens.ConstructorProperties Constructor 21 [org.axonframework.modelling.command.Aggregate 13 java.lang.Deprecated Constructor 17 [org.axonframework.modelling.command.Aggregate 14 com.fasterxml.jackson.annotation.JsonCreator Constructor 16 [org.axonframework.modelling.command.Aggregate 15 javax.persistence.Column Field 12 [org.axonframework.modelling.command.Aggregate 16 jakarta.persistence.Column Field 11 [org.axonframework.modelling.saga.repository.] 17 org.axonframework.common.Priority Class 11 [org.axonframework.modelling.saga.repository.] 18 javax.persistence.Lo Field 10 [org.axonframework.modelling.saga.repository.] 19 javax.persistence.Lo Field 10 [org.axonframework.modelling.saga.repository.] 20 jakarta.persistence.Lo Field 10 [org.axonframework.modelling.saga.repository.] 21 com.fasterxml.jackson.annotation.JsonGetter Method 9 [org.axonframework.commandhandling.distributed 22 javax.lang.SafeVarargs Constructor 9 [org.axonframework.commandhandling.distributed 23 jakarta.persistence.Lot Field 10 [org.axonframework.modelling.saga.repository].	1	java.lang.Deprecated	Method	96	[org. ax on framework. modelling. command. Abstract R
4 java.lang.annotation.Retention Annotation 40 [org.axonframework.modelling.command.Aggregate 5 java.lang.annotation.Target Annotation 40 [org.axonframework.modelling.command.Aggregate 6 javax.persistence.Basic Field 39 [org.axonframework.modelling.saga.repository.j 7 javax.annotation.Nonnull Method 37 [org.axonframework.decling.saga.repository.j 8 javax.persistence.Basic Field 33 [org.axonframework.modelling.saga.repository.j 9 com.fastexml.jackson.annotation.JsonProperty Parameter 32 [org.axonframework.modelling.command.Aggregate 10 java.lang.Deprecated Class 25 [org.axonframework.modelling.command.Aggregate 11 java.lang.annotation.Documented Annotation 21 [org.axonframework.modelling.command.Aggregate 12 java.beans.ConstructorProperties Constructor 21 [org.axonframework.modelling.command.Aggregate 13 java.lang.Deprecated Constructor 17 [org.axonframework.modelling.command.Aggregate 14 com.fasterxml.jackson.annotation.JsonCreator Constructor 17 [org.axonframework.modelling.command.Aggregate 15 javax.persistence.Column Field 12 [org.axonframework.modelling.saga.repository.j 16 javax.persistence.Column Field 11 [org.axonframework.modelling.saga.repository.j 17 org.axonframework.modelling.saga.repository.j 18 javax.persistence.Column Field 11 [org.axonframework.config.ConfigurationParamet 18 javax.persistence.Lob Field 10 [org.axonframework.modelling.saga.repository.j 19 javax.persistence.Lob Field 10 [org.axonframework.command.agga.repository.j 19 [org.axonframework.modelling.saga.repository.j 19 [org.axonframework.modelling.saga.repository.j 19 [org.axonframework.command.agga.repository.j 19 [org.axon	2	javax.annotation.Nullable	Parameter	61	[org. axon framework. modelling. command. Creation P
5	3	java.lang.FunctionalInterface	Interface	54	[org. axon framework. modelling. command. Creation P
6 javax.persistence.Basic Field 39 [org.axonframework.modelling.saga.repository.j 7 javax.annotation.Nonnull Method 37 [org.axonframework.disruptor.commandhandling.D 8 javax.annotation.JsonProperty Parameter 32 [org.axonframework.modelling.saga.repository.j 9 com.fasterxml.jackson.annotation.JsonProperty Parameter 32 [org.axonframework.modelling.command.Aggregate 10 java.lang.Deprecated Class 25 [org.axonframework.modelling.command.Aggregate 11 java.lang.annotation.Documented Annotation 21 [org.axonframework.modelling.command.Aggregate 12 java.beans.ConstructorProperties Constructor 21 [org.axonframework.modelling.command.Aggregate 13 java.lang.Deprecated Constructor 17 [org.axonframework.modelling.command.Aggregate 14 com.fasterxml.jackson.annotation.JsonCreator Constructor 16 [org.axonframework.modelling.command.Aggregate 15 javax.persistence.Column Field 12 [org.axonframework.modelling.saga.repositoryj 16 javax.persistence.Column Field 11 [org.axonframework.modelling.saga.repositoryj 17 org.axonframework.common.Priority Class 11 [org.axonframework.modelling.saga.repositoryj 18 javax.persistence.Lob Field 10 [org.axonframework.modelling.saga.repositoryj 19 javax.persistence.Lob Field 10 [org.axonframework.modelling.saga.repositoryj 19 [org.axonframework.	4	java.lang.annotation.Retention	Annotation	40	[org. axon framework. modelling. command. Aggregate
7 javax.annotation.Nonnull Method 37 [org.axonframework.disruptor.commandhandling.D] 8 jakarta.persistence.Basic Field 33 [org.axonframework.modelling.saga.repository.j] 9 com.fasterxml.jackson.annotation.JsonProperty Parameter 32 [org.axonframework.modelling.command.Aggregate] 10 java.lang.Deprecated Class 25 [org.axonframework.modelling.command.Aggregate] 12 java.beans.ConstructorProperties Constructor 21 [org.axonframework.modelling.command.Aggregate] 13 java.lang.Deprecated Constructor 17 [org.axonframework.modelling.command.Aggregate] 14 com.fasterxml.jackson.annotation.JsonCreator Constructor 16 [org.axonframework.modelling.command.Aggregate] 15 javax.persistence.Column Field 12 [org.axonframework.modelling.saga.repositoryj] 16 jakarta.persistence.Column Field 11 [org.axonframework.modelling.saga.repositoryj] 17 org.axonframework.common.Priority Class 11 [org.axonframework.modelling.saga.repositoryj] 18 javax.persist	5	java.lang.annotation.Target	Annotation	40	[org. axon framework. modelling. command. Aggregate
8 jakarta.persistence.Basic Field 33 [org.axonframework.modelling.saga.repository.j 9 com.fasterxml.jackson.annotation.JsonProperty Parameter 32 [org.axonframework.modelling.command.Aggregate 10 java.lang.Deprecated Class 25 [org.axonframework.modelling.command.Aggregate 11 java.lang.annotation.Documented Annotation 21 [org.axonframework.modelling.command.Aggregate 12 [org.axonframework.modelling.command.Aggregate 13 java.lang.Deprecated Constructor 21 [org.axonframework.modelling.command.Anggregate 14 com.fasterxml.jackson.annotation.JsonCreator Constructor 16 [org.axonframework.modelling.command.Anggregate 15 javax.persistence.Column Field 12 [org.axonframework.modelling.saga.repository.j 16 jakarta.persistence.Column Field 11 [org.axonframework.modelling.saga.repository.j 17 org.axonframework.common.Priority Class 11 [org.axonframework.config.ConfigurationParamett 18 javax.persistence.Lob Field 10 [org.axonframework.modelling.saga.repository.j 19 javax.persistence.lo Field 10 [org.axonframework.modelling.saga.repository.j 19 [org.axonfra	6	javax.persistence.Basic	Field	39	[org. ax on framework. modelling. saga. repository. j
9 com.fasterxml.jackson.annotation.JsonProperty Parameter 132 [org.axonframework.modelling.command.Aggregate 14	7	javax.annotation.Nonnull	Method	37	[org. axon framework. disruptor. command handling. D
10 java.lang.Deprecated Class 25 [org.axonframework.modelling.command.legacyjpa 11 java.lang.annotation.Documented Annotation 21 [org.axonframework.modelling.command.Aggregate 12 java.beans.ConstructorProperties Constructor 21 [org.axonframework.modelling.command.Aggregate 13 java.lang.Deprecated Constructor 17 [org.axonframework.modelling.command.Annotatio 14 com.fasterxml.jackson.annotation.JsonCreator Constructor 16 [org.axonframework.modelling.command.Aggregate 15 javax.persistence.Column Field 12 [org.axonframework.modelling.command.Aggregate 16 [org.axonframework.modelling.command.Aggregate 17 [org.axonframework.modelling.command.Aggregate 17 [org.axonframework.modelling.command.Aggregate 18 [org.axonframework.modelling.command.Aggregate 18 [org.axonframework.modelling.command.Aggregate 19 [org.axonframework.modelling.command.Aggregate 19 [org.axonframework.modelling.saga.repositoryj 19 [org.axonframework.common.Priority Class 11 [org.axonframework.modelling.saga.repositoryj 19 [org.axonframework.comfig.ConfigurationParamet 19 [org.axonframework.modelling.saga.repositoryj 19 [org.axonframework.modelling.saga.repositoryj 19 [org.axonframework.modelling.saga.repositoryj 19 [org.axonframework.modelling.saga.repositoryj 19 [org.axonframework.modelling.saga.repositoryj 19 [org.axonframework.commandhandling.gateway.Non 20 [org.axonframework.modelling.saga.repositoryj 19 [org.axonframework.modelling.saga.repositoryj 20 [org.axonframework.modelling.saga.repositoryj 21 [org.axonframework.modelling.saga.repositoryj 21 [org.axonframework.modelling.saga.repositoryj 22 [org.axonframework.modelling.saga.repositoryj 23 [org.axonframework.modelling.saga.repositoryj 24 [org.axonframework.modelling.saga.repositoryj 24 [org.axonframework.modelling.saga.repositoryj 25 [org.axonframework.modelling.saga.repositoryj 26 [org.axonframework.modelling.saga.repositoryj 27 [org.axonframework.modelling.saga.repositoryj 28 [org.axonframew	8	jakarta.persistence.Basic	Field	33	[org. axon framework. modelling. saga. repository. j
11java.lang.annotation.DocumentedAnnotation21forg.axonframework.modelling.command.Aggregate12java.beans.ConstructorPropertiesConstructor21forg.axonframework.modelling.command.Aggregate13java.lang.DeprecatedConstructor16forg.axonframework.modelling.command.Aggregate14com.fasterxml.jackson.annotation.JsonCreator16forg.axonframework.modelling.command.Aggregate15javax.persistence.ColumnField12forg.axonframework.modelling.saga.repository.j16jakarta.persistence.ColumnField11forg.axonframework.modelling.saga.repository.j17org.axonframework.common.PriorityClass11forg.axonframework.comfig.ConfigurationParamett18javax.persistence.LobField10forg.axonframework.modelling.saga.repository.j19javax.persistence.lobField10forg.axonframework.modelling.saga.repository.j20jakarta.persistence.lobField9forg.axonframework.commandhandling.distributed21com.fasterxml.jackson.annotation.JsonGetterMethod9forg.axonframework.commandhandling.gateway.Non22java.lang.SafeVarargsConstructor9forg.axonframework.commandhandling.gateway.Non23jakarta.persistence.LobField8forg.axonframework.modelling.saga.repository.j24org.axonframework.meessaging.annotation.HasHandAnnotation8forg.axonframework.modelling.command.CreationP25java.lang.SafeVarargs <t< th=""><th>9</th><th>com. fasterx ml. jacks on. annotation. Js on Property</th><th>Parameter</th><th>32</th><th>[org. axon framework. modelling. command. Aggregate</th></t<>	9	com. fasterx ml. jacks on. annotation. Js on Property	Parameter	32	[org. axon framework. modelling. command. Aggregate
java.beans.ConstructorProperties Constructor 21 [org.axonframework.modelling.command.Aggregate 13 java.lang.Deprecated Constructor 17 [org.axonframework.modelling.command.Annotatio 14 com.fasterxml.jackson.annotation.JsonCreator Constructor 16 [org.axonframework.modelling.command.Aggregate 15 javax.persistence.Column Field 12 [org.axonframework.modelling.saga.repository.j 16 javarta.persistence.Column Field 11 [org.axonframework.modelling.saga.repository.j 17 org.axonframework.common.Priority Class 11 [org.axonframework.comfig.ConfigurationParamet 18 javax.persistence.Lob Field 10 [org.axonframework.modelling.saga.repository.j 19 javax.persistence.ld Field 10 [org.axonframework.modelling.saga.repository.j 20 [org.axonframework.modelling.saga.repository.j 21 com.fasterxml.jackson.annotation.JsonGetter Method 9 [org.axonframework.commandhandling.distributed 22 [org.axonframework.commandhandling.distributed 23 [org.axonframework.commandhandling.gateway.Non 24 org.axonframework.modelling.saga.repository.j 24 org.axonframework.modelling.saga.repository.j 25 [org.axonframework.modelling.saga.repository.j 26 [org.axonframework.modelling.saga.repository.j 26 [org.axonframework.modelling.saga.repository.j 27 [org.axonframework.modelling.saga.repository.j 28 [org.axonframework.modelling.saga.repository.j 29 [org.axonframework.modelling.saga.	10	java.lang.Deprecated	Class	25	[org. ax on framework. modelling. command. legacyjpa
13 java.lang.Deprecated Constructor 17 [org.axonframework.modelling.command.Annotatio 14 com.fasterxml.jackson.annotation.JsonCreator Constructor 16 [org.axonframework.modelling.command.Angregate 15 javax.persistence.Column Field 12 [org.axonframework.modelling.saga.repositoryj 16 jakarta.persistence.Column Field 11 [org.axonframework.modelling.saga.repositoryj 17 org.axonframework.common.Priority Class 11 [org.axonframework.config.ConfigurationParamet 18 javax.persistence.Lob Field 10 [org.axonframework.modelling.saga.repositoryj 19 javax.persistence.ld Field 10 [org.axonframework.modelling.saga.repositoryj 20 jakarta.persistence.ld Field 9 [org.axonframework.modelling.saga.repositoryj 21 com.fasterxml.jackson.annotation.JsonGetter Method 9 [org.axonframework.modelling.saga.repositoryj 22 java.lang.SafeVarargs Constructor 9 [org.axonframework.commandhandling.gateway.Non 22 java.lang.SafeVarargs Constructor 9 [org.axonframework.commandhandling.gateway.Non 24 org.axonframework.messaging.annotation.HasHand Annotation 8 [org.axonframework.modelling.saga.repositoryj 25 javax.persistence.Entity Class 6 [org.axonframework.modelling.saga.repositoryj 26 java.lang.SafeVarargs Method 6 [org.axonframework.comfig.AggregateConfigurer 27 jakarta.persistence.Entity Class 6 [org.axonframework.comfig.AggregateConfigurer 28 org.axonframework.modelling.saga.repositoryj 29 java.notramework.modelling.saga.repositoryj 20 java.notramework.mo	11	java.lang.annotation.Documented	Annotation	21	[org. axon framework. modelling. command. Aggregate
14 com.fasterxml.jackson.annotation.JsonCreator Constructor 16 [org.axonframework.modelling.command.Aggregate 15 javax.persistence.Column Field 12 [org.axonframework.modelling.saga.repository.j 16 jakarta.persistence.Column Field 11 [org.axonframework.modelling.saga.repository.j 17 org.axonframework.common.Priority Class 11 [org.axonframework.config.ConfigurationParamet 18 javax.persistence.Lob Field 10 [org.axonframework.modelling.saga.repository.j 19 javax.persistence.ld Field 10 [org.axonframework.modelling.saga.repository.j 20 jakarta.persistence.ld Field 9 [org.axonframework.modelling.saga.repository.j 21 com.fasterxml.jackson.annotation.JsonGetter Method 9 [org.axonframework.commandhandling.distributed 22 java.lang.SafeVarargs Constructor 9 [org.axonframework.commandhandling.gateway.Non 23 jakarta.persistence.Lob Field 8 [org.axonframework.modelling.saga.repository.j 24 org.axonframework.messaging.annotation.HasHand Annotation 8 [org.axonframework.modelling.saga.repository.j 25 javax.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j 26 java.lang.SafeVarargs Method 6 [org.axonframework.comfig.AggregateConfigurer 27 jakarta.persistence.Entity Class 6 [org.axonframework.comfig.AggregateConfigurer	12	java.beans.ConstructorProperties	Constructor	21	[org. axon framework. modelling. command. Aggregate
15javax.persistence.ColumnField12[org.axonframework.modelling.saga.repository.j16jakarta.persistence.ColumnField11[org.axonframework.modelling.saga.repository.j17org.axonframework.common.PriorityClass11[org.axonframework.config.ConfigurationParamet18javax.persistence.LobField10[org.axonframework.modelling.saga.repository.j19javax.persistence.IdField10[org.axonframework.modelling.saga.repository.j20jakarta.persistence.IdField9[org.axonframework.modelling.saga.repository.j21com.fasterxml.jackson.annotation.JsonGetterMethod9[org.axonframework.commandhandling.distributed22java.lang.SafeVarargsConstructor9[org.axonframework.commandhandling.gateway.Non23jakarta.persistence.LobField8[org.axonframework.modelling.saga.repository.j24org.axonframework.messaging.annotation.HasHandAnnotation8[org.axonframework.modelling.command.CreationP25javax.persistence.EntityClass6[org.axonframework.config.AggregateConfigurer26javax.lang.SafeVarargsMethod6[org.axonframework.config.AggregateConfigurer27jakarta.persistence.EntityClass6[org.axonframework.modelling.saga.repository.j28org.axonframework.messaging.annotation.MessageAnnotation6[org.axonframework.commandhandling.CommandHandl	13	java.lang.Deprecated	Constructor	17	[org. ax on framework. modelling. command. Annotatio
16jakarta.persistence.ColumnField11[org.axonframework.modelling.saga.repository.j17org.axonframework.common.PriorityClass11[org.axonframework.config.ConfigurationParamet18javax.persistence.LobField10[org.axonframework.modelling.saga.repository.j19javax.persistence.IdField10[org.axonframework.modelling.saga.repository.j20jakarta.persistence.IdField9[org.axonframework.modelling.saga.repository.j21com.fasterxml.jackson.annotation.JsonGetterMethod9[org.axonframework.commandhandling.distributed22java.lang.SafeVarargsConstructor9[org.axonframework.commandhandling.gateway.Non23jakarta.persistence.LobField8[org.axonframework.modelling.saga.repository.j24org.axonframework.messaging.annotation.HasHandAnnotation8[org.axonframework.modelling.command.CreationP25javax.persistence.EntityClass6[org.axonframework.modelling.saga.repository.j26java.lang.SafeVarargsMethod6[org.axonframework.config.AggregateConfigurer27jakarta.persistence.EntityClass6[org.axonframework.modelling.saga.repository.j28org.axonframework.messaging.annotation.MessageAnnotation6[org.axonframework.commandhandling.CommandHandling.CommandHandling.CommandHandling.CommandHandling.CommandHandling.CommandHandling.CommandHandling.CommandHandling.CommandHandling.CommandHandling.CommandHandling.CommandHandling.CommandHandling.CommandHandl	14	com. fasterxml. jackson. annotation. Json Creator	Constructor	16	[org. axon framework. modelling. command. Aggregate
17 org.axonframework.common.Priority Class 11 [org.axonframework.config.ConfigurationParamet 18 javax.persistence.Lob Field 10 [org.axonframework.modelling.saga.repository.j 19 javax.persistence.Id Field 10 [org.axonframework.modelling.saga.repository.j 20 jakarta.persistence.Id Field 9 [org.axonframework.modelling.saga.repository.j 21 com.fasterxml.jackson.annotation.JsonGetter Method 9 [org.axonframework.commandhandling.distributed 22 java.lang.SafeVarargs Constructor 9 [org.axonframework.commandhandling.gateway.Non 23 jakarta.persistence.Lob Field 8 [org.axonframework.modelling.saga.repository.j 24 org.axonframework.messaging.annotation.HasHand Annotation 8 [org.axonframework.modelling.command.CreationP 25 javax.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j 26 java.lang.SafeVarargs Method 6 [org.axonframework.config.AggregateConfigurer 27 jakarta.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j 28 org.axonframework.messaging.annotation.Message Annotation 6 [org.axonframework.commandhandling.CommandHand	15	javax.persistence.Column	Field	12	[org. axon framework. modelling. saga. repository. j
18javax.persistence.LobField10[org.axonframework.modelling.saga.repository.j19javax.persistence.IdField10[org.axonframework.modelling.saga.repository.j20jakarta.persistence.IdField9[org.axonframework.modelling.saga.repository.j21com.fasterxml.jackson.annotation.JsonGetterMethod9[org.axonframework.commandhandling.distributed22java.lang.SafeVarargsConstructor9[org.axonframework.commandhandling.gateway.Non23jakarta.persistence.LobField8[org.axonframework.modelling.saga.repository.j24org.axonframework.messaging.annotation.HasHandAnnotation8[org.axonframework.modelling.command.CreationP25javax.persistence.EntityClass6[org.axonframework.modelling.saga.repository.j26java.lang.SafeVarargsMethod6[org.axonframework.config.AggregateConfigurer27jakarta.persistence.EntityClass6[org.axonframework.modelling.saga.repository.j28org.axonframework.messaging.annotation.MessageAnnotation6[org.axonframework.commandhandling.CommandHand	16	jakarta.persistence.Column	Field	11	[org. axon framework. modelling. saga. repository. j
19 javax.persistence.ld Field 10 [org.axonframework.modelling.saga.repository.j 20 jakarta.persistence.ld Field 9 [org.axonframework.modelling.saga.repository.j 21 com.fasterxml.jackson.annotation.JsonGetter Method 9 [org.axonframework.commandhandling.distributed 22 java.lang.SafeVarargs Constructor 9 [org.axonframework.commandhandling.gateway.Non 23 jakarta.persistence.Lob Field 8 [org.axonframework.modelling.saga.repository.j 24 org.axonframework.messaging.annotation.HasHand Annotation 8 [org.axonframework.modelling.command.CreationP 25 javax.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j 26 java.lang.SafeVarargs Method 6 [org.axonframework.config.AggregateConfigurer 27 jakarta.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j 28 org.axonframework.messaging.annotation.Message Annotation 6 [org.axonframework.commandhandling.CommandHand	17	org.axonframework.common.Priority	Class	11	[org. axon framework. config. Configuration Paramet
jakarta.persistence.ld Field 9 [org.axonframework.modelling.saga.repository.j com.fasterxml.jackson.annotation.JsonGetter Method 9 [org.axonframework.commandhandling.distributed java.lang.SafeVarargs Constructor 9 [org.axonframework.commandhandling.gateway.Non jakarta.persistence.Lob Field 8 [org.axonframework.modelling.saga.repository.j org.axonframework.messaging.annotation.HasHand Annotation 8 [org.axonframework.modelling.command.CreationP javax.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j javax.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j javax.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j org.axonframework.modelling.saga.repository.j	18	javax.persistence.Lob	Field	10	[org. axon framework. modelling. saga. repository. j
21 com.fasterxml.jackson.annotation.JsonGetter Method 9 [org.axonframework.commandhandling.distributed 22 java.lang.SafeVarargs Constructor 9 [org.axonframework.commandhandling.gateway.Non 23 jakarta.persistence.Lob Field 8 [org.axonframework.modelling.saga.repository.j 24 org.axonframework.messaging.annotation.HasHand Annotation 8 [org.axonframework.modelling.command.CreationP 25 javax.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j 26 javax.lang.SafeVarargs Method 6 [org.axonframework.config.AggregateConfigurer 27 jakarta.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j 28 org.axonframework.messaging.annotation.Message Annotation 6 [org.axonframework.commandhandling.CommandHand	19	javax.persistence.ld	Field	10	[org. axon framework. modelling. saga. repository. j
java.lang.SafeVarargs Constructor 9 [org.axonframework.commandhandling.gateway.Non 23 jakarta.persistence.Lob Field 8 [org.axonframework.modelling.saga.repository.j 24 org.axonframework.messaging.annotation.HasHand Annotation 8 [org.axonframework.modelling.command.CreationP 25 javax.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j 26 java.lang.SafeVarargs Method 6 [org.axonframework.config.AggregateConfigurer 27 jakarta.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j 28 org.axonframework.messaging.annotation.Message Annotation 6 [org.axonframework.commandhandling.CommandHand	20	jakarta.persistence.ld	Field	9	[org. axon framework. modelling. saga. repository. j
jakarta.persistence.Lob Field 8 [org.axonframework.modelling.saga.repository.j cry. avonframework.messaging.annotation.HasHand Annotation 8 [org.axonframework.modelling.command.CreationP javax.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j java.lang.SafeVarargs Method 6 [org.axonframework.config.AggregateConfigurer jakarta.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j org.axonframework.messaging.annotation.Message Annotation 6 [org.axonframework.commandhandling.CommandHand	21	com.fasterxml.jackson.annotation.JsonGetter	Method	9	[org. axon framework. command handling. distributed
org.axonframework.messaging.annotation.HasHand Annotation 8 [org.axonframework.modelling.command.CreationP javax.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j java.lang.SafeVarargs Method 6 [org.axonframework.config.AggregateConfigurer jakarta.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j org.axonframework.messaging.annotation.Message Annotation 6 [org.axonframework.commandhandling.CommandHand	22	java.lang.SafeVarargs	Constructor	9	[org. axon framework. command handling. gateway. Non
25javax.persistence.EntityClass6[org.axonframework.modelling.saga.repository.j26java.lang.SafeVarargsMethod6[org.axonframework.config.AggregateConfigurer27jakarta.persistence.EntityClass6[org.axonframework.modelling.saga.repository.j28org.axonframework.messaging.annotation.MessageAnnotation6[org.axonframework.commandhandling.CommandHand	23	jakarta.persistence.Lob	Field	8	[org. axon framework. modelling. saga. repository. j
26java.lang.SafeVarargsMethod6[org.axonframework.config.AggregateConfigurer27jakarta.persistence.EntityClass6[org.axonframework.modelling.saga.repository.j28org.axonframework.messaging.annotation.MessageAnnotation6[org.axonframework.commandhandling.CommandHand	24	org. ax on framework. messaging. annotation. Has Hand	Annotation	8	[org.axonframework.modelling.command.CreationP
27 jakarta.persistence.Entity Class 6 [org.axonframework.modelling.saga.repository.j 28 org.axonframework.messaging.annotation.Message Annotation 6 [org.axonframework.commandhandling.CommandHand	25	javax.persistence.Entity	Class	6	[org. axon framework. modelling. saga. repository. j
28 org.axonframework.messaging.annotation.Message Annotation 6 [org.axonframework.commandhandling.CommandHand	26	java.lang.SafeVarargs	Method	6	[org.axonframework.config.AggregateConfigurer
	27	jakarta.persistence.Entity	Class	6	[org. axon framework. modelling. saga. repository. j
29 javax.persistence.MappedSuperclass Class 6 [org.axonframework.modelling.saga.repository.j	28	org. ax on framework. messaging. annotation. Message	Annotation	6	[org. axon framework. command handling. Command Hand
	29	javax.persistence.MappedSuperclass	Class	6	[org. axon framework. modelling. saga. repository. j