

# Overview in General

This file contains a general overview of the data in the graph including node labels and relationships types.

## References

- [jqassistant](#)
- [Neo4j Python Driver](#)

## Node Labels

### Table 1a - Highest node count by label combination

Lists the 30 label combinations with the highest number of nodes. The labels with the lowest node count are listed in table 1b. The total list would sum up to the total number of labels (100%).

The whole table can be found in the CSV report `Node_label_combination_count`.

	nodeLabels	nodesWithThatLabels	nodesWithThatLabelsPercent
0	[Git, Change]	249236	73.709022
1	[Java, ByteCode, Member, Method]	13198	3.903175
2	[Java, ByteCode, Parameter]	13029	3.853195
3	[Git, Commit]	12227	3.616011
4	[File, Git]	10703	3.165304
5	[Java, ByteCode, ParameterizedType, Bound]	7176	2.122229
6	[Java, ByteCode, Bound]	7118	2.105076
7	[Java, ByteCode, Member, Field]	3504	1.036272
8	[Java, ByteCode, Bound, WildcardType]	2908	0.860012
9	[Java, Value, ByteCode, Annotation]	2822	0.834578
10	[Xml, Element]	2144	0.634066
11	[Java, ByteCode, Member, Constructor, Method]	2042	0.603901
12	[Xml, Text]	1436	0.424682
13	[Java, ByteCode, Bound, TypeVariable]	1096	0.324131
14	[Java, ByteCode, Member, Method, Lambda]	942	0.278587
15	[Type, File, Java, ByteCode, ResolvedDuplicate...	899	0.265870
16	[Type, File, Java, ByteCode, Class]	864	0.255519
17	[Type, File, Java, ByteCode, JavaType]	748	0.221213
18	[Java, Value, ByteCode, Primitive]	652	0.192822
19	[Java, ByteCode, Member, Method, GenericDeclar...	569	0.168276
20	[Json, Key]	560	0.165614
21	[Value, Json, Scalar]	544	0.160882
22	[Type, File, Java, ByteCode, ExternalType]	396	0.117113
23	[Author, Git, Person]	295	0.087243
24	[Value, Array]	267	0.078963
25	[Committer, Git, Person]	250	0.073935
26	[Type, File, Java, ByteCode, Class, GenericDec...	236	0.069795
27	[Value, Property]	202	0.059739
28	[Type, File, Java, ByteCode, Interface]	188	0.055599
29	[Java, Value, ByteCode, Class]	172	0.050867

## Chart 1a - Highest node count by label combination

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in Chart 1b.

<Figure size 640x480 with 0 Axes>

Nodes per label combination (more than 0.5% overall)




Table 1b - Lowest node count by label combination

Lists the 30 label combinations with the lowest number of nodes until they reach 0.5% of the total node count, which are shown above.

	nodeLabels	nodesWithThatLabels	nodesWithThatLabelsPercent
0	[Analyze, Task, jQAssistant]	1	0.000296
1	[Repository, File, Git]	1	0.000296
2	[File, Json]	2	0.000591
3	[File]	3	0.000887
4	[Java, ByteCode, Member, Constructor, Method, ...]	4	0.001183
5	[Maven, Exclusion]	5	0.001479
6	[Value, Json, Array]	6	0.001774
7	[File, Maven, Xml, Pom, Document]	9	0.002662
8	[Type, File, Java, ByteCode, Void]	9	0.002662
9	[Java, ManifestSection]	9	0.002662
10	[File, Java, Manifest]	9	0.002662
11	[Artifact, File, Jar, Archive, Zip, Java]	9	0.002662
12	[File, Java, ServiceLoader]	10	0.002957
13	[File, Java, Properties]	12	0.003549
14	[Maven, ExecutionGoal]	16	0.004732
15	[Maven, PluginExecution]	16	0.004732
16	[Xml, Attribute]	18	0.005323
17	[jQAssistant, Rule, Concept]	19	0.005619
18	[Maven, Plugin]	21	0.006211
19	[Maven, Configuration]	21	0.006211
20	[Type, File, Java, ByteCode, Enum]	28	0.008281
21	[Type, File, Java, ByteCode, PrimitiveType]	29	0.008576
22	[Git, Branch]	30	0.008872
23	[Xml, Namespace]	36	0.010647
24	[Type, File, Java, ByteCode, Annotation]	43	0.012717
25	[File, Directory]	44	0.013013
26	[Type, File, Java, ByteCode, GenericDeclaratio...	85	0.025138
27	[Artifact, Maven]	92	0.027208
28	[Type, File, Java, ByteCode, ExternalAnnotatio...	93	0.027504
29	[Value, ManifestEntry]	120	0.035489

## Chart 1b - Lowest node count by label combination

Shows the lowest (less than 0.5% overall) node count label combinations. Therefore, this plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.

<Figure size 640x480 with 0 Axes>

Nodes per label combination (less than 0.5% overall)




Table 1c - Highest node count by single label

Lists the 40 labels with the highest number of nodes. Doesn't sum up to the total number of nodes or 100% because one node can have multiple labels. Helps to identify commonly used labels.


	nodeLabel	nodesWithThatLabel	nodesWithThatLabelPercent
0	Git	272911	80.710663
1	Change	249236	73.709022
2	Java	59346	17.550978
3	ByteCode	59158	17.495379
4	Member	20259	5.991394
5	Bound	18456	5.458175
6	Method	16755	4.955121
7	File	14559	4.305677
8	Parameter	13029	3.853195
9	Commit	12227	3.616011
10	ParameterizedType	7176	2.122229
11	Value	5068	1.498810
12	Xml	3643	1.077380
13	Type	3618	1.069987
14	Field	3504	1.036272
15	WildcardType	2908	0.860012
16	Annotation	2865	0.847295
17	Element	2144	0.634066
18	Constructor	2046	0.605084
19	Text	1436	0.424682
20	Class	1272	0.376181
21	Json	1245	0.368196
22	TypeVariable	1096	0.324131
23	Lambda	942	0.278587
24	ResolvedDuplicateType	899	0.265870
25	GenericDeclaration	894	0.264391
26	JavaType	748	0.221213
27	Primitive	652	0.192822
28	Key	560	0.165614
29	Person	545	0.161178
30	Scalar	544	0.160882
31	ExternalType	489	0.144617
32	Maven	343	0.101439
33	Author	295	0.087243
34	Array	273	0.080737
35	Interface	273	0.080737
36	Committer	250	0.073935
37	Property	202	0.059739
38	Directory	183	0.054120
39	Enum	178	0.052642

## Chart 1c - Highest node count by label

Shows the 40 labels with the highest number of nodes.

<Figure size 640x480 with 0 Axes>

## Node count by label



## Relationship Types

Table 2a - Highest relationship count by type

Lists the 30 relationship types with the highest number of occurrences. The whole table can be found in the CSV report `Relationship_type_count` .

Total number of relationships: 1048985

	relationshipType	nodesWithThatRelationshipType	nodesWithThatRelationshipTypePercent
0	CONTAINS_CHANGE	249236	23.759730
1	MODIFIES	249236	23.759730
2	UPDATES	162500	15.491165
3	CREATES	59791	5.699891
4	DELETES	37236	3.549717
5	INVOKES	35732	3.406340
6	COMMITTED	24454	2.331206
7	DEPENDS_ON	21931	2.090688
8	OF_TYPE	21394	2.039495
9	DECLARES	20704	1.973717
10	OF_RAW_TYPE	17093	1.629480
11	HAS_PARENT	14859	1.416512
12	HAS	14125	1.346540
13	RETURNS	12578	1.199064
14	HAS_COMMIT	12227	1.165603
15	HAS_FILE	10703	1.020320
16	RENAMES	10291	0.981044
17	READS	9161	0.873320
18	HAS_ACTUAL_TYPE_ARGUMENT	8288	0.790097
19	HAS_NEW_NAME	6200	0.591048
20	OF_GENERIC_TYPE	5906	0.563020
21	RESOLVES_TO	5214	0.497052
22	SIMILAR	3977	0.379128
23	WRITES	3818	0.363971
24	CONTAINS	3814	0.363590
25	RETURNS_GENERIC	3545	0.337946
26	ANNOTATED_BY	2810	0.267878
27	REQUIRES	2174	0.207248
28	HAS_FIRST_CHILD	2144	0.204388
29	HAS_LAST_CHILD	2144	0.204388

## Chart 2a - Highest relationship count by type

Values under 0.5% will be grouped into "others" to get a cleaner plot. The group "others" is then broken down in the second chart.

<Figure size 640x480 with 0 Axes>



Relationship types (more than 0.5% overall)




Table 2b - Lowest relationship count by type

Lists the 30 relationships type with the lowest number of occurrences up to 0.5% of the total node count. This is essentially breaking down the "others" slice from the chart above.


	relationshipType	nodesWithThatRelationshipType	nodesWithThatRelationshipTypePercent
0	HAS_PROPERTY	1	0.000095
1	THROWS_GENERIC	5	0.000477
2	EXCLUDES	5	0.000477
3	DESCRIBES	9	0.000858
4	HAS_ROOT_ELEMENT	10	0.000953
5	HAS_GOAL	16	0.001525
6	HAS_EXECUTION	16	0.001525
7	OF_NAMESPACE	18	0.001716
8	HAS_ATTRIBUTE	18	0.001716
9	INCLUDES_CONCEPT	19	0.001811
10	USES_PLUGIN	21	0.002002
11	REQUIRES_TYPE_PARAMETER	21	0.002002
12	IS_ARTIFACT	21	0.002002
13	HAS_CONFIGURATION	21	0.002002
14	REQUIRES_CONCEPT	28	0.002669
15	HAS_BRANCH	30	0.002860
16	HAS_HEAD	31	0.002955
17	DECLARES_NAMESPACE	36	0.003432
18	HAS_DEFAULT	36	0.003432
19	CONTAINS_VALUE	121	0.011535
20	COPY_OF	126	0.012012
21	HAS_COMPONENT_TYPE	158	0.015062
22	TO_ARTIFACT	163	0.015539
23	DECLARES_DEPENDENCY	163	0.015539
24	ON_COMMIT	169	0.016111
25	HAS_TAG	169	0.016111
26	HAS_COMMITTER	250	0.023833
27	HAS_AUTHOR	295	0.028122
28	COPIES	328	0.031268
29	IMPLEMENTS_GENERIC	373	0.035558

## Chart 2b - Lowest relationship count by type

Shows the lowest (less than 0.5% overall) relationship types. This plot breaks down the "others" slice of the pie chart above. Values under 0.01% will be grouped into "others" to get a cleaner plot.

<Figure size 640x480 with 0 Axes>

Relationship types (less than 0.5% overall)



## Node labels with their relationships

Table 3a - Highest relationship count by node labels and relationship type

Lists the 30 node labels and their relationship types with the highest number of occurrences.

	sourceLabels	relationType	targetLabels	numberOfRelationships	numberOfNodesWithSameLabelsAsSource	numberOfNodesWithS
0	[Git, Commit]	CONTAINS_CHANGE	[Git, Change]	249236		12227
1	[Git, Change]	MODIFIES	[File, Git]	249236		249236
2	[Git, Change]	UPDATES	[File, Git]	162500		249236
3	[Git, Change]	CREATES	[File, Git]	59791		249236
4	[Git, Change]	DELETES	[File, Git]	37236		249236
5	[Java, ByteCode, Member, Method]	INVOKES	[Java, ByteCode, Member, Method]	21634		13101
6	[Git, Commit]	HAS_PARENT	[Git, Commit]	14850		12227
7	[Repository, File, Git]	HAS_COMMIT	[Git, Commit]	12227		1
8	[Author, Git, Person]	COMMITTED	[Git, Commit]	12227		295
9	[Committer, Git, Person]	COMMITTED	[Git, Commit]	12227		250
10	[Repository, File, Git]	HAS_FILE	[File, Git]	10703		1
11	[Git, Change]	RENAMES	[File, Git]	10291		249236
12	[Java, ByteCode, Member, Method]	HAS	[Java, ByteCode, Parameter]	8357		13101
13	[Java, ByteCode, Member, Method]	READS	[Java, ByteCode, Member, Field]	8184		13101
14	[Java, ByteCode, Parameter]	OF_TYPE	[Type, File, Java, ByteCode, JavaType]	6371		13029
15	[File, Git]	HAS_NEW_NAME	[File, Git]	6200		10703
16	[Type, File, Java, ByteCode, Class]	DECLARES	[Java, ByteCode, Member, Method]	5088		816
17	[Type, File, Java, ByteCode, Class]	DEPENDS_ON	[Type, File, Java, ByteCode, JavaType]	4493		816
18	[Java, ByteCode, Bound]	OF_RAW_TYPE	[Type, File, Java, ByteCode, JavaType]	3570		7118
19	[Java, ByteCode, ParameterizedType, Bound]	OF_RAW_TYPE	[Type, File, Java, ByteCode, JavaType]	3053		7176
20	[Java, ByteCode, ParameterizedType, Bound]	HAS_ACTUAL_TYPE_ARGUMENT	[Java, ByteCode, Bound, WildcardType]	2908		7176
21	[Java, ByteCode, Parameter]	OF_GENERIC_TYPE	[Java, ByteCode, ParameterizedType, Bound]	2657		13029
22	[Java, ByteCode, ParameterizedType, Bound]	HAS_ACTUAL_TYPE_ARGUMENT	[Java, ByteCode, Bound, TypeVariable]	2454		7176
23	[Java, ByteCode, Member, Constructor, Method]	WRITES	[Java, ByteCode, Member, Field]	2438		2042
24	[Java, Value, ByteCode, Annotation]	OF_TYPE	[Type, File, Java, ByteCode, ExternalAnnotatio...	2341		2822
25	[Type, File, Java, ByteCode, Class]	DECLARES	[Java, ByteCode, Member, Field]	2184		816
26	[Xml, Element]	HAS_ELEMENT	[Xml, Element]	2126		2144
27	[Java, ByteCode, Member, Constructor, Method]	INVOKES	[Java, ByteCode, Member, Constructor, Method]	2120		2042
28	[Type, File, Java, ByteCode, Class, GenericDec...	DECLARES	[Java, ByteCode, Member, Method]	2092		228
29	[Java, ByteCode, Member, Method]	RETURNS	[Type, File, Java, ByteCode, JavaType]	2091		13101

## Graph Density

```
total_number_of_nodes (vertices): 338135
total_number_of_relationships (edges): 1048985
-> total directed graph density: 9.17466698433812e-06
-> total directed graph density in percent: 0.000917466698433812
```