Object Oriented Design Quality Metrics

References

- Analyze java package metrics in a graph database
- Calculate metrics
- jqassistant
- notebook walks through examples for integrating various packages with Neo4j
- OO Design Quality Metrics
- · Neo4j Python Driver

Incoming Dependencies

Incoming dependencies are also denoted as "Fan-in", "Afferent Couplings" or "in-degree". These are the ones that use the listed package.

If these packages get changed, the incoming dependencies might be affected by the change. The more incoming dependencies, the harder it gets to change the code without the need to adapt the dependent code ("rigid code"). Even worse, it might affect the behavior of the dependent code in an unwanted way ("fragile code").

Table 2

- Show the top 20 packages with the most incoming dependencies
- Set the "incomingDependencies" properties on Package nodes.

	packageName	incomingDependencies	$incoming {\tt Dependencies Weight}$	incoming Dependent Types	incomingDependentInterfaces in
0	org	0	0	0	0
1	org.axonframework	0	0	0	0
2	org.axonframework.config	119	1560	35	0
3	org	0	0	0	0
4	org.axonframework	0	0	0	0
5	org.axonframework.eventsourcing	124	582	44	0
6	org. ax on framework. events our cing. conflict resolu	15	46	7	0
7	org.axonframework.eventsourcing.eventstore	120	646	60	0
8	org. ax on framework. events our cing. events to re. jdbc	36	299	26	0
9	org. axon framework. events our cing. events to re. in m	1	3	1	0
10	org. ax on framework. events our cing. events to re. jdb	30	99	5	0
11	org.axonframework.eventsourcing.eventstore.jpa	9	40	4	0
12	org. ax on framework. events our cing. events to re.leg	23	171	9	0
13	org.axonframework.eventsourcing.snapshotting	14	51	11	0
14	org	0	0	0	0
15	org.axonframework	0	0	0	0
16	org.axonframework.commandhandling	285	1202	126	0
17	org. ax on framework. command handling. call backs	8	24	7	0
18	org. ax on framework. command handling. distributed	50	282	24	0
19	org. ax on framework. command handling. distributed	12	22	6	0

Outgoing Dependencies

Outcoming dependencies are also denoted as "Fan-out", "Efferent Couplings" or "out-degree". These are the ones that are used by the listed package.

Code from other packages and libraries you're depending on (outgoing) might change over time. The more outgoing changes, the more likely and frequently code changes are needed. This involves time and effort which can be reduced by automation of tests and version updates. Automated tests are crucial to reveal updates, that change the behavior of the code unexpectedly ("fragile code"). As soon as more effort is required, keeping up becomes difficult ("rigid code"). Not being able to use a newer version might not only restrict features, it can get problematic if there are security issues. This might force you to take "fast but ugly" solutions into account which further increases technical dept.

Table 3

- Show the top 20 packages with the most outgoing dependencies
- Set the "outgoingDependencies" properties on Package nodes.

	packageName	outgoingDependencies	outgoingDependenciesWeight	outgoingDependentTypes	outgoingDependentInterfaces
0	org	0	0	0	0
1	org.axonframework	0	0	0	0
2	org.axonframework.config	467	2924	242	0
3	org	0	0	0	0
4	org.axonframework	0	0	0	0
5	org.axonframework.eventsourcing	223	922	95	0
6	org. ax on framework. events our cing. conflict resolu	32	102	18	0
7	org. ax on framework. events our cing. events tore	162	789	65	0
8	org. ax on framework. events our cing. events to re. jdbc	83	571	51	0
9	org. ax on framework. events our cing. events to re. in m	13	107	11	0
10	org. ax on framework. events our cing. events to re. jdb	28	148	9	0
11	org. ax on framework. events our cing. events to re. jpa	45	212	32	0
12	org. ax on framework. events our cing. event store. leg	85	452	48	0
13	org.axonframework.eventsourcing.snapshotting	8	33	7	0
14	org	0	0	0	0
15	org.axonframework	0	0	0	0
16	org.axonframework.commandhandling	160	599	74	0
17	org. ax on framework. command handling. call backs	13	47	4	0
18	org. ax on framework. command handling. distributed	135	532	74	0
19	org. ax on framework. command handling. distributed	20	91	7	0

Instability

$$Instability = \frac{Outgoing\ Dependencies}{Outgoing\ Dependencies + Incoming\ Dependencies}$$

Instability is expressed as the ratio of the number of outgoing dependencies of a module (i.e., the number of packages that depend on it) to the total number of dependencies (i.e., the sum of incoming and outgoing dependencies).

Small values near zero indicate low *Instability*. With no outgoing but some incoming dependencies the Instability is zero which is denoted as maximally stable. Such code units are more rigid and difficult to change without impacting other parts of the system. If they are changed less because of that, they are considered stable.

Conversely, high values approaching one indicate high *Instability*. With some outgoing dependencies but no incoming ones the *Instability* is denoted as maximally unstable. Such code units are easier to change without affecting other modules, making them more flexible and less prone to cascading changes throughout the system. If they are changed more often because of that, they are considered unstable.

Table 4

• Show the top 20 packages with the lowest *Instability*

	p.fqn	p.name	instability	instabilityTypes	instabilityInterfaces	instabilityPackages	instabilityArtifacts	p.outgoingDe
0	org.axonframework.common	common	0.048421	0.042493	0.0	0.012658	0.142857	
1	org.axonframework.common.transaction	transaction	0.058824	0.050000	0.0	0.034483	0.200000	
2	org. ax on framework. even than dling. scheduling	scheduling	0.090909	0.142857	0.0	0.222222	0.250000	
3	org.axonframework.messaging	messaging	0.119565	0.096154	0.0	0.101695	0.142857	
4	org.axonframework.common.annotation	annotation	0.120000	0.120000	0.0	0.166667	0.250000	
5	org.axonframework.lifecycle	lifecycle	0.172414	0.233333	0.0	0.176471	0.250000	
6	org.axonframework.monitoring	monitoring	0.189189	0.152174	0.0	0.230769	0.200000	
7	org.axonframework.common.stream	stream	0.227273	0.166667	0.0	0.125000	0.250000	
8	org. axon framework. messaging. unit of work	unitofwork	0.251064	0.196078	0.0	0.121951	0.142857	
9	org.axonframework.serialization	serialization	0.255172	0.250000	0.0	0.214286	0.200000	
10	org.axonframework.common.jpa	јра	0.272727	0.250000	0.0	0.300000	0.200000	
11	org. ax on framework. even than dling. to ken store	tokenstore	0.279412	0.325000	0.0	0.333333	0.333333	
12	org.axonframework.tracing	tracing	0.298643	0.225000	0.0	0.333333	0.200000	
13	org.axonframework.common.legacyjpa	legacyjpa	0.300000	0.277778	0.0	0.333333	0.250000	
14	org.axonframework.serialization.upcasting	upcasting	0.312500	0.083333	0.0	0.333333	0.500000	
15	org.axonframework.common.digest	digest	0.333333	0.333333	0.0	0.333333	0.500000	
16	org.axonframework.test	test	0.333333	0.318182	0.0	0.400000	0.666667	
17	org.axonframework.messaging.annotation	annotation	0.349146	0.307339	0.0	0.218750	0.142857	
18	org.axonframework.common.jdbc	jdbc	0.356436	0.431373	0.0	0.357143	0.200000	
19	org.axonframework.commandhandling	commandhandling	0.359551	0.370000	0.0	0.333333	0.142857	

Abstractness

$$Abstractness = \frac{abstract\ classes\ in\ category}{total\ number\ of\ classes\ in\ category}$$

Package *Abstractness* is expressed as the ratio of the number of abstract classes and interfaces to the total number of classes of a package.

Zero *Abstractness* means that there are no abstract types or interfaces in the package. On the other hand, a value of one means that there are only abstract types.

Table 5

• Show the top 30 packages with the lowest *Abstractness*

	fullQualifiedPackageName	packageName	abstractness	numberAbstractTypes	numberTypes
0	org. ax on framework. events our cing. events to re.leg	legacyjpa	0.000000	0	10
1	org. ax on framework. command handling. distributed	commandfilter	0.000000	0	7
2	org. ax on framework. dead line. dbscheduler	dbscheduler	0.000000	0	7
3	org. ax on framework. eventh and ling. scheduling. dbs	dbscheduler	0.000000	0	7
4	org.axonframework.serialization.json	json	0.000000	0	7
5	org.axonframework.serialization.xml	xml	0.000000	0	7
6	org.axonframework.tracing.attributes	attributes	0.000000	0	6
7	org. ax on framework. even than dling. dead letter	deadletter	0.000000	0	5
8	org. ax on framework. serialization. converters	converters	0.000000	0	5
9	org. ax on framework. command handling. call backs	callbacks	0.000000	0	4
10	org.axonframework.deadline.quartz	quartz	0.000000	0	4
11	org. ax on framework. event hand ling. scheduling. java	java	0.000000	0	4
12	org. ax on framework. eventhand ling. to ken store. jp a	jpa	0.000000	0	4
13	org.axonframework.test.server	server	0.000000	0	4
14	org. ax on framework. eventhand ling. scheduling. job	jobrunr	0.000000	0	3
15	org.axonframework.util	util	0.000000	0	3
16	org. ax on framework. modelling. saga. repository. le	legacyjpa	0.000000	0	3
17	org. ax on framework. events our cing. events to re. in m	inmemory	0.000000	0	2
18	org. ax on framework. eventh and ling. to ken store. in m	inmemory	0.000000	0	2
19	org. ax on framework. eventh and ling. to ken store. leg	legacyjpa	0.000000	0	2
20	org. ax on framework. messaging. interceptors. legac	legacyvalidation	0.000000	0	2
21	org. ax on framework. modelling. command. legacyjpa	legacyjpa	0.000000	0	2
22	org. ax on framework. modelling. saga. repository. in	inmemory	0.000000	0	2
23	org.axonframework.common.digest	digest	0.000000	0	1
24	org.axonframework.common.io	io	0.000000	0	1
25	org. ax on framework. eventh and ling. interceptors	interceptors	0.000000	0	1
26	org. ax on framework. disruptor. command handling	commandhandling	0.045455	1	22
27	org. ax on framework. modelling. saga. repository. jdbc	jdbc	0.100000	1	10
28	org. ax on framework. eventhand ling. dead letter. jp a	јра	0.111111	1	9
29	org. ax on framework. even than d ling. to ken store. jdbc	jdbc	0.111111	1	9

Distance from the main sequence

The *main sequence* is a imaginary line that represents a good compromise between *Abstractness* and *Instability*. A high distance to this line may indicate problems. For example is very *stable* (rigid) code with low abstractness hard to change.

Read more details on that in OO Design Quality Metrics and Calculate metrics.

Table 6

• Show the top 30 packages with the highest distance from the "main sequence"

	artifactName	fullQualifiedPackageName	packageName	distance	abstractness	instability	typesInPackage
0	axon-messaging-4.9.0	org.axonframework.common.io	io	1.000000	0.000000	0.000000	1
1	axon-messaging-4.9.0	org.axonframework.common.digest	digest	0.666667	0.000000	0.333333	1
2	axon-eventsourcing-4.9.0	org. ax on framework. events our cing. events to re. jdb	statements	0.482759	1.000000	0.482759	15
3	axon-messaging-4.9.0	org.axonframework.monitoring	monitoring	0.477477	0.333333	0.189189	6
4	axon-messaging-4.9.0	org.axonframework.common.jpa	jpa	0.477273	0.250000	0.272727	4
5	axon-test-4.9.0	org.axonframework.test	test	0.466667	0.200000	0.333333	5
6	axon-messaging-4.9.0	org.axonframework.messaging.unitofwork	unitofwork	0.463222	0.285714	0.251064	14
7	axon-messaging-4.9.0	org.axonframework.common.lock	lock	0.454545	0.181818	0.363636	11
8	axon-messaging-4.9.0	org.axonframework.serialization	serialization	0.450710	0.294118	0.255172	34
9	axon-messaging-4.9.0	org.axonframework.common.legacyjpa	legacyjpa	0.450000	0.250000	0.300000	4
10	axon-messaging-4.9.0	org.axonframework.common.transaction	transaction	0.441176	0.500000	0.058824	4
11	axon-messaging-4.9.0	org.axonframework.tracing	tracing	0.438200	0.263158	0.298643	19
12	axon-messaging-4.9.0	org. ax on framework. even than dling. to ken store	tokenstore	0.434874	0.285714	0.279412	7
13	axon-test-4.9.0	org.axonframework.test.matchers	matchers	0.423387	0.125000	0.451613	24
14	axon-modelling-4.9.0	org. ax on framework. modelling. saga. repository. in	inmemory	0.416667	0.000000	0.583333	2
15	axon-messaging-4.9.0	org.axonframework.serialization.xml	xml	0.414634	0.000000	0.585366	7
16	axon-messaging-4.9.0	org.axonframework.util	util	0.400000	0.000000	0.600000	3
17	axon-messaging-4.9.0	org. ax on framework. command handling. call backs	callbacks	0.380952	0.000000	0.619048	4
18	axon-messaging-4.9.0	org. ax on framework. command handling. distributed	commandfilter	0.375000	0.000000	0.625000	7
19	axon-messaging-4.9.0	org.axonframework.messaging.annotation	annotation	0.373076	0.277778	0.349146	54
20	axon-test-4.9.0	org.axonframework.test.server	server	0.333333	0.000000	0.666667	4
21	axon-messaging-4.9.0	org.axonframework.eventhandling.async	async	0.316667	0.133333	0.550000	15
22	axon-messaging-4.9.0	org.axonframework.common	common	0.308722	0.642857	0.048421	28
23	axon-eventsourcing-4.9.0	org.axonframework.eventsourcing.snapshotting	snapshotting	0.303030	0.333333	0.363636	3
24	axon-messaging-4.9.0	org.axonframework.messaging.correlation	correlation	0.300000	0.250000	0.450000	4
25	axon-messaging-4.9.0	org.axonframework.messaging	messaging	0.280435	0.600000	0.119565	35
26	axon-messaging-4.9.0	org.axonframework.common.property	property	0.271930	0.333333	0.394737	9
27	axon-messaging-4.9.0	org. ax on framework. messaging. dead letter	deadletter	0.270632	0.368421	0.360947	19
28	axon-messaging-4.9.0	org.axonframework.commandhandling	commandhandling	0.265449	0.375000	0.359551	32
29	axon-messaging-4.9.0	org.axonframework.eventhandling.gateway	gateway	0.256250	0.600000	0.656250	5

Abstractness vs. Instability Plot with "Main Sequence" line as reference

Figure 1

- Plot Abstractness vs. Instability of all packages
- Draw the "main sequence" as dashed green line
- Scale the packages by the number of types they contain
- Color the packages by their distance to the "main sequence" (blue=near, red=far)

