Internal Dependencies

References

- Analyze java package metrics in a graph database
- Calculate metrics
- Neo4j Python Driver

Artifacts

List the artifacts this notebook is based on. Different sorting variations help finding artifacts by their features and support larger code bases where the list of all artifacts gets too long.

Only the top 30 entries are shown. The whole table can be found in the following CSV report: List all existing artifacts

Table 1a - Top 30 artifacts with the highest package count

	artifactName	packages	types	incoming Dependencies	outgoingDependencies
0	axon-messaging-4.9.1.jar	64	786	5	0
1	axon-modelling-4.9.1.jar	10	156	4	1
2	axon-eventsourcing-4.9.1.jar	9	133	3	2
3	axon-test-4.9.1.jar	8	87	0	3
4	axon-configuration-4.9.1.jar	1	40	0	4
5	axon-disruptor-4.9.1.jar	1	22	1	3

Table 1b - Top 30 artifacts with the highest type count

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-messaging-4.9.1.jar	64	786	5	0
1	axon-modelling-4.9.1.jar	10	156	4	1
2	axon-eventsourcing-4.9.1.jar	9	133	3	2
3	axon-test-4.9.1.jar	8	87	0	3
4	axon-configuration-4.9.1.jar	1	40	0	4
5	axon-disruptor-4.9.1.jar	1	22	1	3

Table 1c - Top 30 artifacts with the highest number of incoming dependencies

The following table lists the top 30 artifacts that are used the most by other artifacts (highest count of incoming dependencies, highest in-degree).

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-messaging-4.9.1.jar	64	786	5	0
1	axon-modelling-4.9.1.jar	10	156	4	1
2	axon-eventsourcing-4.9.1.jar	9	133	3	2
3	axon-disruptor-4.9.1.jar	1	22	1	3
4	axon-configuration-4.9.1.jar	1	40	0	4
5	axon-test-4.9.1.jar	8	87	0	3

Table 1d - Top 30 artifacts with the highest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the highest number of other artifacts (highest count of outgoing dependencies, highest out-degree).

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-configuration-4.9.1.jar	1	40	0	4
1	axon-disruptor-4.9.1.jar	1	22	1	3
2	axon-test-4.9.1.jar	8	87	0	3
3	axon-eventsourcing-4.9.1.jar	9	133	3	2
4	axon-modelling-4.9.1.jar	10	156	4	1
5	axon-messaging-4.9.1.jar	64	786	5	0

Table 1e - Top 30 artifacts with the lowest package count

	artifactName	packages	types	$incoming {\bf Dependencies}$	outgoingDependencies
0	axon-configuration-4.9.1.jar	1	40	0	4
1	axon-disruptor-4.9.1.jar	1	22	1	3
2	axon-test-4.9.1.jar	8	87	0	3
3	axon-eventsourcing-4.9.1.jar	9	133	3	2
4	axon-modelling-4.9.1.jar	10	156	4	1
5	axon-messaging-4.9.1.jar	64	786	5	0

Table 1f - Top 30 artifacts with the lowest type count

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-disruptor-4.9.1.jar	1	22	1	3
1	axon-configuration-4.9.1.jar	1	40	0	4
2	axon-test-4.9.1.jar	8	87	0	3
3	axon-eventsourcing-4.9.1.jar	9	133	3	2
4	axon-modelling-4.9.1.jar	10	156	4	1
5	axon-messaging-4.9.1.jar	64	786	5	0

Table 1g - Top 30 artifacts with the lowest number of incoming dependencies

The following table lists the top 30 artifacts that are used the least by other artifacts (lowest count of incoming dependencies, lowest in-degree).

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-configuration-4.9.1.jar	1	40	0	4
1	axon-test-4.9.1.jar	8	87	0	3
2	axon-disruptor-4.9.1.jar	1	22	1	3
3	axon-eventsourcing-4.9.1.jar	9	133	3	2
4	axon-modelling-4.9.1.jar	10	156	4	1
5	axon-messaging-4.9.1.jar	64	786	5	0

Table 1h - Top 30 artifacts with the lowest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the lowest number of other artifacts (lowest count of outgoing dependencies, lowest out-degree).

	artifactName	packages	types	incoming Dependencies	outgoingDependencies
0	axon-messaging-4.9.1.jar	64	786	5	0
1	axon-modelling-4.9.1.jar	10	156	4	1
2	axon-eventsourcing-4.9.1.jar	9	133	3	2
3	axon-disruptor-4.9.1.jar	1	22	1	3
4	axon-test-4.9.1.jar	8	87	0	3
5	axon-configuration-4.9.1.jar	1	40	0	4

Cyclic Dependencies

Cyclic dependencies occur when one package uses a class of another package and vice versa. These dependencies can lead to problems when one of these packages needs to be changed.

Table 2a - Cyclic Dependencies Overview

Show the top 40 cyclic dependencies sorted by the most promising to resolve first. This is done by calculating the number of forward dependencies (first cycle participant to second cycle participant) in relation to backward dependencies (second cycle participant back to first cycle participant). The higher this rate (approaching 1), the easier it should be to resolve the cycle by focusing on the few backward dependencies.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic Dependencies

Columns:

- artifactName identifies the artifact of the first participant of the cycle
- packageName identifies the package of the first participant of the cycle
- dependentArtifactName identifies the artifact of the second participant of the cycle

- dependentPackageName identifies the package of the second participant of the cycle
- forwardToBackwardBalance is between 0 and 1. High for many forward and few backward dependencies.
- *numberForward* contains the number of dependencies from the first participant of the cycle to the second one
- *numberBackward* contains the number of dependencies from the second participant of the cycle back to the first one
- someForwardDependencies lists some forward dependencies in the text format "type1 -> type2"
- backwardDependencies lists the backward dependencies in the format "type1 <- type2" that are recommended to get resolved

	artifactName	packageName	dependentArtifactName	dependentPackageName	forwardToBackwardBalance
0	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	0.900000
1	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	0.882353
2	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.tracing	0.875000
3	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.messaging	0.857143
4	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.messaging.annotation	0.840000
5	axon- messaging- 4.9.1	org.axonframework.deadline	axon-messaging-4.9.1	org.axonframework.tracing	0.800000
6	axon- messaging- 4.9.1	org.axonframework.commandhandling	axon-messaging-4.9.1	org.axonframework.tracing	0.777778
7	axon- eventsourcing- 4.9.1	org.axonframework.eventsourcing	axon-eventsourcing-4.9.1	org.axonframework.eventsourcing.eventstore	0.777778
8	axon- messaging- 4.9.1	org.axonframework.commandhandling.callbacks	axon-messaging-4.9.1	org.axonframework.commandhandling	0.733333
9	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.serialization	0.647059
10	axon- messaging- 4.9.1	org.axonframework.messaging.unitofwork	axon-messaging-4.9.1	org.axonframework.messaging	0.647059
11	axon- messaging- 4.9.1	org.axonframework.eventhandling.async	axon-messaging-4.9.1	org.axonframework.eventhandling	0.538462
12	axon- messaging- 4.9.1	org.axonframework.eventhandling.replay	axon-messaging-4.9.1	org.axonframework.eventhandling	0.454545
13	axon- messaging- 4.9.1	org.axonframework.serialization.upcasting.event	axon-messaging-4.9.1	org.axonframework.eventhandling	0.333333
14	axon- eventsourcing- 4.9.1	org.axonframework.eventsourcing.eventstore.jdbc	axon-eventsourcing-4.9.1	org. axon framework. events our cing. events to re. jdb	0.317073
15	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org. ax on framework. eventhand ling. to ken store	0.285714
16	axon- modelling- 4.9.1	org.axonframework.modelling.command.inspection	axon-modelling-4.9.1	org.axonframework.modelling.command	0.250000
17	axon- messaging- 4.9.1	org. ax on framework. query handling. registration	axon-messaging-4.9.1	org.axonframework.queryhandling	0.250000
18	axon- messaging- 4.9.1	org.axonframework.messaging	axon-messaging-4.9.1	org.axonframework.serialization	0.238095
19	axon- messaging- 4.9.1	org.axonframework.messaging.annotation	axon-messaging-4.9.1	org.axonframework.messaging.interceptors	0.200000
20	axon- modelling- 4.9.1	org.axonframework.modelling.saga	axon-modelling-4.9.1	org.axonframework.modelling.saga.metamodel	0.142857
21	axon- messaging- 4.9.1	org. ax on framework. command handling. distributed	axon-messaging-4.9.1	org.axonframework.commandhandling.distributed	0.076923

Table 2b - Cyclic Dependencies Break Down

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic_Dependencies_Breakdown

Columns in addition to Table 2a:

dependency shows the cycle dependency in the text format "type1 -> type2" (forward) or "type2<-type1" (backward)

	artifactName	packageName	dependentArtifactName	dependentPackageName	dependency	forward
0	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	EventBusSpanFactory->Span	
1	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	SubscribingEventProcessor\$Builder- >SpanFactory	
2	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	DefaultEventBusSpanFactory->Span	
3	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	DefaultEventProcessorSpanFactory- >SpanFactory	
4	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	EventMessage<-NestingSpanFactory	
5	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	DefaultEventBusSpanFactory\$Builder- >SpanFactory	
6	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	EventProcessorSpanFactory->Span	
7	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	AbstractEventProcessor\$Builder- >NoOpSpanFactory	
8	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	AbstractEventProcessor->Span	
9	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	DefaultEventProcessorSpanFactory->Span	
10	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	DefaultEventProcessorSpanFactory\$Builder->Span	
11	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	DefaultEventBusSpanFactory->SpanFactory	
12	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	AbstractEventBus->SpanScope	
13	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	TrackingEventProcessor\$Builder- >SpanFactory	
14	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	AbstractEventBus->Span	
15	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	SimpleEventBus\$Builder->SpanFactory	
16	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	DefaultEventProcessorSpanFactory- >NoOpSpanFact	
17	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	AbstractEventProcessor\$Builder- >SpanFactory	
18	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	AbstractEventBus\$Builder->SpanFactory	
19	axon- messaging- 4.9.1	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	AbstractEventBus\$Builder- >NoOpSpanFactory	
20	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	DefaultQueryGateway->ResponseType	
21	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	QuerySubscription->ResponseType	
22	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	StreamingQueryMessage->ResponseType	
23	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	SimpleQueryBus->ResponseType	
24	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	QueryGateway->ResponseTypes	
25	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	GenericStreamingQueryMessage->ResponseType	

	artifactName	packageName	dependentArtifactName	dependentPackageName	dependency	forward
26	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	GenericSubscriptionQueryMessage- >ResponseType	
27	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	QueryMessage->ResponseType	
28	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	QueryResponseMessage<- ConvertingResponseMessage	
29	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	GenericQueryMessage->ResponseType	
30	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter- >OptionalResponseType	
31	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	QueryGateway->ResponseType	
32	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	GenericStreamingQueryMessage- >PublisherRespons	
33	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter->ResponseType	
34	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter->PublisherResponseType	
35	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter->MultipleInstancesRes	
36	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	SubscriptionQueryMessage->ResponseType	
37	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.tracing	QueryBusSpanFactory->Span	
38	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.tracing	DefaultQueryUpdateEmitterSpanFactory- >SpanFactory	
39	axon- messaging- 4.9.1	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.tracing	QueryUpdateEmitterSpanFactory->Span	

Table 2c - Cyclic Dependencies Break Down - Backward Dependencies Only

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first. This table only contains the backward dependencies from the second participant of the cycle back to the first one that are the most promising to resolve.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic Dependencies Breakdown BackwardOnly

	packageName	dependentArtifactName	dependentPackageName	depe
	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.tracing	EventMessage<-NestingSpan
	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.messaging.responsetypes	QueryResponseMes ConvertingResponseM
	org.axonframework.queryhandling	axon-messaging-4.9.1	org.axonframework.tracing	QueryMessage<-Sp
	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.messaging	Tracking StreamableMessage
	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.messaging	DomainEventMessage<-I-
	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.messaging	EventMessage<
	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.messaging.annotation	DomainEventMes SourceIdParameterResi
	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.messaging.annotation	DomainEventMes AggregateTypeParametei
	org.axonframework.deadline	axon-messaging-4.9.1	org.axonframework.tracing	DeadlineMessage<-St
	org.axonframework.commandhandling	axon-messaging-4.9.1	org.axonframework.tracing	CommandMessage<-Sp
	org.axonframework.eventsourcing	axon-eventsourcing-4.9.1	org.axonframework.eventsourcing.eventstore	EventStrear AbstractEventStorage
	org.axonframework.eventsourcing	axon-eventsourcing-4.9.1	org.axonframework.eventsourcing.eventstore	EventStreamUtils<-DomainEvent
c	org.axonframework.commandhandling.callbacks	axon-messaging-4.9.1	org.axonframework.commandhandling	NoOpCal SimpleCommandBus\$
C	org.axonframework.commandhandling.callbacks	axon-messaging-4.9.1	org.axonframework.commandhandling	LoggingCal SimpleCommandBus(
	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.serialization	GenericEventMes AbstractXStreamS
	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.serialization	GenericDomainEventMes AbstractXStrea
	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.serialization	GapAwareTracking ⁻ GapAwareTrackingTok
	org.axonframework.messaging.unitofwork	axon-messaging-4.9.1	org.axonframework.messaging	UnitOfWork<-DefaultIntercepti
	org.axonframework.messaging.unitofwork	axon-messaging-4.9.1	org.axonframework.messaging	UnitOl MessageHandlerInte
	org.axonframework.messaging.unitofwork	axon-messaging-4.9.1	org.axonframework.messaging	CurrentUnitOfWork<-GenericM
	org.axonframework.eventhandling.async	axon-messaging-4.9.1	org.axonframework.eventhandling	Sequencingl SimpleEventHandler
	org.axonframework.eventhandling.async	axon-messaging-4.9.1	org.axonframework.eventhandling	Sequencingl SimpleEventHandlerInvok
	org.axonframework.eventhandling.async	axon-messaging-4.9.1	org.axonframework.eventhandling	SequentialPerAggregatel SimpleEvent
	org.axonframework.eventhandling.replay	axon-messaging-4.9.1	org.axonframework.eventhandling	GenericResetCo AnnotationEventHandle
	org.axonframework.eventhandling.replay	axon-messaging-4.9.1	org.axonframework.eventhandling	ResetCo AnnotationEventHandler
	org.axonframework.eventhandling.replay	axon-messaging-4.9.1	org.axonframework.eventhandling	ResetContext<-Resetl

e depe	dependentPackageName	dependentArtifactName	packageName	artifactName	
g InitialEventRepresentation<-Ev	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.serialization.upcasting.event	axon- messaging- 4.9.1	26
g EventUpcaster<-Ev	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.serialization.upcasting.event	axon- messaging- 4.9.1	27
IntermediateEventRepresen Ev	org.axonframework.eventhandling	axon-messaging-4.9.1	org.axonframework.serialization.upcasting.event	axon- messaging- 4.9.1	28
EventSc CleanGapsStatemen	org. axon framework. events our cing. events to re. jdb	axon-eventsourcing-4.9.1	org. axon framework. events our cing. events to re. jdbc	axon- eventsourcing- 4.9.1	29
EventSc AppendEventsStatemen	org. axon framework. events our cing. events to re. jdb	axon-eventsourcing-4.9.1	org. axon framework. events our cing. events to re. jdbc	axon- eventsourcing- 4.9.1	30
EventSc ReadEventDataForAggregateStat	org. axon framework. events our cing. events to re. jdb	axon-eventsourcing-4.9.1	org. axon framework. events our cing. events to re. jdbc	axon- eventsourcing- 4.9.1	31
EventSc CreateTailTokenStatemen	org. axon framework. events our cing. events to re. jdb	axon-eventsourcing-4.9.1	org. axon framework. events our cing. events to re. jdbc	axon- eventsourcing- 4.9.1	32
EventSc CreateHeadTokenStatemen	org. axon framework. events our cing. events to re. jdb	axon-eventsourcing-4.9.1	org. axon framework. events our cing. events to re. jdbc	axon- eventsourcing- 4.9.1	33
EventSc LastSequenceNumberForStateme	org. axon framework. events our cing. events to re. jdb	axon-eventsourcing-4.9.1	org. axon framework. events our cing. events to re. jdbc	axon- eventsourcing- 4.9.1	34
EventSc ReadEventDataWithGapsStateme	org. axon framework. events our cing. events to re. jdb	axon-eventsourcing-4.9.1	org. axon framework. events our cing. events to re. jdbc	axon- eventsourcing- 4.9.1	35
EventSc FetchTrackedEventsStatemen	org. axon framework. events our cing. events to re. jdb	axon-eventsourcing-4.9.1	org. axon framework. events our cing. events to re. jdbc	axon- eventsourcing- 4.9.1	36
EventSc ReadEventDataWithoutGapsState	org. axon framework. events our cing. events to re. jdb	axon-eventsourcing-4.9.1	org. axon framework. events our cing. events to re. jdbc	axon- eventsourcing- 4.9.1	37
EventSc ReadSnapshotDataStatemen	org. ax on framework. events our cing. events to re. jdb	axon-eventsourcing-4.9.1	org. axon framework. events our cing. events to re. jdbc	axon- eventsourcing- 4.9.1	38
EventSc JdbcEventStorageEngineStat	org. ax on framework. events our cing. events to re. jdb	axon-eventsourcing-4.9.1	org. axon framework. events our cing. events to re. jdbc	axon- eventsourcing- 4.9.1	39

Interface Segregation Candidates

Well known from Design Principles and Design Patterns by Robert C. Martin, the *Interface Segregation Principle* suggests that software components should have narrow, focused interfaces rather than large, general-purpose ones. The goal is to minimize the dependencies between components and increase modularity, flexibility, and maintainability.

Smaller, focused and purpose-driven interfaces

- make it easier to modify individual components without affecting the rest of the system.
- make it clearer which client is affected by which change.
- don't force their clients to depend on methods they don't need.
- reduce the scope of changes since a change to one component doesn't affect others.
- lead to a more loosely coupled architecture that is easier to understand and maintain.

Reference: Analyze java package metrics in a graph database

How to apply the results

If just one method of a type is used, especially in many places, then the result of this method can be used to call e.g. a method or constuct an object instead of using the whole object and then just calling that single method.

If there are a couple of methods that are used for a distinct purpose, those could be factored out into a separate interface. The original type can extended/implement the new interface so that there are no breaking changes. Then all the callers, that use only this group of methods, can be changed to the new interface.

Table 4 - Top 40 most used combinations of methods

The following table shows the top 40 most used combinations of methods of larger types that might benefit from applying the *Interface Segregation Principle*. The whole table can be found in the CSV report Candidates for Interface Segregation.

	fullDependentTypeName	declaredMethods	calledMethodNames	calledMethods	callerTypes
0	org. ax on framework. command handling. Command Message	9	[getCommandName]	1	18
1	org. ax on framework. eventh and ling. Domain Event Mes	10	[getSequenceNumber]	1	9
2	$org. ax on framework. eventh and ling. Event {\tt Message}$	9	[getTimestamp, getIdentifier]	2	9
3	$org. ax on framework. eventh and ling. Tracked {\sf EventMe}$	10	[trackingToken]	1	8
4	$org. ax on framework. eventh and ling. Event {\tt Message}$	9	[getIdentifier]	1	7
5	org. ax on framework. eventh and ling. Domain Event Mes	10	$[{\tt getType}, {\tt getSequenceNumber}, {\tt getAggregateIdent}$	3	6
6	org. ax on framework. messaging. Result Message	9	[exceptionResult, isExceptional]	2	6
7	org. axon framework. command handling. Generic Comma	14	[asCommandResultMessage]	1	5
8	org. ax on framework. dead line. Generic Dead line Message	11	[asDeadlineMessage]	1	5
9	org. ax on framework. eventh and ling. Replay Token	13	[createReplayToken]	1	4
10	org. ax on framework. eventh and ling. Tracked Event Me	12	[trackingToken]	1	4
11	org. ax on framework. dead line. Dead line Message	10	[getDeadlineName]	1	4
12	org. ax on framework. eventh and ling. Domain Event Mes	10	[getAggregateIdentifier]	1	4
13	org. ax on framework. eventh and ling. Domain Event Mes	10	[getType]	1	4
14	$org. ax on framework. eventh and ling. Generic {\tt Event Me}$	10	[asEventMessage]	1	4
15	org. ax on framework. dead line. Default Dead line Mana	8	[builder]	1	4
16	org. ax on framework. common. transaction. No Transac	4	[instance]	1	4
17	org. ax on framework. command handling. Generic Comma	15	[asCommandResultMessage]	1	3
18	org. ax on framework. modelling. command. in spection	13	[type]	1	3
19	org. ax on framework. eventh and ling. Domain Event Mes	11	[get Type, get Sequence Number, get Aggregate Ident	3	3
20	$org. ax on framework. eventh and ling. Generic {\tt Event Me}$	11	[asEventMessage]	1	3
21	org. ax on framework. eventh and ling. Domain Event Mes	10	[getSequenceNumber, getAggregateIdentifier]	2	3
22	org. ax on framework. eventhand ling. Gap Aware Tracki	10	[advance To, with Gaps Truncated At, getIndex, new	5	3
23	org. ax on framework. eventh and ling. Event Message	9	[getTimestamp]	1	3
24	org.axonframework.messaging.MessageDecorator	9	[describeTo]	1	3
25	org. ax on framework. eventh and ling. Tracked Event Data	5	[trackingToken]	1	3
26	org.axonframework.eventhandling.tokenstore.Con	5	[get]	1	3
27	org.axonframework.modelling.command.inspection	17	[getAggregateRoot, initialize, initSequence]	4	2
28	org.axonframework.queryhandling.SimpleQueryUpd	17	[builder]	1	2
29	org. ax on framework. command handling. Command Messa	14	[commandName, isFactoryHandler]	2	2
30	org. ax on framework. command handling. Generic Comma	14	[asCommandResultMessage]	2	2
31	org.axonframework.deadline.DeadlineMessage	14	[getDeadlineName]	1	2
32	org.axonframework.messaging.GenericResultMessage	14	[asResultMessage]	1	2
33	org.axonframework.messaging.annotation.Wrapped	14	[handle]	1	2
34	org. ax on framework. eventh and ling. Domain Event Mes	13	[getSequenceNumber, getAggregateIdentifier]	2	2
35	org.axonframework.eventhandling.ReplayToken	13	[isReplay]	1	2
36	org.axonframework.modelling.command.inspection	13	[types]	1	2
37	org.axonframework.queryhandling.SubscriptionQu	12	[getUpdateResponseType]	1	2
38	org.axonframework.commandhandling.GenericComma	11	[asCommandMessage]	1	2
39	org. ax on framework. eventh and ling. Domain Event Mes	11	[getSequenceNumber]	1	2

Package Usage

Table 5 - Types that are used by multiple packages

This table shows the top 40 packages that are used by the highest number of different packages. The whole table can be found in the CSV report

 ${\tt List_types_that_are_used_by_many_different_packages}\ .$

	fullQualifiedDependentTypeName	dependentTypeName	dependentTypeLabels	numberOfUsingPackages
0	org.axonframework.common.BuilderUtils	BuilderUtils	[Type, File, Java, Class, ByteCode, TopCentral	44
1	org. axon framework. common. Axon Configuration Exce	AxonConfigurationException	[Type, File, Java, Class, ByteCode, TopCentral	37
2	org.axonframework.messaging.Message	Message	[Type, File, Java, ByteCode, GenericDeclaratio	34
3	org.axonframework.messaging.MetaData	MetaData	[Type, File, Java, Class, ByteCode, TopCentral	33
4	org.axonframework.eventhandling.EventMessage	EventMessage	[Type, File, Java, ByteCode, GenericDeclaratio	32
5	org.axonframework.messaging.unitofwork.UnitOfWork	UnitOfWork	[Type, File, Java, ByteCode, GenericDeclaratio	31
6	org.axonframework.serialization.Serializer	Serializer	[Type, File, Java, ByteCode, Interface, TopCen	29
7	org.axonframework.common.Assert	Assert	[Type, File, Java, Class, ByteCode, TopCentral	27
8	org.axonframework.common.transaction.Transacti	TransactionManager	[Type, File, Java, ByteCode, Interface, TopCen	27
9	org.axonframework.serialization.SerializedObject	SerializedObject	[Type, File, Java, ByteCode, GenericDeclaratio	25
10	org.axonframework.serialization.SerializedType	SerializedType	[Type, File, Java, ByteCode, Interface, TopCen	24
11	org.axonframework.messaging.unitofwork.Current	CurrentUnitOfWork	[Type, File, Java, Class, ByteCode, TopCentral	21
12	org.axonframework.common.AxonNonTransientExcep	AxonNonTransientException	[Type, File, Java, Class, ByteCode, TopCentral	18
13	org.axonframework.eventhandling.DomainEventMes	DomainEventMessage	[Type, File, Java, ByteCode, GenericDeclaratio	18
14	$org. ax on framework. eventhand ling. {\tt Generic Event Me}$	GenericEventMessage	[Type, File, Java, Class, ByteCode, GenericDec	18
15	org.axonframework.messaging.annotation.Paramet	ParameterResolverFactory	[Type, File, Java, ByteCode, Interface, TopCen	18
16	org.axonframework.eventhandling.TrackingToken	TrackingToken	[Type, File, Java, ByteCode, Interface, TopCen	18
17	org.axonframework.common.Registration	Registration	[Type, File, Java, ByteCode, Interface, TypeWe	17
18	org.axonframework.serialization.SimpleSerializ	SimpleSerializedObject	[Type, File, Java, Class, ByteCode, GenericDec	17
19	org.axonframework.messaging.MessageHandlerInte	MessageHandlerInterceptor	[Type, File, Java, ByteCode, GenericDeclaratio	16
20	org.axonframework.common.ObjectUtils	ObjectUtils	[Type, File, Java, Class, ByteCode, TypeWeakly	16
21	org.axonframework.tracing.SpanFactory	SpanFactory	[Type, File, Java, ByteCode, Interface, TopCen	16
22	org.axonframework.messaging.MessageDispatchInt	MessageDispatchInterceptor	[Type, File, Java, ByteCode, GenericDeclaratio	15
23	org.axonframework.commandhandling.CommandMessage	CommandMessage	[Type, File, Java, ByteCode, GenericDeclaratio	14
24	org.axonframework.messaging.unitofwork.Default	DefaultUnitOfWork	[Type, File, Java, Class, ByteCode, GenericDec	14
25	org.axonframework.messaging.annotation.Handler	HandlerDefinition	[Type, File, Java, ByteCode, Interface, TopCen	14
26	org.axonframework.common.ReflectionUtils	ReflectionUtils	[Type, File, Java, Class, ByteCode, TypeWeakly	14
27	org.axonframework.eventhandling.EventBus	EventBus	[Type, File, Java, ByteCode, Interface, TopCen	13
28	org.axonframework.lifecycle.Lifecycle	Lifecycle	[Type, File, Java, ByteCode, Interface, TypeWe	13
29	org.axonframework.lifecycle.Lifecycle\$Lifecycl	Lifecycle\$LifecycleRegistry	[Type, File, Java, ByteCode, Interface, TypeWe	13
30	org.axonframework.common.transaction.NoTransac	NoTransactionManager	[Type, File, Java, ByteCode, Enum, TypeWeaklyC	13
31	org.axonframework.messaging.ResultMessage	ResultMessage	[Type, File, Java, ByteCode, GenericDeclaratio	13
32	org.axonframework.common.DateTimeUtils	DateTimeUtils	[Type, File, Java, Class, ByteCode, TypeWeakly	12
33	org. ax on framework. messaging. Default Interceptor	DefaultInterceptorChain	[Type, File, Java, Class, ByteCode, GenericDec	12
34	org.axonframework.messaging.InterceptorChain	InterceptorChain	[Type, File, Java, ByteCode, Interface, TypeWe	12

	full Qualified Dependent Type Name	dependentTypeName	dependentTypeLabels	numberOfUsingPackages
35	org.axonframework.tracing.NoOpSpanFactory	NoOpSpanFactory	[Type, File, Java, Class, ByteCode, TypeWeakly	12
36	org.axonframework.messaging.ScopeDescriptor	ScopeDescriptor	[Type, File, Java, ByteCode, Interface, TypeWe	12
37	org. axon framework. common. Axon Transient Exception	AxonTransientException	[Type, File, Java, Class, ByteCode, TypeWeakly	11
38	org. axon framework. messaging. annotation. Classpa	ClasspathHandlerDefinition	[Type, File, Java, Class, ByteCode, TypeWeakly	11
39	org.axonframework.messaging.annotation.Classpa	ClasspathParameterResolverFactory	[Type, File, Java, Class, ByteCode, TypeWeakly	11

Table 6 - Packages that are used by multiple artifacts

This table shows the top 30 artifacts that only use a few (compared to all existing) packages of another artifact. The whole table can be found in the CSV report ArtifactPackageUsage.

	artifactName	dependentArtifactName	dependentPackages	dependentArtifactPackages	packageUsagePercentage	dependent Full Qualified Package Names	(
0	axon- modelling- 4.9.1	axon-modelling-4.9.1	6	10	0.600000	[org.axonframework.modelling.saga, org.axonfra	
1	axon-test- 4.9.1	axon-test-4.9.1	5	8	0.625000	[org.axonframework.test, org.axonframework.tes	
2	axon- messaging- 4.9.1	axon-messaging-4.9.1	41	64	0.640625	[org.axonframework.common, org.axonframework.c	
3	axon- eventsourcing- 4.9.1	axon-eventsourcing-4.9.1	7	9	0.777778	[org. axon framework. events our cing. events to re.jd	

Table 7 - Types that are used by multiple artifacts

This table shows the top 30 types that only use a few (compared to all existing) types of another artifact. The whole table can be found in the CSV report ClassesPerPackageUsageAcrossArtifacts.

	artifactName	dependentArtifactName	packageName	dependentPackage.fqn	dependentTypes	dependentPackageT
0	axon- modelling- 4.9.1	axon-messaging-4.9.1	org.axonframework.modelling.saga.metamodel	org.axonframework.eventhandling	1	
1	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org.axonframework.eventsourcing.snapshotting	org.axonframework.eventhandling	1	
2	axon-test- 4.9.1	axon-messaging-4.9.1	org.axonframework.test.matchers	org.axonframework.eventhandling	1	
3	axon- eventsourcing- 4.9.1	axon-modelling-4.9.1	org.axonframework.eventsourcing.eventstore.jdbc	org.axonframework.modelling.command	1	
4	axon- eventsourcing- 4.9.1	axon-modelling-4.9.1	org. ax on framework. events our cing. conflict resolu	org.axonframework.modelling.command	1	
5	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org.axonframework.eventsourcing.conflictresolu	org.axonframework.eventhandling	2	
6	axon-test- 4.9.1	axon-messaging-4.9.1	org.axonframework.test.eventscheduler	org.axonframework.eventhandling	2	
7	axon- modelling- 4.9.1	axon-messaging-4.9.1	org.axonframework.modelling.command.legacyjpa	org.axonframework.eventhandling	2	
8	axon- modelling- 4.9.1	axon-messaging-4.9.1	org.axonframework.modelling.command	org.axonframework.eventhandling	2	
9	axon-test- 4.9.1	axon-messaging-4.9.1	org.axonframework.test.matchers	org.axonframework.messaging	1	
10	axon-test- 4.9.1	axon-messaging-4.9.1	org.axonframework.test	org.axonframework.messaging	1	
11	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org.axonframework.eventsourcing.eventstore	org.axonframework.messaging	1	
12	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org. ax on framework. events our cing. conflict resolu	org.axonframework.messaging	1	
13	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org. axon framework. events our cing. events to re.leg	org.axonframework.serialization	1	
14	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org.axonframework.eventsourcing.eventstore.jpa	org.axonframework.serialization	1	
15	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org.axonframework.eventsourcing.eventstore.jdbc	org.axonframework.serialization	1	
16	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org. axon framework. events our cing. events to re. jdb	org.axonframework.eventhandling	3	
17	axon-test- 4.9.1	axon-modelling-4.9.1	org.axonframework.test.utils	org.axonframework.modelling.saga	1	
18	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org. ax on framework. events our cing. conflict resolu	org.axonframework.commandhandling	1	
19	axon-test- 4.9.1	axon-messaging-4.9.1	org.axonframework.test.matchers	org.axonframework.commandhandling	1	
20	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org.axonframework.eventsourcing.conflictresolu	org.axonframework.common	1	
21	axon-test- 4.9.1	axon-messaging-4.9.1	org.axonframework.test.server	org.axonframework.common	1	
22	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org.axonframework.eventsourcing.snapshotting	org.axonframework.common	1	
23	axon-test- 4.9.1	axon-messaging-4.9.1	org.axonframework.test.eventscheduler	org.axonframework.common	1	
24	axon- modelling- 4.9.1	axon-messaging-4.9.1	org.axonframework.modelling.command.legacyjpa	org.axonframework.common	1	
25	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org. axon framework. events our cing. events to re. jdb	org.axonframework.common	1	
26	axon-test- 4.9.1	axon-messaging-4.9.1	org.axonframework.test.utils	org.axonframework.common	1	
27	axon- eventsourcing- 4.9.1	axon-messaging-4.9.1	org. ax on framework. events our cing. conflict resolu	org.axonframework.messaging.annotation	2	

	artifactName	dependentArtifactName	packageName	dependentPackage.fqn	dependentTypes dependentPackageT
28	axon- modelling- 4.9.1	axon-messaging-4.9.1	org.axonframework.modelling.command.legacyjpa	org.axonframework.messaging.annotation	2
29	axon- eventsourcing- 4.9.1	axon-modelling-4.9.1	org.axonframework.eventsourcing.eventstore	org.axonframework.modelling.command	2

Table 8 - Duplicate package names across artifacts

This table shows the top 30 duplicate package names across artifacts. They are ordered by the number of duplicates descending.

This might lead to confusion, makes importing more error prone and might even lead to duplicate classes where only one of them will be loaded by the class loader. If a package is named the same way in two or more artifacts this even allows another artifact to access package protected classes, methods or members which might not be intended.

The whole table can be found in the CSV report DuplicatePackageNamesAcrossArtifacts.

packageName duplicates artifactNames

Table 9 - Annotated elements

This table shows 30 most used Java Annotations including some examples where they are used.

	annotationName	languageElement	number Of Annotated Elements	examples
0	javax.annotation.Nonnull	Parameter	1501	[org.axonframework.disruptor.commandhandling.B
1	java.lang.Deprecated	Method	96	[org. axon framework. modelling. command. Abstract R
2	javax.annotation.Nullable	Parameter	61	[org. axon framework. modelling. command. Creation P
3	java.lang.FunctionalInterface	Interface	54	[org. axon framework. modelling. command. Creation P
4	java.lang.annotation.Retention	Annotation	40	[org. axon framework. modelling. command. Aggregate
5	java.lang.annotation.Target	Annotation	40	[org. axon framework. modelling. command. Aggregate
6	javax.persistence.Basic	Field	39	[org. ax on framework. modelling. saga. repository. j
7	javax.annotation.Nonnull	Method	37	[org. axon framework. disruptor. command handling. D
8	jakarta.persistence.Basic	Field	33	[org. ax on framework. modelling. saga. repository. j
9	com.fasterxml.jackson.annotation.JsonProperty	Parameter	32	[org. axon framework. modelling. command. Aggregate
10	java.lang.Deprecated	Class	25	[org. axon framework. modelling. command. legacyjpa
11	java.lang.annotation.Documented	Annotation	21	[org. axon framework. modelling. command. Aggregate
12	java.beans.ConstructorProperties	Constructor	21	[org. axon framework. modelling. command. Aggregate
13	java.lang.Deprecated	Constructor	17	[org. axon framework. modelling. command. Annotatio
14	com. fasterxml. jackson. annotation. Json Creator	Constructor	16	[org. axon framework. modelling. command. Aggregate
15	javax.persistence.Column	Field	12	[org. ax on framework. modelling. saga. repository. j
16	jakarta.persistence.Column	Field	11	[org.axonframework.modelling.saga.repository.j
17	org.axonframework.common.Priority	Class	11	[org. axon framework. command handling. Current Unit
18	javax.persistence.Lob	Field	10	[org.axonframework.modelling.saga.repository.j
19	javax.persistence.Id	Field	10	[org. ax on framework. modelling. saga. repository. j
20	jakarta.persistence.Id	Field	9	[org.axonframework.modelling.saga.repository.j
21	java.lang.SafeVarargs	Constructor	9	[org.axonframework.commandhandling.gateway.Non
22	com.fasterxml.jackson.annotation.JsonGetter	Method	9	[org.axonframework.commandhandling.distributed
23	jakarta.persistence.Lob	Field	8	[org.axonframework.modelling.saga.repository.j
24	org.axonframework.messaging.annotation.HasHand	Annotation	8	[org.axonframework.modelling.command.CreationP
25	javax.persistence.Entity	Class	6	[org.axonframework.modelling.saga.repository.j
26	org.axonframework.messaging.annotation.Message	Annotation	6	[org.axonframework.commandhandling.CommandHand
27	jakarta.persistence.Entity	Class	6	[org.axonframework.modelling.saga.repository.j
28	javax.persistence.MappedSuperclass	Class	6	[org.axonframework.modelling.saga.repository.j
29	java.lang.SafeVarargs	Method	6	[org.axonframework.config.AggregateConfigurer