Internal Dependencies

References

- Analyze java package metrics in a graph database
- Calculate metrics
- Neo4j Python Driver

Artifacts

List the artifacts this notebook is based on. Different sorting variations help finding artifacts by their features and support larger code bases where the list of all artifacts gets too long.

Only the top 30 entries are shown. The whole table can be found in the following CSV report: List all Java artifacts

Table 1a - Top 30 artifacts with the highest package count

	artifactName	packages	types	$incoming {\bf Dependencies}$	outgoingDependencies
0	axon-messaging-4.10.1.jar	64	787	8	0
1	axon-server-connector-4.10.1.jar	11	132	1	4
2	axon-modelling-4.10.1.jar	10	158	6	1
3	axon-eventsourcing-4.10.1.jar	9	133	5	2
4	axon-spring-boot-autoconfigure-4.10.1.jar	9	75	0	7
5	axon-test-4.10.1.jar	8	87	1	3
6	axon-configuration-4.10.1.jar	1	41	2	4
7	axon-disruptor-4.10.1.jar	1	22	1	3
8	axon-tracing-opentelemetry-4.10.1.jar	1	5	1	1

Table 1b - Top 30 artifacts with the highest type count

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-messaging-4.10.1.jar	64	787	8	0
1	axon-modelling-4.10.1.jar	10	158	6	1
2	axon-eventsourcing-4.10.1.jar	9	133	5	2
3	axon-server-connector-4.10.1.jar	11	132	1	4
4	axon-test-4.10.1.jar	8	87	1	3
5	axon-spring-boot-autoconfigure-4.10.1.jar	9	75	0	7
6	axon-configuration-4.10.1.jar	1	41	2	4
7	axon-disruptor-4.10.1.jar	1	22	1	3
8	axon-tracing-opentelemetry-4.10.1.jar	1	5	1	1

Table 1c - Top 30 artifacts with the highest number of incoming dependencies

The following table lists the top 30 artifacts that are used the most by other artifacts (highest count of incoming dependencies, highest in-degree).

	artifactName	packages	types	$incoming {\bf Dependencies}$	outgoingDependencies
0	axon-messaging-4.10.1.jar	64	787	8	0
1	axon-modelling-4.10.1.jar	10	158	6	1
2	axon-eventsourcing-4.10.1.jar	9	133	5	2
3	axon-configuration-4.10.1.jar	1	41	2	4
4	axon-disruptor-4.10.1.jar	1	22	1	3
5	axon-server-connector-4.10.1.jar	11	132	1	4
6	axon-test-4.10.1.jar	8	87	1	3
7	axon-tracing-opentelemetry-4.10.1.jar	1	5	1	1
8	axon-spring-boot-autoconfigure-4.10.1.jar	9	75	0	7

Table 1d - Top 30 artifacts with the highest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the highest number of other artifacts (highest count of outgoing dependencies, highest out-degree).

	artifactName	packages	types	$incoming {\bf Dependencies}$	outgoingDependencies
0	axon-spring-boot-autoconfigure-4.10.1.jar	9	75	0	7
1	axon-configuration-4.10.1.jar	1	41	2	4
2	axon-server-connector-4.10.1.jar	11	132	1	4
3	axon-disruptor-4.10.1.jar	1	22	1	3
4	axon-test-4.10.1.jar	8	87	1	3
5	axon-eventsourcing-4.10.1.jar	9	133	5	2
6	axon-modelling-4.10.1.jar	10	158	6	1
7	axon-tracing-opentelemetry-4.10.1.jar	1	5	1	1
8	axon-messaging-4.10.1.jar	64	787	8	0

Table 1e - Top 30 artifacts with the lowest package count

	artifactName	packages	types	$incoming \\ Dependencies$	outgoingDependencies
0	axon-configuration-4.10.1.jar	1	41	2	4
1	axon-disruptor-4.10.1.jar	1	22	1	3
2	axon-tracing-opentelemetry-4.10.1.jar	1	5	1	1
3	axon-test-4.10.1.jar	8	87	1	3
4	axon-eventsourcing-4.10.1.jar	9	133	5	2
5	axon-spring-boot-autoconfigure-4.10.1.jar	9	75	0	7
6	axon-modelling-4.10.1.jar	10	158	6	1
7	axon-server-connector-4.10.1.jar	11	132	1	4
8	axon-messaging-4.10.1.jar	64	787	8	0

Table 1f - Top 30 artifacts with the lowest type count

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-tracing-opentelemetry-4.10.1.jar	1	5	1	1
1	axon-disruptor-4.10.1.jar	1	22	1	3
2	axon-configuration-4.10.1.jar	1	41	2	4
3	axon-spring-boot-autoconfigure-4.10.1.jar	9	75	0	7
4	axon-test-4.10.1.jar	8	87	1	3
5	axon-server-connector-4.10.1.jar	11	132	1	4
6	axon-eventsourcing-4.10.1.jar	9	133	5	2
7	axon-modelling-4.10.1.jar	10	158	6	1
8	axon-messaging-4.10.1.jar	64	787	8	0

Table 1g - Top 30 artifacts with the lowest number of incoming dependencies

The following table lists the top 30 artifacts that are used the least by other artifacts (lowest count of incoming dependencies, lowest in-degree).

	artifactName	packages	types	$incoming {\bf Dependencies}$	outgoingDependencies
0	axon-spring-boot-autoconfigure-4.10.1.jar	9	75	0	7
1	axon-disruptor-4.10.1.jar	1	22	1	3
2	axon-server-connector-4.10.1.jar	11	132	1	4
3	axon-test-4.10.1.jar	8	87	1	3
4	axon-tracing-opentelemetry-4.10.1.jar	1	5	1	1
5	axon-configuration-4.10.1.jar	1	41	2	4
6	axon-eventsourcing-4.10.1.jar	9	133	5	2
7	axon-modelling-4.10.1.jar	10	158	6	1
8	axon-messaging-4.10.1.jar	64	787	8	0

Table 1h - Top 30 artifacts with the lowest number of outgoing dependencies

The following table lists the top 30 artifacts that are depending on the lowest number of other artifacts (lowest count of outgoing dependencies, lowest out-degree).

	artifactName	packages	types	incomingDependencies	outgoingDependencies
0	axon-messaging-4.10.1.jar	64	787	8	0
1	axon-modelling-4.10.1.jar	10	158	6	1
2	axon-tracing-opentelemetry-4.10.1.jar	1	5	1	1
3	axon-eventsourcing-4.10.1.jar	9	133	5	2
4	axon-disruptor-4.10.1.jar	1	22	1	3
5	axon-test-4.10.1.jar	8	87	1	3
6	axon-configuration-4.10.1.jar	1	41	2	4
7	axon-server-connector-4.10.1.jar	11	132	1	4
8	axon-spring-boot-autoconfigure-4.10.1.jar	9	75	0	7

Cyclic Dependencies

Cyclic dependencies occur when one package uses a class of another package and vice versa. These dependencies can lead to problems when one of these packages needs to be changed.

Table 2a - Cyclic Dependencies Overview

Show the top 40 cyclic dependencies sorted by the most promising to resolve first. This is done by calculating the number of forward dependencies (first cycle participant to second cycle participant) in relation to backward dependencies (second cycle participant back to first cycle participant). The higher this rate (approaching 1), the easier it should be to resolve the cycle by focusing on the few backward dependencies.

Only the top 40 entries are shown. The whole table can be found in the following CSV report:

Cyclic Dependencies

Columns:

- artifactName identifies the artifact of the first participant of the cycle
- packageName identifies the package of the first participant of the cycle
- dependentArtifactName identifies the artifact of the second participant of the cycle
- dependentPackageName identifies the package of the second participant of the cycle
- forwardToBackwardBalance is between 0 and 1. High for many forward and few backward dependencies.
- numberForward contains the number of dependencies from the first participant of the cycle to the second one
- *numberBackward* contains the number of dependencies from the second participant of the cycle back to the first one
- someForwardDependencies lists some forward dependencies in the text format "type1 -> type2"
- backwardDependencies lists the backward dependencies in the format "type1 <- type2" that are recommended to get resolved

	artifactName	packageName	dependentArtifactName	dependentPackageName	forward
0	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	
1	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	
2	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.tracing	
3	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.messaging	
4	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.messaging.annotation	
5	axon- messaging- 4.10.1	org.axonframework.deadline	axon-messaging-4.10.1	org.axonframework.tracing	
6	axon- messaging- 4.10.1	org.axonframework.commandhandling	axon-messaging-4.10.1	org.axonframework.tracing	
7	axon- eventsourcing- 4.10.1	org.axonframework.eventsourcing	axon-eventsourcing- 4.10.1	org.axonframework.eventsourcing.eventstore	
8	axon- messaging- 4.10.1	org.axonframework.commandhandling.callbacks	axon-messaging-4.10.1	org.axonframework.commandhandling	
9	axon-server- connector- 4.10.1	org.axonframework.axonserver.connector.util	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector	
10	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.serialization	
11	axon- messaging- 4.10.1	org.axonframework.messaging.unitofwork	axon-messaging-4.10.1	org.axonframework.messaging	
12	axon-server- connector- 4.10.1	org.axonframework.axonserver.connector.event.axon	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector	
13	axon-server- connector- 4.10.1	org.axonframework.axonserver.connector.query	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector	

	artifactName	packageName	dependentArtifactName	dependentPackageName	forward
14	axon- messaging- 4.10.1	org.axonframework.eventhandling.async	axon-messaging-4.10.1	org.axonframework.eventhandling	
15	axon- messaging- 4.10.1	org.axonframework.eventhandling.replay	axon-messaging-4.10.1	org.axonframework.eventhandling	
16	axon-server- connector- 4.10.1	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector.event.util	
17	axon-server- connector- 4.10.1	org.axonframework.axonserver.connector.query	axon-server-connector-4.10.1	org.axonframework.axonserver.connector.query.subscription	
18	axon- messaging- 4.10.1	org.axonframework.serialization.upcasting.event	axon-messaging-4.10.1	org.axonframework.eventhandling	
19	axon- eventsourcing- 4.10.1	org.axonframework.eventsourcing.eventstore.jdbc	axon-eventsourcing-4.10.1	org. axon framework. events our cing. events to re. jdbc. statements	
20	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.eventhandling.tokenstore	
21	axon- modelling- 4.10.1	org.axonframework.modelling.command.inspection	axon-modelling-4.10.1	org.axonframework.modelling.command	
22	axon- messaging- 4.10.1	org. ax on framework. query hand ling. registration	axon-messaging-4.10.1	org.axonframework.queryhandling	
23	axon- messaging- 4.10.1	org.axonframework.messaging	axon-messaging-4.10.1	org.axonframework.serialization	
24	axon-server- connector- 4.10.1	org.axonframework.axonserver.connector.command	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector	
25	axon- messaging- 4.10.1	org.axonframework.messaging.annotation	axon-messaging-4.10.1	org.axonframework.messaging.interceptors	
26	axon- modelling- 4.10.1	org.axonframework.modelling.saga	axon-modelling-4.10.1	org.axonframework.modelling.saga.metamodel	
27	axon- messaging- 4.10.1	org. ax on framework. command handling. distributed. command filter	axon-messaging-4.10.1	org.axonframework.commandhandling.distributed	

Table 2b - Cyclic Dependencies Break Down

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic Dependencies Breakdown

Columns in addition to Table 2a:

dependency shows the cycle dependency in the text format "type1 -> type2" (forward) or "type2<-type1" (backward)

	artifactName	packageName	dependentArtifactName	dependentPackageName	dependency	forward
0	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	DefaultEventBusSpanFactory\$Builder- >SpanFactory	
1	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	EventProcessorSpanFactory->Span	
2	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	AbstractEventBus->SpanScope	
3	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	DefaultEventProcessorSpanFactory- >SpanFactory	
4	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	EventMessage<-NestingSpanFactory	
5	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	DefaultEventProcessorSpanFactory\$Builder- >SpanFactory	
6	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	DefaultEventBusSpanFactory->SpanFactory	
7	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	SubscribingEventProcessor\$Builder- >SpanFactory	
8	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	AbstractEventBus\$Builder- >NoOpSpanFactory	
9	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	DefaultEventProcessorSpanFactory->Span	
10	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	SimpleEventBus\$Builder->SpanFactory	
11	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	AbstractEventBus->Span	
12	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	AbstractEventProcessor\$Builder- >SpanFactory	
13	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	AbstractEventProcessor->Span	
14	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	AbstractEventProcessor\$Builder- >NoOpSpanFactory	
15	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	DefaultEventBusSpanFactory->Span	
16	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	DefaultEventProcessorSpanFactory- >NoOpSpanFactory\$NoOpSpan	
17	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	TrackingEventProcessor\$Builder- >SpanFactory	
18	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	EventBusSpanFactory->Span	
19	axon- messaging- 4.10.1	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.tracing	AbstractEventBus\$Builder->SpanFactory	
20	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	GenericStreamingQueryMessage- >PublisherResponseType	
21	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	StreamingQueryMessage->ResponseType	
22	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	GenericQueryMessage->ResponseType	
23	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter->MultipleInstancesResponseType	
24	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter->ResponseType	
25	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	SimpleQueryBus->ResponseType	

	artifactName	packageName	dependentArtifactName	dependentPackageName	dependency	forward
26	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter- >OptionalResponseType	
27	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	QuerySubscription->ResponseType	
28	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	SubscriptionQueryMessage->ResponseType	
29	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	GenericStreamingQueryMessage- >ResponseType	
30	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	GenericSubscriptionQueryMessage- >ResponseType	
31	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	SimpleQueryUpdateEmitter- >PublisherResponseType	
32	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	DefaultQueryGateway->ResponseType	
33	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	QueryResponseMessage<- ConvertingResponseMessage	
34	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	QueryGateway->ResponseTypes	
35	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	QueryGateway->ResponseType	
36	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.messaging.responsetypes	QueryMessage->ResponseType	
37	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.tracing	QueryMessage<-SpanUtils	
38	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.tracing	DefaultQueryBusSpanFactory->Span	
39	axon- messaging- 4.10.1	org.axonframework.queryhandling	axon-messaging-4.10.1	org.axonframework.tracing	DefaultQueryBusSpanFactory->SpanFactory	

Table 2c - Cyclic Dependencies Break Down - Backward Dependencies Only

Lists packages with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first. This table only contains the backward dependencies from the second participant of the cycle back to the first one that are the most promising to resolve.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic Dependencies Breakdown BackwardOnly

	dependentPackageName	rtifactName packageName dependentArtifactName dependent		artifactName	
ı	org.axonframework.tracing	axon-messaging-4.10.1	org.axonframework.eventhandling	axon- messaging- 4.10.1	0
:	org.axonframework.messaging.responsetypes	axon-messaging-4.10.1	org.axonframework.queryhandling	axon- messaging- 4.10.1	1
ı	org.axonframework.tracing	axon-messaging-4.10.1	axon- messaging- 4.10.1 org.axonframework.queryhandling		2
ı	org.axonframework.messaging	axon-messaging-4.10.1	org.axonframework.eventhandling	axon- messaging- 4.10.1	3
	org.axonframework.messaging	axon-messaging-4.10.1	org.axonframework.eventhandling	axon- messaging- 4.10.1	4
	org.axonframework.messaging	axon-messaging-4.10.1	org.axonframework.eventhandling	axon- messaging- 4.10.1	5
AggregateTypeParar	org.axonframework.messaging.annotation	axon-messaging-4.10.1	org.axonframework.eventhandling	axon- messaging- 4.10.1	6
Sourceld	org.axonframework.messaging.annotation	axon-messaging-4.10.1	org.axonframework.eventhandling	axon- messaging- 4.10.1	7
ı	org.axonframework.tracing	axon-messaging-4.10.1	org.axonframework.deadline	axon- messaging- 4.10.1	8
1	org.axonframework.tracing	axon-messaging-4.10.1	org.axonframework.commandhandling	axon- messaging- 4.10.1	9
	org.axonframework.eventsourcing.eventstore	axon-eventsourcing- 4.10.1	org.axonframework.eventsourcing	axon- eventsourcing- 4.10.1	10
	org.axonframework.eventsourcing.eventstore	axon-eventsourcing- 4.10.1	axon- eventsourcing- org.axonframework.eventsourcing 4.10.1		11
1	org.axonframework.commandhandling	axon-messaging-4.10.1	org.axonframework.commandhandling.callbacks	axon- messaging- 4.10.1	12
ı	org.axonframework.commandhandling	axon-messaging-4.10.1	org.axonframework.commandhandling.callbacks	axon- messaging- 4.10.1	13
	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector.util	axon-server- connector- 4.10.1	14
G	org.axonframework.serialization	axon-messaging-4.10.1	org.axonframework.eventhandling	axon- messaging- 4.10.1	15
Gap/	org.axonframework.serialization	axon-messaging-4.10.1	org.axonframework.eventhandling	axon- messaging- 4.10.1	16
1	org.axonframework.serialization	axon-messaging-4.10.1	org.axonframework.eventhandling	axon- messaging- 4.10.1	17
	org.axonframework.messaging	axon-messaging-4.10.1	org.axonframework.messaging.unitofwork	axon- messaging- 4.10.1	18
ı	org.axonframework.messaging	axon-messaging-4.10.1	org.axonframework.messaging.unitofwork	axon- messaging- 4.10.1	19
	org.axonframework.messaging	axon-messaging-4.10.1	org.axonframework.messaging.unitofwork	axon- messaging- 4.10.1	20
AxonServ	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	axon-server- connector- org.axonframework.axonserver.connector.event.axon 4.10.1		21
EventProces	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector.event.axon	axon-server- connector- 4.10.1	22
Ax	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector.event.axon	axon-server- connector- 4.10.1	23
AxonServe	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector.event.axon	axon-server- connector- 4.10.1	24
AxonServerEventS	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector.event.axon	axon-server- connector- 4.10.1	25
				4.10.1	

	dependentPackageName	factName packageName dependentArtifactName dependentPackageNa		artifactName	
	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.1	26
AxonServerN	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.1	27
	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.1	28
Qu	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.1	29
AxonServ	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.1	30
А	org.axonframework.axonserver.connector	axon-server-connector- 4.10.1	axon-server- L connector- connector- d.10.1 org.axonframework.axonserver.connector.query		31
	org.axonframework.eventhandling	axon-messaging-4.10.1	axon- ssaging- org.axonframework.eventhandling.async 4.10.1		32
SequentialF	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.eventhandling.async	axon- messaging- 4.10.1	33
	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.eventhandling.async	axon- messaging- 4.10.1	34
	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.eventhandling.replay	axon- messaging- 4.10.1	35
	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.eventhandling.replay	axon- messaging- 4.10.1	36
	org.axonframework.eventhandling	axon-messaging-4.10.1	org.axonframework.eventhandling.replay	axon- messaging- 4.10.1	37
	org.axonframework.axonserver.connector.event.util	axon-server-connector- 4.10.1	axon-server- connector- 4.10.1 org.axonframework.axonserver.connector		38
GrpcBacked	org.axonframework.axonserver.connector.query.subscription	axon-server-connector- 4.10.1	org.axonframework.axonserver.connector.query	axon-server- connector- 4.10.1	39

Interface Segregation Candidates

Well known from Design Principles and Design Patterns by Robert C. Martin, the *Interface Segregation Principle* suggests that software components should have narrow, focused interfaces rather than large, general-purpose ones. The goal is to minimize the dependencies between components and increase modularity, flexibility, and maintainability.

Smaller, focused and purpose-driven interfaces

- make it easier to modify individual components without affecting the rest of the system.
- · make it clearer which client is affected by which change.
- don't force their clients to depend on methods they don't need.
- reduce the scope of changes since a change to one component doesn't affect others.
- lead to a more loosely coupled architecture that is easier to understand and maintain.

Reference: Analyze java package metrics in a graph database

How to apply the results

If just one method of a type is used, especially in many places, then the result of this method can be used to call e.g. a method or constuct an object instead of using the whole object and then just calling that single method.

If there are a couple of methods that are used for a distinct purpose, those could be factored out into a separate interface. The original type can extended/implement the new interface so that there are no breaking changes. Then all the callers, that use only this group of methods, can be changed to the new interface.

Table 4 - Top 40 most used combinations of methods

The following table shows the top 40 most used combinations of methods of larger types that might benefit from applying the *Interface Segregation Principle*. The whole table can be found in the CSV report Candidates for Interface Segregation.

fullDependentTypeName d		declaredMethods	calledMethodNames	calledMethods	callerTypes
0	org.axonframework.commandhandling.CommandMessage	9	[getCommandName]	1	20
1	$org. ax on framework. even than dling. Even t {\tt Message}$	9	[getTimestamp, getIdentifier]	2	10
2	$org. ax on framework. event hand ling. Domain {\tt Event Message}$	10	[getSequenceNumber]	1	9
3	$org. ax on framework. even than dling. Even t {\tt Message}$	9	[getIdentifier]	1	9
4	$org. ax on framework. even than dling. Tracked {\tt Event Message}$	10	[trackingToken]	1	8
5	org. ax on framework. command handling. Generic Command Result Message	14	[asCommandResultMessage]	1	6
6	org. ax on framework. eventh and ling. Domain Event Message	10	[getType, getSequenceNumber, getAggregateIdentifier]	3	6
7	org.axonframework.messaging.ResultMessage	9	[exceptionResult, isExceptional]	2	6
8	org.axonframework.eventhandling.ReplayToken	13	[createReplayToken]	1	5
9	org. ax on framework. dead line. Generic Dead line Message	11	[asDeadlineMessage]	1	5
10	org.axonframework.eventhandling.DomainEventMessage	10	[getAggregateIdentifier]	1	5
11	$org. ax on framework. eventh and ling. Tracked {\tt EventMessage}$	12	[trackingToken]	1	4
12	org.axonframework.deadline.DeadlineMessage	10	[getDeadlineName]	1	4
13	org.axonframework.eventhandling.DomainEventMessage	10	[getType]	1	4
14	org. ax on framework. event handling. Generic Event Message	10	[asEventMessage]	1	4
15	org. ax on framework. dead line. Default Dead line Manager Span Factory	8	[builder]	1	4
16	org. ax on framework. common. transaction. No Transaction Manager	4	[instance]	1	4
17	org. ax on framework. query hand ling. Simple Query Update Emitter	17	[builder]	1	3
18	org. ax on framework. command handling. Generic Command Result Message	15	[asCommandResultMessage]	1	3
19	org.axonframework.eventhandling.ReplayToken	13	[isReplay]	1	3
20	org. axon framework. modelling. command. in spection. Aggregate Model	13	[type]	1	3
21	org. ax on framework. query handling. Subscription Query Message	12	[getUpdateResponseType]	1	3
22	org. ax on framework. eventh and ling. Domain Event Message	11	[getType, getSequenceNumber, getAggregateIdentifier]	3	3
23	$org. ax on framework. eventh and ling. Generic {\tt EventMessage}$	11	[asEventMessage]	1	3
24	org.axonframework.queryhandling.SimpleQueryBus	11	[builder]	1	3
25	$org. ax on framework. event hand ling. Domain {\tt Event Message}$	10	[getSequenceNumber, getAggregateIdentifier]	2	3
26	org. ax on framework. eventh and ling. Gap Aware Tracking Token	10	[getIndex, withGapsTruncatedAt, newInstance, getGaps, advanceTo]	5	3
27	org. ax on framework. query handling. Default Query Bus Span Factory	10	[builder]	1	3
28	org. ax on framework. command handling. gateway. Default Command Gateway	9	[builder]	1	3
29	org.axonframework.config.Configuration	9	[getComponent]	1	3
30	org.axonframework.config.Configuration	9	[snapshotFilter, upcasterChain]	2	3
31	org.axonframework.eventhandling.EventMessage	9	[getTimestamp]	1	3
32	org.axonframework.messaging.MessageDecorator	9	[describeTo]	1	3
33	org.axonframework.queryhandling.QueryMessage	9	[getResponseType, getQueryName]	2	3
34	org. ax on framework. command handling. Default Command Bus Span Factory	5	[builder]	1	3
35	$org. ax on framework. event handling. Tracked {\tt Event Data}$	5	[trackingToken]	1	3
36	$org. ax on framework. event hand ling. to ken store. Config {\it Token}$	5	[get]	1	3
37	org. ax on framework. eventh and ling. Default Event BusSpan Factory	4	[builder]	1	3
38	org. ax on framework. query handling. Default Query Update Emitter Span Factory	4	[builder]	1	3
39	org.axonframework.eventhandling.TrackerStatus	17	[getSegment, getTrackingToken, split]	3	2

Package Usage

Table 5 - Types that are used by multiple packages

This table shows the top 40 packages that are used by the highest number of different packages. The whole table can be found in the CSV report

List_types_that_are_used_by_many_different_packages.

	fullQualifiedDependentTypeName	dependentTypeName	dependentTypeLabels	numberOfUsingF
0	org.axonframework.common.BuilderUtils	BuilderUtils	[Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation5, Mark4TypeLouvainCommunit	
1	org. ax on framework. common. Ax on Configuration Exception	AxonConfigurationException	[Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWaklyConnectedComponento, Mark4TypeLabelPropagation18, Mark4TypeLouvainCommuni	
2	org.axonframework.messaging.Message	Message	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPaticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityCloseness, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent	
3	org.axonframework.messaging.MetaData	MetaData	[Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityPageRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropaga	
4	org.axonframework.serialization.Serializer	Serializer	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPaticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPro	
5	org.axonframework.eventhandling.EventMessage	EventMessage	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation5,	
6	org.axonframework.messaging.unitofwork.UnitOfWork	UnitOfWork	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityArticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation	
7	org.axonframework.common.transaction.TransactionManager	TransactionManager	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation43, Mark4TypeLouvainCommunity12, Mark4TypeLeidenCom	
8	org.axonframework.common.Assert	Assert	[Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation18, Mark4TypeLouvainCommuni	
9	org. axon framework. serialization. Serialized Object	SerializedObject	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPaticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent	

	full Qualified Dependent Type Name	dependentTypeName	dependentTypeLabels	numberOfUsingF
10	$org. ax on framework. serialization. Serialized {\it Type}$	SerializedType	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPageRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityHopeninkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation4, Mark4TypeLouvainComm	
11	org.axonframework.messaging.unitofwork.CurrentUnitOfWork	CurrentUnitOfWork	[Type, File, Java, ByteCode, Class, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation26, Mark4TypeLeidenCommunity7, Mark4TypeLeidenCommunity0, Mark4TypeLeidenCommunity0, Mark4TypeKCoreDecomposition10]	
12	org.axonframework.common.Registration	Registration	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation9, Mark4TypeLovainCommunity10, Mark4TypeLeommunity6, Mark4TypeLeommunity6, Mark4TypeLeommunity6, Mark4TypeKcoreDecomposi	
13	org.axonframework.tracing.SpanFactory	SpanFactory	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityArticleRank, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation49, Mark4TypeLouvainCommunity0, Mark4TypeLeidenCommunity12, Mark4TypeLeidenComposition10]	
14	org.axonframework.lifecycle.Lifecycle	Lifecycle	[Type, File, Java, ByteCode, Interface, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation18, Mark4TypeLouvainCommunity0, Mark4TypeLeidenCommunity4, Mark4TypeKCoreDecomposition10]	
15	org.axonframework.lifecycle.Lifecycle\$LifecycleRegistry	Lifecycle\$LifecycleRegistry	[Type, File, Java, ByteCode, Interface, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation18, Mark4TypeLouvainCommunity0, Mark4TypeLeidenCommunity4, Mark4TypeKCoreDecomposition10]	
16	org.axonframework.common.ObjectUtils	ObjectUtils	[Type, File, Java, ByteCode, Class, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation15, Mark4TypeLouvainCommunity9, Mark4TypeLeidenCommunity8, Mark4TypeKCoreDecomposition10]	
17	org.axonframework.eventhandling.TrackingToken	TrackingToken	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPageRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityHopernonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponentO, Mark4TypeLabelPropagation30, Mark4TypeLouvainCom	
18	org.axonframework.eventhandling.DomainEventMessage	DomainEventMessage	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation27, Mark4TypeLouvainCommunity11, Mark4TypeLeidenCommunity91,	
19	org.axonframework.messaging.annotation.ParameterResolverFactory	ParameterResolverFactory	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation2, Mark4TypeLouvainCommunity1, Mark4TypeLeidenCommunity1, Mark4TypeKOreDecomposition10]	
20	org.axonframework.common.AxonNonTransientException	AxonNonTransientException	[Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation21, Mark4TypeLouvainCommunity2, Mark4TypeLeidenCommunity2, Mark4TypeKCoreDecomposit	
21	org.axonframework.eventhandling.GenericEventMessage	GenericEventMessage	[Type, File, Java, ByteCode, Class, GenericDeclaration, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation4, Mark4TypeLovainCommunity3, Mark4TypeLeidenCommunity3, Mark4TypeLeidenCommunity3, Mark4TypeKCoreDecomposition10]	

	fullQualifiedDependentTypeName	dependentTypeName	dependentTypeLabels	numberOfUsingF
22	org. ax on framework. messaging. Message Dispatch Interceptor	MessageDispatchInterceptor	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation17, Mark4TypeLouvainCommunity6, Mark4TypeLeidenCommunity6, Mark4TypeLeidenCommunity6, Mark4TypeKcoreDecomposition10]	
23	org.axonframework.messaging.MessageHandlerInterceptor	MessageHandlerInterceptor	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityBetweenness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation5, Mark4TypeLouvainCommunity4, Mark4TypeLidenCommunity4, Mark4TypeKOreDecomposition10]	
24	or g. ax on framework. serialization. Simple Serialized Object	SimpleSerializedObject	[Type, File, Java, ByteCode, Class, GenericDeclaration, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation4, Mark4TypeLouvainCommunity3, Mark4TypeLeidenCommunity3, Mark4TypeKoreDecomposition10]	
25	org.axonframework.tracing.NoOpSpanFactory	NoOpSpanFactory	[Type, File, Java, ByteCode, Class, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation49, Mark4TypeLouvainCommunity0, Mark4TypeLeidenCommunity12, Mark4TypeKCoreDecomposition10]	
26	org.axonframework.commandhandling.CommandMessage	CommandMessage	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityArticleRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation9,	
27	org.axonframework.eventhandling.EventBus	EventBus	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation24, Mark4TypeLouvainCommunity2, Mark4TypeLeidenCommunity2, Mark4TypeKoreDecomposition10]	
28	org. ax on framework. messaging. annotation. Handler Definition	HandlerDefinition	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponento, Mark4TypeLabelPropagation29, Mark4TypeLouvainCommunity1, Mark4TypeLeidenCommunity1, Mark4TypeKoreDecomposition10, Mark4TypeMaximumKCut0.15615615615615615	
29	org.axonframework.common.transaction.NoTransactionManager	NoTransactionManager	[Type, File, Java, ByteCode, Enum, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation18, Mark4TypeLouvainCommunity4, Mark4TypeLeidenCommunity10, Mark4TypeKCoreDecomposition10, Mark4TypeMaximumKCut0.14285714285714285]	
30	org.axonframework.messaging.ResultMessage	ResultMessage	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPaticleRank, Mark4TopCentralityBetweenness, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TopCentralityCloseness, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation10, Mark4TypeLouvainCommunit	
31	org.axonframework.tracing.Span	Span	[Type, File, Java, ByteCode, Interface, Mark4TopCentralityPageRank, Mark4TopCentralityPageRank, Mark4TopCentralityPageRank, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation49, Mark4TypeLovainCommunity0, Mark4TypeLeidenCommunity12, Mark4TypeKcoreDecomp	
32	org.axonframework.messaging.unitofwork.DefaultUnitOfWork	DefaultUnitOfWork	[Type, File, Java, ByteCode, Class, GenericDeclaration, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation10, Mark4TypeLouvainCommunity7, Mark4TypeLeidenCommunity0, Mark4TypeLeidenCommunity0, Mark4TypeKCoreDecomposition10]	
33	org.axonframework.common.ReflectionUtils	ReflectionUtils	[Type, File, Java, ByteCode, Class, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation8, Mark4TypeLourainCommunity1, Mark4TypeLeidenCommunity1, Mark4TypeKCoreDecomposition7]	

	fullQualifiedDependentTypeName	dependentTypeName	dependentTypeLabels	numberOfUsingF
34	org.axonframework.eventhandling.TrackedEventMessage	TrackedEventMessage	[Type, File, Java, ByteCode, GenericDeclaration, Interface, Mark4TopCentralityArticleRank, Mark4TopCentralityHyperlinkInducedTopicSearchAuthority, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation33, Mark4TypeLouvainCommunity12, Mark4TypeLeidenCommunity10, Mark4TypeLeidenCommunity10, Mark4TypeKCoreDecomposition10]	
35	org.axonframework.common.AxonException	AxonException	[Type, File, Java, ByteCode, Class, Mark4TopCentralityPageRank, Mark4TopCentralityPageRank, Mark4TopCentralityHarmonic, Mark4TopCentralityHarmonic, Mark4TopCentralityCloseness, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation11, Mark4TypeLouvainCommunity8, Mark4TypeLenCommunity7, Mark4TypeKCoreDecomposit	
36	org.axonframework.common.DateTimeUtils	DateTimeUtils	[Type, File, Java, ByteCode, Class, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation15, Mark4TypeLouvainCommunity9, Mark4TypeLeidenCommunity8, Mark4TypeKcoreDecomposition8]	
37	org.axonframework.messaging.DefaultInterceptorChain	DefaultInterceptorChain	[Type, File, Java, ByteCode, Class, GenericDeclaration, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation5, Mark4TypeLovainCommunity0, Mark4TypeLeidenCommunity3, Mark4TypeLeidenCommunity3, Mark4TypeKCoreDecomposition10]	
38	org. ax on framework. even than dling. Generic Domain Event Message	GenericDomainEventMessage	[Type, File, Java, ByteCode, Class, GenericDeclaration, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation27, Mark4TypeLovainCommunity3, Mark4TypeLeidenCommunity3, Mark4TypeLeidenCommunity3, Mark4TypeKCoreDecomposition10, Mark4TypeMaximumKCut0.2727272727272727	
39	org.axonframework.messaging.InterceptorChain	InterceptorChain	[Type, File, Java, ByteCode, Interface, Mark4TypeWeaklyConnectedComponent0, Mark4TypeLabelPropagation19, Mark4TypeLouvainCommunity7, Mark4TypeLeidenCommunity0, Mark4TypeKCoreDecomposition10]	

Table 6 - Packages that are used by multiple artifacts

This table shows the top 30 artifacts that only use a few (compared to all existing) packages of another artifact. The whole table can be found in the CSV report ArtifactPackageUsage.

	artifactName	dependentArtifactName	dependentPackages	dependentArtifactPackages	packageUsagePercentage	dependentFullQualifiedPackageNa
0	axon-tracing- opentelemetry- 4.10.1	axon-messaging-4.10.1	3	64	0.046875	[org.axonframework.com org.axonframework.tra org.axonframework.messa
1	axon-server- connector- 4.10.1	axon-modelling-4.10.1	1	10	0.100000	[org.axonframework.modelling.comm
2	axon-spring- boot- autoconfigure- 4.10.1	axon-test-4.10.1	1	8	0.125000	[org.axonframework.test.se
3	axon-disruptor- 4.10.1	axon-messaging-4.10.1	9	64	0.140625	[org.axonframework.monitc org.axonframework.messa org.axonframework.common.cac org.axonframework.common.transac org.axonframework.messaging.annote org.axonframework.commandhand org.axonframework.commandhandling.callbs org.axonframework.messaging.unitofwork, o
4	axon-test- 4.10.1	axon-messaging-4.10.1	10	64	0.156250	[org.axonframework.eventhandling.sched. org.axonframework.eventhanc org.axonframework.com org.axonframework.messaging.unitof org.axonframework.deac org.axonframework.messaging.annote org.axonframework.messa org.axonframework.com
5	axon- eventsourcing- 4.10.1	axon-modelling-4.10.1	2	10	0.200000	[org.axonframework.modelling.commorg.axonframework.modelling.command.inspec
6	axon-disruptor- 4.10.1	axon-modelling-4.10.1	2	10	0.200000	[org.axonframework.modelling.command.inspec org.axonframework.modelling.comm
7	axon-test- 4.10.1	axon-eventsourcing- 4.10.1	2	9	0.222222	[org.axonframework.eventsourcing.events org.axonframework.eventsour
8	axon-disruptor- 4.10.1	axon-eventsourcing- 4.10.1	2	9	0.222222	[org.axonframework.eventsourcing.events org.axonframework.eventsour
9	axon- modelling- 4.10.1	axon-messaging-4.10.1	18	64	0.281250	[org.axonframework.messaging.interceporg.axonframework.common.annotaorg.axonframework.traorg.axonframework.common.proporg.axonframework.common.proporg.axonframework.commandhanorg.axonframework.messaorg.axonframework.common.org.axonframework.common.org.axonframework.common.org.axonframework.common.org.axonframework.common.org.axonframework.common.
10	axon- eventsourcing- 4.10.1	axon-messaging-4.10.1	20	64	0.312500	[org.axonframework.serializa org.axonframework.tra org.axonframework.com org.axonframework.eventhan org.axonframework.lifec org.axonframework.serialization.upcasting.e org.axonframework.common.str org.axonframework.common.jdbc, o
11	axon-server- connector- 4.10.1	axon-eventsourcing- 4.10.1	3	9	0.333333	[org.axonframework.eventsourcing.events org.axonframework.eventsour org.axonframework.eventsourcing.snapsho
12	axon-spring- boot- autoconfigure- 4.10.1	axon-server-connector- 4.10.1	4	11	0.363636	[org.axonframework.axonserver.connector.event.e org.axonframework.axonserver.connector.q org.axonframework.axonserver.conne org.axonframework.axonserver.connector.comm
13	axon-server- connector- 4.10.1	axon-messaging-4.10.1	25	64	0.390625	[org.axonframework.lifec org.axonframework.commandhandling.distribi org.axonframework.commandhandling.callbi org.axonframework.commorg.axonframework.scommorg.axonframework.messa org.axonframework.commandhandorg.axonframework.tra org.axonframework.mess
14	axon- configuration- 4.10.1	axon-eventsourcing- 4.10.1	4	9	0.444444	[org.axonframework.eventsourcing.eventstore org.axonframework.eventsourcing.snapsho org.axonframework.eventsour org.axonframework.eventsourcing.events
15	axon-test- 4.10.1	axon-modelling-4.10.1	5	10	0.500000	[org.axonframework.modelling.comm org.axonframework.modelling.command.inspec org.axonframework.modelling.saga.repository.inmer org.axonframework.modelling.saga.repos org.axonframework.modelling.s
						o.g.axomamowom.modelling.e

artifactName dependentArtifactName dependentPackages dependentArtifactPackages packageUsagePercentage dependentFullQual	ifiedPackageNa
-------------------------------------------------------------------------------------------------------------------------	----------------

16	axon- configuration- 4.10.1	axon-messaging-4.10.1	34	64	0.531250	[org.axonframework.messaging.correla org.axonframework.deac org.axonframework.com.upcasting.e org.axonframework.commandhandling.gate org.axonframework.eventhandling.deadli org.axonframework.common.transac org.axonframework.common.annota org.axonframework.common.annota
17	axon-spring- boot- autoconfigure- 4.10.1	axon-eventsourcing- 4.10.1	5	9	0.555556	[org.axonframework.eventsourcing.eventstore. org.axonframework.eventsourcing.events org.axonframework.eventsour org.axonframework.eventsourcing.eventstore org.axonframework.eventsourcing.eventstore.legac
18	axon- configuration- 4.10.1	axon-modelling-4.10.1	6	10	0.600000	[org.axonframework.modelling.saga.repositon org.axonframework.modelling.s org.axonframework.modelling.saga.repository.inmer org.axonframework.modelling.saga.repos org.axonframework.modelling.comm org.axonframework.modelling.command.inspec
19	axon-spring- boot- autoconfigure- 4.10.1	axon-modelling-4.10.1	6	10	0.600000	[org.axonframework.modelling.s org.axonframework.modelling.comm org.axonframework.modelling.saga.repos org.axonframework.modelling.saga.repository. org.axonframework.modelling.saga.repository. org.axonframework.modelling.saga.repository.legac
20	axon- modelling- 4.10.1	axon-modelling-4.10.1	6	10	0.600000	[org.axonframework.modelling.command.inspec org.axonframework.modelling.s org.axonframework.modelling.saga.repos org.axonframework.modelling.comm org.axonframework.modelling.saga.repository org.axonframework.modelling.saga.metam
21	axon-spring- boot- autoconfigure- 4.10.1	axon-messaging-4.10.1	39	64	0.609375	[org.axonframework.messaging.deadli org.axonframework.eventhanc org.axonframework.serializat org.axonframework.serialization. org.axonframework.serialization org.axonframework.serialization org.axonframework.eventhandling.gate org.axonframework.eventhand
22	axon-test- 4.10.1	axon-test-4.10.1	5	8	0.625000	[org.axonframework org.axonframework.test.deac org.axonframework.test.matcl org.axonframework.test.eventschec org.axonframework.test.
23	axon- messaging- 4.10.1	axon-messaging-4.10.1	41	64	0.640625	[org.axonframework.common. org.axonframework.messa org.axonframework.eventhan org.axonframework.common.transac org.axonframework.messaging.deadli org.axonframework.serializz org.axonframework.common.legac org.axonframework.eventhar
24	axon- eventsourcing- 4.10.1	axon-eventsourcing- 4.10.1	7	9	0.777778	[org.axonframework.eventsourcing.snapsho org.axonframework.eventsour org.axonframework.eventsourcing.eventstore. org.axonframework.eventsourcing.events org.axonframework.eventsourcing.conflictresolt org.axonframework.eventsourcing.eventstore org.axonframework.eventsourcing.eventstore
25	axon-server- connector- 4.10.1	axon-server-connector- 4.10.1	9	11	0.818182	[org.axonframework.axonserver.conne org.axonframework.axonserver.connecto org.axonframework.axonserver.connector.q org.axonframework.axonserver.connector.even org.axonframework.axonserver.connector.comr org.axonframework.axonserver.connector.comr org.axonframework.axonserver.connector.comr
26	axon-spring- boot- autoconfigure- 4.10.1	axon-spring-boot- autoconfigure-4.10.1	8	9	0.888889	[org.axonframework.springl org.axonframework.springboot.uti org.axonframework.springboo org.axonframework.actuator.axonse org.axonframework.springboot.service.connec org.axonframework.actu org.axonframework.springboot.utocc org.axonframework.springboot.utocc
27	axon-server- connector- 4.10.1	axon-configuration-4.10.1	1	1	1.000000	[org.axonframework.cc

artifactName	dependentArtifactName	dependentPackages	dependentArtifactPackages	packageUsagePercentage	dependentFullQualifiedPackageNa
axon-spring- boot- autoconfigure- 4.10.1	axon-tracing- opentelemetry-4.10.1	1	1	1.000000	[org.axonframework.tracing.opentelem
axon- 29 configuration- 4.10.1	axon-disruptor-4.10.1	1	1	1.000000	[org.axonframework.disruptor.commandhanc

Table 7 - Types that are used by multiple artifacts

This table shows the top 30 types that only use a few (compared to all existing) types of another artifact. The whole table can be found in the CSV report ClassesPerPackageUsageAcrossArtifacts.

	artifactName	dependentArtifactName	packageName	dependentPackage.fqn	dependentTypes	depend
0	axon-spring- boot- autoconfigure- 4.10.1	axon-messaging-4.10.1	org.axonframework.springboot.autoconfig.legacyjpa	org.axonframework.eventhandling	1	
1	axon-test- 4.10.1	axon-messaging-4.10.1	org.axonframework.test.matchers	org.axonframework.eventhandling	1	
2	axon-spring- boot- autoconfigure- 4.10.1	axon-messaging-4.10.1	org.axonframework.springboot.util	org.axonframework.eventhandling	1	
3	axon- eventsourcing- 4.10.1	axon-messaging-4.10.1	org.axonframework.eventsourcing.snapshotting	org.axonframework.eventhandling	1	
4	axon-server- connector- 4.10.1	axon-messaging-4.10.1	org.axonframework.axonserver.connector	org.axonframework.eventhandling	1	
5	axon- modelling- 4.10.1	axon-messaging-4.10.1	org.axonframework.modelling.saga.metamodel	org.axonframework.eventhandling	1	
6	axon- eventsourcing- 4.10.1	axon-modelling-4.10.1	org.axonframework.eventsourcing.conflictresolution	org.axonframework.modelling.command	1	
7	axon-server- connector- 4.10.1	axon-modelling-4.10.1	org.axonframework.axonserver.connector	org.axonframework.modelling.command	1	
8	axon- eventsourcing- 4.10.1	axon-modelling-4.10.1	org. ax on framework. events our cing. events to re. jdbc	org.axonframework.modelling.command	1	
9	axon-test- 4.10.1	axon-messaging-4.10.1	org.axonframework.test.eventscheduler	org.axonframework.eventhandling	2	
10	axon- modelling- 4.10.1	axon-messaging-4.10.1	org.axonframework.modelling.command.legacyjpa	org.axonframework.eventhandling	2	
11	axon- eventsourcing- 4.10.1	axon-messaging-4.10.1	org.axonframework.eventsourcing.conflictresolution	org.axonframework.eventhandling	2	
12	axon- modelling- 4.10.1	axon-messaging-4.10.1	org.axonframework.modelling.command	org.axonframework.eventhandling	2	
13	axon-server- connector- 4.10.1	axon-eventsourcing- 4.10.1	org.axonframework.axonserver.connector.event.axon	org.axonframework.eventsourcing	1	
14	axon-spring- boot- autoconfigure- 4.10.1	axon-configuration-4.10.1	org.axonframework.springboot	org.axonframework.config	1	
15	axon-server- connector- 4.10.1	axon-configuration-4.10.1	org.axonframework.axonserver.connector.processor	org.axonframework.config	1	
16	axon-spring- boot- autoconfigure- 4.10.1	axon-configuration-4.10.1	org.axonframework.springboot.autoconfig.legacyjpa	org.axonframework.config	1	
17	axon- eventsourcing- 4.10.1	axon-messaging-4.10.1	org.axonframework.eventsourcing.eventstore	org.axonframework.messaging	1	
18	axon-test- 4.10.1	axon-messaging-4.10.1	org.axonframework.test.matchers	org.axonframework.messaging	1	
19	axon-test- 4.10.1	axon-messaging-4.10.1	org.axonframework.test	org.axonframework.messaging	1	
20	axon- eventsourcing- 4.10.1	axon-messaging-4.10.1	org.axonframework.eventsourcing.conflictresolution	org.axonframework.messaging	1	
21	axon- eventsourcing- 4.10.1	axon-messaging-4.10.1	org.axonframework.eventsourcing.eventstore.jpa	org.axonframework.serialization	1	
22	axon- eventsourcing- 4.10.1	axon-messaging-4.10.1	org.axonframework.eventsourcing.eventstore.jdbc	org.axonframework.serialization	1	
23	axon- eventsourcing- 4.10.1	axon-messaging-4.10.1	org.axonframework.eventsourcing.eventstore.legacyjpa	org.axonframework.serialization	1	
24	axon-spring- boot- autoconfigure- 4.10.1	axon-messaging-4.10.1	org.axonframework.springboot.autoconfig.legacyjpa	org.axonframework.serialization	1	
25	axon- eventsourcing- 4.10.1	axon-messaging-4.10.1	org. ax on framework. events our cing. events to re. jdbc. statements	org.axonframework.eventhandling	3	

	artifactName	dependentArtifactName	packageName	dependentPackage.fqn	dependentTypes	depend
26	axon-test- 4.10.1	axon-modelling-4.10.1	org.axonframework.test.utils	org.axonframework.modelling.saga	1	
27	axon- eventsourcing- 4.10.1	axon-messaging-4.10.1	org. ax on framework. events our cing. conflict resolution	org.axonframework.commandhandling	1	
28	axon-test- 4.10.1	axon-messaging-4.10.1	org.axonframework.test.matchers	org.axonframework.commandhandling	1	
29	axon-server- connector- 4.10.1	axon-eventsourcing- 4.10.1	org.axonframework.axonserver.connector	org.axonframework.eventsourcing.eventstore	1	

Table 8 - Duplicate package names across artifacts

This table shows the top 30 duplicate package names across artifacts. They are ordered by the number of duplicates descending.

This might lead to confusion, makes importing more error prone and might even lead to duplicate classes where only one of them will be loaded by the class loader. If a package is named the same way in two or more artifacts this even allows another artifact to access package protected classes, methods or members which might not be intended.

The whole table can be found in the CSV report DuplicatePackageNamesAcrossArtifacts.

packageName duplicates artifactNames

Table 9 - Annotated elements

This table shows 30 most used Java Annotations including some examples where they are used.

	numberOfAnnotatedElements	languageElement	annotationName	
[org.axonframework org.axonframework.test.aggregate.AggregateT	1616	Parameter	javax.annotation.Nonnull	0
[org.axonframework.test.aggregate.Reorg.axonframework.test.aggregate.Reporter.rep	132	Method	java.lang.Deprecated	1
org.axonframework.spri	111	Method	org.springframework.context.annotation.Bean	2
org.axonframework.springboot.autoconfig.Infi	78	Method	org.spring framework.boot.autoconfigure.condition.ConditionalOn Missing Bean	3
[org.axonframework.test.matchers.Fieldlorg.axonframework.axonserver.connecto	65	Interface	java.lang.FunctionalInterface	4
[org.axonframework.eventsourcing.eventstore (0), org.axonframework.commandhandling	61	Parameter	javax.annotation.Nullable	5
[org.axonframework.test.aggregate.AggregateTe	50	Method	javax.annotation.Nonnull	6
org.axonframework.commanc	43	Annotation	java.lang.annotation.Target	7
[org.ɛ	43	Class	java.lang.Deprecated	8
org.axonframework.command	43	Annotation	java.lang.annotation.Retention	9
[org.axonframework.eventhandling org.axonframework.eventhandl	39	Field	javax.persistence.Basic	10
[org.axonframework.eventhandling org.axonframework.eventhandling]	33	Field	jakarta.persistence.Basic	11
	32	Parameter	com.fasterxml.jackson.annotation.JsonProperty	12
[org.axonframework.eventsourcing.EventSourcin org.axonframework.eventhandling.Disallo	23	Annotation	java.lang.annotation.Documented	13
[org.axonframework.springboc	22	Class	org. spring framework. boot. autoconfigure. Auto Configuration	14
org.axonframewo	21	Constructor	java.beans.ConstructorProperties	15
	20	Parameter	org. spring framework. beans. factory. annotation. Qualifier	16
org.axonframework.axonserver.connector.proces	20	Constructor	java.lang.Deprecated	17
[org.axonframework.eve orq	16	Constructor	com.fasterxml.jackson.annotation.JsonCreator	18
[org.axonframework.sp org.axonframework.springboc	16	Class	org. spring framework. boot. autoconfigure. Auto Configure After	19
org.axonframewc	15	Method	org. spring framework. boot. autoconfigure. condition. Conditional On Property	20
[org.axonframework.springboot.autoconfig org.axonframework.springboot.autoconfig.l	14	Class	org. spring framework. boot. autoconfigure. Auto Configure Before	21
[org.axonframew org.axonframework.eventhandl	12	Field	javax.persistence.Column	22
org.axonfi org.axonfran	12	Class	org. spring framework. boot. autoconfigure. condition. Conditional On Class	23
[org.axonframework.eventhandl	11	Field	jakarta.persistence.Column	24
[org.axonframework.springbocorg.axonframework.springboot.a	11	Class	$org. spring framework. boot. context. properties. {\tt Enable Configuration Properties}$	25
[org.axonframework.test.FixtureResour org.axonframework.eventhandling.Ser	11	Class	org.axonframework.common.Priority	26

	numberOfAnnotatedElements	languageElement	annotationName	
[org.axonfrar org.axonframework.eventhandling.deadlet	10	Field	javax.persistence.Lob	27
org.axonfra	10	Method	org. spring framework. boot. autoconfigure. condition. Conditional On Bean	28
org.axonfrar	10	Field	javax.persistence.ld	29

Table 10 - Distance distribution between dependent files

This table shows the file directory distance distribution between dependent files. Intuitively, the distance is given by the fewest number of change directory commands needed to navigate between a file and a dependency it uses. Those are aggregate to see how many dependent files are in the same directory, how many are just one change directory command apart, and so on.

	$dependency. file {\tt Distance As Fewest Change Directory Commands}$	numberOfDependencies	number Of Dependency Users	number Of Dependency Providers	
0	0	2600	1026	1160	[/axon-spring
1	1	90	82	38	[/org/axonfi /org/a
2	2	2503	760	472	
3	4	2595	449	541	/org/axonframew