Internal Dependencies

References

- Analyze java package metrics in a graph database
- Calculate metrics
- Neo4j Python Driver

1 - Modules

List the modules this notebook is based on. Different sorting variations help finding modules by their features and support larger code bases where the list of all modules gets very long.

Only the top 30 entries are shown. The whole table can be found in the following CSV report: List all Typescript modules

Table 1a - Top 30 modules with the highest element count

		rootProjectName	moduleName	number Of Elements	number Of Git Commits	$incoming \\ Dependencies$	outgoingDependencies
	0	react-router-6.27.0	react-router-dom	35	420	2	152
	1	react-router-6.27.0	react-router-native	12	153	0	24
	2	react-router-6.27.0	react-router	7	235	19	17
	3	react-router-6.27.0	server	6	163	0	40

Table 1b - Top 30 modules with the highest number of incoming dependencies

The following table lists the top 30 internal modules that are used the most by other modules (highest count of incoming dependencies, highest in-degree).

	rootProjectName	moduleName	numberOfElements	numberOfGitCommits	incomingDependencies	outgoingDependencies
0	react-router-6.27.0	react-router	7	235	19	17
1	react-router-6.27.0	react-router-dom	35	420	2	152
2	react-router-6.27.0	react-router-native	12	153	0	24
3	react-router-6.27.0	server	6	163	0	40

Table 1c - Top 30 modules with the highest number of outgoing dependencies

The following table lists the top 30 internal modules that are depending on the highest number of other modules (highest count of outgoing dependencies, highest out-degree).

	rootProjectName	moduleName	numberOfElements	numberOfGitCommits	incomingDependencies	outgoingDependencies	
0	react-router-6.27.0	react-router-dom	35	420	2	152	
1	react-router-6.27.0	server	6	163	0	40	
2	react-router-6.27.0	react-router-native	12	153	0	24	
3	react-router-6.27.0	react-router	7	235	19	17	

Table 1d - Top 30 modules with the lowest element count

	rootProjectName moduleName n		numberOfElements	number Of Git Commits	$incoming {\bf Dependencies}$	outgoingDependencies	
0	react-router-6.27.0	server	6	163	0	40	
1	react-router-6.27.0	react-router	7	235	19	17	
2	react-router-6.27.0	react-router-native	12	153	0	24	
3	react-router-6.27.0	react-router-dom	35	420	2	152	

Table 1e - Top 30 modules with the lowest number of incoming dependencies

The following table lists the top 30 internal modules that are used the least by other modules (lowest count of incoming dependencies, lowest in-degree).

		rootProjectName	moduleName	number Of Elements	number Of Git Commits	incoming Dependencies	outgoingDependencies
	0	react-router-6.27.0	react-router-native	12	153	0	24
	1	react-router-6.27.0	server	6	163	0	40
	2	react-router-6.27.0	react-router-dom	35	420	2	152
	3	react-router-6.27.0	react-router	7	235	19	17

Table 1f - Top 30 modules with the lowest number of outgoing dependencies

The following table lists the top 30 internal modules that are depending on the lowest number of other modules (lowest count of outgoing dependencies, lowest out-degree).

	rootProjectName	moduleName	number Of Elements	number Of Git Commits	incomingDependencies	outgoingDependencies
0	react-router-6.27.0	react-router	7	235	19	17
1	react-router-6.27.0	react-router-native	12	153	0	24
2	react-router-6.27.0	server	6	163	0	40
3	react-router-6.27.0	react-router-dom	35	420	2	152

2 - Cyclic Dependencies

Cyclic dependencies occur when one module uses an elements of another module and vice versa. These dependencies can lead to problems when one of these modules needs to be changed.

Table 2a - Cyclic Dependencies Overview

Show the top 40 cyclic dependencies sorted by the most promising to resolve first. This is done by calculating the number of forward dependencies (first cycle participant to second cycle participant) in relation to backward dependencies (second cycle participant back to first cycle participant). The higher this rate (approaching 1), the easier it should be to resolve the cycle by focusing on the few backward dependencies.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic Dependencies for Typescript

Columns:

- projectFileName identifies the project of the first participant of the cycle
- modulePathName identifies the module of the first participant of the cycle
- dependentProjectFileName identifies the project of the second participant of the cycle
- dependentModulePathName identifies the module of the second participant of the cycle
- forwardToBackwardBalance is between 0 and 1. High for many forward and few backward dependencies.
- numberForward contains the number of dependencies from the first participant of the cycle to the second one
- numberBackward contains the number of dependencies from the second participant of the cycle back to the first one
- someForwardDependencies lists some forward dependencies in the text format "type1 -> type2"
- backwardDependencies lists the backward dependencies in the format "type1 <- type2" that are recommended to get resolved

projectFileName moduleName dependentProjectFileName dependentModulePathName forwardToBackwardBalance numberForward numberBackward forwardDep

Table 2b - Cyclic Dependencies Break Down

Lists modules with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic_Dependencies_Breakdown_for_Typescript

Columns in addition to Table 2a:

dependency shows the cycle dependency in the text format "type1 -> type2" (forward) or "type2<-type1" (backward)

Table 2c - Cyclic Dependencies Break Down - Backward Dependencies Only

Lists modules with cyclic dependencies with every dependency in a separate row sorted by the most promising dependency first. This table only contains the backward dependencies from the second participant of the cycle back to the first one that are the most promising to resolve.

Only the top 40 entries are shown. The whole table can be found in the following CSV report: Cyclic_Dependencies_Breakdown_BackwardOnly_for_Typescript

projectFileName moduleName dependentProjectFileName dependentModulePathName dependency forwardToBackwardBalance numberForward numberBackwar

3 - Module Usage

Table 3a - Elements that are used by multiple modules

This table shows the top 40 modules that are used by the highest number of different modules. The whole table can be found in the CSV report WidelyUsedTypescriptElements.

fullQualifiedDependentElementName dependentElementName dependentElementName dependentElementLabels numberOfUsingModules

Table 3b - Elements that are used by multiple modules

This table shows the top 30 modules that only use a few (compared to all existing) elements of another module. The whole table can be found in the CSV report ModuleElementsUsageTypescript.

sourceModuleName dependentModuleName dependentElementsCount dependentModuleElementsCount elementUsagePercentage dependentElementFullNameExam

Table 3c - Distance distribution between dependent files

This table shows the file directory distance distribution between dependent files. Intuitively, the distance is given by the fewest number of change directory commands needed to navigate between a file and a dependency it uses. Those are aggregate to see how many dependent files are in the same directory, how many are just one change directory command apart, and so on.

	$dependency. file {\tt Distance As Fewest Change Directory Commands}$	numberOfDependencies	numberOfDependencyUsers	numberOfDependencyProviders	examples
0	0	1	1	1	[./server.tsx uses ./index.tsx]
1	4	3	3	1	[./index.tsx uses ./index.ts, ./index.tsx uses ./index.ts, ./server.tsx uses ./index.ts]