AI Log — Sprint 2

Tool used: Claude Code (VS Code extension)

Summary: In Sprint 2, AI was mainly used for debugging, especially Supabase permission errors (missing table grants and row-level security policies) that came up while building the account update, job posting management and recruiter application features. It was also used to speed up writing some UI components in the existing Chakra UI / React Hook Form style.

Task 2.1: Account Update — Debugging a 500 Error

Purpose of AI Use

Debugging. Saving changes on the account page failed with a server error.

Chat Link or Prompt/Response

Prompt:

"POST /account 500 in 488ms … *ƒ* updateAccount({"email":"worker1@hello.com","first_name":"John","last_name":"Doe","...":"2 items not stringified"})"

AI-Suggested Content

AI explained that "2 items not stringified" was only Next.js shortening its log line, not the error. It changed the error toast to show the actual Supabase error message. The message was `permission denied for table profiles` (code `42501`), which showed that logged-in users had no `UPDATE` permission on the `profiles` table. AI suggested a column-level `GRANT UPDATE` (leaving out `account_type`) and an RLS policy so that each user can only update their own row.

Validation

Ran the suggested SQL in the Supabase SQL editor, then tested the account update again in the running app.

Decision

Accepted. The account type column was deliberately left out of the grant so users cannot change their role.

Reflection

AI helped find the real error behind a generic 500 by surfacing the database message instead of guessing from the log. The root cause was in the database configuration, not the application code.

Responsible Person: Johan Asangue Tchoupa

Task 2.2: Recruiter Application Status — Debugging a 403 Error

Purpose of AI Use

Debugging. Recruiters could not change the status of an application they had received.

Chat Link or Prompt/Response

Prompt:

Supabase edge log: `PATCH | 403 | /rest/v1/applications?id=eq.…&select=id`

AI-Suggested Content

AI explained that a 403 means Postgres refused the update outright ("permission denied"). If RLS had only filtered the row out, the response would have been a 200 with no rows. The `authenticated` role had only `SELECT` and `INSERT` permissions on `applications`. AI added error logging to the server action and proposed a migration that grants `UPDATE` on the `status` column only. The existing RLS policies still limit updates to the recruiter who owns the job.

Validation

Checked the existing policies with a `pg_policies` query, ran the grant migration in the Supabase SQL editor and retested the status change.

Decision

Accepted.

Reflection

The same type of problem as in Task 2.1 came back: new Supabase tables don't automatically give table permissions to logged-in users. AI helped tell apart a missing grant from a missing RLS policy, which made the fix quicker.

Responsible Person: Johan Asangue Tchoupa