

INTRODUCTION TO COMPLEX SYSTEMS, JAVA, MVN, AND GIT

Johan Sebastian Arias

August 2020

1 Introduction

This is a program developed in Java in conjunction with Apache Maven and Git which calculates the mean and standard deviation given a text file of n real numbers.

2 Objectives

1. To Understand the basics of maven and git via command line.
2. To Recognize and implement a Linked List in order to manage collections of data.
3. To Implement basic statistical operations like the mean and the standard deviation and identify its importance.

3 Definitions

- **Linked List:** A linked list is a linear data structure, in which the elements are not stored at contiguous memory locations. The elements in a linked list are linked using pointers as shown in the below image: [1]




Figure 1: Graphic representation of a Linked list

- **Singly Linked List:** It is the most common. Each node has data and a pointer to the next node. [2]




Figure 2: Singly Linked List Representation

- **Doubly Linked List:** We add a pointer to the previous node in a doubly-linked list. Thus, we can go in either direction: forward or backward. [2]



Figure 3: Doubly Linked List Representation

- **Circular Linked List:** A circular linked list is a variation of a linked list in which the last element is linked to the first element. This forms a circular loop. [2]




Figure 4: Circular Linked List Representation

4 Design of this project




Figure 5: Class Diagram of the design

5 Setting up this project

Requisites

- Apache Maven
- Java 8
- git

Steps to run this project locally

1. Clone this repository:

```
git clone https://github.com/JohanS11/Taller1Arep.git
```

2. Build the project with maven:

```
cd Taller1Arep && mvn package
```

3. Execute the project with maven:

```
mvn exec:java -Dexec.mainClass="edu.escuelaing.arep.calculator.app.CalculatorApp" -Dexec.args="--DataTest\\DataSet.txt"
```

(The values have to be separated by comma)**NOTE: In order to test with another text file you have to add it to the folder "DataTest" and modify the below command with the name of the txt file: -Dexec.args="DataTest \\yourtextfile.txt"**

(The values have to be separated by comma)

6 Conclusion

I have recovered some knowledge about tools like maven, git, Java and algorithms as well. In the same way I have identified some utilities from the Linked Lists.

References

- [1] Linked list data structure. <https://www.geeksforgeeks.org/data-structures/linked-list/singlyLinkedList>. Accessed on 2020-08-09.
- [2] Types of linked list - singly linked, doubly linked and circular. <https://www.programiz.com/dsa/linked-list-typessingly>. Accessed on 2020-08-09.