Summary of symmetry calculations

September 20, 2021

Contents

| 1 | DBH_model | 5 |
|----------|--------------|---|
| 2 | hvdons_model | 7 |

4 CONTENTS

Chapter 1

$hydons_model$

Run 01_05PM_26_July-2021

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~01_09PM_26_July-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~01_21PM_26_July-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$

$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run 04_01PM_28_July-2021

Degree in tangential ansätze: 1 The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2,$$

$$X_2 =$$

Run 11_15AM_29_July-2021

Degree in tangential ansätze: 1 The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~09_42AM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~09_47AM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~09_48AM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~09_57AM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run $09_59AM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~11_33AM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~11_35AM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run 11_35 AM $_15_$ September-2021

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~11_37AM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~11_40AM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run 01_57 PM $_15_$ September-2021

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~01_58PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~02_02PM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run $02_07PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~02_11PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~02_22PM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run 02_23 PM $_15_$ September-2021

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~02_25PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~02_26PM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run 02_28 PM $_15_$ September-2021

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~02_29PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~02_39PM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run 03_39 PM $_15_$ September-2021

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~03_40PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~03_42PM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run 03_48 PM $_15_$ September-2021

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~03_53PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~03_54PM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run 03_54 PM $_15_$ September-2021

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~03_58PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~03_59PM_15_September-2021$

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run $03_59PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~03_59PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~04_01PM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run 04_03 PM $_15_$ September-2021

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~04_04PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~04_06PM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

Run $04_08PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~04_08PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$

$Run~04_11PM_15_September-2021$

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2.$$

$Run~04_11PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2$$
,

$Run~04_12PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2.$$

Run $04_12PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2.$$

$Run~04_19PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2.$$

$Run~04_19PM_15_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2.$$

Run 04_21 PM $_15_$ September-2021

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2.$$

$Run~03_20PM_16_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$

$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2.$$

$Run~03_20PM_16_September-2021$

Degree in tangential ansätze: 1

The system of ODEs is given by:

$$\frac{\mathrm{d}y_1}{\mathrm{d}t} = \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2},$$
$$\frac{\mathrm{d}y_2}{\mathrm{d}t} = \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}.$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2.$$