Summary of symmetry calculations

February 1, 2022

Contents

1	$\mathrm{DBH}_{-\mathrm{model}}$	5
2	SIR	7
3	Brusselator	11
4	linear_model	13
5	hydons_model	19
6	$\mathbf{L}\mathbf{V}$	21

4 CONTENTS

DBH_{model}

$Run~01_27PM_01_February-2022$

Degree in tangential ansätze: 2. The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}w_1}{\mathrm{d}t} &= -w_1w_2 - w_1w_3 + w_2w_3, \\ \frac{\mathrm{d}w_2}{\mathrm{d}t} &= -w_1w_2 + w_1w_3 - w_2w_3, \\ \frac{\mathrm{d}w_3}{\mathrm{d}t} &= w_1w_2 - w_1w_3 - w_2w_3. \end{split}$$

The calculated generators are:

$$X_1 = (-t) \partial t + (w_1) \partial w_1 + (w_2) \partial w_2 + (w_3) \partial w_3,$$

$$X_2 = (1) \partial t$$
,

$$X_3 = (1) \partial t$$
,

$$X_4 = (t^2) \partial t + (1 - 2tw_1) \partial w_1 + (1 - 2tw_2) \partial w_2 + (1 + 2tw_3) \partial w_3$$

$$X_{5} = (f_{1}(t)) \partial t + (w_{2}w_{3} f_{1}(t) - w_{1}w_{2} f_{1}(t) - w_{1}w_{3} f_{1}(t)) \partial w_{1} + (w_{1}w_{3} f_{1}(t) - w_{1}w_{2} f_{1}(t) + -w_{2}w_{3} f_{1}(t)) \partial w_{2} + (w_{1}w_{2} f_{1}(t) - w_{1}w_{3} f_{1}(t) - w_{2}w_{3} f_{1}(t)) \partial w_{3}.$$

Some of the generators might contain the following arbitrary functions:

 f_1

The execution time of the script was:

 $0~\mathrm{hours}~5~\mathrm{minutes}~15~\mathrm{seconds}.$

SIR

$Run~01_28PM_01_February-2022$

Degree in tangential ansätze: 1. The system of ODEs is given by:

$$\frac{\mathrm{d}S}{\mathrm{d}t} = -ISr,$$

$$\frac{\mathrm{d}I}{\mathrm{d}t} = ISr - Ia,$$

$$\frac{\mathrm{d}R}{\mathrm{d}t} = Ia.$$

The calculated generators are:

$$X_1 = (I + R + S) \,\partial t$$

$$X_2 = (1) \partial R$$
,

$$X_3 = (I + R + S) \partial R$$

$$X_4 = (1) \partial t$$
.

The execution time of the script was:

0 hours 0 minutes 24 seconds.

Run $01_31PM_01_February-2022$

Degree in tangential ansätze: 2. The system of ODEs is given by:

8 CHAPTER 2. SIR

$$\begin{split} \frac{\mathrm{d}S}{\mathrm{d}t} &= -ISr, \\ \frac{\mathrm{d}I}{\mathrm{d}t} &= ISr - Ia, \\ \frac{\mathrm{d}R}{\mathrm{d}t} &= Ia. \end{split}$$

The calculated generators are:

$$X_1 = (1) \partial R,$$

$$X_2 = \left(\frac{I^2}{2} + \frac{R^2}{2} + \frac{S^2}{2} + IR + IS + RS\right)\partial t$$

$$X_3 = (I + R + S) \partial t$$

$$X_4 = (1) \partial t$$
,

$$X_5 = (IS) \partial S + \left(-IS + \frac{Ia}{r}\right) \partial I + \left(\frac{Ra}{r} + \frac{Sa}{r}\right) \partial R$$

$$X_6 = \left(-\frac{1}{a}\right)\partial t + \left(\frac{ISr}{a}\right)\partial S + \left(I - \frac{ISr}{a}\right)\partial I + (R+S)\,\partial R$$

$$X_{7} = \left(\frac{\mathbf{f}_{1}\left(t\right)}{a}\right)\partial t + \left(-\frac{ISr\,\mathbf{f}_{1}\left(t\right)}{a}\right)\partial S + \left(\frac{ISr\,\mathbf{f}_{1}\left(t\right)}{a} - I\,\mathbf{f}_{1}\left(t\right)\right)\partial I + \left(I\,\mathbf{f}_{1}\left(t\right)\right)\partial R.$$

Some of the generators might contain the following arbitrary functions:

 f_1

WARNING: Some of the calculated generators did not satisfy the linearised symmetry conditions. Thus, the presented list here is not complete and consists exclusively of the calculated generators that satisfy the linearised symmetry conditions.

The execution time of the script was:

0 hours 2 minutes 58 seconds.

10 CHAPTER 2. SIR

Brusselator

$Run~01_31PM_01_February-2022$

Degree in tangential ansätze: 1. The system of ODEs is given by:

$$\frac{\mathrm{d}u}{\mathrm{d}t} = au^2v - u(b+1) + 1,$$

$$\frac{\mathrm{d}v}{\mathrm{d}t} = -au^2v + bu.$$

The calculated generators are:

$$X_1 = (1) \partial t$$
.

The execution time of the script was:

0 hours 0 minutes 6 seconds.

linear_model

$Run~01_21PM_01_February-2022$

Degree in tangential ansätze: 1. The system of ODEs is given by:

$$\frac{\mathrm{d}u}{\mathrm{d}t} = u + v,$$
$$\frac{\mathrm{d}v}{\mathrm{d}t} = u + v.$$

The calculated generators are:

$$X_1 = \left(\frac{1}{2} + \frac{e^{2t}}{2}\right)\partial u + \left(\frac{e^{2t}}{2} - \frac{1}{2}\right)\partial v,$$

$$X_{2} = \left(-\frac{e^{2t}}{4} + \frac{e^{-2t}}{4}\right) \partial t + \left(\frac{u}{2} + \frac{ue^{-2t}}{2} + \frac{ve^{-2t}}{2} - \frac{ve^{2t}}{2}\right) \partial u$$

$$+ \left(\frac{v}{2} - \frac{ve^{2t}}{2}\right) \partial v$$

$$X_{3} = \left(\frac{v}{2} - \frac{u}{2} + \frac{ue^{-2t}}{2} + \frac{ve^{-2t}}{2}\right) \partial t$$

$$X_{4} = \left(\frac{u}{2} - \frac{v}{2} + \frac{ue^{-2t}}{2} + \frac{ve^{-2t}}{2}\right) \partial t$$

$$X_6 = \left(\frac{e^{2t}}{2} - \frac{1}{2}\right)\partial u + \left(\frac{1}{2} + \frac{e^{2t}}{2}\right)\partial v$$

 $X_5 = (1) \partial t$,

$$X_7 = \left(-\frac{1}{2} + \frac{e^{-2t}}{4} + \frac{e^{2t}}{4}\right) \partial t + \left(-\frac{u}{2} + \frac{ue^{-2t}}{2} + \frac{ve^{-2t}}{2} + \frac{ve^{-2t}}{2}\right) \partial u + \left(\frac{ve^{2t}}{2} - \frac{v}{2}\right) \partial v,$$

$$X_8 = \left(-\frac{e^{2t}}{4} - \frac{1}{2} - \frac{e^{-2t}}{4}\right)\partial t + \left(-\frac{u}{2} - \frac{ue^{-2t}}{2} - \frac{ve^{2t}}{2} - \frac{ve^{-2t}}{2}\right)\partial u + \left(-\frac{ve^{2t}}{2} - \frac{v}{2}\right)\partial v,$$

$$X_{9} = \left(\frac{e^{2t}}{4} - \frac{e^{-2t}}{4}\right) \partial t + \left(\frac{u}{2} + \frac{ve^{2t}}{2} - \frac{ue^{-2t}}{2} - \frac{ve^{-2t}}{2}\right) \partial u + \left(\frac{v}{2} + \frac{ve^{2t}}{2}\right) \partial v$$

$$X_{10} = (f_1(t)) \partial t + (u f_1(t) + v f_1(t)) \partial u + (u f_1(t) + v f_1(t)) \partial v$$

Some of the generators might contain the following arbitrary functions:

 f_1

The execution time of the script was:

0 hours 0 minutes 14 seconds.

Run $01_22PM_01_February-2022$

Degree in tangential ansätze: 2. The system of ODEs is given by:

$$\frac{\mathrm{d}u}{\mathrm{d}t} = u + v,$$
$$\frac{\mathrm{d}v}{\mathrm{d}t} = u + v.$$

The calculated generators are:

$$X_1 = \left(-\frac{e^{2t}}{4} + \frac{e^{-2t}}{4}\right)\partial t + \left(\frac{u}{2} + \frac{ue^{-2t}}{2} + \frac{ve^{-2t}}{2} - \frac{ve^{2t}}{2}\right)\partial u$$
$$+ \left(\frac{v}{2} - \frac{ve^{2t}}{2}\right)\partial v$$

$$X_2 = \left(\frac{1}{2} + \frac{e^{2t}}{2}\right)\partial u + \left(\frac{e^{2t}}{2} - \frac{1}{2}\right)\partial v,$$

$$X_3 = (1) \partial t$$

$$\begin{split} X_4 &= \left(\frac{u}{2} - \frac{v}{2} + \frac{ue^{-2t}}{2} + \frac{ve^{-2t}}{2}\right) \partial t \\ X_5 &= \left(-\frac{1}{2} + \frac{e^{-2t}}{4} + \frac{e^{2t}}{4}\right) \partial t + \left(-\frac{u}{2} + \frac{ue^{-2t}}{2} + \frac{ve^{-2t}}{2} + \frac{ve^{-2t}}{2}\right) \partial u + \left(\frac{ve^{2t}}{2} - \frac{v}{2}\right) \partial v, \end{split}$$

$$X_6 = \left(\frac{u^2}{4} + \frac{v^2}{4} + \frac{v^2 e^{-2t}}{2} - \frac{uv}{2} - \frac{u^2 e^{-2t}}{2} + \frac{u^2 e^{-4t}}{4} + \frac{v^2 e^{-4t}}{4} + \frac{uv e^{-4t}}{2}\right) \partial t$$

$$\begin{split} X_7 &= \left(-\frac{3v}{8} + \frac{u}{8} - \frac{3ve^{2t}}{8} - \frac{ue^{-4t}}{8} - \frac{ue^{-2t}}{8} - \frac{ve^{-4t}}{8} \right. \\ &+ \left. -\frac{ve^{-2t}}{8} + \frac{ue^{2t}}{8} \right) \partial t + \left(\frac{u^2}{4} - \frac{u^2e^{-4t}}{4} - \frac{uv}{2} - \frac{uve^{-4t}}{2} - \frac{v^2e^{2t}}{2} - \frac{v^2}{4} - \frac{v^2e^{-4t}}{4} \right) \partial u + \left(-\frac{v^2e^{2t}}{2} - \frac{v^2}{2} \right) \partial v, \end{split}$$

$$X_8 = \left(\frac{e^{2t}}{2} - \frac{1}{2}\right)\partial u + \left(\frac{1}{2} + \frac{e^{2t}}{2}\right)\partial v$$

$$\begin{split} X_9 &= \left(\frac{u}{8} + \frac{v}{8} - \frac{3ve^{-2t}}{8} - \frac{ue^{-4t}}{8} - \frac{ue^{2t}}{8} - \frac{ve^{-4t}}{8} \right. \\ &+ \frac{ue^{-2t}}{8} + \frac{3ve^{2t}}{8} \right) \partial t + \left(-\frac{u^2}{4} + \frac{v^2}{4} + \frac{uv}{2} + \frac{u^2e^{-2t}}{2} \right. \\ &+ \frac{v^2e^{2t}}{2} - \frac{v^2e^{-2t}}{2} - \frac{u^2e^{-4t}}{4} - \frac{v^2e^{-4t}}{4} - \frac{uve^{-4t}}{2} \right) \partial u + \left(\frac{v^2}{2} + \frac{v^2e^{2t}}{2} \right) \partial v \end{split}$$

$$\begin{split} X_{10} &= \left(-\frac{u}{8} + \frac{3v}{8} - \frac{3ve^{2t}}{8} - \frac{ue^{-2t}}{8} - \frac{ve^{-2t}}{8} + \frac{ue^{-4t}}{8} \right. \\ &+ \left. \frac{ue^{2t}}{8} + \frac{ve^{-4t}}{8} \right) \partial t + \left(-\frac{u^2}{4} + \frac{v^2}{4} + \frac{uv}{2} - \frac{v^2e^{2t}}{2} \right. \\ &+ \left. \frac{u^2e^{-4t}}{4} + \frac{v^2e^{-4t}}{4} + \frac{uve^{-4t}}{2} \right) \partial u + \left(\frac{v^2}{2} - \frac{v^2e^{2t}}{2} \right) \partial v \end{split}$$

$$\begin{split} X_{11} &= \left(-\frac{3u}{8} + \frac{5v}{8} - \frac{3ue^{-2t}}{8} - \frac{ue^{-4t}}{8} - \frac{ue^{2t}}{8} - \frac{ve^{-4t}}{8} \right. \\ &+ \left. \frac{ve^{-2t}}{8} + \frac{3ve^{2t}}{8} \right) \partial t + \left(-\frac{u^2}{4} + \frac{v^2}{4} + \frac{uv}{2} + \frac{v^2e^{-2t}}{2} \right. \\ &+ \left. \frac{v^2e^{2t}}{2} - \frac{u^2e^{-2t}}{2} - \frac{u^2e^{-4t}}{4} - \frac{v^2e^{-4t}}{4} - \frac{uve^{-4t}}{2} \right) \partial u + \left(\frac{v^2}{2} + \frac{v^2e^{2t}}{2} \right) \partial v \end{split}$$

$$\begin{split} X_{12} &= \left(\frac{e^{2t}}{4} - \frac{e^{-2t}}{4}\right) \partial t + \left(\frac{u}{2} + \frac{ve^{2t}}{2} - \frac{ue^{-2t}}{2} - \frac{ve^{-2t}}{2}\right) \partial u + \left(\frac{v}{2} + \frac{ve^{2t}}{2}\right) \partial v \end{split}$$

$$X_{13} = \left(-\frac{5v}{8} + \frac{3u}{8} - \frac{3ue^{-2t}}{8} - \frac{ue^{2t}}{8} + \frac{ue^{-4t}}{8} + \frac{ve^{-4t}}{8} + \frac{ve^{-2t}}{8} + \frac{3ve^{2t}}{8}\right) \partial t + \left(-\frac{v^2}{4} + \frac{u^2}{4} + \frac{v^2e^{-2t}}{2} + \frac{v^2e^{2t}}{2} + \frac{v^2e^{-2t}}{2} + \frac{u^2e^{-2t}}{2} + \frac{u^2e^{-4t}}{4} + \frac{v^2e^{-4t}}{4} + \frac{uve^{-4t}}{2}\right) \partial u + \left(\frac{v^2e^{2t}}{2} - \frac{v^2}{2}\right) \partial v,$$

$$X_{14} = \left(\frac{u^2}{4} + \frac{v^2}{4} + \frac{u^2 e^{-2t}}{2} - \frac{uv}{2} - \frac{v^2 e^{-2t}}{2} + \frac{u^2 e^{-4t}}{4} + \frac{v^2 e^{-4t}}{4} + \frac{uv e^{-4t}}{2}\right) \partial t$$

$$X_{15} = \left(-\frac{e^{2t}}{4} - \frac{1}{2} - \frac{e^{-2t}}{4}\right)\partial t + \left(-\frac{u}{2} - \frac{ue^{-2t}}{2} - \frac{ve^{2t}}{2} - \frac{ve^{-2t}}{2}\right)\partial u + \left(-\frac{ve^{2t}}{2} - \frac{v}{2}\right)\partial v,$$

$$X_{16} = \left(-\frac{u^2}{4} - \frac{v^2}{4} + \frac{uv}{2} + \frac{u^2e^{-4t}}{4} + \frac{v^2e^{-4t}}{4} + \frac{uve^{-4t}}{2}\right)\partial t$$

$$\begin{split} X_{17} &= \left(-\frac{u}{8} - \frac{v}{8} - \frac{3ve^{-2t}}{8} - \frac{ue^{2t}}{8} + \frac{ue^{-4t}}{8} + \frac{ue^{-2t}}{8} \right. \\ &+ \left. \frac{ve^{-4t}}{8} + \frac{3ve^{2t}}{8} \right) \partial t + \left(-\frac{v^2}{4} + \frac{u^2}{4} + \frac{u^2e^{-2t}}{2} + \frac{v^2e^{2t}}{2} \right. \\ &+ \left. -\frac{uv}{2} - \frac{v^2e^{-2t}}{2} + \frac{u^2e^{-4t}}{4} + \frac{v^2e^{-4t}}{4} + \frac{uve^{-4t}}{2} \right) \partial u + \left(\frac{v^2e^{2t}}{2} - \frac{v^2}{2} \right) \partial v, \end{split}$$

$$X_{18} = \left(\frac{v}{2} - \frac{u}{2} + \frac{ue^{-2t}}{2} + \frac{ve^{-2t}}{2}\right)\partial t$$

$$X_{19} = (u f_2(t) + v f_1(t) - v f_2(t) + f_3(t)) \partial t + (u f_3(t) + v f_3(t) + u^2 f_2(t) + v^2 f_1(t) - v^2 f_2(t) + uv f_1(t)) \partial u + (u f_3(t) + v f_3(t) + u^2 f_2(t) + v^2 f_1(t) - v^2 f_2(t) + uv f_1(t)) \partial v$$

Some of the generators might contain the following arbitrary functions:

 f_1 f_2 f_3

The execution time of the script was:

0 hours 1 minutes 10 seconds.

$hydons_model$

$Run~01_20PM_01_February-2022$

Degree in tangential ansätze: 2. The system of ODEs is given by:

$$\begin{split} \frac{\mathrm{d}y_1}{\mathrm{d}t} &= \frac{ty_1 + y_2^2}{-t^2 + y_1 y_2}, \\ \frac{\mathrm{d}y_2}{\mathrm{d}t} &= \frac{ty_2 + y_1^2}{-t^2 + y_1 y_2}. \end{split}$$

The calculated generators are:

$$X_1 = (t) \partial t + (y_1) \partial y_1 + (y_2) \partial y_2,$$

$$X_{2}=\left(-t^{2} \operatorname{f}_{1}\left(t\right)+y_{1} y_{2} \operatorname{f}_{1}\left(t\right)\right) \partial t+\left(y_{2}^{2} \operatorname{f}_{1}\left(t\right)+t y_{1} \operatorname{f}_{1}\left(t\right)\right) \partial y_{1}+\left(y_{1}^{2} \operatorname{f}_{1}\left(t\right)+t y_{2} \operatorname{f}_{1}\left(t\right)\right) \partial y_{2}$$

Some of the generators might contain the following arbitrary functions:

 f_1

The execution time of the script was:

0 hours 0 minutes 27 seconds.

LV

$Run~01_28PM_01_February-2022$

Degree in tangential ansätze: 2. The system of ODEs is given by:

$$\frac{\mathrm{d}u}{\mathrm{d}t} = u (1 - v),$$

$$\frac{\mathrm{d}v}{\mathrm{d}t} = av (u - 1).$$

The calculated generators are:

$$X_1 = (1) \partial t$$
,

$$X_2 = (-1) \partial t$$
,

$$X_{3}=\left(\frac{\mathbf{f}_{1}\left(t\right)}{a}\right)\partial t+\left(\frac{u\,\mathbf{f}_{1}\left(t\right)}{a}-\frac{uv\,\mathbf{f}_{1}\left(t\right)}{a}\right)\partial u+\left(uv\,\mathbf{f}_{1}\left(t\right)-v\,\mathbf{f}_{1}\left(t\right)\right)\partial v.$$

Some of the generators might contain the following arbitrary functions:

 f_1

The execution time of the script was:

0 hours 0 minutes 41 seconds.