

Problem from 9.2-9.3.1

Problem 9.9

(a)
$$\mathbf{k} = -\frac{\omega}{c} \,\hat{\mathbf{x}}; \,\, \hat{\mathbf{n}} = \hat{\mathbf{z}}.$$
 $\mathbf{k} \cdot \mathbf{r} = \left(-\frac{\omega}{c} \,\hat{\mathbf{x}}\right) \cdot (x \,\hat{\mathbf{x}} + y \,\hat{\mathbf{y}} + z \,\hat{\mathbf{z}}) = -\frac{\omega}{c}x; \,\, \mathbf{k} \times \hat{\mathbf{n}} = -\hat{\mathbf{x}} \times \hat{\mathbf{z}} = \hat{\mathbf{y}}.$

$$\mathbf{E}(x,t) = E_0 \cos\left(\frac{\omega}{c}x + \omega t\right) \hat{\mathbf{z}}; \quad \mathbf{B}(x,t) = \frac{E_0}{c} \cos\left(\frac{\omega}{c}x + \omega t\right) \hat{\mathbf{y}}.$$





(b) $\mathbf{k} = \frac{\omega}{c} \left(\frac{\hat{\mathbf{x}} + \hat{\mathbf{y}} + \hat{\mathbf{z}}}{\sqrt{3}} \right); \ \hat{\mathbf{n}} = \frac{\hat{\mathbf{x}} - \hat{\mathbf{z}}}{\sqrt{2}}.$ (Since $\hat{\mathbf{n}}$ is parallel to the xz plane, it must have the form $\alpha \hat{\mathbf{x}} + \beta \hat{\mathbf{z}};$

since $\hat{\mathbf{n}} \cdot \mathbf{k} = 0, \beta = -\alpha$; and since it is a unit vector, $\alpha = 1/\sqrt{2}$.)

$$\mathbf{k} \cdot \mathbf{r} = \frac{\omega}{\sqrt{3}c} (\hat{\mathbf{x}} + \hat{\mathbf{y}} + \hat{\mathbf{z}}) \cdot (x \,\hat{\mathbf{x}} + y \,\hat{\mathbf{y}} + z \,\hat{\mathbf{z}}) = \frac{\omega}{\sqrt{3}c} (x + y + z); \ \hat{\mathbf{k}} \times \hat{\mathbf{n}} = \frac{1}{\sqrt{6}} \begin{vmatrix} \hat{\mathbf{x}} \, \hat{\mathbf{y}} & \hat{\mathbf{z}} \\ 1 & 1 & 1 \\ 1 & 0 & -1 \end{vmatrix} = \frac{1}{\sqrt{6}} (-\hat{\mathbf{x}} + 2 \,\hat{\mathbf{y}} - \hat{\mathbf{z}}).$$

$$\mathbf{E}(x, y, z, t) = E_0 \cos \left[\frac{\omega}{\sqrt{3}c} (x + y + z) - \omega t \right] \left(\frac{\hat{\mathbf{x}} - \hat{\mathbf{z}}}{\sqrt{2}} \right);$$

$$\mathbf{B}(x,y,z,t) = \frac{E_0}{c} \cos \left[\frac{\omega}{\sqrt{3}c} (x+y+z) - \omega t \right] \left(\frac{-\mathbf{\hat{x}} + 2\mathbf{\hat{y}} - \mathbf{\hat{z}}}{\sqrt{6}} \right).$$