

UNIVERSITAT POLITÈCNICA DE CATALUNYA
UNIVERSITAT DE BARCELONA
UNIVERSITAT ROVIRA I VIRGILI

MASTER IN ARTIFICIAL INTELLIGENCE
COMPUTATIONAL VISION

Face recognition

Authors:

Alejandro SUÁREZ HERNÁNDEZ
Johannes HEIDECHE

November 2016

Contents

1	Gender recognition	2
1.1	Questions	2
	Appendices	3
A	Annex	3

List of Figures

1 Gender recognition

For this exercise we used a gender recognition system based on the AR-Face database. The used code and files are listed in appendix A.

1.1 Questions

Question 1:

- Which is the information contained in `ARFace.person`?
- Why the size of the field `internal`, `size(ARFace.internal)`, is 1188×2210 ?

`ARFace` is a matlab struct. `ARFace.person` contains 2210 numeric values that

Question 2:

- What are the variables `'n'` and `'index'` of the function `fold_validation.m`?

Question 3:

- The function `main_gender_recognition.m` computes some evaluation measures obtained with 'PCA' ($dim = 5$), 'PCA95' (95% variance explained) and 'LDA'. Explain the meaning of these measures and discuss which is the best obtained result.

Appendices

A Annex

Some text in the annex.