```
###necessary libaries###
import numpy as np
import pandas as pd
import seaborn as sns
import glob
import os
from datetime import datetime
import matplotlib.pyplot as plt
import re
# file where csv files lies
path = r'C:\Users\victo\Master_Thesis\merging_data\ferrari\minutely\merged_files'
all_files = glob.glob(os.path.join(path, "*.csv"))
# read files to pandas frame
list_of_files = []
for filename in all_files:
  list_of_files.append(pd.read_csv(filename,
                      sep=',',
# Concatenate all content of files into one DataFrames
concatenate_dataframe = pd.concat(list_of_files,
                       ignore_index=True,
                       axis=0,
#print(concatenate_dataframe)
#calculating correlation price vs semantics
new_df_price = concatenate_dataframe[['return_one_hot_encoded',
                       'flair_sentiment_header_score',
                       'flair_sentiment_content_score',
                       'compound_vader_header',
                       'compound_vader_articel_content',
                       'polarity_textblob_sentiment_header',
                       'polarity_textblob_sentiment_content']]
new_df_price[['return_one_hot_encoded',
        'flair_sentiment_header_score',
        'flair_sentiment_content_score',
        'compound_vader_header',
        'compound_vader_articel_content',
        'polarity_textblob_sentiment_header',
        'polarity_textblob_sentiment_content']] = new_df_price[['return_one_hot_encoded',
                                           'flair_sentiment_header_score',
                                           'flair_sentiment_content_score',
                                           'compound_vader_header',
                                           'compound_vader_articel_content',
                                           'polarity_textblob_sentiment_header',
                                           'polarity_textblob_sentiment_content']].fillna(0)
print(new_df_price)
corr_price = new_df_price.corr()
corr_price.fillna(0)
print(corr_price)
corr price.to excel(r'C:\Users\victo\Master Thesis\correlation\ferrari\minutely\correlation\ferrari correlation price with semantics.xlsx')
#calculating correlation volume vs semantics
new_df_volume = concatenate_dataframe[['volume_one_hot_encoded',
                        'flair_sentiment_header_score',
                        'flair_sentiment_content_score',
                        'compound_vader_header',
                        'compound vader articel content'.
                        'polarity_textblob_sentiment_header',
                        'polarity_textblob_sentiment_content']]
new_df_volume[['volume_one_hot_encoded',
         'flair_sentiment_header_score',
```

```
'flair_sentiment_content_score',
         'compound_vader_header',
         'compound_vader_articel_content',
         'polarity_textblob_sentiment_header',
         'polarity_textblob_sentiment_content']] = new_df_volume[['volume_one_hot_encoded',
                                            'flair_sentiment_header_score',
                                            'flair_sentiment_content_score',
                                            'compound_vader_header',
                                            'compound_vader_articel_content',
                                            'polarity_textblob_sentiment_header',
                                            'polarity_textblob_sentiment_content']].fillna(0)
print(new_df_volume)
corr_volume = new_df_volume.corr()
corr_volume.fillna(0)
print(corr_volume)
corr_volume.to_excel(r'C:\Users\victo\Master_Thesis\correlation\ferrari\minutely\correlation\ferrari_correlation_volume_with_semantics.xlsx')
```