100+ HOURS OF AI LIVE CODING

Enterprise AI Trends That Actually Matter

Johannes Rabauer · 2026

RABAUER.DEV/JCON-BTC-2026



100+ hours in 45 minutes



Kenny Pflug
Guided Coding author
TELIS/GWVS



Catherine Edelveis
DevRel
BellSoft



Kevin Wittek
Engineering Leader
Docker



Ralf D. Müller
arc42 committer, creator of docToolchain
DB Systel



Simon Martinelli
Java Architect
Martinelli GmbH



Abdel Sghiouar
Cloud Developer Advocate
Google



Anton Arhipov
Developer Advocate
JetBrains



James Ward
Principal Developer Advocate
AWS



Bruno Borges
Principal Product Manager for Java
Microsoft



Ingo Eichhorst
AI Architect & Engineering Trainer
IONOS



Maximilian Jesch
Senior Outbound Product Manager
IBM



Brian Madison
Creator of the BMad Method
BMad Code



Manuel de la Peña
Staff Software Engineer
Docker

Johannes Rabauer



WORK EXPERIENCE

- Nuclear power plant
- Radar station
- Institute for Information Systems (iisys)

XDEV

STAFF ENGINEER,
AI ENABLEMENT

- Helping customers in projects
- Open source contributor

MY FIRST SAFETY SYSTEM

MAKE NO MISTAKES



Shouting is not shared understanding

Three trends that actually matter



Intent over prompts



Workflow over models



Attention over typing

ACT 1

Intent over prompts

Split the prompt

Healthcare assistant: symptoms · AI advice · specialist lookup

Broken

one prompt

Works

six prompts

	ONE PROMPT	SIX PROMPTS
JaCoCo test coverage	**11%**	32%
PMD violations	**1**	0
SpotBugs findings	**26**	17



Catherine Edelveis
DevRel
BellSoft

Three fixes, zero root cause

Marathon tracker: Quarkus · Vaadin · GPX · charts

Runtime error

- ~~Skills~~
- ~~Vaadin 25~~
- ~~Switch to Spring Boot~~

Understand the root cause.





Abdel Sghiouar
Cloud Developer Advocate
Google

Not specified, not built



Semantic anchors = leading words (Matt Pocock)

Socratic method	arc42
ADR	Gherkin

BACKLOG:

NO GUI



Ralf D. Müller
arc42 committer, creator of docToolchain
DB Systel

Goal clarity beats instruction detail

ARCHITECTURE SKILL · LINES

2,523 → 86

“About 99% of the same experience.”

— Brian Madison, on stream





Brian Madison
Creator of the BMad Method
BMad Code

ACT 1 · TAKEAWAY

A prompt is not a goal.



Split the prompt



Root cause first



Not specified, not built




Outcome, not steps

ACT 2

Workflow over models

Find the weak link

CLAUDE SHANNON'S COMMUNICATION MODEL, AS INGO EICHHORST MAPS IT



Bad result? Ask which link is weak.

Don't just re-prompt.



Ingo Eichhorst
AI Architect & Engineering Trainer
IONOS

One real change, idea to commit

QUANTA



Feature: ask your files a question

1. **Ramble**
2. **Refine**
3. **Specify**
4. **Generate**
5. **Verify**




Ingo Eichhorst
AI Architect & Engineering Trainer
IONOS

Ramble

Permission not to know yet

Say it out loud first.







Ingo Eichhorst
AI Architect & Engineering Train...
IONOS

Let the AI ask the questions

CLAUDE CODE · /GRILL-ME (MATT POCOCK) · EXAMPLE, CONDENSED

Q2 · WHO IS IN THE ROOM?

Juniors, skeptical seniors, architects, or a mix? ➡️ Recommended: a mix.

are skeptical.

Stop after 3–5 “recommended” answers in a row.

Q3 · WHAT SHOU

Behaviour, a d
behaviour.

Behaviour: one practice they try on Monday.

Party Mode: many voices

CLAUDE CODE · /BMAD-PARTY-MODE · REAL RUN, SHORTENED

Hands-up is nearly free! “Who has typed MAKE NO MISTAKES into a prompt?”

🎨 SALLY · UX

Hands up at minute one, the same words struck out at minute forty-one.

📋 JOHN · PM

Okay, I’ll buy that one. Thirty seconds, huge payoff. Next.

💻 AMELIA · DEV

Flag: the Quanta screenshot is still a placeholder. Ship that before adding anything new.

Walls of text

`Light.Por`

75

plans

docs/adr/003-store-habits-in-h2.md

```
# ADR-003: Store habits in H2, file mode

## Status
Accepted

## Context
One user, runs locally, no database server to run.

## Decision
```

Who rerea

Keep ADRs.



Kenny Pflug
Guided Coding author
TELIS/GWVS


Embedded H2, persisted to a file

Consequences

Ramble Refine **Specify** Generate Verify

Small scope, clear goal

- Delete requirements nobody asked for
- Add non-goals: what we won’t build






Ingo Eichhorst
AI Architect & Engineering Train…
IONOS

Specs are for humans

Code is for machines.

`SPEC.md` → `ai4jvm.com`

AI keeps both in sync.





James Ward
Principal Developer Advocate
AWS

A stronger oracle

oracle: what checks the output

WEAK · USER STORY

As a user, I see which files were used.

STRONG · ACCEPTANCE CRITERION

Given a relevant file is indexed,

When the user asks a question on /chat,


Then the answer cites every source file used.



Ingo Eichhorst
AI Architect & Engineering Train…
IONOS

Not too big, not too small

The task decides how big a model you need



Opus on a rename: waste	Sonnet, hours of work: just right	Haiku on a big task: drowns

The session is disposable. The tasks aren't.

JAVAFX MIDI VISUALIZER

Crashed? Swap agents.

Interrupted? Resume.





Anton Arhipov
Developer Advocate
JetBrains

Simon’s workflow, packaged as skills

AI Unified Process

`/requirements` `/use-case-spec` `/entity-model` `/implement`

`/flyway-migration` `/playwright-test`

Skill engineering, not prompting.



Simon Martinelli
Java Architect
Martinelli GmbH

Write your own skills

Strangers' skills run unvetted.

Keep one team repo.

Pin versions: SkillsJars.

`skillsjars.com`





Maximilian Jesch
Senior Outbound Product Manager
IBM

Repeated? Make it a skill.

Before AI: script

→

Now: skill, refined each run



Simon Martinelli
Java Architect
Martinelli GmbH



Bruno Borges
Principal Product Manager for Java
Microsoft

ACT 2 · TAKEAWAY

The workflow outlives the agent.

“Text is now also code.” — Brian Madison



Ramble out loud



Use /grill-me



Keep specs small



Specs for humans



Agent is replaceable



Make it a skill

ACT 3

Attention over typing


Attention is getting more expensive

Spend it where it matters most.




ILLUSTRATIVE

Too many agents, too many tabs



GITHUB COPILOT APP



BIOMELAB

Did we merge the Portuguese PR?



Bruno Borges
Principal Product Manager for Java
Microsoft



Manuel de la Peña
Staff Software Engineer
Docker

Quality gates watch, so you don’t.

- Tests
- PMD
- SpotBugs
- OWASP
- Checkstyle
- Formatter

No tests: whack-a-mole.

Red quality gate? Agent fixes it.



Catherine Edelveis
DevRel
BellSoft



Ingo Eichhorst
AI Architect & Engineering Trainer
IONOS

Another quality gate: self-review

FIRST PASS

Looks done


SELF-REVIEW

- **Logout was a GET**
- **Persistence untested**



Brian Madison
Creator of the BMad Method
BMad Code

How a Docker Sandbox works



- Files: workspace only
- Network: proxied, deny by default
- API keys: never inside

YOLO mode, safely.

FREE LOCALLY · SIGN IN WITH DOCKER



Kevin Wittek
Engineering Leader
Docker

Context first, sandbox second

README:
agent refused

No README:
sandbox blocked





Kevin Wittek
Engineering Leader
Docker

AI proposes. You own the oracle.

AI writes the tests

You decide what's correct



Ingo Eichhorst
AI Architect & Engineering Trainer
IONOS

ACT 3 · TAKEAWAY

Quality gates watch, you own the goal.




Quality gates, not vigilance



Let it review itself



Sandbox by default



Own the oracle

Your next change

1

Ramble

Say it out loud

2

Refine

Use /grill-me or BMad party mode

3

Specify

Short spec, non-goals

4

Generate

Small diff

5

Verify

Quality gates, then you

Try the workflow once for yourself.

Intent over prompts	A prompt is not a goal.
Workflow over models	The workflow outlives the agent.
Attention over typing	Gates watch, you own the goal.

~~MAKE NO MISTAKES~~

Own the understanding. Spend attention wisely.

Thank You

Questions with Slido


FEEDBACK · SLIDES · LINKS · CONTACT

RABAUER.DEV/JCON-BTC-2026



Commit Cards v1.1 · take a deck with you

Bob ♡ Java



IBM.BIZ/JCON-BOB

Get 50 Free Bob Coins with Free Trial