{·:·}   Select a definition | Flash_Test v1 |

Flash_Test 1.0 OAS3

https://localhost:7070/swagger/v1/swagger.json

SensitiveLists ⌃

| GET | /api/SensitiveLists | ⌃ |

Parameters   [Cancel]

No parameters

[Execute]   [Clear]

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7070/api/SensitiveLists' \
  -H 'accept: text/plain'
```

Request URL

https://localhost:7070/api/SensitiveLists

Server response

Code   **Details**

Code	Details

200   **Response body**

```
    "rowId": 222,
    "sensitiveWord": "SCHEMATABLES"
  },
  {
    "rowId": 223,
    "sensitiveWord": "STATISTICS"
  },
  {
    "rowId": 224,
    "sensitiveWord": "USRTBL"
  },
  {
    "rowId": 225,
    "sensitiveWord": "STRINGTABLE"
  },
  {
    "rowId": 226,
    "sensitiveWord": "LONGTABLE"
  },
  {
    "rowId": 227,
    "sensitiveWord": "DOUBLETABLE"
  },
  {
    "rowId": 228,
    "sensitiveWord": "SELECT * FROM"
  }
]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Thu,08 Sep 2022 23:19:32 GMT
server: Kestrel
```

Responses

| Code	Description	Links
200	Success	*No links*

Media type

```
text/plain
```

Controls `Accept` header.

Example Value   Schema

```
[
  {
    "rowId": 0,
    "sensitiveWord": "string"
  }
]
```

POST   /api/SensitiveLists

POST   /api/SensitiveLists

Parameters   **Cancel**   **Reset**

No parameters

Request body   **application/json**

```
{
  "rowId": 229,
  "sensitiveWord": "XTRA_SENSITIVE"
}
```

| Execute | Clear |

Responses

Curl

```
curl -X 'POST' \
  'https://localhost:7070/api/SensitiveLists' \
  -H 'accept: text/plain' \
  -H 'Content-Type: application/json' \
  -d '{
  "rowId": 229,
  "sensitiveWord": "XTRA_SENSITIVE"
}'
```

Request URL

```
https://localhost:7070/api/SensitiveLists
```

Server response

Code   **Details**

Code	Details

201
Undocumented

Response body

```
{
  "rowId": 229,
  "sensitiveWord": "XTRA_SENSITIVE"
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Thu,08 Sep 2022 23:20:45 GMT
location: https://localhost:7070/api/SensitiveLists/229
server: Kestrel
```

Responses

Code	Description	Links
200		*No links*

Success

Media type

```
text/plain
```

Controls `Accept` header.

Example Value   Schema

```
{
  "rowId": 0,
  "sensitiveWord": "string"
}
```

GET   **/api/SensitiveLists/{id}**   ⌃

Parameters   Cancel

Name	Description

id * required
integer($int64)
(path)

```
229
```

Execute	Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7070/api/SensitiveLists/229' \
  -H 'accept: text/plain'
```

Request URL

```
https://localhost:7070/api/SensitiveLists/229
```

Server response

Code	Details
200	**Response body**

```
{
  "rowId": 229,
  "sensitiveWord": "XTRA_SENSITIVE"
}
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Thu,08 Sep 2022 23:21:13 GMT
server: Kestrel
```

Responses

Code	Description	Links
200	Success	*No links*

Media type

text/plain

Controls `Accept` header.

Example Value   Schema

```
{
  "rowId": 0,
  "sensitiveWord": "string"
}
```

PUT   /api/SensitiveLists/{id}   ⌃

Parameters   Cancel   Reset

Name	Description

Name	Description

id * required
`integer($int64)`
(path)

```
229
```

Request body   **application/json**

```
{
  "rowId": 229,
  "sensitiveWord": "XXTRA_SENSITIVE"
}
```

Execute	Clear

Responses

Curl

```
curl -X 'PUT' \
  'https://localhost:7070/api/SensitiveLists/229' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
  "rowId": 229,
  "sensitiveWord": "XXTRA_SENSITIVE"
}'
```

Request URL

```
https://localhost:7070/api/SensitiveLists/229
```

Server response

Code	Details

Code   **Details**

204   **Response headers**
Undocumented
                        date: Thu,08 Sep 2022 23:21:56 GMT
                        server: Kestrel

Responses

Code   **Description**   **Links**

200   *No links*
                Success

DELETE   **/api/SensitiveLists/{id}**   ⌃

Parameters   **Cancel**

Name   **Description**

id * required   ┌──┐
integer($int64)   │ 229   │
(path)   └──┘

┌──────────────────────────────────┬──────────────────────────────────┐
│   Execute   │   Clear   │
└──────────────────────────────────┴──────────────────────────────────┘

Responses

Curl

```
curl -X 'DELETE' \
  'https://localhost:7070/api/SensitiveLists/229' \
  -H 'accept: */*'
```

Request URL

  https://localhost:7070/api/SensitiveLists/229

Server response

Code   **Details**

Code	Details
204 *Undocumented*	**Response headers** date: Thu,08 Sep 2022 23:22:23 GMT server: Kestrel

Responses

Code	Description	Links
200	Success	*No links*

GET   **/api/SensitiveLists/MaskMessageAsync**   ⌄

Parameters   Cancel

Name	Description
message **string** *(query)*	MASK: ACTION ADD ALL ALLOCATE ALTE|

Execute	Clear

Responses

Curl

```
curl -X 'GET' \
  'https://localhost:7070/api/SensitiveLists/MaskMessageAsync?message=MASK%3A%20ACTION%20ADD%20ALL%
  -H 'accept: text/plain'
```

◄ ▐▐

Request URL

https://localhost:7070/api/SensitiveLists/MaskMessageAsync?
message=MASK%3A%20ACTION%20ADD%20ALL%20ALLOCATE%20ALTER%20ANY%20APPLICATION%20ARE%20AREA%20ASC%2
0ASSERTION%20ATOMIC%20AUTHORIZATION%20AVG%20BEGIN%20BY%20CALL%20CASCADE%20CASCADED%20CATALOG%20C
HECK%20CLOSE%20COLUMN%20COMMIT%20COMPRESS%20CONNECT%20CONNECTION%20CONSTRAINT%20CONSTRAINTS%20CO
NTINUE%20CONVERT%20CORRESPONDING%20CREATE%20CROSS%20CURRENT%20CURRENT_PATH%20CURRENT_SCHEMA%20CU
RRENT_SCHEMAID%20CURRENT_USER%20CURRENT_USERID%20CURSOR%20DATA%20DEALLOCATE%20DECLARE%20DEFAULT%
20DEFERRABLE%20DEFERRED%20DELETE%20DESC%20DESCRIBE%20DESCRIPTOR%20DETERMINISTIC%20DIAGNOSTICS%20
DIRECTORY%20DISCONNECT%20DISTINCT%20DO%20DOMAIN%20DOUBLEATTRIBUTE%20DROP%20EACH%20EXCEPT%20EXCEP
TION%20EXEC%20EXECUTE%20EXTERNAL%20FETCH%20FLOAT%20FOREIGN%20FOUND%20FULL%20FUNCTION%20GET%20GLO

BAL%20GO%20GOTO%20GRANT%20GROUP%20HANDLER%20HAVING%20IDENTITY%20IMMEDIATE%20INDEX%20INDEXED%20IN
DICATOR%20INITIALLY%20INNER%20INOUT%20INPUT%20INSENSITIVE%20INSERT%20INTERSECT%20INTO%20ISOLATIO
N%20JOIN%20KEY%20LANGUAGE%20LAST%20LEAVE%20LEVEL%20LOCAL%20LONGATTRIBUTE%20LOOP%20MODIFIES%20MOD
ULE%20NAMES%20NATIONAL%20NATURAL%20NEXT%20NULLIF%20ON%20ONLY%20OPEN%20OPTION%20ORDER%20OUT%20OUT
ER%20OUTPUT%20OVERLAPS%20OWNER%20PARTIAL%20PATH%20PRECISION%20PREPARE%20PRESERVE%20PRIMARY%20PRI
OR%20PRIVILEGES%20PROCEDURE%20PUBLIC%20READ%20READS%20REFERENCES%20RELATIVE%20REPEAT%20RESIGNAL%
20RESTRICT%20RETURN%20RETURNS%20REVOKE%20ROLLBACK%20ROUTINE%20ROW%20ROWS%20SCHEMA%20SCROLL%20SEC
TION%20SELECT%20SEQ%20SEQUENCE%20SESSION%20SESSION_USER%20SESSION_USERID%20SET%20SIGNAL%20SOME%2
0SPACE%20SPECIFIC%20SQL%20SQLCODE%20SQLERROR%20SQLEXCEPTION%20SQLSTATE%20SQLWARNING%20STATEMENT%
20STRINGATTRIBUTE%20SUM%20SYSACC%20SYSHGH%20SYSLNK%20SYSNIX%20SYSTBLDEF%20SYSTBLDSC%20SYSTBT%20S
YSTBTATT%20SYSTBTDEF%20SYSUSR%20SYSTEM_USER%20SYSVIW%20SYSVIWCOL%20TABLE%20TABLETYPE%20TEMPORARY
%20TRANSACTION%20TRANSLATE%20TRANSLATION%20TRIGGER%20UNDO%20UNION%20UNIQUE%20UNTIL%20UPDATE%20US
AGE%20USER%20USING%20VALUE%20VALUES%20VIEW%20WHERE%20WHILE%20WITH%20WORK%20WRITE%20ALLSCHEMAS%20
ALLTABLES%20ALLVIEWS%20ALLVIEWTEXTS%20ALLCOLUMNS%20ALLINDEXES%20ALLINDEXCOLS%20ALLUSERS%20ALLTBT
S%20TABLEPRIVILEGES%20TBTPRIVILEGES%20MYSCHEMAS%20MYTABLES%20MYTBTS%20MYVIEWS%20SCHEMAVIEWS%20DU
AL%20SCHEMAPRIVILEGES%20SCHEMATABLES%20STATISTICS%20USRTBL%20STRINGTABLE%20LONGTABLE%20DOUBLETAB
LE%20SELECT%20%2A%20FROM%20X_END

Server response

Code	Details

200

Response body

```
[
  {
    "maskeD_SENSITIVE": "MASK: ****** *** *** ******** ***** *** *********** *** ****
... X_END"
  }
]
```

Download

Response headers

```
content-type: application/json; charset=utf-8
date: Thu,08 Sep 2022 23:22:33 GMT
server: Kestrel
```

Responses

Code	Description	Links

Code	Description	Links
200	Success	*No links*

Media type

text/plain

Controls `Accept` header.

Example Value   Schema

```
[
  {
    "maskeD_SENSITIVE": "string"
  }
]
```

WeatherForecast   ⌃

GET	/WeatherForecast	⌄

Schemas   ⌃

GET_MASKED_MESSAGEResult

SensitiveList

WeatherForecast