Diccionario de datos de modelo

Design Name	Sin título_1
Version Date	10.10.2018 10:52:41
Version Comment	
Model Name	Relational_1

Table Name	SENADI.ACTI
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	10
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ACTI_SEC	P		Y	NUMERIC (10)	LT				
2	ACTI_DES				VARCHAR (150 BYTE)	LT				
3	TIPO_ACT_SEC		F		NUMERIC (10)	LT				
4	ACTI_MAR				VARCHAR (150 BYTE)	LT				
5	ACTI_SER				VARCHAR (150 BYTE)	LT				
6	ACTI_MOD				VARCHAR (150 BYTE)	LT				
7	ACTI_COD				VARCHAR (150 BYTE)	LT				
8	ACTI_FEC_ADQ				Date (7)	LT				
9	ACTI_VAL				VARCHAR (100 BYTE)	LT				
10	ACTI_EST				VARCHAR (100 BYTE)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
ACTI_PK	UN				ACTI_SEC	ASC
ACTI_PK	PK				ACTI_SEC	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
ACTI_TIPO_ACT_SEC_FK	TIPO_ACT		Y		TIPO_ACT_SEC	TIPO_ACT_SEC	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
ACTI_MAN_ACTI_SEC_FK	ACTI_MAN		Y		ACTI_SEC	ACTI_SEC	
ACTI_SEG_ACTI_SEC_FK	ACTI_SEG		Y		ACTI_SEC	ACTI_SEC	
PERS_ACT_ACTI_SEC_FK	PERS_ACT		Y		ACTI_SEC	ACTI_SEC	

Table Name	**SENADI.ACTI_MAN**	
Functional Name		
Abbreviation		
Classification Type Name		
Object Type Name		
MV Prebuilt		
MV Query		

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ACTI_MAN_SEC	P		Y	NUMERIC (10)	LT				
2	ACTI_MAN_FEC				Date (7)	LT				
3	ACTI_MAN_OBS				VARCHAR (150 BYTE)	LT				
4	ACTI_MAN_EST				VARCHAR (150 BYTE)	LT				
5	ACTI_SEC		F		NUMERIC (10)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
ACTI_MAN_PK	UN				ACTI_MAN_SEC	ASC
ACTI_MAN_PK	PK				ACTI_MAN_SEC	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
ACTI_MAN_ACTI_SEC_FK	ACTI		Y		ACTI_SEC	ACTI_SEC	

Table Name	SENADI.ACTI_SEG
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ACTI_SEG_SEC	P		Y	NUMERIC (10)	LT				
2	ACTI_SEC		F		NUMERIC (10)	LT				
3	PERS_SEC		F		NUMERIC (10)	LT				
4	ACTI_SEG_EST				VARCHAR (150 BYTE)	LT				
5	ACTI_SEG_FEC				Date (7)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
ACTI_SEG_PK	UN				ACTI_SEG_SEC	ASC
ACTI_SEG_PK	PK				ACTI_SEG_SEC	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
ACTI_SEG_ACTI_SEC_FK	ACTI		Y		ACTI_SEC	ACTI_SEC	
ACTI_SEG_PERS_SEC_FK	PERS		Y		PERS_SEC	PERS_SEC	

Table Name	SENADI.CARG
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	CARG_SEC	P		Y	NUMERIC (10)	LT				
2	CARG_DES				VARCHAR (150 BYTE)	LT				
3	CARG_ABR				VARCHAR (25 BYTE)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
CARG_PK	UN				CARG_SEC	ASC
CARG_PK	PK				CARG_SEC	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PERS_CON_CARG_SEC_FK	PERS_CON		Y		CARG_SEC	CARG_SEC	

Table Name	SENADI.CONT
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	CONT_SEC	P		Y	NUMERIC (10)	LT				
2	CONT_DES				VARCHAR (200 BYTE)	LT				
3	CONT_ABR				VARCHAR (25 BYTE)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
CONT_PK	UN				CONT_SEC	ASC
CONT_PK	PK				CONT_SEC	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PERS_CON_CONT_SEC_FK	PERS_CON		Y		CONT_SEC	CONT_SEC	

Table Name	SENADI.ESTR
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ESTR_SEC	P		Y	NUMERIC (10)	LT				
2	ESTR_DES				VARCHAR (200 BYTE)	LT				
3	ESTR_ABR				VARCHAR (25 BYTE)	LT				
4	ESTR_SEC_PAD				NUMERIC (10)	LT				
5	ESTR_ORG				VARCHAR (150 BYTE)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
ESTR_PK	UN				ESTR_SEC	ASC
ESTR_PK	PK				ESTR_SEC	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PERS_CON_ESTR_SEC_FK	PERS_CON		Y		ESTR_SEC	ESTR_SEC	
REQU_ESTR_SEC_FK	REQU		Y		ESTR_SEC	ESTR_SEC	

Table Name	SENADI.MODU
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	MODU_SEC	P		Y	NUMERIC (10)	LT				
2	MODU_DES				VARCHAR (150 BYTE)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
MODU_PK	UN				MODU_SEC	ASC
MODU_PK	PK				MODU_SEC	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
ROLE_MODU_SEC_FK	ROLE		Y		MODU_SEC	MODU_SEC	

Table Name	SENADI.PERS
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	14
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	PERS_SEC	P		Y	NUMERIC (10)	LT				
2	PERS_TIP_IDE				VARCHAR (100 BYTE)	LT				
3	PERS_NUM_IDE				NUMERIC (13)	LT				
4	PERS_NOM				VARCHAR (150 BYTE)	LT				
5	PERS_DIR				VARCHAR (200 BYTE)	LT				
6	PERS_TEL				NUMERIC (10)	LT				
7	PERS_COR_ELE				VARCHAR (200 BYTE)	LT				
8	PERS_GEN				VARCHAR (50 BYTE)	LT				
9	PERS_USU				VARCHAR (100 BYTE)	LT				
10	PERS_CLA				VARCHAR (100 BYTE)	LT				
11	PERS_NAC				VARCHAR (150 BYTE)	LT				
12	PERS_FEC_NAC				Date (7)	LT				
13	PERS_EDA				NUMERIC (10)	LT				
14	PERS_CEL				NUMERIC (10)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
PERS_PK1	UN				PERS_SEC	ASC
PERS_PK1	PK				PERS_SEC	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
ACTI_SEG_PERS_SEC_FK	ACTI_SEG		Y		PERS_SEC	PERS_SEC	
PERS_ACT_PERS_SEC_FK	PERS_ACT		Y		PERS_SEC	PERS_SEC	
PERS_CON_PERS_SEC_FK	PERS_CON		Y		PERS_SEC	PERS_SEC	
PERS_ROL_PERS_SEC_FK	PERS_ROL		Y		PERS_SEC	PERS_SEC	
SOLI_PERS_SEC_FK	SOLI		Y		PERS_SEC	PERS_SEC	
SOLI_SEG_PERS_SEC_FK	SOLI_SEG		Y		PERS_SEC	PERS_SEC	
SOLU_DET_PERS_SEC_FK	SOLU_DET		Y		PERS_SEC	PERS_SEC	

Table Name	SENADI.PERS_ACT
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	7
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	PERS_ACT_SEC	P		Y	NUMERIC (10)	LT				
2	PERS_SEC		F		NUMERIC (10)	LT				
3	ACTI_SEC		F		NUMERIC (10)	LT				
4	PERS_ACT_FEC_ENT				Date (7)	LT				
5	PERS_ACT_EST				VARCHAR (150 BYTE)	LT				
6	PERS_ACT_REC				VARCHAR (150 BYTE)	LT				
7	PERS_ACT_DEV				VARCHAR (150 BYTE)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
PERS_ACT_PK	UN				PERS_ACT_SEC	ASC
PERS_ACT_PK	PK				PERS_ACT_SEC	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PERS_ACT_ACTI_SEC_FK	ACTI		Y		ACTI_SEC	ACTI_SEC	
PERS_ACT_PERS_SEC_FK	PERS		Y		PERS_SEC	PERS_SEC	

Table Name	SENADI.PERS_CON
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	9
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	PERS_CON_SEC	P		Y	NUMERIC (10)	LT				
2	PERS_SEC		F		NUMERIC (10)	LT				
3	CONT_SEC		F		NUMERIC (10)	LT				
4	ESTR_SEC		F		NUMERIC (10)	LT				
5	CARG_SEC		F		NUMERIC (10)	LT				
6	PERS_CON_NUM_CON				NUMERIC (10)	LT				
7	PERS_CON_FEC_ING				Date (7)	LT				
8	PERS_CON_FEC_SAL				Date (7)	LT				
9	PERS_CON_NUM_PAR				NUMERIC (10)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
PERS_CON_PK	UN				PERS_CON_SEC	ASC
PERS_CON_PK	PK				PERS_CON_SEC	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PERS_CON_CARG_SEC_FK	CARG		Y		CARG_SEC	CARG_SEC	

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PERS_CON_CONT_SEC_FK	CONT		Y		CONT_SEC	CONT_SEC	
PERS_CON_ESTR_SEC_FK	ESTR		Y		ESTR_SEC	ESTR_SEC	
PERS_CON_PERS_SEC_FK	PERS		Y		PERS_SEC	PERS_SEC	

Table Name	SENADI.PERS_ROL
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	PERS_ROL_SEC	P		Y	NUMERIC (10)	LT				
2	PERS_SEC		F		NUMERIC (10)	LT				
3	ROLE_SEC		F		NUMERIC (10)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
PERS_ROL_PK	UN				PERS_ROL_SEC	ASC
PERS_ROL_PK	PK				PERS_ROL_SEC	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PERS_ROL_PERS_SEC_FK	PERS		Y		PERS_SEC	PERS_SEC	
PERS_ROL_ROLE_SEC_FK	ROLE		Y		ROLE_SEC	ROLE_SEC	

Table Name	SENADI.REQU
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	REQU_SEC	P		Y	NUMERIC (10)	LT				
2	REQU_DES				VARCHAR (200 BYTE)	LT				
3	REQU_TIP				VARCHAR (150 BYTE)	LT				
4	REQU_SEC_PAD				NUMERIC (10)	LT				
5	ESTR_SEC		F		NUMERIC (10)	LT				
6	REQU_TIE_EST				VARCHAR (100 BYTE)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
REQU_PK	UN				REQU_SEC	ASC
REQU_PK	PK				REQU_SEC	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
REQU_ESTR_SEC_FK	ESTR		Y		ESTR_SEC	ESTR_SEC	

Table Name	SENADI.ROLE
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ROLE_SEC	P		Y	NUMERIC (10)	LT				
2	ROLE_DES				VARCHAR (150 BYTE)	LT				
3	MODU_SEC		F		NUMERIC (10)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
ROLE_PK	UN				ROLE_SEC	ASC
ROLE_PK	PK				ROLE_SEC	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
ROLE_MODU_SEC_FK	MODU		Y		MODU_SEC	MODU_SEC	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
PERS_ROL_ROLE_SEC_FK	PERS_ROL		Y		ROLE_SEC	ROLE_SEC	

Table Name	SENADI.SOLI
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	18
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	SOLI_SEC	P		Y	NUMERIC (10)	LT				
2	PERS_SEC		F		NUMERIC (10)	LT				
3	SOLI_ASU				VARCHAR (100 BYTE)	LT				
4	SOLI_DES				VARCHAR (200 BYTE)	LT				
5	SOLI_NUM				NUMERIC (10)	LT				
6	SOLI_TIP				VARCHAR (100 BYTE)	LT				
7	SOLI_EST				VARCHAR (100 BYTE)	LT				
8	SOLI_BAS_CON				VARCHAR (25 BYTE)	LT				
9	SOLI_SOL				VARCHAR (1000 BYTE)	LT				
10	SOLO_PRI				VARCHAR (100 BYTE)	LT				
11	SOLO_IMP				VARCHAR (100 BYTE)	LT				
12	SOLI_EXT				NUMERIC (10)	LT				
13	SOLI_VNC				VARCHAR (100 BYTE)	LT				
14	SOLI_FEC				Date (7)	LT				
15	SOLI_FEC_FIN				Date (7)	LT				
16	ESTR_SEC_ORI				VARCHAR (100 BYTE)	LT				
17	ESTR_SEC_DES				VARCHAR (200 BYTE)	LT				
18	REQU_SEC				VARCHAR (50 BYTE)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
SOLI_PK	UN				SOLI_SEC	ASC
SOLI_PK	PK				SOLI_SEC	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
SOLI_PERS_SEC_FK	PERS		Y		PERS_SEC	PERS_SEC	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
SOLI_SEG_SOLI_SEC_FK	SOLI_SEG		Y		SOLI_SEC	SOLI_SEC	
SOLU_DET_SOLI_SEC_FK	SOLU_DET		Y		SOLI_SEC	SOLI_SEC	

Table Name	SENADI.SOLI_SEG
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	SOLI_SEG_SEC	P		Y	NUMERIC (10)	LT				
2	PERS_SEC		F		NUMERIC (10)	LT				
3	SOLI_SEC		F		NUMERIC (10)	LT				
4	SOLI_SEG_FEC				Date (7)	LT				
5	SOLI_SEG_OBS				VARCHAR (200 BYTE)	LT				
6	PERS_SEC_ASIGNA				NUMERIC (10)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
SOLI_SEG_PK	UN				SOLI_SEG_SEC	ASC
SOLI_SEG_PK	PK				SOLI_SEG_SEC	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
SOLI_SEG_PERS_SEC_FK	PERS		Y		PERS_SEC	PERS_SEC	
SOLI_SEG_SOLI_SEC_FK	SOLI		Y		SOLI_SEC	SOLI_SEC	

Table Name	SENADI.SOLU_DET
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	SOLU_DET_SEC	P		Y	NUMERIC (10)	LT				
2	PERS_SEC		F		NUMERIC (10)	LT				
3	SOLU_DET_FEC				Timestamp (6)	LT				
4	SOLU_DET_DES				VARCHAR (500 BYTE)	LT				
5	SOLI_SEC		F		NUMERIC (10)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
SOLU_DET_PK	UN				SOLU_DET_SEC	ASC
SOLU_DET_PK	PK				SOLU_DET_SEC	ASC

Foreign Keys (referring to)

Name	Refering To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
SOLU_DET_PERS_SEC_FK	PERS		Y		PERS_SEC	PERS_SEC	
SOLU_DET_SOLI_SEC_FK	SOLI		Y		SOLI_SEC	SOLI_SEC	

Table Name	SENADI.TIPO_ACT
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	TIPO_ACT_SEC	P		Y	NUMERIC (10)	LT				
2	TIPO_ACT_DES				VARCHAR (150 BYTE)	LT				
3	TIPO_ACT_ABR				VARCHAR (25 BYTE)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
TIPO_ACT_PK	UN				TIPO_ACT_SEC	ASC
TIPO_ACT_PK	PK				TIPO_ACT_SEC	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
ACTI_TIPO_ACT_SEC_FK	ACTI		Y		TIPO_ACT_SEC	TIPO_ACT_SEC	