YesYas!

Appflow Document

Version 1.0 • June 2026 • Active


High-fidelity visual specification of navigation architecture, routing, and complete state-driven user flows

This document presents the definitive visual and textual definition of how users move through YesYas! — from cold open to reveal moments, journaling, and therapist export.

Companion to UI/UX Design Document v1.0
Primary audience: Engineering, Product, Design

Figure 1 — Navigation Architecture & Full Navigation Tree


High-level overview of the Expo Router file-based structure, auth gating, tab navigation, and key phone mockups for Home, Library, Reveal, and Journal. The right side shows the complete launch-to-home decision tree.



The visual emphasizes the two route groups ((auth) and (app)), the state machine nature of the Reveal tab, and the realtime + Edge Function dependencies.

Figure 2 — Detailed Navigation Architecture & State Machine

Comprehensive Figma-style diagram showing the full file explorer view on the left, the complete user journey flowchart in the center (including onboarding branches and reveal states), and detailed cards for each major tab with interaction notes and Edge Function callouts.



This view is the single source of truth for how the navigation and reveal state machine are implemented. Note the color-coded state legend (Auth, Reveal-Specific, Pairing Status) at the bottom right.

Supporting Specification — Key Flows & States

The visuals above are the primary reference. Below is a concise textual backup of the most critical flows and state machines for searchability and implementation clarity.

Reveal State Machine (/reveal)

State	Trigger	Key UI
no active reveal	Initial / after done or withdraw	Rated items summary + privacy card + [I'm ready]
pending	User taps 'I'm ready'	Waiting screen + 72h countdown + [Withdraw]
both_ready	Partner taps ready	'See our matches' prompt → Edge Function
computed	Matches written by Edge Function	■ N matches list + mismatch bridge (if any) + countdown
expired	24h after computed	Summary only (no items) + [Start new reveal]

Pairing Status

Status	Meaning	Actions
pending	Invite sent, awaiting acceptance	Cancel invite
active	Successfully paired	Rate, reveal, export, journal
paused	Paused by one user	Unpause or End
ended	Terminated	View summary, start new pairing

Data Loading States (mandatory on every screen)

- **Loading**: Skeleton or spinner (never blank)
- **Empty**: Friendly illustration + encouraging copy
- **Error**: Retry button + Sentry logging

Key Deep Links

- Magic link: `yesyasapp://auth/callback`
- Pairing invite: `yesyasapp://pair?code=XXXX`

Document Control
Version 1.0 • June 2026 • Active
This visual + specification package is the authoritative reference for navigation and state management in YesYas!. Cross-reference the UI/UX Design Document v1.0 for component-level visuals and copy.