

DEPARTMENT OF COMPUTER SCIENCE ST. JOSEPH'S COLLEGE (AUTONOMOUS) TIRUCHIRAPPALLI – 620 002					
PROGRAMME	III B.SC. COMPUTER SCIENCE				
SEMESTER	VI	COURSE CODE	23UCS63CE01	Units	I – V
TITLE OF THE PAPER	COMPREHENSIVE EXAMINATION				
Faculty Name	Dr. J. Antony John Prabu, Dr. S. Josphine Theresa, Dr. S. Venkatesh Saravanakumar and Dr. George Gabriel Richard Roy				

UNIT-I - C++ and Object-Oriented Programming Concepts				
1.	Which is a post-test loop?			
	a)	do...while	b)	for
	c)	while	d)	nested if
	Answer: a)			
2.	What is the value of $i+=j-2$ if $i=9, j=6$?			
	a)	14	b)	15
	c)	13	d)	9
	Answer: c)			
3.	What does the sizeof operator do in C++?			
	a)	Returns the size of a variable in bytes	b)	Returns the total memory allocated
	c)	Returns the length of a string	d)	Returns the size of the data type in bits
	Answer: a)			

4.	Which of the following is a relational operator?			
	a)	&&	b)	!=
	c)		d)	<<
	Answer: b)			
5.	How is an array of characters called?			
	a)	Expression	b)	String
	c)	Operand	d)	Pointer
	Answer: b)			
6.	What term is used for a function that is automatically called when an object is created?			
	a)	Destructor	b)	Inheritance
	c)	Constructor	d)	Polymorphism
	Answer: c)			
7.	Which of the following is true about destructors in C++?			
	a)	Destructors can take parameters	b)	Destructors return a value
	c)	Destructors cannot be overloaded	d)	Destructors must be explicitly called by the programmer
	Answer: c) Destructors cannot be overloaded			
8.	What is an abstract class?			
	a)	A class that has no member functions	b)	C

	c)	A class that cannot have any subclasses	d)	A class with only private members
	Answer: b)			
9.	Which keyword in Java is used to prevent inheritance?			
	a)	abstract	b)	final
	c)	static	d)	const
	Answer: b)			
10.	Which of the following is not a valid access specifier in C++?			
	a)	public	b)	protected
	c)	private	d)	global
	Answer: d)			
11.	How many arguments does a destructor have?			
	a)	0	b)	1
	c)	2	d)	3
	Answer: a)			
12.	Which feature in OOP allows reusing code?			
	a)	Polymorphism	b)	Encapsulation
	c)	Inheritance	d)	Data hiding
	Answer: c)			
13.	What is meant by multiple inheritance?			
	a)	Deriving a base class from derived class	b)	Deriving a derived class from more than one base class

	c)	Deriving a derived class from base class	d)	Deriving a derived class from another derived class
	Answer: b)			
14.	_____ are runtime entities in an object-oriented system.			
	a)	Classes	b)	Objects
	c)	Operators	d)	None
	Answer b)			
15.	Which of the following symbol denote the redirection operator?			
	a)	&	b)	<<
	c)	::	d)	->
	Answer b)			
16.	Which of the following statement used to come out of a loop?			
	a)	If	b)	Break
	c)	Continue	d)	Do
	Answer b)			
17.	Which feature in OOP allows reusing code?			
	a)	Polymorphism	b)	Inheritance
	c)	Encapsulation	d)	Data hiding
	Answer b)			
18.	A function that changes the state of the cout object is called a(n) _____			
	a)	Member	b)	Adjuster

	c)	Manipulator	d)	Operator
	Answer c)			
19.	Which one of the following is not a fundamental data type in C++?			
	a)	Float	b)	String
	c)	Int	d)	Char
	Answer a)			
20.	Which of the following is not recommended in a header file?			
	a)	Type definitions (typedefs)	b)	Class definitions
	c)	Function definitions	d)	Template definitions
	Answer d)			
21.	Which symbol is used to create multiple inheritance?			
	a)	Dot	b)	Comma
	c)	Dollar	d)	Any symbol
	Answer b)			
22.	A class whose member functions are friends of other class is_____			
	a)	Friend class	b)	Abstract class
	c)	Virtual class	d)	Pure Virtual
	Answer a)			
23.	Which of the following class that acts only as a base class and is not used to create objects ?			
	a)	parent class	b)	super class
	c)	abstract class	d)	Sub class
	Answer c)			

24.	Friend function can access the member names _____			
	a)	Directly	b)	Indirectly
	c)	dynamically	d)	using dot operator
	Answer :d)			
25.	A compound statement does not consist of _____			
	a)	control statement	b)	group statement
	c)	single statement	d)	Double statement
	Answer c)			
26.	A _____ member of a class cannot be inherited with public or private mode.			
	a)	Public	b)	Private
	c)	Protected	d)	Default
	Answer b)			
27.	Abstract class is created by including at least one _____ function.			
	a)	Virtual	b)	pure virtual
	c)	Inline	d)	Friend
	Answer b)			
28.	Which stream class is to only write on files ?			
	a)	Ofstream	b)	Ifstream
	c)	Fstream	d)	Iostream
	Answer a)			
29.	Which input stream refers to input from the keyboard?			
	a)	Cin	b)	Cout

	c)	Sin	d)	sout
	Answer a)			
30.	What does & operator ?			
	a)	indirection operator	b)	Logical AND
	c)	address operator	d)	OR logical

UNIT – II- Data Structures and Algorithms

31	_____ is useful when data are stored and then retrieved in reverse order.			
	a)	queue	b)	stack
	c)	linked list	d)	Array
	Answer: b			
32.	Static arrays are structures whose size is fixed at ____			
	a)	Compile time	b)	run time
	c)	real time	d)	fixed time
	Answer: A			
33.	A linked list is a collection of ____			
	a)	Data	b)	List
	c)	Object	d)	Class
	Answer: A			
34.	A doubly linked list is a list that has ____ references			
	a)	one	b)	two
	c)	three	d)	four

	Answer:b		
35.	A tree data structure can be defined as _____		
	a)	Normally	b) generally
	c)	recursively	d) currently
	Answer:C		
36.	The parent first and then left and right children is _____		
	a)	preorder	b) inorder
	c)	postorder	d) treeorder
	Answer:a		
37.	The left child, then the right child and then the parent is _____		
	a)	preorder	b) in order
	c)	postorder	d) tree order
	Answer : C		
38.	In linked lists there are no NULL links in:		
	a)	Single linked list	b) Linear doubly linked list
	c)	circular linked list	d) Linked List
	Answer :C		
39.	In a balance binary tree the height of two sub trees of every node can not differ by more than		
	a)	2	b) 1

	c)	0	d)	3
	Answer: b			
40.	In an array representation of binary tree the right child of root will be at location of			
	a)	2	b)	5
	c)	3	d)	0
	Answer: c			
41.	The dummy header in linked list contain			
	a)	First record of the actual data	b)	Last record of the actual data
	c)	Pointer to the last record of the actual data	d)	Pointer to Empty Data
	Answer: d			
42.	A _____ is a linear list in which insertions and deletions are made to either end of the structure			
	a)	Circular queue	b)	random of queue
	c)	priority queue	d)	dequeue
	Answer:d			
43.	Which of the following need not be a binary tree?			
	a)	Search tree	b)	Heap
	c)	AVL-tree	d)	B-Tree

	Answer:d			
44.	A character of data that binary search uses but the linear search ignores is _____.			
	a)	Order of the list	b)	Length of the list
	c)	Maximum value in the list	d)	Minimum value in the list
	Answer: a			
45.	The searching in a BST always starts at the ____			
	a)	root	b)	Node
	c)	parent	d)	child
	Answer: a			
46.	An AVL tree is another balanced binary and ____			
	a)	link tree	b)	search tree
	c)	root tree	d)	compare tree
	Answer:b			
47.	In a Stack the command to access nth element from the top of the stacks will be			
	a)	S[Top-n]	b)	S [Top+n]
	c)	S [top-n-1]	d)	S[Top-n+2]
	Answer:a			
48.	If yyy, xxx and zzz are the elements of a lexically ordered binary tree,			

	then in preorder traversal which node will be traverse first		
	a)	XXX	b) YYY
	c)	ZZZ	d) can not be determined
	Answer:a		
49.	The result of evaluating prefix expression $*/b+-dacd$, where $a = 3$, $b = 6$, $c = 1$, $d = 5$ is		
	a)	0	b) 5
	c)	10	d) 20
	Answer:C		
50.	The total number of comparisons in a bubble sort is		
	a)	$O(n \log n)$	b) $O(2n)$
	c)	$O(n^2)$	d) $O(3n)$
	Answer:C		
51.	The complexity of binary search algorithm is _____		
	a)	$O(\log n)$	a) $O(n)$
	c)	$O(n^2)$	c) $O(n^2)$
	Answer:a		
52.	The number of comparisons done by sequential search is _____		

	a)	$(n/2)+1$	b)	$(n+1)/2$
	c)	$(n-1)/2$	d)	$(n*1)/2$
	Answer:b			
53.	A _____ is an ordered list in which all insertions and deletions are made at one end.			
	a)	linked list	b)	stack
	c)	queue	d)	graph
	Answer:b			
54.	The average search time of hashing with linear probing will be less if the load factor			
	a)	for less than one	b)	equals one
	c)	is for greater than one	d)	is Less than one
	Answer: a			
55.	The average case occur in linear search algorithm is___			
	a)	When item is somewhere in the middle of array	b)	When item is not in the array
	c)	When item is the last element in the array	d)	When item is the last element or not there at all
	Answer:a			
56.	Traversing a linked list is important for many ____			
	a)	Applications	b)	collections
	c)	references	d)	accesses

	Answer:a			
57.	A binary tree is made of nodes are			
	a)	one	b)	two
	c)	three	d)	four
	Answer: b			
58.	_____sorting is done by finding kth smallest element			
	a)	Quick sort	b)	Selection sort
	c)	Heap sort	d)	Insertion sort
	Answer:b			
59.	The Postfix notation of the expression $A*(B+C)*D$ is_____.			
	a)	$ABC+*D$	b)	$ABCD+*$
	c)	$A+B+C*D$	d)	$A+B+C+D$
	Answer:C			
60.	A sorting algorithm which uses a priority Queue is called			
	a)	Insertion sort	b)	Selection sort
	c)	Heap sort	d)	Quick sort
	Answer:c			

UNIT III – Operations Research

61.	Operations Research is best described as a _____ approach.			
	a)	Intuitive	b)	Objective
	c)	Multi-disciplinary	d)	Reflexive
	Answer: c)			

62.	A feasible solution to an LPP _____			
	a)	Must satisfy all of the problem constraints simultaneously	b)	Must be a corner point of the feasible region
	c)	Need not satisfy all of the constraint only some of them	d)	Must optimize the value of the objective function.
	Answer: a)			
63.	In a Linear Programming Problem (LPP), a constraint mainly restricts the _____.			
	a)	Objective Function	b)	Decision variable
	c)	Resources	d)	optimum value
	Answer: a)			
64.	Which of the following is not associated with an LPP?			
	a)	Proportionality	b)	Uncertainty
	c)	Additively	d)	Divisibility
	Answer: b)			
65.	Which of the following best defines the nature of Operations Research?			
	a)	Subjective approach	b)	Intuitive approach
	c)	System-oriented approach	d)	Emotional approach
	Answer: c)			
66.	Any feasible solution to a transportation problem containing 'm'			

	origins and 'n' destination is said to be _____		
	a)	Independent	b) Degenerate
	c)	non- degenerate	d) Both a and b
	Answer: c)		
67.	The solution of which problem is obtained in two stages?		
	a)	Transportation problem	b) Assignment problem
	c)	Linear Programming problem	d) Sequencing problem
	Answer: a)		
68.	_____ is one of the fundamental combinatorial optimization problems		
	a)	Assignment problem	b) Transportation problem
	c)	optimization problem	d) simplex problem
	Answer: a)		
69.	If in a LPP, a solution of a variable can be made infinity large without violating the constraints , the solution is _____		
	a)	Infeasible	b) unbounded
	c)	alternative	d) negation
	Answer: b)		
70.	Every LPP is associated with another LPP is called _____		
	a)	Primal	b) Dual
	c)	Non-linear	d) linear
	Answer: b)		

71.	Database design is the process of arranging the _____ into an organised structure needed by one or more applications			
	a)	Data Models	b)	Data Fields
	c)	Data Constraints	d)	Data Views
	Answer: B			
72.	_____ database design supports development of data models			
	a)	Bottom-up	b)	Top-down
	c)	Inside-out	d)	Mixed Strategy
	Answer: B			
73.	The relational data model was first introduced by _____			
	a)	Chen	b)	E.F. Codd
	c)	D. Michael	d)	S. Robinson
	Answer: B			
74.	The E-R Model was first introduced by _____			
	a)	Harrison	b)	Chen
	c)	James Watson	d)	Jerry San
	Answer: B			
75.	Which data model is represented as upside down tree?			
	a)	Hierarchical	b)	Network
	c)	Relational	d)	ER
	Answer: A			
76.	In ER Diagram _____ are underlined			
	a)	Secondary Key	b)	Primary Key

	c)	Super Key	d)	Foreign Key
	Answer: B			
77.	The normalization process was developed by			
	a)	E. F. Codd	b)	R. F. Boyce
	c)	R. Fagin	d)	Collin White
	Answer: A			
78.	2NF is always in			
	a)	1NF	b)	BCNF
	c)	MVD	d)	JD
	Answer: A			
79.	BCNF stands for			
	a)	Boyd-Codd Normal form	b)	Boyce-Coromwell Normal form
	c)	Boyce-Codd Normal form	d)	Bayes-Codd normal form
	Answer: C			
80.	When all the columns (attributes) in a relation depends upon the primary key, the relation is said to be in			
	a)	1NF	b)	2NF
	c)	3NF	d)	4NF
	Answer: B			
81.	The objective function in an LPP represents _____.			
	a)	Constraints	b)	Resources
	c)	Profit or cost	d)	Decision rules

	Answer: C		
82.	The first commercial RDBMS is _____		
	a)	DB2	b) ORACLE
	c)	INGRES	d) SQL Server
	Answer: C		
83.	DROP command of SQL is used for		
	a)	Changing table definition	b) Deleting tables from schemas
	c)	Deleting columns from a table	d) Removing constraints from a table
	Answer: B		
84.	SELECT operation of SQL is a _____ statement		
	a)	DDL	b) DML
	c)	DCL	d) VDL
	Answer: B		
85.	SQL was first implemented on a relational database called _____		
	a)	ORACLE	b) System R
	c)	SQL Server	d) Access
	Answer: B		
86.	Which of the following is not an advantage of SQL?		
	a)	Very Flexible	b) Free-format syntax
	c)	Perfect relational language	d) Standard query language
	Answer: C		
87.	In _____ SQL statements are merged with host programming		

	language		
	a)	Embedded SQL	b) Exec SQL
	c)	Transact SQL	d) View
	Answer: A		
88.	Embedded SQL begins with the statement_____		
	a)	EXEC SQL	b) BEGIN SQL
	c)	START SQL	d) CREATE SQL
	Answer: A		
89.	Which of the following is not the key element of Parallel database processing?		
	a)	Speed-up	b) Scale-up
	c)	Timeout	d) Locking
	Answer: C		
90.	5NF is also known as _____		
	a)	Transitive Dependency	b) Partial Dependency
	c)	Natural Dependency	d) Join dependency
	Answer: D		

UNIT – IV – Operating System			
91.	Which of the following is a component of an Operating System?		
	a)	Memory	b) Keyboard
	c)	Mouse	d) Kernel
	Answer: d		
92.	Which one is the logical extension of multiprogramming?		
	a)	Time Sharing System	b) Batch System
	c)	Kernel	d) Memory
	Answer: a		
93.	The Kernel is the _____ of the operating system		
	a)	Heart	b) Brain
	c)	Driver	d) Face
	Answer: a		
94.	Which system is based on rigid time requirements on the operation of a process?		
	a)	Clustered System	b) Distributed System
	c)	Real System	d) Both a & b
	Answer: c		
95.	_____ is called occurrence of an event signaled either by Hardware / Software		
	a)	Trigger	b) Interrupt
	c)	Time Sharing	d) d) Driver
	Answer: b		

96.	System call is also called			
	a)	Monitor Call	b)	Timer Call
	c)	interrupt Call	d)	Process Call
	Answer: a			
97.	A _____ is a software generated interrupt caused by an error			
	a)	Driver	b)	Monitor
	c)	Trap	d)	Controller
	Answer: c			
98.	_____ holds the address of Interrupt Service routine			
	a)	Interrupt Vector	b)	System Call
	c)	Trap	d)	processor
	Answer: a			
99.	A fast memory between CPU & Main memory is called			
	a)	Interrupt	b)	Cache
	c)	Hard Disk	d)	DRAM
	Answer: b			
100.	The time to move the disk arm to the desired cylinder in magnetic disk is called			
	a)	Transfer Time	b)	Position Time
	c)	Seek Time	d)	) Rotation Latency
	Answer: c			
101.	Memory consists of a large array of words or bytes, each with its own _____			

	a)	Register	b)	Ideas
	c)	Address	d)	Values
	Answer: c			
102.	Main memory and the _____ built into the processor itself are the only storage that the CPU can access directly.			
	a)	processor	b)	Registers
	c)	Arrays	d)	Blocks
	Answer: b			
103.	A memory buffer used to accommodate a speed differential, called a _____.			
	a)	Cache	b)	Memory address
	c)	Information	d)	Register
	Answer: a			
104.	The _____ registers can be loaded only by the operating system.			
	a)	Time and limit	b)	address and limit
	c)	Cache and limit	d)	base and limit
	Answer: d			
105.	The operating system, executing in kernel mode, is given unrestricted Access to both operating system and _____ memory.			
	a)	Server	b)	Users
	c)	System	d)	Admin
	Answer: b			
106.	An address generated by the CPU is commonly referred to as a ____			

	address			
	a)	logical	b)	Physical
	c)	Data	d)	Memory
	Answer: a			
107.	The run-time mapping from virtual to physical addresses is done by a Hardware device called the _____.			
	a)	software-management unit	b)	memory-management unit
	c)	hardware-management unit	d)	data-management unit
	Answer: b			
108.	Assuming an average latency of 8 milliseconds, the swap time is _____ milliseconds.			
	a)	258	b)	259
	c)	260	d)	261
	Answer: a			
109.	Every address generated by the CPU is divided into two parts: a page number (p) and _____.			
	a)	A page onset (d)	b)	A page offset (d)
	c)	A page fullest (d)	d)	pageHalfset(d)
	Answer: b			
110.	The page number is used as an index into a _____.			
	a)	page frame	b)	page size
	c)	page table	d)	page row
	Answer: c			

111.	Protection refers to a mechanism for controlling the access of _____ Processes or users to the resources defined by a computer system.			
	a)	Problems	b)	Programs
	c)	Solutions	d)	Values
	Answer: b			
112.	Protection was originally conceived as adjunct to _____ programming operating systems.			
	a)	single-level	b)	Software
	c)	Multi	d)	Dual Level
	Answer: c			
113.	A computer system is a collection of processes and _____.			
	a)	Classes	b)	Objects
	c)	Attributes	d)	Information
	Answer: d			
114.	A _____ is a collection of access rights, each of which is an ordered pair object-Name, rights-set.			
	a)	Domain	b)	Project
	c)	Field	d)	Subject
	Answer: a			
115.	The rows of the _____ represent domains, and the columns represent objects.			
	a)	Data	b)	Form
	c)	Invalid access	d)	access matrix

	Answer: d			
116.	The simplest implementation of the access matrix is a global table consisting of a set of ordered triples domain, object,_____.			
	a)	Value-set	b)	Table-set
	c)	rights-set	d)	project-set
	Answer: c			
117.	The _____ scheme is a compromise between access lists and capability Lists.			
	a)	Lock-key	b)	Soft-key
	c)	Hard-key	d)	Secret-key
	Answer: a			
118.	A Hydra subsystem is built on top of its protection kernel and may require protection of its own _____.			
	a)	Address	b)	Locations
	c)	Components	d)	Memory
	Answer: c			
119.	There are limits to the flexibility of a protection kernel in implementing a _____-defined policy.			
	a)	User	b)	Admin
	c)	Software	d)	Super User
	Answer: a			
120.	The greatest efficiency is obtained when enforcement of protection is supported directly by _____ (or microcode).			

	a)	Malware	b)	Software
	c)	Freeware	d)	Hardware
	Answer: d			
UNIT – V – Computer Networks				
121.	The system must be deliver data in _____.			
	a)	timely manner	b)	timely access
	c)	timely data	d)	time
	Answer:a			
122.	_____refer to the variation in the packet arrival time.			
	a)	Sendingtime	b)	Receivingtime
	c)	jitter	d)	accuracy
	Answer: c			
123.	_____ each station can both transmit and receive at same time.			
	a)	simplex	b)	Halfduplex
	c)	Fullduplex	d)	Duplex
	Answer: c			
124.	_____ is set of devices connected by communication links.			
	a)	Network	b)	Internet
	c)	Data communication	d)	Switch
	Answer: a			
125.	Multipoint transmission also called _____.			
	a)	Multiconnection	b)	Multidrop

	c)	point to multi	d)	WAN
	Answer: b			
126.	_____Topology is the actual physical layout of cables and devices			
	a)	Physical	b)	Virtual
	c)	Logical	d)	Physiological
	Answer: a			
127.	Internetworking protocol is also known as_____.			
	a)	SMTP	b)	UDP
	c)	SCTP	d)	TCP/IP
	Answer: d			
128.	Abbreviation of NAPs			
	a)	network application points	b)	network access points
	c)	network admin points	d)	Net admin points
	Answer: b			
129.	A _____ is where two or more network that can communicate with each other.			
	a)	network	b)	Internet
	c)	Data communication	d)	Gateway
	Answer: b			
130.	OSI stands for _____.			
	a)	open system intercommunication model	b)	open system interconnect model
	c)	open system interconnection	d)	Open subnet interconnect model

		model		
	Answer: c			
131.	An IPv4 address is a _____.			
	a)	16-bit address	b)	32-bit address
	c)	64-bit address	d)	8 Bit Address
	Answer: b			
132.	The most efficient and high-speed cable used in communications as of recent is _____			
	a)	Coaxial	b)	Fiber optic
	c)	Twisted pair	d)	unshielded
	Answer: b			
133.	The IPv4 addresses are_____.			
	a)	Distributed	b)	Unique
	c)	Short	d)	Similar
	Answer: b			
134.	A protocol such as IPv4 that defines addresses has an			
	a)	address space	b)	node space
	c)	system space	d)	Access space
	Answer: a			
135.	Virtual Circuit Network is the example of _____ network			
	a)	MAN	b)	WAN
	c)	LAN	d)	VAN
	Answer: b			

136.	In classful addressing, the address space is divided into_____.			
	a)	four classes	b)	three classes
	c)	five classes	d)	two class
	Answer: c			
137.	Expand DHCP _____			
	a)	Dynamic Host Configuration Protocol	b)	Data Hiding Computer Protocol
	c)	Different Hub Connecting Protocol	d)	Dynamic Heuristic Config Protocol
	Answer: a			
138.	_____ addresses are used when an organization wants to use IPv6 protocol without being connected to the global Internet.			
	a)	IP Addresses	b)	Logical Addresses
	c)	Physical Addresses	d)	Unique Local Addresses
	Answer: d			
139.	The Internet, at the network layer, is_____.			
	a)	a packet-switched network	b)	a circuit-switched networks
	c)	a window-switched networks	d)	An IP switched network
	Answer: a			
140.	The Internet Protocol version 4 (IPv4) is the delivery mechanism used by _____.			
	a)	SMTP	b)	TCP/IP
	c)	FTP	d)	POP

	Answer: b			
141.	How many layers are there under TCP/IP?			
	a)	3	b)	4
	c)	2	d)	6
	Answer: b			
142.	TCP stands for_____.			
	a)	Transmission Control Protocol	b)	Transmission Conference Protocol
	c)	Transmit connect Protocol	d)	Transfer Control Protocol
	Answer: a			
143.	Twisted pair network cable is _____ohms.			
	a)	100	b)	109
	c)	55	d)	123
	Answer: a			
144.	Netstat is a _____utility program.			
	a)	single line	b)	multiple line
	c)	command line	d)	server line
	Answer: c			
145.	DNS servers often must communicate with DNS servers outside of the _____.			
	a)	local network	b)	DNS server
	c)	communicate networks	d)	Domain Network
	Answer: a			

146.	Which is the first layer in TCP/IP?			
	a)	Presentation layer	b)	Physical layer
	c)	Application layer	d)	Data link
	Answer: c			
147.	DNS stands for _____.			
	a)	Domain Name System	b)	Domain Network System
	c)	Document Network System	d)	Domain Namespace Networks
	Answer: a			
148.	A forward is an entry that is used when a DNS server receives _____.			
	a)	MS queries	b)	DNS queries
	c)	Received server	d)	File Server
	Answer: b			
149.	_____ means loss of energy.			
	a)	Distortion	b)	Attenuation
	c)	Decibel	d)	Noise
	Answer: b			
150.	TFTP stands for _____.			
	a)	Trivial File Transfer Protocol	b)	Trivial transport protocol
	c)	Trivial Front Transport Protocol	d)	Text Fil Transfer Protocol
	Answer: a			
