



1:



```
john@PS3C: ~  
john@PS3C:~$ git config --global user.name "João Manoel"  
john@PS3C:~$ git config --global user.email "jmaoliveira.cic@uesc.br"  
john@PS3C:~$
```



2:



Documents ResidenciaTIC18 MeuProjeto

.git

```
john@PS3C: ~/Documents/ResidenciaTIC18/MeuProjeto  
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git init  
Repositório vazio Git inicializado em /home/john/Documents/ResidenciaTIC18/MeuProjeto/.git/  
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$
```



3:

```
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git checkout -b feature-navbar
Switched to a new branch 'feature-navbar'
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$
```

```
GNU nano 4.8      introducao.txt
Esse é um projeto de treino de git da Residencia em Software TIC18

#####
Essa é a area dedicada ao desenvolvimento de features

[ 4 linhas lidas ]
^G Obter Ajuda ^O Gravar      ^W Onde está? ^K Recort txt ^J Justificar ^C Pos atual
^X Sair        ^R Ler o arq  ^\ Substituir ^U Colar txt  ^T Verifortog ^_ Ir p/ linha
```

```
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ nano introducao.txt
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$
```

```
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git commit -m 'add features'
No ramo feature-navbar

Submissão inicial.

Arquivos não monitorados:
  (utilize "git add <arquivo>..." para incluir o que será submetido)
    introducao.txt


nada adicionado ao envio mas arquivos não registrados estão presentes (use "git
add" to registrar)
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git add .
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git commit -m 'add features'
[feature-navbar (root-commit) 1acbd0f] add features
1 file changed, 4 insertions(+)
create mode 100644 introducao.txt
```

```
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git checkout main
Switched to branch 'main'
```

```
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ nano introducao.txt
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git checkout feature-navbar
Switched to branch 'feature-navbar'
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ nano introducao.txt
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git checkout main
M      introducao.txt
Switched to branch 'main'
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ nano introducao.txt

john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git merge feature-navbar
Already up to date.
```

4:



```
john@PS3C: ~/Documents/ResidenciaTIC18/MeuProjeto
GNU nano 4.8 .gitignore Modificado
secreto.txt
```

[Novo arquivo]

^G Obter Ajuda	^O Gravar	^W Onde está?	^K Recortar txt	^J Justificar	^C Pos atual
^X Sair	^R Ler o arquivo	^_ Substituir	^U Colar txt	^T Verificar ortografia	^_ Ir p/ linha

5:

```
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git remote add origin https://github.com/John-Parsec/MeuProjeto.git
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git branch -M main
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git push -u origin main
Username for 'https://github.com': John-Parsec
Password for 'https://John-Parsec@github.com':
remote: Invalid username or password.
fatal: Authentication failed for 'https://github.com/John-Parsec/MeuProjeto.git/'

john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git push -u origin main
Username for 'https://github.com': John-Parsec
Password for 'https://John-Parsec@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 336 bytes | 336.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To https://github.com/John-Parsec/MeuProjeto.git
 * [new branch]      main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$
```

6:

<https://github.com/Caua-Clemente/MeuProjeto>

```
john@PS3C: ~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ git add .
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ git commit -m "testando trabalho em equipe"
[main cd90af7] testando trabalho em equipe
 1 file changed, 4 insertions(+)
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ git push
Username for 'https://github.com': John-Parsec
Password for 'https://John-Parsec@github.com':
remote: Invalid username or password.
fatal: Authentication failed for 'https://github.com/Caua-Clemente/MeuProjeto.git/'

john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ git push
Username for 'https://github.com': John-Parsec
Password for 'https://John-Parsec@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 397 bytes | 397.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Caua-Clemente/MeuProjeto.git
 1929248..cd90af7  main -> main
```

7:

<https://github.com/Caua-Clemente/MeuProjeto>

```
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ nano introducao.txt
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ git add .
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ git commit -m "teste de conflito"
[main 798c26e] teste de conflito
1 file changed, 1 insertion(+), 1 deletion(-)
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ git push
Username for 'https://github.com': John-Parsec
Password for 'https://John-Parsec@github.com':
To https://github.com/Caua-Clemente/MeuProjeto.git
 ! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/Caua-Clemente/MeuProjeto.git'
hint: Updates were rejected because the remote contains work that you do
hint: not have locally. This is usually caused by another repository pushing
hint: to the same ref. You may want to first integrate the remote changes
hint: (e.g., 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```

```
john@PS3C: ~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto
GNU nano 4.8 /home/john/Documents/ResidenciaTIC18/Atvd2/MeuProjeto/.git/MERGE_MSG
Merge branch 'main' of https://github.com/Caua-Clemente/MeuProjeto into main
# Please enter a commit message to explain why this merge is necessary,
# especially if it merges an updated upstream into a topic branch.
#
# Lines starting with '#' will be ignored, and an empty message aborts
# the commit.

^G Obter Ajuda  ^O Gravar      ^W Onde está?  ^K Recort txt  ^J Justificar  ^C Pos atual   M-U Desfazer
^X Sair        ^R Ler o arq   ^\ Substituir  ^U Colar txt   ^T VerifOrtog ^_ Ir p/ linha  M-E Refazer
```

```
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ git pull
remote: Enumerating objects: 13, done.
remote: Counting objects: 100% (13/13), done.
remote: Compressing objects: 100% (6/6), done.
remote: Total 9 (delta 3), reused 9 (delta 3), pack-reused 0
Unpacking objects: 100% (9/9), 1.09 KiB | 1.09 MiB/s, done.
From https://github.com/Caua-Clemente/MeuProjeto
   cd90af7..2f351ef  main    -> origin/main
MescLagem automática de introducao.txt
Merge made by the 'recursive' strategy.
   introducao.txt | 2 ++
   1 file changed, 2 insertions(+)
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ nano introducao.txt
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ nano introducao.txt
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ git add .
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ git commit -m "solucao de conflito"
No ramo main
Seu ramo está à frente de 'origin/main' por 2 submissões.
   (use "git push" to publish your local commits)

nothing to commit, working tree clean
john@PS3C:~/Documents/ResidenciaTIC18/Atvd2/MeuProjeto$ git push
Username for 'https://github.com': John-Parsec
Password for 'https://John-Parsec@github.com':
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 4 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 784 bytes | 784.00 KiB/s, done.
Total 6 (delta 2), reused 0 (delta 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To https://github.com/Caua-Clemente/MeuProjeto.git
   2f351ef..caf30ef  main -> main
```


8:

```
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git log
commit 1acbd6f900721e8dae1135efaffcb3aad67e946c (HEAD -> main, origin/main, feature-navbar)
Author: João Manoel <jmaoliveira.cic@uesc.br>
Date:   Mon Aug 28 20:53:35 2023 -0300

    add features
```

9:

```
john@PS3C: ~/Documents/ResidenciaTIC18/MeuProjeto  🔍  ☰  -  ↶  ✕

GNU nano 4.8      introducao.txt      Modificado
Esse é um projeto de treino de git da Residencia em Software TIC18

#####
Essa é a area dedicada ao desenvolvimento de features
Feature: desenvolvimento de uma navbar

NÃO QUERO

[ 5 linhas lidas ]
^G Obter Ajuda ^O Gravar      ^W Onde está? ^K Recort txt ^J Justificar ^C Pos atual M-U Desfazer
^X Sair        ^R Ler o arq  ^\ Substituir ^U Colar txt  ^T Verfo rtog ^_ Ir p/ linha M-E Refazer

john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git add .
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git commit -m 'modificacao indesejada'
[main 856113a] modificacao indesejada
 1 file changed, 4 insertions(+)
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git status
No ramo main
Seu ramo está à frente de 'origin/main' por 2 submissões.
(use "git push" to publish your local commits)

nothing to commit, working tree clean
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git log
commit 856113aa266812cb68d5590a38d3148ce2baf468 (HEAD -> main)
Author: João Manoel <jmaoliveira.cic@uesc.br>
Date:   Mon Aug 28 21:06:41 2023 -0300

    modificacao indesejada

commit 792301d87fb34db466d39c9e95f575af5c053a95
Author: João Manoel <jmaoliveira.cic@uesc.br>
Date:   Mon Aug 28 21:04:35 2023 -0300

    add git ignore

commit 1acbd6f900721e8dae1135efaffcb3aad67e946c (origin/main, feature-navbar)
Author: João Manoel <jmaoliveira.cic@uesc.br>
Date:   Mon Aug 28 20:53:35 2023 -0300

    add features
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git revert 792301d87fb34db466d39c9e95f575af5c053a95
Removendo .gitignore
[main fd33ee8] Revert "add git ignore"
 1 file changed, 1 deletion(-)
 delete mode 100644 .gitignore
```

10:

```
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git tag teste
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git log
commit bde36c184746a8dbf2026a63d79d3b7b53e909f6 (HEAD -> main, tag: teste, origin/main)
Author: João Manoel <jmaoliveira.cic@uesc.br>
Date: Mon Aug 28 21:15:19 2023 -0300

    add git ignore

commit fd33ee8dfa6ddb946df9a041bc202c9d565c2cea
Author: João Manoel <jmaoliveira.cic@uesc.br>
Date: Mon Aug 28 21:08:48 2023 -0300

    Revert "add git ignore"

    This reverts commit 792301d87fb34db466d39c9e95f575af5c053a95.

commit 856113aa266812cb68d5590a38d3148ce2baf468
Author: João Manoel <jmaoliveira.cic@uesc.br>
Date: Mon Aug 28 21:06:41 2023 -0300

    modificacao indesejada

commit 792301d87fb34db466d39c9e95f575af5c053a95
Author: João Manoel <jmaoliveira.cic@uesc.br>
Date: Mon Aug 28 21:04:35 2023 -0300

    add git ignore

commit 1acbd6f900721e8dae1135efaffcb3aad67e946c (feature-navbar)
Author: João Manoel <jmaoliveira.cic@uesc.br>
Date: Mon Aug 28 20:53:35 2023 -0300

    add features
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git tag -a teste bde36c184746a8dbf2026a63d79d3b7b53e909f6 -m "tag de teste"
fatal: tag 'teste' already exists
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git tag -a testing bde36c184746a8dbf2026a63d79d3b7b53e909f6 -m "tag de teste"
john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$

john@PS3C:~/Documents/ResidenciaTIC18/MeuProjeto$ git push origin testing
Username for 'https://github.com': John-Parsec
Password for 'https://John-Parsec@github.com':
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 172 bytes | 172.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0)
To https://github.com/John-Parsec/MeuProjeto.git
 * [new tag]          testing -> testing
```