# METplus Version 2.1

## Automation for the Model Evaluation Tools

## Developmental Testbed Center Boulder, Colorado

Daniel Adriaansen<sup>1</sup>, Minna Win-Gildenmeister<sup>1,4</sup>, James Frimel<sup>2,4</sup>,

Julie Prestopnik<sup>1,4</sup>, Mallory Row<sup>3</sup>, John Halley Gotway<sup>1,4</sup>,

George McCabe<sup>1,4</sup>, Tara Jensen<sup>1,4</sup>, Jonathan Vigh<sup>1,4</sup>,

Christina Kalb<sup>1</sup>, and Hank Fisher<sup>1</sup>

<sup>1</sup>National Center for Atmospheric Research,
Research Applications Laboratory

<sup>2</sup>Cooperative Institute for Research in the Atmosphere at
National Oceanic and Atmospheric Administration (NOAA)

Earth System Research Laboratory

<sup>3</sup>I.M. Systems Group at

NOAA Environmental Modeling Center

<sup>4</sup>Developmental Testbed Center

# Contents

1	Ove	erview of METplus	16											
	1.1	Purpose and organization of the User's Guide	16											
	1.2	The Developmental Testbed Center (DTC)	16											
	1.3	METplus goals and design philosophy	17											
	1.4	METplus components	17											
	1.5	Future development plans	17											
	1.6	Code support	18											
2	Soft	tware Installation/Getting Started	19											
	2.1	Introduction	19											
	2.2	2.2 Supported architectures												
	2.3	2.3 Programming/scripting languages												
	2.4	Pre-requisites	19											
	2.5	METplus directory structure	20											
	2.6	Getting the METplus source code	21											
		2.6.1 Get the source code via your Web Browser	21											
		2.6.1.1 Source code only:	21											
		2.6.1.2 Source code, additional documentation, and sample data	24											
		2.6.2 Get the source code via Command line	27											
	2.7	Set up your environment	27											
	2.8	Set up METplus Configuration files	28											
	2.9	Running METplus	29											

3	ME	Tplus Python Wrappers	32
	3.1	CyclonePlotter	32
		3.1.1 Description	32
		3.1.2 Configuration	32
	3.2	EnsembleStat	33
		3.2.1 Description	33
		3.2.2 Configuration	33
	3.3	ExtractTiles	34
		3.3.1 Configuration	35
	3.4	GempakToCF	35
		3.4.1 Description	35
		3.4.2 Configuration	35
	3.5	GridStat	36
		3.5.1 Description	36
		3.5.2 Configuration	36
	3.6	MakePlots	37
		3.6.1 Description	37
		3.6.2 Configuration	37
	3.7	Mode	39
		3.7.1 Description	39
		3.7.2 Configuration	39
	3.8	MTD	40
		3.8.1 Description	40
		3.8.2 Configuration	41
	3.9	PB2NC	41

	3.9.1	D	escri	ption		 	 	 							 	•	 	•		41
	3.9.2	С	onfig	urati	on .	 		 							 		 			42
3.10	PcpCo	omł	oine			 	 	 							 	•	 			43
	3.10.1	D	escri	ption		 	 	 							 		 			43
	3.10.2	С	onfig	urati	on .	 		 							 	•	 			43
3.11	PointS	Stat	t			 		 		 •					 	•	 			46
	3.11.1	D	escri	ption		 	 	 							 		 			46
	3.11.2	С	onfig	urati	on .	 	 	 							 		 			46
3.12	Regrid	dDε	ıtaPl	ane		 		 		 •	 				 		 			48
	3.12.1	D	escri	ption	. <b>.</b> .	 		 	 •	 •					 	•	 			48
	3.12.2	С	onfig	urati	on .	 		 							 		 			48
3.13	SeriesI	Byl	nit			 	 	 							 		 			48
	3.13.1	D	escri	ption		 		 		 •					 	•	 			48
	3.13.2	С	onfig	urati	on .	 		 	 •	 •		• •			 	•	 			49
3.14	SeriesI	Byl	Lead			 	 	 		 •					 		 	•	• •	50
	3.14.1	D	escri	ption	. <b>.</b> .	 	 	 							 		 			50
	3.14.2	С	onfig	urati	on .	 		 	 •	 •				 •	 	•	 			50
3.15	StatAr	nal	ysis			 		 	 •	 •	 			 •	 	•	 			51
	3.15.1	D	escri	ption		 		 	 •	 •				 •	 	•	 			51
	3.15.2	С	onfig	urati	on .	 		 	 •	 •				 •	 	•	 			51
3.16	TcPair	rs				 	 •	 	 •	 •	 •	• •			 	•	 	•		54
	3.16.1	D	escri	ption		 	 	 		 •					 		 	•		54
	3.16.2	С	onfig	urati	on .	 	 	 							 	•	 			54
3.17	TcStat	t				 	 	 	 •						 	•	 			55
	3.17.1	D	escri	ption		 	 	 		 					 		 			55

		3.17.2	Configu	ration			 	 	 	 	. 56
	3.18	TCMI	PRPlotter	r			 	 	 	 	. 57
		3.18.1	Descript	tion			 	 	 	 	. 57
		3.18.2	Configu	ration			 	 	 	 	. 58
	3.19	Wavel	etStat				 	 	 	 	. 59
		3.19.1	Descript	tion			 	 	 	 	. 59
4	ME	Tplus	System	Configurati	on						60
	4.1	Config	g Best Pra	actices			 	 	 	 	. 60
	4.2	Config	g File Str	ucture			 	 	 	 	. 61
	4.3	Comm	non Confi	g Variables .			 	 	 	 	. 61
		4.3.1	Timing	Control			 	 	 	 	. 61
			4.3.1.1	LOOP_BY			 	 	 	 	. 61
			4.3.1.2	Looping by	Valid Time		 	 	 	 	. 62
			4.3.1.3	Looping by	Initializatio	n Time	 	 	 	 	. 63
			4.3.1.4	Looping over	er Forecast I	Leads	 	 	 	 	. 64
			4.3.1.5	Realtime Lo	ooping		 	 	 	 	. 66
		4.3.2	Field In	fo			 	 	 	 	. 67
		4.3.3	Director	ry and Filena	me Templat	e Info	 	 	 	 	. 70
	4.4	Config	g Quick S	tart Example			 	 	 	 	. 73
	4.5	A-Z C	onfig Glo	ossary			 	 	 	 	. 75
		4.5.1	A				 	 	 	 	. 75
		4.5.3	С			• • • • •	 	 	 	 	. 78
		4.5.4	D				 	 	 	 	. 80

	4.5.5	Ε			 	 												 	82
	4.5.6	F			 	 												 	86
	4.5.7	G .			 	 												 	104
	4.5.8	Н			 	 	 •		 •									 	107
	4.5.9	Ι			 	 			 •				•		 •		 •	 	107
	4.5.10	J			 	 	 •		 •						 ٠		 •	 	110
	4.5.11	К			 	 												 	110
	4.5.12	L			 	 												 	110
	4.5.13	М .			 	 			 •				•		 •		 •	 	114
	4.5.14	N			 	 			 •				•		 •		 •	 	123
	4.5.15	O			 	 	 •		 •						 ٠		 •	 	125
	4.5.16	P			 	 			 •				•		 •		 •	 	142
	4.5.17	Q			 	 			 •				•		 •			 	150
	4.5.18	R			 	 			 •				•		 •		 •	 	150
	4.5.19	S			 	 	 •		 •						 ٠		 •	 	152
	4.5.20	Т			 	 												 	157
	4.5.21	U			 	 	 •		 •						 ٠		 •	 	168
	4.5.22	V			 	 	 •		 •						 ٠		 •	 	168
	4.5.23	W .			 	 	 •		 •						 ٠		 •	 	171
	4.5.24	X			 	 			 •				•		 •			 	171
	4.5.25	Y			 	 	 •		 •				•		 ٠			 	172
	4.5.26	Z			 	 												 	172
3	User F	)efined	Cor	nfio															172

# Foreword: A note to METplus users

This User's Guide is provided as an aid to users of the Model Evaluation Tools (MET) and it's companion package METplus. MET is a set of verification tools developed and supported to community via the Developmental Testbed Center (DTC) for use by the numerical weather prediction community. METplus is intended to be a suite of Python wrappers and ancillary scripts to enhance the user's ability to quickly set-up and run MET. Over the next few years, METplus will become the authoritative repository for verification of the Unified Forecast System.

It is important to note here that METplus is an evolving software package. Previous releases of METplus have occurred since 2017. This documentation describes the 2.0 release in September 2018. Intermediate releases may include bug fixes. METplus is also be able to accept new modules contributed by the community. If you have code you would like to contribute, we will gladly consider your contribution. While we are setting up our community contribution protocol, please send email to: met\_help@ucar.edu and inform us of your desired contribution. We will then determine the maturity of new verification method and coordinate the inclusion of the new module in a future version.

This User's Guide was prepared by the developers of the METplus, including Dan Adriaansen, Minna Win-Gildenmeister, Julie Prestopnik, Jim Frimel, Mallory Row, John Halley Gotway, George McCabe, Paul Prestopnik, Christana Kalb, Hank Fisher, Jonathan Vigh, Lisa Goodrich, Tara Jensen, Tatiana Burek, and Bonny Strong.

## New for METplus v2.1

### METplus v2.1 Release Notes:

#### Configuration:

- Added gather by date.conf for grid-to-grid and grid-to-obs use cases
- Created specific directory for plotting use case config files
- Added error checking so it is more clear what config items need to be added or changed to run
- Renamed many config variables for clarity

- Variables specific to a wrapper will contain the app name in the variable name
- Error message at startup listing all deprecated config items and the suggested new item to use
- MET configuration files updated to contain new default values that were recently added
- Current time environment variables set to be used in MET or METplus config files if needed (See section describing Timing Control 4.3.1).
- Added INIT\_SEQ for looping by valid time to calculate forecast lead list (instead of specifying with LEAD SEQ)
- Adding window begin and end variables for individual wrappers instead of having the same window for every wrapper (See OBS\_WINDOW\_BEGIN and OBS\_WINDOW\_END in section describing A-Z Config Glossary4.5)
- Added option to skip processing of a file in some wrappers (i.e. pb2nc or regrid\_data\_plane) if the output file already exists (See PB2NC\_SKIP\_IF\_OUTPUT\_EXISTS in section describing A-Z Config Glossary 4.5)

#### Wrapper specific:

- make plots wrapper.py
  - Reworked following the changes to the work done on stat analysis wrapper.py
- stat analysis wrapper.py
  - Reworked to give users greater use of the MET stat analysis tool
- pcp combine wrapper.py
  - Added support for -derive mode
  - $-\,$  Fixed bugs in -subtract mode and -sum mode
- pb2nc wrapper.py
  - Refactored to allow looping by valid time and utilize filename templates instead of regex
- point\_stat\_wrapper.py
  - Refactored to allow looping by valid time and utilize filename templates instead of regex
  - Added verification mask and neighborhood width/shape configurations
- $\bullet \ \ ensemble\_stat\_wrapper.py$ 
  - Refactored to allow looping by valid time
- grid stat wrapper.py
  - Added verification mask and neighborhood width/shape configurations

- series by lead wrapper.py
  - Changed configuration names for forecast hour to more closely match other wrappers (See LEAD\_SEQ\_[N],
     LEAD\_SEQ\_[N]\_LABEL, SERIES\_BY\_LEAD\_GROUP\_FCSTS, and LEAD\_SEQ in section describing A-Z Config Glossary 4.5)

#### General:

- Improved string template substitution and extraction functionality to be more flexible and to allow time shifting/truncating (See section describing Directory and Filename Template Info 4.3.3)
- Improve timed handling so filename templates can be more flexible
- Added 'now' time item to allow start and end time of run to be defined relative to the current time at execution (See section describing Timing Control 4.3.1)
- Logfiles now contains METplus version number and start/end logs to easily discern multiple runs within a single log file
- Various bug fixes

#### METplus v2.0.4 Release Notes:

## Configuration:

• Updated config files to match sample data directory structure

#### General:

- Moved large mask files from repository to sample data tarballs
- Improved logging message clarity
- List METplus version number in final configuration file and logging output

#### METplus v2.0.3 Release Notes:

#### Configuration:

- Added DO NOT RUN EXE config variable to prevent applications from actually running
- Added LOG\_TIMESTAMP\_USE\_RUNTIME config variable to use data time in log file names instead of run time
- METPLUS BASE config variable is automatically set to the location METplus is being run

• Added automatically generated CLOCK\_TIME config variable to keep track of time METplus was run

#### Wrapper specific:

- mode wrapper
  - new python wrapper for MET tool mode
- mtd wrapper
  - new python wrapper for MET tool mtd (mode time domain)
- pcp combine wrapper
  - Threshold values specified in the config files now require a comparison operator (>,>=,==,!=,<,<=,gt,ge,eq,ne,lt,le Previously THRESH values were assumed to use >= by pcp combine
- grid\_stat\_wrapper
  - grid\_stat will now process all name/level/threshold combinations in a single run if desired (some cases require splitting up calls to grid\_stat, such as processing probabilistic forecasts or precip accumulations)
  - Added probability threshold configs for grid\_stat probabilistic forecast evaluation

#### General:

- Compressed input files with certain file extensions (gz, zip, bz2) will be automatically uncompressed and placed into a staging area for use in METplus (with option to scrub staging directory after run) Gempak files now can automatically be converted to NetCDF for use in METplus (See [FCST/OBS]\_[MET-APP] DATATYPE)
- NetCDF field levels can now be specified in config files, i.e. (0,0,\*,\*). NOTE: Quotes around these items are required
- Updated MET config files to use MET 8.0
- Cleanup of plotting scripts

### METplus v2.0.2 Release Notes:

#### Wrapper specific:

- grid stat wrapper
  - Forecast lead time set in environment as FCST TIME to be read by grid stat MET config file

#### General:

• Users can define custom environment variables in METplus config files to be used in MET config files. (See section describing User Defined Config 4.6)

#### METplus v2.0.1 Release Notes:

Configuration:

 $\bullet \ OBS\_WINDOW\_BEG \ in \ point\_stat\_wrapper, grid\_to\_obs.conf \ changed \ to \ OBS\_WINDOW\_BEGIN \\$ 

Wrapper specific:

- pcp combine wrapper:
  - fixed bug selecting accumulation files.
  - sum method and file template matching.

#### General:

• Fixed typo in variable name in getraw interp function.

#### METplus v2.0 Release Notes:

Wrapper specific:

- tc stat wrapper
  - can now be run stand-alone
- tc pairs wrapper
  - can now read ATCF input file formats
  - support for numerous input file naming conventions
  - support for input data organized into one directory or subdirectories with date information in the name
- cyclone plotter wrapper
  - replaced the dependency on Basemap toolkits (which are unstable on some platforms) with Cartopy for map rendering
- tcmpr\_plotter\_wrapper
  - now supports whitespace in plot title, sub-title, and legend

- $\bullet$  pb2nc\_wrapper
  - $-\,$  new python wrapper for the MET tool pb2nc
- $\bullet \hspace{0.1cm} point\_stat\_wrapper$ 
  - new python wrapper for the MET tool point\_stat

# TERMS OF USE

## **IMPORTANT!**

USE OF THIS SOFTWARE IS SUBJECT TO THE FOLLOWING TERMS AND CONDITIONS:

1. **License**. Subject to these terms and conditions, University Corporation for Atmospheric Research (UCAR) grants you a non-exclusive, royalty-free license to use, create derivative works, publish, distribute, disseminate, transfer, modify, revise and copy the Model Evaluation Tools (MET) software, in both object and source code (the "Software").

You shall not sell, license or transfer for a fee the Software, or any work that in any manner contains the Software.

- 2. Disclaimer of Warranty on Software. Use of the Software is at your sole risk. The Software is provided "AS IS" and without warranty of any kind and UCAR EXPRESSLY DISCLAIMS ALL WARRANTIES AND/OR CONDITIONS OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT OF A THIRD PARTY'S INTELLECTUAL PROPERTY, MERCHANTABILITY OR SATISFACTORY QUALITY AND FITNESS FOR A PARTICULAR PURPOSE. THE PARTIES EXPRESSLY DISCLAIM THAT THE UNIFORM COMPUTER INFORMATION TRANSACTIONS ACT (UCITA) APPLIES TO OR GOVERNS THIS AGREEMENT. No oral or written information or advice given by UCAR or a UCAR authorized representative shall create a warranty or in any way increase the scope of this warranty. Should the Software prove defective, you (and neither UCAR nor any UCAR representative) assume the cost of all necessary correction.
- 3. Limitation of Liability. UNDER NO CIRCUMSTANCES, INCLUDING NEGLIGENCE, SHALL UCAR BE LIABLE FOR ANY DIRECT, INCIDENTAL, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES INCLUDING LOST REVENUE, PROFIT OR DATA, WHETHER IN AN ACTION IN CONTRACT OR TORT ARISING OUT OF OR RELATING TO THE USE OF OR INABILITY TO USE THE SOFTWARE, EVEN IF UCAR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

4. Compliance with Law. All Software and any technical data delivered under this Agreement are subject to U.S. export control laws and may be subject to export or import regulations in other countries. You agree to comply strictly with all applicable laws and regulations in connection with use and distribution of the Software, including export control laws, and you acknowledge that you have responsibility to obtain any required license to export, re-export, or import as may be required.

- 5. No Endorsement/No Support. The names UCAR/NCAR, National Center for Atmospheric Research and the University Corporation for Atmospheric Research may not be used in any advertising or publicity to endorse or promote any products or commercial entity unless specific written permission is obtained from UCAR. The Software is provided without any support or maintenance, and without any obligation to provide you with modifications, improvements, enhancements, or updates of the Software.
- 6. Controlling Law and Severability. This Agreement shall be governed by the laws of the United States and the State of Colorado. If for any reason a court of competent jurisdiction finds any provision, or portion thereof, to be unenforceable, the remainder of this Agreement shall continue in full force and effect. This Agreement shall not be governed by the United Nations Convention on Contracts for the International Sale of Goods, the application of which is hereby expressly excluded.
- 7. Termination. Your rights under this Agreement will terminate automatically without notice from UCAR if you fail to comply with any term(s) of this Agreement. You may terminate this Agreement at any time by destroying the Software and any related documentation and any complete or partial copies thereof. Upon termination, all rights granted under this Agreement shall terminate. The following provisions shall survive termination: Sections 2, 3, 6 and 9.
- 8. Complete Agreement. This Agreement constitutes the entire agreement between the parties with respect to the use of the Software and supersedes all prior or contemporaneous understandings regarding such subject matter. No amendment to or modification of this Agreement will be binding unless in writing and signed by UCAR.
- 9. Notices and Additional Terms. Copyright in Software is held by UCAR. You must include, with each copy of the Software and associated documentation, a copy of this Agreement and the following notice:

"The source of this material is the Research Applications Laboratory at the National Center for Atmospheric Research, a program of the University Corporation for Atmospheric Research (UCAR) pursuant to a Cooperative Agreement with the National Science Foundation; ©2007-2017 University Corporation for Atmospheric Research. All Rights Reserved."

The following notice shall be displayed on any scholarly works associated with, related to or derived from the Software:

"Model Evaluation Tools (MET) and METplus were developed at the National Center for
Atmospheric Research (NCAR) through grants from the National Science Foundation (NSF), the
National Oceanic and Atmospheric Administration (NOAA), and the United States Air Force
(USAF). NCAR is sponsored by the United States National Science Foundation."

By using or downloading the Software, you agree to be bound by the terms and conditions of this Agreement.

The citation for this User's Guide should be:

Adriaansen, D., M. Win-Gildenmeister, J. Frimel, J. Prestopnik, J. Halley Gotway,

T. Jensen, J. Vigh, C. Kalb, G. McCabe, and H. Fisher, 2018:

The METplus Version 2.0 User's Guide. Developmental Testbed Center.

 $Available\ at:\ https://github.com/NCAR/METplus/releases.\ 85\ pp.$ 

# Acknowledgments

We thank the National Science Foundation (NSF) along with three organizations within the National Oceanic and Atmospheric Administration (NOAA): 1) Office of Atmospheric Research (OAR); 2) Next Generation Global Predition System project (NGGPS); and 3) United State Weather Research Program (USWRP) for their support of this work. Thanks also go to the staff at the Developmental Testbed Center for their help, advice, and many types of support. We released METplus Alpha in February 2017 and would not have made a decade of cutting-edge verification support without those who participated in DTC planning workshops and the NGGPS United Forecast System Strategic Implementation Plan Working Groups (NGGPS UFS SIP WGs).

The DTC is sponsored by the National Oceanic and Atmospheric Administration (NOAA), the United States Air Force, and the National Science Foundation (NSF). NCAR is sponsored by the National Science Foundation (NSF).

# Chapter 1

# Overview of METplus

## 1.1 Purpose and organization of the User's Guide

The goal of this User's Guide is to equip users with the information needed to use the Model Evaluation Tools (MET) and it's companion package METplus. MET is a set of verification tools developed and supported to community via the Developmental Testbed Center (DTC) for use by the numerical weather prediction community. METplus is a suite of Python wrappers and ancillary scripts to enhance the user's ability to quickly set-up and run MET. Over the next few years, METplus will become the authoritative repository for verification of the Unified Forecast System.

The METplus User's Guide is organized as follows. Chapter 1 provides an overview of METplus. Chapter 2 contains basic information about how to get started with METplus - including system requirements, required software , and how to download METplus. Chapter 4

# 1.2 The Developmental Testbed Center (DTC)

METplus has been developed, and will be maintained and enhanced, by the Developmental Testbed Center (DTC; http://www.dtcenter.org/). The main goal of the DTC is to serve as a bridge between operations and research, to facilitate the activities of these two important components of the numerical weather prediction (NWP) community. The DTC provides an environment that is functionally equivalent to the operational environment in which the research community can test model enhancements; the operational community benefits from DTC testing and evaluation of models before new models are implemented operationally. METplus serves both the research and operational communities in this way - offering capabilities for researchers to test their own enhancements to models and providing a capability for the DTC to evaluate the strengths and weaknesses of advances in NWP prior to operational implementation.

METplus will also be available to DTC visitors and to the WRF modeling community for testing and evaluation of new model capabilities, applications in new environments, and so on. The METplus release

schedule is coincident with the MET release schedule and the METplus major release number is six less than the MET major release number (e.g. MET 8.0 is released with METplus 2.0).

## 1.3 METplus goals and design philosophy

METplus is a Python scripting infrastructure for the MET tools. The primary goal of METplus development is to provide MET users with a highly configurable and simple means to perform model verification using the MET tools. Prior to the availability of METplus, users who had more complex verifications that required the use of more than one MET tool were faced with setting up multiple MET config files and creating some automation scripts to perform the verification. METplus provides the user with the infrastructure to modularly create the necessary steps to perform such verifications.

METplus has been designed to be modular and adaptable. This is accomplished through wrapping the MET tools with Python and the use of hierarchical configuration files to enable users to readily customize their verification environments. Wrappers can be run individually, or as a group of wrappers that represent a sequence of MET processes. New wrappers can readily be added to the METplus package due to this modular design. Currently, METplus can easily be applied by any user on their own computer platform that supports Python 2.7.

The METplus code and documentation is maintained by the DTC in Boulder, Colorado. METplus is freely available to the modeling, verification, and operational communities, including universities, governments, the private sector, and operational modeling and prediction centers through a publicly accessible GitHub repository. Users simply need access to a web browser to download the source code and any other relevant documentation and data samples.

# 1.4 METplus components

The major components of METplus package are METplus Python wrappers to the MET tools, MET configuration files and a hierarchy of METplus configuration files. Some Python wrappers do not correspond to a particular MET tool, but wrap utilities to extend METplus functionality.

# 1.5 Future development plans

METplus is an evolving application. New capabilities are planned in controlled, successive version releases that are synchronized with MET releases. Bug fixes and user-identified problems will be addressed as they are found and posted to the known issues section of the METplus Users web page (www.dtcenter.org/met/users/support). Future METplus development plans are based on several contributing factors, including the needs of both the operational and research community. Issues that are in the development queue detailed in the "Issues" section of the GitHub repository. Please send questions to met\_help@ucar.edu.

## 1.6 Code support

METplus support is provided through a MET-help e-mail address: met\_help@ucar.edu. We will endeavor to respond to requests for help in a timely fashion. In addition, information about METplus and tools that can be used with MET are provided on the MET Users web page (http://www.dtcenter.org/met/users/).

We welcome comments and suggestions for improvements to METplus, especially information regarding errors. Comments may be submitted using the MET Feedback form available on the MET website. In addition, comments on this document would be greatly appreciated. While we cannot promise to incorporate all suggested changes, we will certainly take all suggestions into consideration.

METplus is a "living" set of wrappers and configuration files. Our goal is to continually enhance it and add to its capabilities. Because our time, resources, and talents are limited, we welcome contributed code for future versions of METplus. These contributions may represent new use cases or new plotting functions. For more information on contributing code to METplus, please contact met\_help@ucar.edu.

# Chapter 2

# Software Installation/Getting Started

## 2.1 Introduction

This chapter describes how to download and set up METplus. METplus has been developed and tested on the Debian Linux operating system.

## 2.2 Supported architectures

METplus was developed on Debian Linux and is supported on this platform.

# 2.3 Programming/scripting languages

METplus is written in Python 2.7. METplus is intended to be a tool for the modeling community to use and adapt. As users make upgrades and improvements to the tools, they are encouraged to offer those upgrades to the broader community by offering feedback to the developers or coordinating for a GitHub pull. For more information on contributing code to METplus, please contact met\_help@ucar.edu.

# 2.4 Pre-requisites

The following software is required to run METplus:

• Python 2.7

- R version 3.2.5 <sup>1</sup>
- nco (netCDF operators)
- MET version 6.1 or above
- Basic familiarity with MET
- GitHub account (if you plan on contributing code to METplus)

## 2.5 METplus directory structure

Once you have cloned the METplus from the GitHub repository at https://github.com/NCAR/METplus to a location on your host, change directories to the METplus directory. You should have the following directory structure:

```
METplus

doc
internal_tests
parm
sorc
ush
README.md
```

The top-level METplus directory consists of a README.md file and several subdirectories.

The doc/ directory contains documentation for users (PDF) and Doxygen files that are used to create the developer documentation. The Doxygen documentation can be created and viewed via web browser if the developer has Doxygen installed on the host.

The internal\_tests/ directory contains unit test scripts that are only relevant to METplus developers and contributors.

The parm/ directory contains all the configuration files for MET and METplus.

The sorc/ directory contains Doxygen executables to generate documentation for developers.

The src/ directory contains the source code for each of the wrappers in METplus.

The ush/ directory contains the Python wrappers to the MET tools.

<sup>&</sup>lt;sup>1</sup>R version 3.2.5 is required when the tcmpr\_plotter\_wrapper.py wraps the plot\_tcmpr.R script. Please refer to Chapter 21 Plotting and Graphics Support for more information about plot tcmpr.R.

## 2.6 Getting the METplus source code


The METplus source code is available for download from a public GitHub repository. You can retrieve the source code through your web browser or the command line.

### 2.6.1 Get the source code via your Web Browser


#### 2.6.1.1 Source code only:

If you wish to retrieve only the source code, then the following steps will illustrate how to quickly access the METplus source code and relevant documentation:

- On your local host (or wherever you wish to install the METplus code) create a directory where you want the code to reside
- Open the browser of your choice and navigate to https://github.com/NCAR/METplus. You will see something like the following:



- You should be directed to the 'master' branch, verify this by looking at the button labelled 'Branch' in the upper left corner of your window, directly beneath the solid blue horizontal line.
- Click on the green "Clone or download" button near the top right of the page.
- A box appears with "Clone with HTTPS" label
- Click on the blue text: "Download Zip" :




- Your browser should prompt you on what to do with this file. Save it to the directory you created above
- cd to the directory where you saved the code. You should see the file METplus-master.zip
- Uncompress the file:
  - Linux/Unix:
  - unzip METplus-master.zip
  - You should now have a METplus-master directory
    - \* If you downloaded the code via the command line, you will get a METplus directory rather than METplus-master.
    - \* GitHub appends the '-master' to the name to emphasize that is is from the master branch
    - \* To avoid clutter and confusion, you can now remove the METplus-master.zip (optional)


## 2.6.1.2 Source code, additional documentation, and sample data

If you are a new METplus user and would like to experiment with the use cases, you will want to follow these instructions to retrieve the source code, additional documentation and sample data that accompanies the use cases:


- On your local host (or wherever you wish to install the METplus code) create a directory where you want the code to reside
- Open the browser of your choice and navigate to https://github.com/NCAR/METplus. You will see something like the following:



• Click on the 'releases' link, highlighted by a red circle in the diagram below:



• You will be redirected to another screen. The latest available release appears at the top of the screen:



• Click on the 'Source code' link (either the *zip* or *tar.gz*) and when prompted, save it to the directory you created.

- Uncompress the source code (on Linux/Unix: gunzip for zip file or tar xvfz for the tar.gz file)
- Create a directory for the sample data directory
- Click on the sample\_data.tar.gz link and when prompted, save the file to the directory you created above

#### 2.6.2 Get the source code via Command line

- On your local host (or wherever you wish to install the METplus code) create a directory where you want the code to reside
- cd to the directory you just created.
- On the command line, enter the following:
  - qit clone https://qithub.com/NCAR/METplus
  - The source code should appear under the METplus directory
- To update your copy, cd to your METplus install directory: /path/to/METplus and enter git pull at the command line

## 2.7 Set up your environment

Environment variables need to be set to allow the METplus application to be run from any directory and for locating the necessary Python modules. There is an option to set the JLOGFILE environment variable, which indicates where JLOGS will be saved. JLOGS provide information pertinent to the configuration-file framework. If this environment is unset, then output from the configuration framework will be directed to stdout (your display).

Add the following information to your .cshrc (C shell) or .bashrc (Bash shell):

#### .cshrc:

- Open your .cshrc file and do the following:
- To your PATH, add: full-path-to-METplus/ush
- $\bullet$  Optional: add JLOGFILE variable and set to  $\mathit{full-path-to-save-jlog-files}$
- Close your .cshrc file and run source ~/.cshrc

```
• [e.g.]
set path = (other_path_entries ~/METplus/ush
# optional
setenv JLOGFILE ~/jlog_out
```

#### .bashrc:

- Open your .bashrc file and do the following:
- To your PATH, add: full-path-to-METplus/ush
- Optional: add a JLOGFILE environment variable and set it to the directory where you want the logs to reside
- Close your .bashrc file and run source ~/.bashrc

```
• e.g.
export PATH=~/METplus/ush:$PATH
#optional
export JLOGFILE=~/
```

# 2.8 Set up METplus Configuration files

There are four METplus configuration files that must be defined prior to running METplus. These configuration files reside in the METplus INSTALL DIRECTORY/METplus/parm/metplus config

The following configuration files are automatically loaded during a METplus run and do not need to be invoked on the command line.

- metplus data.conf
  - data-relevant settings:
    - \* filename templates
    - \* regular expressions for input or output filenames
    - \* directories where input data are located
- metplus logging.conf
  - set logging levels for METplus and MET output
  - turn on/off logging to stdout (screen) or log files
- metplus runtime.conf
  - runtime-related settings:
    - \* location of METplus master\_metplus.conf file (the 'master' conf file that is a collection of all the final METplus configuration files)
- metplus system.conf
  - system-related settings:
    - \* location of METplus source code

- \* location of MET source and build
- \* location of other non-MET executables/binaries
- \* location of METplus parm directory

They must be fully defined by replacing all variables with /path/to's with valid path names, or have those variables defined in a down-stream config file. If configuring METplus in a common location for multiple users, it is recommended that the these four configuration files are fully defined. Individual users have the option to make customizations by over-riding any of these values in their own configuration files.

## 2.9 Running METplus

Running METplus involves invoking the Python script master\_metplus.py from any directory followed by a list of configuration files (file path relative to the  $path\_to\_METplus\_install\_dir/METplus/parm$  directory).

MakePlots

Example: Using a "default" configuration create your own config file and under the [config] header/family section, add the following: //This is a comment, comments are defined with a // at the beginning of the line. // Setting the PROCESS LIST to Usage indicates that we want usage information [config] PROCESS LIST = Usage // Set the MET INSTALL DIR to any real directory. We just need to override the /path/to placeholder set in the // metplus system.conf file [dir] MET INSTALL DIR = /home/minnawin/latest/METplus // Set these to any valid directory to override the /path/to placeholder set in the TMP DIR = /tmpPROJ DIR = /tmpOUTPUT BASE = /tmp>master metplus.py -c ./my user config.conf or>master metplus.py -c /username/my user config.conf if you saved your default config in a directory other than where you are running master metalus.py A usage message appears, indicating that other config files are required to perform useful tasks and a list of currently supported wrappers: USAGE: This is a default process, please indicate more specific processes in the PROCESS LIST variable in one or more of the following configuration files:  $-parm/metplus \ config/metplus \ runtime.conf$ -parm/metplus use cases/<usecase name>/<usecase name>.conf -parm/metplus use cases/<usecase name>/examples/<example name>.conf Currently available processes are: - TcPairs - ExtractTiles - SeriesByInit - SeriesByLead - PcpCombine - RegridDataPlane - GridStat- Mode - MTD - RegridDataPlane - CyclonePlotter - TCMPRPlotter - PB2NC - PointStat - StatAnalysis

Example: Using a use-case configuration

>master metplus.py -c use cases/feature relative/feature relative.conf

Runs METplus using the defaults set in the three config files found in parm/metplus\_config. Any variables defined in these three config files can be over-ridden in the parm/use\_cases/feature\_relative/feature\_relative.conf file. METplus will run using the values specified in the feature relative.conf file.

Example: Using example configuration to perform specific evaluation (e.g. Model 1 vs. Obs 1, Model 1 vs. Obs 2, Model 2 vs. Obs 1, etc.)

>master metplus.py -c use cases/feature relative/feature relative.conf \

-c use\_cases/feature\_relative/example/series\_by\_lead\_all\_fhrs.conf

This runs METplus using the defaults set in the three config files found in parm/metplus\_config, where variables can be over-ridden by parm/use\_cases/feature\_relative/feature\_relative.conf or in parm/use\_cases/feature\_relative/example/series\_by\_lead\_all\_fhrs.conf. The order in which conf files are called is important. Variables that are defined in intermediate conf files will be over-ridden by the same variables set in the conf file following it, or the last conf file.

# Chapter 3

# METplus Python Wrappers

This chapter provides a description of each supported Python wrapper in METplus. A METplus wrapper is generally a Python script that encapsulates the behavior of a corresponding MET tool. Each of these sections can be added to the PROCESS\_LIST configuration list variable. The Configuration section of each wrapper section below lists the METplus configuration variables that are specific to that wrapper organized by config file section. You can find more information about each item in the A-Z Config Glossary (4.5).

## 3.1 CyclonePlotter

## 3.1.1 Description

This wrapper does not have a corresponding MET tool but instead wraps the logic necessary to create plots of cyclone tracks. Currently only the output from the MET tc-pairs tool can be plotted.

### 3.1.2 Configuration

```
[dir]

CYCLONE_INPUT_DIR 4.5.3

CYCLONE_OUTPUT_DIR 4.5.3

[config]

CYCLONE_INIT_DATE 4.5.3

CYCLONE INIT HOUR 4.5.3
```

CYCLONE MODEL 4.5.3

 ${\tt CYCLONE\_PLOT\_TITLE~4.5.3}$ 

CIRCLE MARKDER SIZE 4.5.3

 ${\tt CROSS\_MARKER\_SIZE~4.5.3}$ 

 ${\tt GENERATE\_TRACK\_ASCII~4.5.7}$ 

#### Deprecated:

CYCLONE\_OUT\_DIR

## 3.2 EnsembleStat

### 3.2.1 Description

Used to configure the MET tool ensemble  $\_$ stat.

### 3.2.2 Configuration

[dir]

 $OBS\_ENSEMBLE\_STAT\_POINT\_INPUT\_DIR~4.5.15$ 

OBS ENSEMBLE\_STAT\_GRID\_INPUT\_DIR 4.5.15

FCST ENSEMBLE STAT INPUT DIR 4.5.6

 ${\tt ENSEMBLE\_STAT\_OUTPUT\_DIR~4.5.5}$ 

[filename templates]

OBS ENSEMBLE STAT POINT INPUT TEMPLATE 4.5.15

OBS ENSEMBLE STAT GRID INPUT TEMPLATE 4.5.15

 ${\tt FCST\_ENSEMBLE\_STAT\_INPUT\_TEMPLATE~4.5.6}$ 

[config]

ENSEMBLE\_STAT\_ONCE\_PER\_FIELD 4.5.5

FCST ENSEMBLE STAT INPUT DATATYPE 4.5.6

OBS ENSEMBLE STAT INPUT POINT DATATYPE 4.5.15

OBS ENSEMBLE STAT INPUT GRID DATATYPE 4.5.15

 ${\tt ENSEMBLE\_STAT\_GRID\_VX~4.5.5}$ 

ENSEMBLE STAT CONFIG FILE 4.5.5

ENSEMBLE STAT MET OBS ERROR TABLE 4.5.5

ENSEMBLE STAT N MEMBERS 4.5.5

OBS\_ENSEMBLE\_STAT\_WINDOW\_BEGIN 4.5.15

OBS ENSEMBLE STAT WINDOW END 4.5.15

 $ENS_VAR[N]_NAME$  (optional) 4.5.5

ENS VAR[N] LEVELS (optional) 4.5.5

ENS VAR[N] THRESH (optional) 4.5.5

 $ENS_VAR[N]_OPTIONS$  (optional) 4.5.5

#### Deprecated:

ENSEMBLE STAT OUT DIR

ENSEMBLE STAT CONFIG

## 3.3 ExtractTiles

## 3.5.1 Description

The extract\_tiles\_wrapper.py script is used to regrid and extract subregions from paired tropical cyclone tracks that are created by the tc\_pairs\_wrapper. Unlike the other METplus wrappers, the extract\_tiles\_wrapper does not correspond to a specific MET tool. It invokes the tc\_stat\_wrapper, which in turn calls the MET tc\_stat tool to determine the lat/lon positions of the paired track data. This information is then used to create tiles of subregions. The extract\_tiles\_wrapper creates a 2n degree x 2m degree grid/tile with each storm located at the center.

## 3.3.1 Configuration

The following should be set in the METplus configuration file to define the dimensions and density of the tiles comprising the subregion:

[dir]

EXTRACT\_TILES\_OUTPUT\_DIR 4.5.5

[config]

LON ADJ4.5.12

 $LAT\quad ADJ\ 4.5.12$ 

 $NLAT\ 4.5.14$ 

NLON 4.5.14

DLON 4.5.4

DLAT 4.5.4

 ${\tt EXTRACT\_TILES\_FILTER\_OPTS~4.5.5}$ 

 ${\tt EXTRACT\_TILES\_VAR\_LIST~4.5.5}$ 

#### Deprecated:

EXTRACT\_OUT\_DIR

# 3.4 GempakToCF

## 3.4.1 Description

Used to configure the utility GempakToCF.

## 3.4.2 Configuration

exe

 ${\tt GEMPAKTOCF\_CLASSPATH~4.5.7}$ 

[dir]

GEMPAKTOCF INPUT DIR 4.5.7

GEMPAKTOCF\_OUTPUT\_DIR 4.5.7

[filename templates]

 ${\tt GEMPAKTOCF\_INPUT\_TEMPLATE~4.5.7}$ 

 ${\tt GEMPAKTOCF\_OUTPUT\_TEMPLATE}~4.5.7$ 

[config]

 ${\tt GEMPAKTOCF\_SKIP\_IF\_OUTPUT\_EXISTS~4.5.7}$ 

# 3.5 GridStat

# 3.5.1 Description

Used to configure the MET tool grid\_stat.

# 3.5.2 Configuration

[dir]

 ${\tt FCST\_GRID\_STAT\_INPUT\_DIR~4.5.6}$ 

 $OBS\_GRID\_STAT\_INPUT\_DIR~4.5.15$ 

 ${\tt GRID\_STAT\_OUTPUT\_DIR~4.5.7}$ 

 $[filename\_templates]$ 

 ${\tt FCST\_GRID\_STAT\_INPUT\_TEMPLATE~4.5.6}$ 

OBS GRID STAT INPUT TEMPLATE 4.5.15

GRID STAT VERIFICATION MASK TEMPLATE (optional) 4.5.7

[config]

 ${\tt GRID\_STAT\_CONFIG\_FILE~4.5.7}$ 

FCST\_GRID\_STAT\_INPUT\_DATATYPE 4.5.6

OBS GRID STAT INPUT DATATYPE 4.5.15

GRID STAT ONCE PER FIELD 4.5.7

FCST\_GRID\_STAT\_PROB\_THRESH (optional) 4.5.6

 $OBS\_GRID\_STAT\_PROB\_THRESH \ (optional) \ 4.5.15$ 

GRID STAT NEIGHBORHOOD WIDTH (optional) 4.5.7

GRID STAT NEIGHBORHOOD SHAPE (optional) 4.5.7

FCST\_GRID\_STAT\_WINDOW\_BEGIN (optional) 4.5.6

FCST\_GRID\_STAT\_WINDOW\_END (optional) 4.5.6

OBS GRID STAT WINDOW BEGIN (optional) 4.5.15

 $OBS\_GRID\_STAT\_WINDOW\_END~(optional)~4.5.15$ 

## Deprecated:

GRID\_STAT\_OUT\_DIR
GRID\_STAT\_CONFIG

# 3.6 MakePlots

#### 3.6.1 Description

The make\_plots\_wrapper creates various statistical plots using python scripts for the various METplus use cases. This can only be run following stat\_analysis\_wrapper when LOOP\_ORDER = processes. To run make plots wrapper, include MakePlots in PROCESS\_LIST.

# 3.6.2 Configuration

The following values **must** be defined in the METplus configuration file:

[dir]

PLOTTING\_SCRIPTS\_DIR 4.5.16

STAT FILES INPUT DIR 4.5.19

 ${\tt PLOTTING\_OUTPUT\_DIR~4.5.16}$ 

[config]

 ${\tt VERIF\_CASE~4.5.22}$ 

VERIF\_TYPE 4.5.22

PLOT\_TIME 4.5.16

 $VALID/INIT\_BEG~4.5.22~4.5.22$ 

VALID/INIT\_END 4.5.22 4.5.9

VALID HOUR METHOD 4.5.22

 $VALID\_HOUR\_BEG~4.5.22$ 

 $VALID\_HOUR\_END~4.5.22$ 

 $VALID\_HOUR\_INCREMENT~4.5.22$ 

 $INIT\_HOUR\_METHOD~4.5.9$ 

 ${\tt INIT\_HOUR\_BEG~4.5.9}$ 

 $INIT\_HOUR\_END~4.5.9$ 

INIT HOUR INCREMENT 4.5.9

MODELn\_NAME 4.5.13

MODELn\_OBS\_NAME 4.5.13

MODELn\_NAME\_ON\_PLOT 4.5.13

FCST\_VARn\_NAME 4.5.6

FCST\_VARn\_LEVELS 4.5.6

REGION\_LIST 4.5.18

 ${\tt LEAD\_LIST~4.5.12}$ 

 ${\rm INTERP~4.5.9}$ 

 ${\tt PLOT\_STATS\_LIST~4.5.16}$ 

 ${
m CI}\ {
m METHOD}\ 4.5.3$ 

VERIF GRID 4.5.22

EVENT EQUALIZATION 4.5.5

The following values are **optional** in the METplus configuration file:

 $FCST\_VARn\_THRESH~4.5.6$ 

 $FCST_VARn_OPTIONS~4.5.6$ 

 $VARn_FOURIER_DECOMP 4.5.22$ 

 $VARn\_WAVE\_NUM\_LIST~4.5.22$ 

# 3.7 Mode

# 3.7.1 Description

Used to configure the MET tool mode.

# 3.7.2 Configuration

[dir]

 ${\tt FCST\_MODE\_INPUT\_DIR~4.5.6}$ 

 $OBS\_MODE\_INPUT\_DIR~4.5.15$ 

MODE\_OUTPUT\_DIR 4.5.13

 $[filename\_templates]$ 

 ${\tt FCST\_MODE\_INPUT\_TEMPLATE}~4.5.6$ 

OBS MODE INPUT TEMPLATE 4.5.15

[config]

 ${\tt MODE\_CONFIG\_FILE~4.5.13}$ 

 ${\tt FCST\_MODE\_INPUT\_DATATYPE~4.5.6}$ 

 $OBS\_MODE\_INPUT\_DATATYPE~4.5.15$ 

MODE QUILT 4.5.13

MODE CONV RADIUS 4.5.13

 ${\tt FCST\_MODE\_CONV\_RADIUS~4.5.6}$ 

 $OBS\_MODE\_CONV\_RADIUS~4.5.15$ 

 ${\tt MODE\_CONV\_THRESH~4.5.13}$ 

FCST MODE CONV THRESH 4.5.6

 $OBS\_MODE\_CONV\_THRESH~4.5.15$ 

MODE MERGE THRESH 4.5.13

FCST MODE MERGE THRESH 4.5.6

OBS\_MODE\_MERGE\_THRESH 4.5.15

MODE MERGE FLAG 4.5.13

 ${\tt FCST\_MODE\_MERGE\_FLAG~4.5.6}$ 

 $OBS\_MODE\_MERGE\_FLAG~4.5.15$ 

 ${\tt MODE\_MERGE\_CONFIG\_FILE~4.5.13}$ 

FCST MODE WINDOW BEGIN 4.5.6

FCST MODE WINDOW END 4.5.6

OBS\_MODE\_WINDOW\_BEGIN 4.5.15

 $OBS\_MODE\_WINDOW\_END~4.5.15$ 

#### Deprecated:

MODE\_OUT\_DIR

MODE CONFIG

# 3.8 MTD

# 3.8.1 Description

Used to configure the MET tool mtd (mode time domain).

# 3.8.2 Configuration

[dir]

 ${\tt FCST\_MTD\_INPUT\_DIR}~4.5.6$ 

 $OBS\_MTD\_INPUT\_DIR~4.5.15$ 

 ${\rm MTD\_OUTPUT\_DIR}~4.5.13$ 

[filename templates]

 ${\tt FCST\_MTD\_INPUT\_TEMPLATE}~4.5.6$ 

OBS MTD INPUT TEMPLATE 4.5.15

[config]

MTD\_CONFIG\_FILE 4.5.13

 ${\rm MTD\_MIN\_VOLUME}~4.5.13$ 

MTD\_SINGLE\_RUN 4.5.13

MTD\_SINGLE\_DATA\_SRC 4.5.13

FCST MTD INPUT DATATYPE 4.5.6

 $OBS\_MTD\_INPUT\_DATATYPE~4.5.15$ 

 ${\tt FCST\_MTD\_CONV\_RADIUS~4.5.6}$ 

FCST MTD CONV THRESH 4.5.6

 $OBS\_MTD\_CONV\_RADIUS~4.5.15$ 

 $OBS\_MTD\_CONV\_THRESH~4.5.15$ 

#### Deprecated:

MTD\_OUT\_DIR

MTD CONFIG

# 3.9 PB2NC

# 3.9.1 Description

The pb2nc\_wrapper is a Python script that encapsulates the behavior of the MET pb2nc tool to convert prepBUFR files into netCDF.

# 3.9.2 Configuration

[dir]

PB2NC\_INPUT\_DIR 4.5.16

 $PB2NC\_OUTPUT\_DIR~4.5.16$ 

[filename\_templates]

PB2NC INPUT TEMPLATE 4.5.16

 $PB2NC\_OUTPUT\_TEMPLATE~4.5.16$ 

[config]

 $PB2NC\_SKIP\_IF\_OUTPUT\_EXISTS~4.5.16$ 

 $PB2NC\_OFFSETS~4.5.16$ 

 $PB2NC\_INPUT\_DATATYPE~4.5.16$ 

PB2NC CONFIG FILE 4.5.16

 $PB2NC\_MESSAGE\_TYPE\ (optional)\ 4.5.16$ 

PB2NC\_STATION\_ID (optional) 4.5.16

PB2NC\_GRID (optional) 4.5.16

 $PB2NC\_POLY\ 4.5.16$ 

 $PB2NC\_OBS\_BUFR\_VAR\_LIST\ (optional)\ 4.5.16$ 

 $PB2NC\_TIME\_SUMMARY\_FLAG~4.5.16$ 

PB2NC TIME SUMMARY BEG 4.5.16

PB2NC TIME SUMMARY END 4.5.16

PB2NC TIME SUMMARY VAR NAMES 4.5.16

 $PB2NC\_TIME\_SUMMARY\_TYPES~4.5.16$ 

PB2NC\_WINDOW\_BEGIN 4.5.16

PB2NC WINDOW END 4.5.16

### Deprecated:

PREPBUFR DATA DIR

PREPBUFR MODEL DIR NAME

PREPBUFR DIR REGEX

PREPBUFR\_FILE\_REGEX

NC\_FILE\_TMPL

PB2NC VERTICAL LEVEL

OBS BUFR VAR LIST

TIME SUMMARY FLAG

 ${\tt TIME\_SUMMARY\_BEG}$ 

TIME\_SUMMARY\_END

TIME\_SUMMARY\_VAR\_NAMES

TIME SUMMARY TYPE

OVERWRITE\_NC\_OUTPUT

VERTICAL LOCATION

# 3.10 PcpCombine

# 3.10.1 Description

The pcp\_combine\_wrapper is a Python script that encapsulates the MET pcp\_combine tool. It provides the infrastructure to combine or extract from files to build desired accumulations.

# 3.10.2 Configuration

[dir]

FCST\_PCP\_COMBINE\_INPUT\_DIR 4.5.6

 ${\tt FCST\_PCP\_COMBINE\_OUTPUT\_DIR~4.5.6}$ 

OBS PCP COMBINE INPUT DIR 4.5.15

OBS PCP COMBINE OUTPUT DIR 4.5.15

[filename\_templates]

 ${\tt FCST\_PCP\_COMBINE\_INPUT\_TEMPLATE}~4.5.6$ 

 ${\tt FCST\_PCP\_COMBINE\_OUTPUT\_TEMPLATE}~4.5.6$ 

 $OBS\_PCP\_COMBINE\_INPUT\_TEMPLATE~4.5.15$ 

OBS PCP COMBINE OUTPUT TEMPLATE 4.5.15

[config]

FCST IS PROB 4.5.6

 $OBS\_IS\_PROB~4.5.15$ 

FCST\_PCP\_COMBINE\_[N]\_FIELD\_NAME 4.5.6

OBS\_PCP\_COMBINE\_[N]\_FIELD\_NAME 4.5.15

FCST PCP COMBINE DATA INTERVAL 4.5.6

 $OBS\_PCP\_COMBINE\_DATA\_INTERVAL~4.5.15$ 

FCST PCP COMBINE TIMES PER FILE 4.5.6

OBS PCP COMBINE TIMES PER FILE 4.5.15

FCST PCP\_COMBINE\_IS\_DAILY\_FILE 4.5.6

OBS PCP COMBINE IS DAILY FILE 4.5.15

 ${\tt FCST\_PCP\_COMBINE\_INPUT\_DATATYPE~4.5.6}$ 

OBS PCP COMBINE INPUT DATATYPE 4.5.15

FCST PCP COMBINE INPUT LEVEL 4.5.6

 $OBS\_PCP\_COMBINE\_INPUT\_LEVEL~4.5.15$ 

 ${\tt FCST\_PCP\_COMBINE\_RUN~4.5.6}$ 

OBS PCP COMBINE RUN 4.5.15

FCST PCP COMBINE METHOD 4.5.6

OBS PCP COMBINE METHOD 4.5.15

FCST PCP COMBINE MIN FORECAST 4.5.6

OBS PCP COMBINE MIN FORECAST 4.5.15

 ${\tt FCST\_PCP\_COMBINE\_MAX\_FORECAST~4.5.6}$ 

 $OBS\_PCP\_COMBINE\_MAX\_FORECAST~4.5.15$ 

 ${\tt FCST\_PCP\_COMBINE\_STAT\_LIST~4.5.6}$ 

OBS\_PCP\_COMBINE\_STAT\_LIST 4.5.15

FCST PCP COMBINE DERIVE LOOKBACK 4.5.6

 $OBS\_PCP\_COMBINE\_DERIVE\_LOOKBACK~4.5.15$ 

 ${\tt PCP\_COMBINE\_SKIP\_IF\_OUTPUT\_EXISTS~4.5.16}$ 

# Deprecated:

PCP COMBINE METHOD

FCST MIN FORECAST

FCST MAX FORECAST

OBS\_MIN\_FORECAST

OBS MAX FORECAST

FCST DATA INTERVAL

OBS\_DATA\_INTERVAL

FCST\_IS\_DAILY\_FILE

OBS IS DAILY FILE

FCST\_TIMES\_PER\_FILE

OBS TIMES PER FILE

FCST LEVEL

OBS LEVEL

#### **PointStat** 3.11

#### Description 3.11.1

The point stat wrapper is a Python script that encapsulates the MET point stat tool. It provides the infrastructure to read in gridded model data and netCDF point observation data to perform grid-to-point (grid-to-obs) verification.

#### Configuration 3.11.2

```
[dir]
FCST_POINT_STAT_INPUT_DIR 4.5.6
OBS_POINT_STAT_INPUT_DIR 4.5.15
POINT_STAT_OUTPUT_DIR 4.5.16
[filename templates]
FCST POINT STAT INPUT TEMPLATE 4.5.6
OBS POINT STAT INPUT TEMPLATE 4.5.15
POINT STAT VERIFICATION MASK TEMPLATE (optional) 4.5.16
```

[config]

POINT\_STAT\_OFFSETS 4.5.16

FCST\_POINT\_STAT\_INPUT\_DATATYPE 4.5.6

OBS POINT STAT INPUT DATATYPE 4.5.15

POINT\_STAT\_CONFIG\_FILE 4.5.16

MODEL 4.5.13

POINT\_STAT\_REGRID\_TO\_GRID 4.5.16

POINT STAT GRID 4.5.16

POINT STAT POLY 4.5.16

POINT STAT STATION ID 4.5.16

POINT STAT MESSAGE TYPE 4.5.16

FCST\_POINT\_STAT\_WINDOW\_BEGIN (optional) 4.5.6

FCST\_POINT\_STAT\_WINDOW\_END (optional) 4.5.6

OBS\_POINT\_STAT\_WINDOW\_BEGIN (optional) 4.5.15

 $OBS\_POINT\_STAT\_WINDOW\_END~(optional)~4.5.15$ 

 ${\tt POINT\_STAT\_NEIGHBORHOOD\_WIDTH~(optional)~4.5.16}$ 

 ${\tt POINT\_STAT\_NEIGHBORHOOD\_SHAPE\ (optional)\ 4.5.16}$ 

# Deprecated:

FCST\_INPUT\_DIR

OBS INPUT DIR

START HOUR

END HOUR

BEG TIME

FCST\_HR\_START

FCST HR END

FCST HR INTERVAL

OBS\_INPUT\_DIR\_REGEX

FCST\_INPUT\_DIR\_REGEX

FCST INPUT FILE REGEX

OBS\_INPUT\_FILE\_REGEX

OBS INPUT FILE TMPL

FCST INPUT FILE TPOINTMPL

REGRID\_TO\_GRID

# 3.12 RegridDataPlane

# 3.12.1 Description

Used to configure the MET tool regrid data plane.

# 3.12.2 Configuration

[dir]

 ${\tt FCST\_REGRID\_DATA\_PLANE\_INPUT\_DIR~4.5.6}$ 

OBS REGRID DATA PLANE INPUT DIR 4.5.15

[filename templates]

FCST REGRID DATA PLANE INPUT TEMPLATE 4.5.6

OBS\_REGRID\_DATA\_PLANE\_INPUT\_TEMPLATE 4.5.15

[config]

FCST REGRID DATA PLANE RUN 4.5.6

OBS REGRID DATA PLANE RUN 4.5.15

REGRID DATA PLANE SKIP IF OUTPUT EXISTS 4.5.18

REGRID\_DATA\_PLANE\_VERIF\_GRID 4.5.18

FCST REGRID DATA PLANE INPUT DATATYPE 4.5.6

OBS REGRID DATA PLANE INPUT DATATYPE 4.5.15

#### Deprecated:

VERIFICATION GRID

# 3.13 SeriesByInit

# 3.13.1 Description

The series\_by\_init\_wrapper provides the infrastructure needed to perform a series analysis on tropical cyclone data, based on initialization times. The series\_by\_init\_wrapper creates numerous plots that represent the field, level, and statistic for each initialization time.

# 3.13.2 Configuration

[dir]

 ${\tt SERIES\_BY\_INIT\_FILTERED\_OUTPUT\_DIR~4.5.19}$ 

SERIES BY INIT OUTPUT DIR 4.5.19

[regex patterns]

 $FCST\_TILE\_PREFIX~4.5.6$ 

 $ANLY\_TILE\_PREFIX~4.5.1$ 

 ${\tt FCST\_TILE\_REGEX~4.5.6}$ 

ANLY\_TILE\_REGEX 4.5.1

 ${\tt FCST\_NC\_TILE\_REGEX~4.5.6}$ 

 ${\tt ANLY\_NC\_TILE\_REGEX~4.5.1}$ 

FCST ASCII REGEX LEAD 4.5.6

ANLY ASCII REGEX LEAD 4.5.1

[config]

 $INIT\_BEG~4.5.9$ 

 ${\rm INIT\_END~4.5.9}$ 

INIT\_INCREMENT 4.5.9

 ${\tt INIT\_HOUR\_END~4.5.9}$ 

 ${\rm INIT\ \ INCLUDE\ 4.5.9}$ 

INIT EXCLUDE 4.5.9

SERIES\_ANALYSIS\_FILTER\_OPTS 4.5.19

#### Deprecated:

SERIES INIT FILTERED OUT DIR

# 3.14 SeriesByLead

# 3.14.1 Description

The series\_by\_lead\_wrapper provides the infrastructure needed to perform a series analysis on tropical cyclone data, based on lead (forecast hour) times. The series\_by\_lead\_wrapper creates numerous plots that represent the field, level, and statistic for each lead (forecast) time. The series\_by\_lead can be done in one of two ways: by all forecast hours or by forecast hour groupings. Performing a series analysis by valid time with forecast hour groupings can be useful when analyzing storm tracks based on time "bins" such as by days (eg. day 1, day 2, day 3, etc.).

# 3.14.2 Configuration

The input track and model data files are defined in any one of the user's METplus configuration files. If creating a final configuration file that overrides all other config files, it is customary to define the MODEL\_DATA\_DIR, pointing to the directory where all model data resides. The full file path to the INIT\_INCLUDE and INIT\_EXCLUDE are used to list the times in YYYYMMDD\_HH format to include or exclude from your time window. If these values are undefined (i.e. no value is set for the variable), then all available times in your time window will be considered. For example, if your data is available every 6 hours and you are interested in creating a series analysis from init time 20180601 to 20180615 for all available times, from 00z to 23z, you would set the following:

```
[dir]
```

SERIES BY LEAD FILTERED OUTPUT 4.5.19

SERIES BY LEAD OUTPUT DIR 4.5.19

[config]

INIT BEG 4.5.9

INIT TIME FMT 4.5.9

INIT END 4.5.9

INIT INCREMENT 4.5.9

SERIES\_BY\_LEAD\_GROUP\_FCSTS 4.5.19

LEAD SEQ n 4.5.12

LEAD SEQ n LABEL 4.5.12

SERIES ANALYSIS FILTER OPT 4.5.19

VAR LIST

STAT LIST

#### Deprecated:

SERIES LEAD FILTERED OUT DIR

# 3.15 StatAnalysis

# 3.15.1 Description

The stat\_analysis\_wrapper encapsulates the behavior of the MET stat\_analysis tool. It provides the infrastructure to summarize and filter the MET .stat files. stat\_analysis\_wrapper can be run in two different methods. First is to look at the STAT lines for a single date, to use this method set LOOP\_ORDER = times. Second is to look at the STAT lines over a span of dates, to use this method set LOOP\_ORDER = processes. To run stat\_analysis\_wrapper, include StatAnalysis in PROCESS\_LIST.

# 3.15.2 Configuration

The following values must be defined in the METplus configuration file for running with LOOP\_ORDER = times:

[dir]

STAT ANALYSIS LOOKIN DIR4.5.19

STAT ANALYSIS OUTPUT DIR 4.5.19

LOOP BY 4.5.12

 $VALID/INIT\_TIME\_FMT~4.5.22$ 

VALID/INIT\_BEG 4.5.22 4.5.9

VALID/INIT END 4.5.22 4.5.9

 $VALID\_HOUR\_METHOD~4.5.22$ 

VALID HOUR BEG 4.5.22

VALID HOUR END 4.5.22

VALID HOUR INCREMENT 4.5.22

INIT HOUR METHOD 4.5.9

 $INIT\_HOUR\_BEG~4.5.9$ 

 $INIT\_HOUR\_END~4.5.9$ 

 $INIT\_HOUR\_INCREMENT~4.5.9$ 

 ${\tt STAT\_ANALYSIS\_CONFIG~4.5.19}$ 

MODEL 4.5.13

OBTYPE 4.5.15

JOB NAME 4.5.10

 ${\rm JOB\_ARGS~4.5.10}$ 

The following values are **optional** in the METplus configuration file for running with LOOP\_ORDER = times:

DESC 4.5.4

 $FCST \quad LEAD \ 4.5.6$ 

 ${\tt FCST\_VAR\_NAME~4.5.6}$ 

 $FCST_VAR_LEVEL~4.5.6$ 

OBS\_VAR\_NAME 4.5.15

OBS\_VAR\_LEVEL4.5.15

**REGION 4.5.18** 

 ${\rm INTERP~4.5.9}$ 

 $INTERP_PTS 4.5.9$ 

 ${\tt FCST\_THRESH~4.5.6}$ 

COV\_THRESH 4.5.3

 ${\rm LINE\_TYPE~4.5.12}$ 

 ${\tt STAT\_ANALYSIS\_DUMP\_ROW\_TMPL~4.5.19}$ 

 ${\tt STAT\_ANALYSIS\_OUT\_STAT\_TMPL~4.5.19}$ 

The following values **must** be defined in the METplus configuration file for running with LOOP\_ORDER = processes:

STAT\_ANALYSIS\_OUTPUT\_DIR 4.5.19

 ${\tt VERIF\_CASE~4.5.22}$ 

 ${\tt VERIF\_TYPE~4.5.22}$ 

PLOT\_TIME 4.5.16

 $VALID/INIT \ BEG\ 4.5.22\ 4.5.9$ 

 $VALID/INIT\quad END\ 4.5.22\ 4.5.9$ 

VALID HOUR METHOD 4.5.22

 $VALID\_HOUR\_BEG~4.5.22$ 

VALID HOUR END 4.5.22

 $VALID\_HOUR\_INCREMENT~4.5.22$ 

 ${\tt INIT\_HOUR\_METHOD~4.5.9}$ 

INIT\_HOUR\_BEG 4.5.9

 $INIT\_HOUR\_END~4.5.9$ 

INIT HOUR INCREMENT 4.5.9

STAT\_ANALYSIS\_CONFIG 4.5.19

MODELn NAME 4.5.13

MODELn OBS NAME 4.5.13

MODELn NAME ON PLOT 4.5.13

 $FCST\_VARn\_NAME~4.5.6$ 

FCST\_VARn\_LEVELS 4.5.6

REGION LIST 4.5.18

 ${\tt LEAD\_LIST~4.5.12}$ 

INTERP 4.5.9

LINE TYPE 4.5.12

The following values are optional in the METplus configuration file for running with LOOP\_ORDER = processes:

 $FCST_VARn_THRESH~4.5.6$ 

 $FCST\_VARn\_THRESH~4.5.6$ 

 $FCST_VARn_OPTIONS~4.5.6$ 

VARn FOURIER DECOMP 4.5.22

VARn WAVE NUM LIST 4.5.22

#### Deprecated:

STAT ANALYSIS OUT DIR

# 3.16 TcPairs

# 3.16.1 Description

The tc\_pairs\_wrapper encapsulates the behavior of the MET tc\_pairs tool. The wrapper accepts Adeck and Bdeck (Best track) cyclone track data in extra tropical cyclone format (such as the data used by sample data provided in the METplus tutorial), or ATCF formatted track data. If data is in an extra tropical cyclone (non-ATCF) format, the data is reformatted into an ATCF format that is recognized by MET.

# 3.16.2 Configuration

[dir]

ADECK TRACK DATA DIR 4.5.1

BDECK TRACK DATA DIR 4.5.2

TRACK DATA SUBDIR MOD 4.5.20

 $TC\_PAIRS\_DIR~4.5.20$ 

[config]

TC\_PAIRS\_CONFIG\_FILE 4.5.20

 ${\rm INIT\_BEG~4.5.9}$ 

 ${\rm INIT\_END~4.5.9}$ 

INIT\_INCREMENT 4.5.9

 ${\tt INIT\_HOUR\_END~4.5.9}$ 

INIT\_INCLUDE 4.5.9

INIT\_EXCLUDE 4.5.9

 ${\tt TOP\_LEVEL\_DIRS~4.5.20}$ 

MODEL 4.5.13

 $STORM\_ID~4.5.19$ 

**BASIN 4.5.2** 

CYCLONE 4.5.3

 $STORM_NAME 4.5.19$ 

DLAND\_FILE 4.5.4

 ${\tt TRACK\_TYPE~4.5.20}$ 

ADECK\_FILE\_PREFIX 4.5.1

BDECK\_FILE\_PREFIX 4.5.2

 ${\tt MISSING\_VAL\_TO\_REPLACE~4.5.13}$ 

 ${\rm MISSING\_VAL~4.5.13}$ 

# 3.17 TcStat

# 3.17.1 Description

Used to configure the MET tool tc\_stat. This wrapper can be run by listing it in the PROCESS\_LIST, or can be called from the ExtractTiles wrapper (via the MET tc-stat command line commands).

# 3.17.2 Configuration

[dir]

 ${\tt TC\_STAT\_INPUT\_DIR~4.5.20}$ 

TC  $\_$ STAT $\_$ OUTPUT $\_$ DIR 4.5.20

[config]

TC\_STAT\_RUN\_VIA 4.5.20

TC STAT CONFIG FILE 4.5.20

 ${\rm TC\ STAT\ CMD\ LINE\ JOB\ }4.5.20$ 

 ${\tt TC\_STAT\_JOBS\_LIST~4.5.20}$ 

 ${\tt TC\_STAT\_AMODEL~4.5.20}$ 

 ${\tt TC\_STAT\_BMODEL~4.5.20}$ 

 ${\rm TC\ STAT\ DESC\ 4.5.20}$ 

TC\_STAT\_STORM\_ID 4.5.20

 ${\tt TC\_STAT\_BASIN~4.5.20}$ 

 ${\tt TC\_STAT\_CYCLONE~4.5.20}$ 

 ${\tt TC\_STAT\_STORM\_NAME~4.5.20}$ 

 ${\rm TC\ STAT\ INIT\ BEG\ 4.5.20}$ 

 ${\tt TC\_STAT\_INIT\_INCLUDE~4.5.20}$ 

 ${\tt TC\_STAT\_INIT\_EXCLUDE~4.5.20}$ 

 ${\tt TC\_STAT\_INIT\_HOUR~4.5.20}$ 

 ${\rm TC\ STAT\ VALID\ BEG\ 4.5.20}$ 

 ${\tt TC\_STAT\_VALID\_END~4.5.20}$ 

 ${\tt TC\_STAT\_VALID\_INCLUDE~4.5.20}$ 

 ${\tt TC\_STAT\_VALID\_EXCLUDE~4.5.20}$ 

 ${\tt TC\_STAT\_VALID\_HOUR~4.5.20}$ 

TC STAT LEAD REQ 4.5.20

 ${\tt TC\_STAT\_INIT\_MASK~4.5.20}$ 

 ${\tt TC\_STAT\_VALID\_MASK~4.5.20}$ 

TC STAT VALID HOUR 4.5.20

 ${
m TC}$  STAT LEAD 4.5.20

 ${\tt TC\_STAT\_TRACK\_WATCH\_WARN~4.5.20}$ 

TC STAT COLUMN THRESH NAME 4.5.20

TC\_STAT\_COLUNN\_THRESH\_VAL 4.5.20

TC STAT COLUMN STR NAME 4.5.20

TC STAT COLUMN STR VAL 4.5.20

TC STAT INIT THRESH NAME 4.5.20

 ${\tt TC\_STAT\_INIT\_THRESH\_VAL~4.5.20}$ 

 ${\tt TC\_STAT\_INIT\_STR\_NAME~4.5.20}$ 

 ${\tt TC\_STAT\_INIT\_STR\_VAL~4.5.20}$ 

TC STAT WATER ONLY 4.5.20

 ${\tt TC\_STAT\_LANDFALL}~4.5.20$ 

TC STAT LANDFALL BEG 4.5.20

 ${
m TC}$  STAT LANDFALL END 4.5.20

TC STAT MATCH POINTS 4.5.20

# 3.18 TCMPRPlotter

# 3.18.1 Description

The tcmpr\_plotter\_wrapper is a Python script that wraps the R script plot\_tcmpr.R. This script is usefule for plotting the calculated statistics for the output from the MET-TC tools. This script, and other R scripts are included in the MET installation. Please refer to section 21.2.3 of the MET User's Guide for usage information.

# 3.18.2 Configuration

The following are configuration settings that correspond to the tempr\_plotter wrapper. A description of what these values represent are found in the appendix in chapter 4, METplus System Configuration

LOOP ORDER 4.5.12

 ${\tt CONFIG\_FILE~4.5.3}$ 

PREFIX 4.5.16

TITLE 4.5.20

SUBTITLE 4.5.19

XLAB 4.5.24

YLAB 4.5.25

XLIM4.5.24

 $YLIM\ 4.5.25$ 

FILTER 4.5.6

 ${\tt FILTERED\_TCST\_DATA\_FILE~4.5.6}$ 

 $\mathrm{DEP\_VARS}~4.5.4$ 

 ${\tt SCATTER\_X~4.5.4}$ 

 ${\tt SCATTER\_Y~4.5.4}$ 

SKILL REF 4.5.4

SERIES 4.5.4

SERIES CI 4.5.4

LEGEND 4.5.12

 $\rm LEAD~4.5.12$ 

 $PLOT\_TYPES~4.5.16$ 

 ${\rm RP\_DIFF~4.5.18}$ 

 ${\rm DEMO\_YR}~4.5.4$ 

HFIP\_BASELINE 4.5.8

 ${\tt FOOTNOTE\_FLAG~4.5.6}$ 

 ${\tt PLOT\_CONFIG\_OPTS~4.5.16}$ 

 $SAVE\_DATA~4.5.4$ 

The following are TCMPR flags, if set to 'no', then don't set flag, if set to 'yes', then set the flag

 $NO\_EE~4.5.14$ 

 $NO\_LOG~4.5.14$ 

 $SAVE\ 4.5.19$ 

 ${\tt TCMPR\_DATA\_DIR~4.5.20}$ 

 ${\tt TCMPR\_PLOT\_OUTPUT\_DIR~4.5.20}$ 

# Deprecated:

 ${\tt TCMPR\_PLOT\_OUT\_DIR}$ 

# 3.19 WaveletStat

# 3.19.1 Description

NOTE: This wrapper has not been tested for use in METplus.

# Chapter 4

# METplus System Configuration

This chapter is a guide on configuring METplus.

# 4.1 Config Best Practices

Below is a list of Best Practices:

- 1. Set your log level to an appropriate level.
  - (a) Debug is the most verbose and is useful for developers and when you are troubleshooting problems
  - (b) Info is the less verbose than Debug and is the recommended level to initially set your log level
  - (c) Warning only logs warnings, error or critical events
  - (d) Error only logs errors or critical events
  - (e) Critical is the least verbose
- 2. Direct your logging either to stdout or to a log file.
- 3. Review your log file to verify that all your processes ran cleanly.
- 4. The order in which you list your METplus config files matter. The last config file on the command line will over-ride any key-values defined in an earlier config file.
- 5. Check the master\_metplus.conf file, as it contains all the key-values based on what you have specified. This will help you determine whether you forgot to replace any /path/to with valid paths or to verify that you have defined things as you expected.

# 4.2 Config File Structure

METplus employs a hierarchy of configuration files employed in METplus. At the lowest level are the "set-and-forget" type configuration files that reside in the

 $METplus\_installation\_dir/parm/metplus\_configl$  At the next level are the configuration files that pertain to a user's specific needs in the  $METplus\_installation\_dir/parm/use\_cases/specific\_use\_case$ 

- Four configuration files are required for METplus to be fully configured (i.e. all keywords are defined by either whitespace or a valid value):
  - metplus system
  - $-\ metplus\_data$
  - metplus logging
  - metplus\_runtime

By default, key-values that require the user's input are set to /path/to. Make sure to replace these with the appropriate directory for your project.

Additional configuration files are optional and the key-values defined there will over-ride any values
defined in the four mandatory METplus configuration files. These additional configuration files enables
users to use a common set of configuration files and to create customized environments for their
verification tasks.

# 4.3 Common Config Variables

# 4.3.1 Timing Control

This section describes the METplus configuration variables that are used to control which times are processed. It also covers functionality that is useful for processing data in realtime by setting run times based on the clock time when METplus is started.

#### 4.3.1.1 LOOP BY

METplus can be configured to loop over a set of valid times or a set of initialization times. This is controlled by the METplus configuration variable called LOOP\_BY. If the value of this variable is set to INIT or RETRO, looping will be relative to initialization time. If the value is set to VALID or REALTIME, looping will be relative to valid time. Older versions of METplus used a True/False variable named LOOP\_BY\_INIT. METplus still supports using this variable, although it is recommended that users update their config files to use LOOP\_BY instead. LOOP\_BY\_INIT will eventually be removed.

#### 4.3.1.2 Looping by Valid Time

When looping over valid time (LOOP\_BY = VALID or LOOP\_BY = REALTIME), the following variables must be set:

# VALID TIME FMT

This is the format of the valid times the user can configure in METplus. The value of VALID\_BEG and VALID\_END must correspond to this format. Example: VALID\_TIME\_FMT = %Y%m%d%H. Using this format, the valid time range values specified must be defined as YYYYMMDDHH, i.e. 2019020112.

# VALID BEG

This is the first valid time that will be processed. The format of this variable is controlled by VALID\_TIME\_FMT. For example, if VALID\_TIME\_FMT = %Y%m%d, then VALID\_BEG must be set to a valid time matching YYYYMMDD, such as 20190201.

#### VALID END

This is the last valid time that can be processed. The format of this variable is controlled by VALID\_TIME\_FMT. For example, if VALID\_TIME\_FMT = %Y%m%d, then VALID\_END must be set to a valid time matching YYYYMMDD, such as 20190202. Note that the time specified for this variable will not necessary be processed. It is used to determine the cutoff of run times that can be processed. For example, if METplus is configured to start at 20190201 and end at 20190202 processing data in 48 hour increments, it will process valid time 20190201 then increment the run time to 20190203. This is later than the VALID\_END value, so execution will stop. However, if the increment is set to 24 hours (see VALID\_INCREMENT), then METplus will process valid times 20190201 and 20190202 before ending execution.

#### VALID INCREMENT

This is the number of seconds to add to each run time to determine the next run time to process. This value must be greater than or equal to 60 because METplus currently does not support processing intervals less than one minute.

The following is a configuration that will process valid time 20190201 at 0Z until 20190202 at 0Z at 6 hour (21600 second) increments:

```
[config]
LOOP_BY = VALID
VALID_TIME_FMT = %Y%m%d%H
VALID_BEG = 2019020100
VALID_END = 2019020200
VALID_INCREMENT = 21600
```

This will process data valid on 20190201 at 0Z, 6Z, 12Z, and 18Z, as well as 20190202 at 0Z. For each of these valid times, METplus can also loop over a set of forecast leads that are all valid at the current run time. See 'Looping Over Forecast Leads' 4.3.1.4 for more information.

#### 4.3.1.3 Looping by Initialization Time

When looping over inialization time (LOOP\_BY = INIT or LOOP\_BY = RETRO), the following variables must be set:

# INIT TIME FMT

This is the format of the initialization times the user can configure in METplus. The value of INIT\_BEG and INIT\_END must correspond to this format. Example: INIT\_TIME\_FMT = %Y%m%d%H. Using this format, the initialization time range values specified must be defined as YYYYMMDDHH, i.e. 2019020112.

# INIT BEG

This is the first initialization time that will be processed. The format of this variable is controlled by INIT\_TIME\_FMT. For example, if INIT\_TIME\_FMT = %Y%m%d, then INIT\_BEG must be set to an initialization time matching YYYYMMDD, such as 20190201.

#### INIT END

This is the last initialization time that can be processed. The format of this variable is controlled by INIT\_TIME\_FMT. For example, if INIT\_TIME\_FMT = %Y%m%d, then INIT\_END must be set to an initialization time matching YYYYMMDD, such as 20190202. Note that the time specified for this variable will not necessary be processed. It is used to determine the cutoff of run times that can be processed. For example, if METplus is configured to start at 20190201 and end at 20190202 processing data in 48 hour increments, it will process 20190201 then increment the run time to 20190203. This is later than the INIT\_END value, so execution will stop. However, if the increment is set to 24 hours (see INIT\_INCREMENT), then METplus will process initialization times 20190201 and 20190202 before ending execution.

#### INIT INCREMENT

This is the number of seconds to add to each run time to determine the next run time to process. This value must be greater than or equal to 60 because METplus currently does not support processing intervals less than one minute.

The following is a configuration that will process initialization time 20190201 at 0Z until 20190202 at 0Z at 6 hour (21600 second) increments:

```
[config]
LOOP_BY = INIT
INIT_TIME_FMT = %Y%m%d%H
INIT_BEG = 2019020100
INIT_END = 2019020200
INIT_INCREMENT = 21600
```

This will process data initialized on 20190201 at 0Z, 6Z, 12Z, and 18Z, as well as 20190202 at 0Z. For each of these initialization times, METplus can also loop over a set of forecast leads that are all initialized at the current run time. See 'Looping Over Forecast Leads' 4.3.1.4 for more information.

#### 4.3.1.4 Looping over Forecast Leads

Many of the METplus wrappers will also loop over a list of forecast leads relative to the current valid/initialization time that is being processed.

#### LEAD SEQ

This variable can be set to a comma-separated list of integers to define the forecast leads (hours) that will be processed relative to the initialization/valid time. Currently only hours are supported for these values. Future versions of METplus will allow sub-hourly forecast leads. For example:

```
 \begin{array}{|c|c|c|} \hline [config] \\ LEAD\_SEQ = 3,\, 6,\, 9 \end{array}
```

If LOOP\_BY = VALID and the current run time is 20190201 at 0Z, then three times will be processed:

- 1) Initialized on 20190131 at 21Z / valid on 20190201 at 0Z
- 2) Initialized on 20190131 at 18Z / valid on 20190201 at 0Z
- 3) Initialized on 20190131 at 15Z / valid on 20190201 at 0Z

If LOOP BY = INIT and the current run time is 20190201 at 0Z, then three times will be processed:

- 1) Initialized on 20190201 at 0Z / valid on 20190201 at 3Z
- 2) Initialized on 20190201 at 0Z / valid on 20190201 at 6Z
- 3) Initialized on 20190201 at 0Z / valid on 20190201 at 9Z

#### Defining lists with begin end incr

You can also define LEAD\_SEQ using begin\_end\_incr(b, e, i) where b = the first value, e = the last value (inclusive), and i = the increment. For example:

```
\begin{tabular}{l} LEAD\_SEQ = begin\_end\_incr(0, 12, 3) \\ Is equivalent to setting: \\ \hline LEAD\_SEQ = 0, 3, 6, 9, 12 \\ \end{tabular}
```

### INIT SEQ

If METplus is configured to loop by valid time (LOOP\_BY = VALID), you can use INIT\_SEQ instead of LEAD\_SEQ. This is a list of initialization hours that are available in the data. This is useful if you know when the data is initialized and you need to use a different list of forecast leads depending on the valid time being evaluated. For example:

```
[config]
LOOP\_BY = VALID
INIT\_SEQ = 0, 6, 12, 18
```

At valid time 20190201\_0Z, this initialization sequence will build a forecast lead list of 0, 6, 12, 18, 24, 30, etc.

At valid time 20190201 1Z, this initialization sequence will build a forecast least list of 1, 7, 13, 19, 25, 31, etc.

You can also restrict the forecast leads that will be used by setting LEAD\_SEQ\_MIN and LEAD\_SEQ\_MAX. For example, if you want to only process forecast leads between 12 and 24 you can set:

Using the initialization sequence specified above, you will get the following results:

At valid time 20190201\_0Z, this initialization sequence will build a forecast lead list of 12, 18, 24. At valid time 20190201\_1Z, this initialization sequence will build a forecast least list of 13, 19.

Setting minimum and maximum values will also affect the list of forecast leads if you use LEAD\_SEQ. LEAD\_SEQ takes precedence over INIT\_SEQ, so if you have both variables set in your configuration, INIT\_SEQ will be ignored in favor of LEAD\_SEQ.

#### Grouping Forecast Leads (LEAD SEQ [N])

This is used by SeriesByLead wrapper only. If SERIES\_BY\_LEAD\_GROUP\_FCSTS is set to True, then you can define groups of forecast leads that will be evaluated together. You can define any number of these groups by setting configuration variables LEAD\_SEQ\_1, LEAD\_SEQ\_2, LEAD\_SEQ\_3, etc. You can define the value with a comma-separated list of integers (hours) or using the begin\_end\_incr notation (See 'Defining lists with begin\_end\_incr' earlier in this section). Each list must have a corresponding label to describe it using LEAD\_SEQ\_[N]\_LABEL, i.e. LEAD\_SEQ\_1 must have the corresponding variable LEAD\_SEQ\_1\_LABEL set. For example:

```
[config]
SERIES_BY_LEAD_GROUP_FCSTS = True
LEAD_SEQ_1 = 0, 6, 12, 18
LEAD_SEQ_1_LABEL = Day1
LEAD_SEQ_2 = begin_end_incr(24, 42, 6)
LEAD_SEQ_2_LABEL = Day2
```

#### 4.3.1.5 Realtime Looping

To make running in realtime easier, METplus supports defining the begin and end times relative to the current clock time. For example, if the current time is 20190426 08:17 and you start METplus with:

```
\boxed{ VALID\_END = \{now?fmt = \%Y\%m\%d\%H\} }
```

then the value of VALID\_END will be set to 2019042608. You can also use {today} to substitute the current YYYYMMDD, i.e. 20190426. You cannot change the formatting for the 'today' keyword.

You can use the 'shift' keyword to shift the current time by any number of seconds. For example, if you start METplus at the same clock time with:

```
\label{eq:VALID_BEG} \hline \text{VALID\_BEG} = \{\text{now?fmt} = \%\text{Y}\%\text{m}\%\text{d}\%\text{H?shift} = -86400\}
```

then the value of VALID\_BEG will be set to the current clock time shifted by -86400 (24 hours backwards), or 2019042508.

If VALID INCREMENT is set to 21600 (seconds or 6 hours), then METplus will process valid times:

20190425 08

 $20190425 \quad 14$ 

20190425 20

 $20190426 \ \ 02$ 

20190426 08

However, you may want to configure METplus to process at 0Z, 6Z, 12Z, and 18Z of a given day instead of 2Z, 8Z, 14Z, and 20Z. Having to adjust the shift amount differently if you are running at 8Z or 9Z to get the times to line up would be tedious. Instead, use the 'truncate' keyword. The value set here is the number of seconds that is used to determine the interval of time to round down. If you want to process every 6 hours, set 'truncate' to 21600 (seconds).

```
VALID\_BEG = \{now?fmt = \%Y\%m\%d\%H?shift = -86400?truncate = 21600\}
```

This will round down the value to the nearest 6 hour interval of time. Starting METplus on or after 6Z but before 12Z on 20190426 will result in VALID\_BEG = 2019042506 (clock time shifted backwards by 24 hours then truncated to 6 hours).

Starting METplus on 20190426 at 8:16 with the following configuration:

```
[config]
LOOP_BY = VALID
VALID_TIME_FMT = %Y%m%d%H
VALID_BEG = {now?fmt=%Y%m%d%H?shift=-86400?truncate=21600}
VALID_END = {now?fmt=%Y%m%d%H}
VALID_INCREMENT = 21600
```

will process valid times starting on 20190425 at 6Z every 6 hours until the current run time is later than 20190426 at 8Z, which will result in processing:

```
20190425 at 6Z
20190425 at 12Z
20190425 at 18Z
20190426 at 0Z
20190426 at 6Z
```

IMPORTANT NOTE: When using the 'now' keyword, the value of VALID\_TIME\_FMT must be set to the same value as the 'fmt' used in the 'now' item in VALID\_BEG and VALID\_END. The relevant values are highlighted in bold in the above example.

#### 4.3.2 Field Info

This section describes how METplus configuration variables can be used to define field information that is sent to the MET applications to read forecast and observation fields.

#### FCST VAR[N] NAME

Set this to the name of a forecast variable that you want to evaluate. N is any integer greater or equal to 1, i.e.

#### FCST VAR[N] LEVELS

Set this to a comma-separated list of levels or a single value. FCST\_VAR1\_LEVELS corresponds to FCST\_VAR1\_NAME, FCST\_VAR2\_LEVELS corresponds to FCST\_VAR2\_NAME, etc.

# For example:

```
[config]

FCST_VAR1_NAME = TMP

FCST_VAR1_LEVELS = P500, P750
```

will process TMP at P500 and TMP at P750.

#### OBS VAR[N] NAME

Set this to the corresponding observation variable that you want to evaluate with FCST\_VAR[N]\_NAME. If this value is not set for a given [N] value, then it will be assumed that the same name as the forecast name will be used.

# OBS\_VAR[N]\_LEVELS

Set this to a comma-separated list of levels or a single value. If OBS\_VAR[N]\_LEVELS and OBS\_VAR[N]\_NAME are not set, it will be assumed that the same name/level as the forecast data will be used.

## For example, setting

```
\begin{aligned} & \text{FCST\_VAR1\_NAME} = \text{TMP} \\ & \text{FCST\_VAR1\_LEVELS} = \text{P500} \\ & \text{FCST\_VAR2\_NAME} = \text{RH} \\ & \text{FCST\_VAR2\_LEVELS} = \text{P750}, \, \text{P250} \end{aligned}
```

without setting OBS\_VAR1\_NAME is the equivalent of setting:

```
FCST_VAR1_NAME = TMP

FCST_VAR1_LEVELS = P500

FCST_VAR2_NAME = RH

FCST_VAR2_LEVELS = P750, P250

OBS_VAR1_NAME = TMP

OBS_VAR1_LEVELS = P500

OBS_VAR2_NAME = RH

OBS_VAR2_LEVELS = P750, P250
```

#### This will compare:

TMP/P500 in the forecast data to TMP/P500 in the observation data

 $\mathrm{RH}/\mathrm{P750}$  in the forecast data to  $\mathrm{RH}/\mathrm{P750}$  in the observation data

RH/P250 in the forecast data to RH/P250 in the observation data

#### If you set:

```
FCST_VAR1_NAME = TMP
FCST_VAR1_LEVELS = P500, P750
OBS_VAR1_NAME = TEMP
OBS_VAR1_LEVELS = "(0,*,*)", "(1,*,*)"
```

#### This will compare:

```
Forecast TMP/P500 to observation TEMP at (0,*,*)
Forecast TMP/P750 to observation TEMP at (1,*,*)
```

IMPORTANT NOTE: NetCDF level values that contain (\*,\*) notation must be surrounded by quotation marks so it will not be misinterpreted as a list of items.

The number of level items must be equal in each list for a given comparison. If you define separate names for a forecast and observation, you will need to define separate levels for both even if they are equivalent.

For example, setting FCST\_VAR1\_NAME, FCST\_VAR1\_LEVELS, and OBS\_VAR1\_NAME, but not setting OBS\_VAR1\_LEVELS will result in an error.

The field information will be formatted to match the field info dictionary in the MET config files and passed to the appropriate config file to evaluate the data. The previous configuration comparing TMP (P500 and P750) and TEMP will generate the following in the MET config file:

```
fcst = {
field = [ { name="TMP"; level="P500"; } ];
}
obs = {
field = [ {name="TEMP"; level="(0,*,*)"; } ];
}
```

for the first run and:

```
fcst = {
field = [ { name="TMP"; level="P750"; } ];
}
obs = {
field = [ {name="TEMP"; level="(1,*,*)"; } ];
}
```

for the second run. Note that some MET applications allow multiple fields to be specified for a single run. If the MET tool allows it and METplus is configured accordingly, these two comparisons would be configured in a single run.

[FCST/OBS]\_VAR[N]\_THRESH: Set this to a comma-separated list of threshold values to use in the comparison. Each of these values must begin with a comparison operator (>,>=,==,!=,<,<=,gt,ge,eq,ne,lt, or le). It is recommended that you use the alphabetic versions (gt, ge, eq, ne, lt, le) because the > and < symbols can cause errors when inserted into MET commands as command line arguments, but most uses of thresholds via METplus are passed into the MET config files and will not cause any issues. For example, setting:

```
FCST_VAR1_NAME = TMP
FCST_VAR1_LEVELS = P500
FCST_VAR1_THRESH = le0.5, gt0.4, gt0.5, gt0.8
will add the following information to the MET config file:
```

Note that the value for FCST\_VAR[N]\_THRESH will not be copied to OBS\_VAR[N]\_THRESH if it is not set. These items are independent of each other.

[FCST/OBS]\_VAR[N]\_OPTIONS: Set this to add additional information to field dictionary in the MET config file. The item must end with a semi-colon. For example:

```
FCST_VAR1_NAME = TMP
FCST_VAR1_LEVELS = P500
FCST_VAR1_OPTIONS = GRIB_lvl_typ = 105;
will add the following to the MET config file:

fcst = {
field = [ { name="TMP"; level="P500"; GRIB_lvl_typ = 105; } ];
}
You can specify multiple items as long as they are separated by and end with a semi-colon.
```

```
FCST_VAR1_NAME = TMP
FCST_VAR1_LEVELS = P500
FCST_VAR1_OPTIONS = GRIB_lvl_typ = 105; ens_phist_bin_size = 0.05;
will add the following to the MET config file:

(fcst = {
field = [ { name="TMP"; level="P500"; GRIB_lvl_typ = 105; ens_phist_bin_size = 0.05; } ];
```

Note that the value for FCST\_VAR[N]\_OPTIONS will not be copied to OBS\_VAR[N]\_OPTIONS if it is not set. These items are independent of each other.

ENS\_VAR[N]\_[NAME/LEVELS/THRESH/OPTIONS]: Used with EnsembleStat only. Users may want to define the ens dictionary item in the MET EnsembleStat config file differently than the fcst dictionary item. If this is the case, you can use this variable. If it is not set, the value set in the corresponding FCST\_VAR[N]\_NAME will be used in the ens dictionary.

# 4.3.3 Directory and Filename Template Info

The METplus wrappers use directory and filename template configuration variables to find the desired files for a given run.

#### Using Templates to Find Observation Data:

The following configuration variables describe input observation data:

```
[dir]
OBS_GRID_STAT_INPUT_DIR = /my/path/to/grid_stat/input/obs
[filename_templates]
OBS_GRID_STAT_INPUT_TEMPLATE = {valid?fmt=%Y%m%d}/prefix.{valid?fmt=%Y%m%d%H}.ext
input directory is the top level directory containing all of the observation data. The template contains items
with keywords that will be substituted with time values for each run. After the values are substituted, MET-
plus will check to see if the desired file exists relative to the input directory. At valid time 20190201_12Z,
the full desired path of the observation input data to grid_stat is:
```

/my/path/to/grid stat/input/obs/20190201/prefix.2019020112.ext

Note that the template contains a dated subdirectory. This cannot go in the directory variable because it changes based on the run time.

METplus does not need be configured to loop by valid time to find files using a template containing valid time information. For example, at initialization time 20190201\_12Z and forecast lead 3, the valid time is calculated to be 20190201\_15Z and the full desired path of the observation input data to grid stat is:

/my/path/to/grid stat/input/obs/20190201/prefix.2019020115.ext

'init' and 'valid' are keywords to notate initalization and valid times respectively. 'lead', 'offset', 'da\_init', and 'cycle' are also keywords that can be used to find forecast data and data assimilation data.

#### Using Templates to Find Forecast Data

Most forecast files contain the initialization time and the forecast lead in the filename. The keywords 'init' and 'lead' can be used to describe the template of these files:

```
[dir]
FCST_GRID_STAT_INPUT_DIR = /my/path/to/grid_stat/input/fcst
[filename_templates]
FCST_GRID_STAT_INPUT_TEMPLATE = prefix.{init?fmt=%Y%m%d%H}_f{lead?fmt=%3H}.ext
For a valid time of 20190201_0Z and a forecast lead of 3, METplus will look for the following forecast file with initialization time of 20190131 21Z:
```

/my/path/to/grid\_stat/input/fcst/prefix.2019013121\_f003.ext

#### Using Templates to Find Data Assimilation Data

Some data assimilation files contain offset and da\_init (data assimilation initialization) values in the filename. These values are used to determine the value time of the data. Consider the following configuration:

```
[config] $PB2NC\_OFFSETS = 6, 3 $ [dir] $PB2NC\_INPUT\_DIR = /my/path/to/prepbufr $ [filename\_templates] $PB2NC\_INPUT\_TEMPLATE = prefix. {da_init?fmt=%Y%m%d}_{cycle?fmt=%H}_off{offset?fmt=%2H}.ext $ [filename\_templates] $PB2NC\_INPUT\_TEMPLATE = prefix. {da_init?fmt=%Y%m%d}_{cycle?fmt=%H}_off{offset?fmt=%2H}.ext $ [filename\_templates] $ [filenam
```

The PB2NC\_OFFSETS list tells METplus the order to prioritize files with offsets in the name. At valid time 20190201\_12Z, METplus will check if the following file exists:

/my/path/to/prepbufr/prefix.20190201 18 off06.ext

The offset is added to the valid time to get the data assimilation initialization time. Note that 'cycle'

can be used interchangeably with 'da\_init.' It is generally used to specify the hour of the data that was generated. If that file doesn't exists, it will check:

/my/path/to/prepbufr/prefix.20190201\_15\_off03.ext

### Shifting Times in Filename Templates

Users can use the 'shift' keyword to adjust the time referenced in the filename template relative to the run time. For example, the input files contain data from 1Z on the date specified in the filename until 1Z the following day. This means that for a 0Z run you want to use the file from the previous day and for the 1Z to 23Z runs you want to use the file that corresponds to the current day.

```
\begin{tabular}{ll} [filename\_templates] \\ OBS\_POINT\_STAT\_INPUT\_TEMPLATE = \{valid?fmt=\%Y\%m\%d?shift=-3600\}.ext \\ \end{tabular}
```

Running at valid time 20190201\_12Z, shifting the valid time backwards by 1 hour will result in 20190201\_11Z, so it will substitute the current day into the template, giving you 20190201.ext. Running at valid time 20190201\_0Z, the shift will result in a file time of 20190131\_23Z, so 20190131.ext will be generated by the template.

#### Using Windows to Find Valid Files

The [FCST/OBS]\_FILE\_WINDOW\_[BEGIN/END] configuration variables can be used if the time information in the input data does not exactly line up with the run time but you still want to process the data. The default value is the file window begin and end variables is 0 (seconds). If both values are set to 0, METplus will require that a file matching a template with the exact time requested exists. If either value is non-zero, METplus will examine all of the files under the input directory that match the template, pull out the time information from the files, and use the file with time closest to the run time. For example, consider the configuration:

```
[config]

OBS_FILE_WINDOW_BEGIN = -7200

OBS_FILE_WINDOW_END = 7200

[dir]

OBS_GRID_STAT_INPUT_DIR = /my/grid_stat/input/obs

[filename_templates]

OBS_GRID_STAT_INPUT_TEMPLATE = {valid?fmt=%Y%m%d}/pre.{valid?fmt=%Y%m%d}_{valid?fmt=%H}.ext

The run time is 20190201_0Z and the following files exist in the input directory:
```

The first file matches the template and the file time is within the window, so the filename and time difference relative to the valid time (7200 seconds or 2 hours) is saved.

The second file matches the template, the file time is within the window, and the time difference is less than the closest file, so the filename and time difference from the valid time (3600 seconds or 1 hour) is saved. The third file does not match the template, so it is ignored.

The fourth file matches the template and is within the time range, but it is the same distance away from the valid time as the closest file. GridStat only allows one file to be processed, so it is ignored (PB2NC is currently the only wrapper to allow multiples files to be processed).

The first file matches the template but it is valid outside of the -2 to +2 hour window range, so it is ignored.

#### Wrapper Specific Windows

A user may need to specify a different window on a wrapper-by-wrapper basis. If this is the case, you can override the file window values for each wrapper. Consider the following configuration:

```
[config]
PROCESS_LIST = PcpCombine, GridStat, EnsembleStat
OBS_FILE_WINDOW_BEGIN = 0
OBS_FILE_WINDOW_END = 0
OBS_GRID_STAT_FILE_WINDOW_BEGIN = -1800
OBS_GRID_STAT_FILE_WINDOW_END = 1800
OBS_ENSEMBLE_STAT_FILE_WINDOW_END = 3600
```

Using this configuration, PcpCombine will use (0,0) and require exact file times. GridStat will use (-1800,

1800) for observation data. EnsembleStat will use (0, 3600) for observation data. OBS\_ENSEMBLE\_STAT\_FILE\_WINDOW was not set, so it will use OBS\_FILE\_WINDOW\_BEGIN.

# 4.4 Config Quick Start Example

### Track and Intensity Use case with sample data

- Create a directory where you wish to store the sample data
- Retrieve the sample data from the GitHub repository:
  - In your browser, navigate to https://github.com/NCAR/METplus/releases
  - locate the latest release and click on the sample data.tar.gz link associated with that release
  - save it to the directory you created above, hereafter referred to as INPUT DATA DIRECTORY
  - cd to your \$INPUT DATA DIRECTORY and uncompress the tarball: tar xvfz sample data.tar.gz
  - when you perform a listing of the sample\_data directory, the INPUT\_DATA\_DIRECTORY/sample\_data/GFS contains the data you will need for this use case
- Set up the configuration file:
  - Your METplus install directory will hereafter be referred to as METplus INSTALL
  - Verify that all the path/to values are replaced with valid paths in the METplus\_INSTALL/parm/metplus\_conf/met
     and METplus\_INSTALL/parm/metplus\_conf/metplus\_system.conf files

- Two configuration files are used in this use case, track\_and\_intensity.conf file and tcmp\_mean\_median.conf to take cyclone track data, and using TcPairs which wraps the MET TC-Pairs tool (to match ADeck and BDeck cyclone tracks to generate matched pairs and error statistics). The TCM-PRPlotter is then used (wraps the MET tool plot\_tcmpr.R) to generate a mean and median plots for these matched pairs.
- In your editor, open the METplus\_INSTALL/METplus/parm/use\_cases/track\_and\_intensity.conf file:
  - \* You will replace any /path/to with actual paths by setting the following:
  - \* PARM\_BASE to the path to where you installed METplus, appended with with 'parm': METplus\_INSTALL/all\_users/METplus/parm
  - \* OUTPUT BASE to where you wish to save the output:
    - · ADECK TRACK DATA DIR to INPUT DATA DIRECTORY/sample data/GFS/track data
  - \* save your changes and exit your editor
  - $* \ In \ your \ editor, open \ the \ METplus\_INSTALL/METplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/tcm/stall/metplus/parm/use\_cases/track\_and\_intensity/examples/track\_and\_intensity/exa$
  - \* Verify that PROCESS\_LIST is set to TcPairs, TCMPRPlotter. This instructs METplus to run the TcPairs wrapper first (TC-Pairs) followed by the TCMPR plotter wrapper (plot TCMPR.R).

#### • Run the use case:

- Make sure you have set the following environment in your .cshrc (C shell) or .bashrc (Bash):
  - \* csh: setenv RSCRIPTS BASE \$MET BASE/scripts/Rscripts
  - \* bash: export RSCIPTS\_BASE  $MET_BASE/scripts/Rscripts$
  - \* Refer to Section 2.7 for the full instructions on setting up the rest of your environment
  - \* on your command line, run:
    - · master\_metplus.py -c use\_cases/track\_and\_intensity/track\_and\_intensity.conf -c use\_cases/track\_and
  - \* When complete, you will have a log file in the output directory you specified, and under the tc\_pairs directory you will see .tcst files under the 201412 subdirectory. These are the matched pairs created by the MET tool Tc-pairs and can be viewed in any text editor.
  - \* Plots are generated under the tcmpr\_plots subdirectory, in .png format. You should have the following plots which can be viewed by any graphics viewers such as 'display' on Linux/Unix hosts:
    - · AMAX WIND-BMAX WIND mean.png
    - $\cdot \ AMAX\_WIND\text{-}BMAX\_WIND\_median.png$
    - · AMSLP-BMSLP mean.png
    - · AMSLP-BMSLP median.png
    - · TK ERR mean.png
    - · TK ERR median.png

# 4.5 A-Z Config Glossary

This glossary was created from the two commands:

 $\conf METplus/parm/use\_cases/*/*.conf METplus/parm/use_cases/*/*.conf METplus/parm/use_cases/*/*.conf METplus/parm/use_cases/*/*.conf METplus/parm/use_cases/*/*.conf METplus/parm/use_cases/*/*/*.conf METplus/parm/use_cases/*/*/*.conf METplus/parm/use_cases/*/*/*.conf METplus/parm/use$ 

 $grep = allopts.conf \mid grep - v \mid \# \mid sort \mid uniq > uniqueopts.conf$ 

General form of glossary entry:

### CONFIG NAME HERE

...Some description here...

**Used by:** Which METplus utility is this used by?

Family: Which family? [dir], [config], [filename\_temUplates], [exe], [regex\_pattern], etc...

Default: If it makes sense to include a default value (or value shipped in a release), do it here

#### 4.5.1 A

## ADECK\_FILE\_PREFIX

Prefix of the files in ATCF format containing tropical cyclone forecast data ("adeck" matched pairs).

Used by: TcPairs
Family: [config]
Default: Varies

### ADECK TRACK DATA DIR

Directory that contains the ATCF formatted files containing tropical cyclone forecast data ("adeck" matched pairs).

Used by: TcPairs
Family: [dir]
Default: Varies

#### AMODEL

The model name of the ADeck model data

Used by: CyclonePlotter, TcStat

Family: [config]

Default:

#### ANLY ASCII REGEX LEAD

The regular expression describing the analysis (obs) file name (in ASCII format) of the intermediate file generated when running a series by lead case.

Used by: SeriesByLead
Family: [regex\_pattern]

Default:

### ANLY NC TILE REGEX

The regular expression used to search the input files that are in netCDF format and used in the series by analysis task.

Used by: SeriesByLead, SeriesByInit

Family: [regex pattern]

Default:

## ANLY TILE PREFIX

The prefix to the filename for the analysis file that is created as part of a series analysis.

Used by: feature\_util.py
Family: [regex pattern]

Default:

### ANLY TILE REGEX

The regular expression for the analysis input file the file is in GRIB2.

Used by: SeriesByLead, SeriesByInit

Family: [regex pattern]

Default:

#### 4.5.2 B

### BACKGROUND MAP

Control whether or not a background map shows up for series analysis plots. Set to 'yes' if background map desired.

Used by: SeriesByLead, SeriesByInit

Family: [config]
Default: no

#### **BASIN**

Control what basins are desired for tropical cyclone analysis.

Per the MET users' guide, acceptable basin ID's are:

WP = Western Northern Pacific

IO = Northern Indian Ocean

SH = Southern Hemisphere

CP = Central Northern Pacific

EP = Eastern Northern Pacific

AL = Northern Atlantic

SL = Southern Atlantic

Used by: CyclonePlotter, TcPairs, TcStat

Family: [config]
Default: Varies

### BDECK\_FILE\_PREFIX

Relevant for non-ATCF tropical cyclone data. The filename prefix for the BDeck data.

Used by: TcPairs
Family: [config]
Default: Varies

### BDECK TRACK DATA DIR

The input directory where the BDeck track data resides.

Used by: TcPairsFamily: [dir]Default: Varies

### [deprecated] BEG TIME

Please use  $INIT\_BEG$  or  $VALID\_BEG$  instead. Beginning time for analysis in YYYYMMDD format.

Used by: PB2NC, PointStat

Family: [config]
Default: Varies

#### **BMODEL**

The model name of the BDeck model data.

Used by: TcStat
Family: [config]

Default:

#### 4.5.3 C

### CI METHOD

The method for creating confidence intervals. Valid options are EMC, or NONE.

Used by: MakePlots
Family: [config]
Default:

CIRCLE MA

Control the size of the circle marker in the cyclone plotter.

Used by: CyclonePlotter

Family: [config]
Default: 41

## CLOCK TIME

Automatically set by METplus with the time that METplus was started. Setting this variable has no effect as it will be overwritten. Can be used for reference in metplus final.conf or used with other config variables.

Used by: All
Family: [config]

Default: Set automatically to current clock time in %Y%m%d%H%M%S format

### CONFIG DIR

Directory containing config files relevant to MET tools.

Used by: compare gridded wrapper.py, EnsembleStat, GridStat, Mode, StatAnalysis

Family: [dir]
Default: Varies

#### CONFIG FILE

Specific configuration file name to use for MET tools.

**Used by:** TCMPRPlotter

Family: [config]
Default: Varies

### CONVERT EXE

Path to the ImageMagick "convert" executable.

Used by: PB2NC, PointStat, SeriesByInit, SeriesByLead

Family: [exe]
Default: /path/to

### COV THRESH

Specify the values of the  $COV\_THRESH$  column in the MET .stat file to use. This is optional in the METplus configuration file for running with LOOP ORDER = times.

Used by: StatAnalysis

Family: [config]

 ${\it Default:}$ 

-CROSS MAF

Control the size of the cross marker in the cyclone plotter.

Used by: CyclonePlotter

Family: [config]
Default: 51

#### CUT EXE

Path to the Linux "cut" executable.

Used by: PB2NC, PointStat

Family: [exe]
Default: /path/to

#### **CYCLONE**

Specify which cyclone numbers to include in the tropical cyclone analysis. Per the MET users' guide, this can be any number 01-99 (HH format). Use a space or comma separated list, or leave unset if all cyclones are desired.

Used by: TcPairs, TcStat

Family: [config]
Default: Varies

### CYCLONE\_INIT\_DATE

Initialization date for the cyclone forecasts in YYYYMMDD format.

**Used by:** CyclonePlotter

Family: [config]
Default: Varies

#### CYCLONE INIT HR

Initialization hour for the cyclone forecasts in HH format.

Used by: CyclonePlotter

Family: [config]
Default: Varies

### CYCLONE INPUT DIR

Input directory for the cyclone plotter. This should be the output directory for the MET TC Pairs utility.

**Used by:** CyclonePlotter

Family: [dir]
Default: Varies

### CYCLONE MODEL

Define the model being used for the tropical cyclone forecasts.

Used by: CyclonePlotter

Family: [config]
Default: Varies

### CYCLONE OUT DIR

Specify the directory where the output from the cyclone plotter should go.

**Used by:** CyclonePlotter

Family: [dir]
Default: Varies

#### CYCLONE PLOT TITLE

Title string for the cyclone plotter.

**Used by:** CyclonePlotter

Family: [config]
Default: Varies

#### 4.5.4 D

### DEMO YR

The demo year. This is an optional value used by the plot\_TCMPR.R script, (which is wrapped by TCM-PRPlotter). Please refer to Chapter 21 in the MET User's Guide for more details.

**Used by:** TCMPRPlotter

Family: [config]
Default: Varies

### DEP VARS

Corresponds to the optional flag -dep in the plot\_TCMPR.R script, which is wrapped by TCMPRPlotter. The value to this flag is a comma-separated list (no whitespace) of dependent variable columns to plot (e.g.

AMSLP-BMSLP, AMAX\_WIND-BMAX\_WIND, TK\_ERR). If this is undefined, then the default plot for TK\_ERR (track error) is generated. Note, if you want the track error plot generated, in addition to other plots, then you need to explicitly list this with the other variables. Please refer to Chapter 21 in the MET User's Guide for more details.

**Used by:** TCMPRPlotter

Family: [config]
Default: Varies

#### **DESC**

A single value or list of values used in the stat\_analysis data stratification. Specifies the values of the DESC column in the MET .stat file to use. This is optional in the METplus configuration file for running with LOOP ORDER = times

Used by: StatAnalysis

Family: [config]
Default: Varies

-DLAND FILE

The file generated by the MET tool tc\_dland, containing the gridded representation of the minimum distance to land. Please refer to Chapter 18 of the MET User's Guide for more information about the tc\_dland tool.

Used by: TcPairs
Family: [config]
Default: Varies

#### DLAT

The value that defines the resolution of the data (in decimal degrees).

Used by: met\_util.py
Family: [config]
Default: 0.5

#### DLON

The longitude value, in degrees. Set to the value that defines the resolution of the data (in decimal degrees).

Used by: met util.py

Family: [config]
Default: 0.5

#### DO NOT RUN EXE

True/False. If True, applications will not run and will only output command that would have been called.

Used by: command runner.py

Family: [config]
Default: False

### 4.5.5 E

## $EGREP_EXE$

Path to the Linux "egrep" executable.

Used by: feature util.py, PB2NC, PointStat

Family: [exe] Default: /path/to

## [deprecated] $END_DATE$

Please use INIT\_END or VALID\_END instead.

Used by: PB2NC, PointStat

Family: [config]
Default: Varies

## [deprecated] $END\_HOUR$

Ending hour for analysis with format HH.

Used by: PB2NC, PointStat

Family: [config]
Default: Varies

### [deprecated] END\_TIME

Ending date string for analysis with format YYYYMMDD.

Used by: PB2NC, PointStat

Family: [config]
Default: Varies

### ENSEMBLE STAT CONFIG FILE

Specify the absolute path to the configuration file for the MET ensemble stat tool.

Used by: EnsembleStat

Family: [config]
Default:

## ENSEMBLE STAT GRID VX

Used to set the regrid dictionary item 'to\_grid' in the MET ensemble\_stat config file. See the MET User's Guide for more information.

Used by: EnsembleStat

Family: [config]
Default: FCST

## ENSEMBLE\_STAT\_MET\_OBS\_ERROR\_TABLE

**Used by:** EnsembleStat

Family: [config]

Default:

### ENSEMBLE STAT N MEMBERS

Expected number of ensemble members found. This should correspond to the number of items in FCST\_ENSEMBLE\_STAT\_
If this number differs from the number of files are found for a given run, then ensemble\_stat will not run
for that time.

Used by: EnsembleStat

Family: [config]

Default:

## ENSEMBLE STAT ONCE PER FIELD

If True, run ensemble\_stat separately for each field name/level combination specified in the configuration file. See 4.3.2 for more information on how fields are specified. If False, run ensemble\_stat once with all of the fields specified.

Used by: EnsembleStat

Family: [config]
Default: False

### ENSEMBLE STAT OUTPUT DIR

Specify the output directory where files from the MET ensemble stat tool are written.

Used by: EnsembleStat

Family: [dir]
Default: Varies

#### ENSEMBLE STAT OUTPUT TEMPLATE

Sets the subdirectories below ENSEMBLE\_STAT\_OUTPUT\_DIR using a template to allow run time information. If LOOP\_BY = VALID, default value is valid time YYYYMMDDHHMM/ensemble\_stat. If LOOP\_BY = INIT, default value is init time YYYYMMDDHHMM/ensemble\_stat.

Used by: EnsembleStat

Family: [filename templates]

Default: Varies

### ENS VAR[N] LEVELS

Define the levels for the [N]th ensemble variable to be used in the analysis where [N] is an integer >= 1. The value can be a single item or a comma separated list of items. You can define NetCDF levels, such as (0, \*, \*), but you will need to surround these values with quotation marks so that the commas in the item are not interpreted as an item delimeter. Some examples:

```
ENS_VAR1_LEVELS = A06, P500
ENS_VAR2_LEVELS = "(0,*,*)", "(1,*,*)"
```

There can be [N] number of these variables defined in configuration files, simply increment the "\_VAR1\_" string to match the total number of variables being used, e.g.:

```
ENS_VAR1_LEVELS
ENS_VAR2_LEVELS
...
ENS_VAR[N]_LEVELS
```

Used by: EnsembleStat

Family: [config]
Default: Varies

### ENS\_VAR[N]\_NAME

Define the name for the [N]th ensemble variable to be used in the analysis where [N] is an integer >= 1. There can be [N] number of these variables defined in configuration files, simply increment the "\_VAR1\_" string to match the total number of variables being used, e.g.:

```
ENS_VAR1_NAME
ENS_VAR2_NAME
...
ENS_VAR[N]_NAME
```

Used by: EnsembleStat

Family: [config]
Default: Varies

### ENS\_VAR[N]\_OPTIONS

Define the options for the [N]th ensemble variable to be used in the analysis where [N] is an integer >= 1. These addition options will be applied to every name/level/threshold combination for VAR[N]. There can be [N] number of these variables defined in configuration files, simply increment the "\_VAR1\_" string to match the total number of variables being used, e.g.:

```
ENS_VAR1_OPTIONS
ENS_VAR2_OPTIONS
```

• • •

ENS VAR[N] OPTIONS

**Used by:** EnsembleStat

Family: [config]
Default: Varies

## ENS VAR[N] THRESH

Define the threshold(s) for the [N]th ensemble variable to be used in the analysis where [N] is an integer >= 1. The value can be a single item or a comma separated list of items that must start with a comparison operator (>,>=,==,!=,<,<=,gt,ge,eq,ne,lt,le). There can be [N] number of these variables defined in configuration files, simply increment the "\_VAR1\_" string to match the total number of variables being used, e.g.:

ENS\_VAR1\_THRESH ENS\_VAR2\_THRESH

•••

ENS\_VAR[N]\_THRESH

**Used by:** EnsembleStat

Family: [config]
Default: Varies

### **EVENT EQUALIZATION**

If event equalization is to be used (True) or not (False). If set to True, if any of the listed models are missing data for a particular time, data for all models will be masked out for this time. If set to False, there are no changes to the data.

Used by: MakePlots
Family: [config]
Default: True

[deprecated]

#### EXTRACT OUT DIR

Please use EXTRACT\_TILES\_OUTPUT\_DIR. Set the output directory for the METplus extract\_tiles utility.

Used by: ExtractTiles, SeriesByInit, SeriesByLead

Family: [dir]
Default: Varies

#### EXTRACT TILES FILTER OPTS

Control what options are passed to the METplus extract—tiles utility.

**Used by:** ExtractTiles

Family: [config]
Default: Varies

-EXTRACT T

Set the output directory for the METplus extract tiles utility.

Used by: ExtractTiles, SeriesByInit, SeriesByLead

Family: [dir]
Default: Varies

### EXTRACT\_TILES\_VAR\_LIST

Control what variables the METplus extract\_tiles utility runs on. Additional filtering by summary (via the MET tc\_stat tool). Please refer to Chapter 20 in the MET Users Guide (TC-STAT Tools) for all the available options for filtering by summary method in tc-stat. If no additional filtering is required, simply leave the value to EXTRACT TILES FILTER OPTS blank/empty in the METplus configuration file.

Used by: feature util.py

Family: [config]
Default: Varies

#### 4.5.6 F

#### [deprecated] FCST EXACT VALID TIME

No longer used. Please use FCST\_WINDOW\_BEGIN and FCST\_WINDOW\_END instead. If both of those variables are set to 0, the functionality is the same as FCST\_EXACT\_VALID\_TIME = True.

Used by: GridStat Mode, mtd wrapper.py

Family: [config]
Default: False

### [deprecated] FCST [N] FIELD NAME

Please use FCST PCP COMBINE [N] FIELD NAME where N >= 1 instead.

Used by: PcpCombine

Family: [config]
Default: Varies

### FCST ASCII REGEX LEAD

Regular expression used to find the forecast file (ASCII format) generated as an intermediate step in the series by lead use case.

Used by: SeriesByLead
Family: [regex\_pattern]

Default: Varies

### FCST\_ENSEMBLE\_STAT\_FILE\_WINDOW\_BEGIN

See OBS ENSEMBLE STAT FILE WINDOW BEGIN 4.5.15.

 ${\it Used~by:}$  EnsembleStat

Family: [config]

Default: OBS FILE WINDOW BEGIN

## FCST\_ENSEMBLE\_STAT\_FILE\_WINDOW END

See OBS ENSEMBLE STAT FILE WINDOW END 4.5.15.

Used by: EnsembleStat

Family: [config]

Default: OBS\_FILE\_WINDOW\_END

### FCST ENSEMBLE STAT INPUT DIR

Input directory for forecast files to use with the MET tool ensemble\_stat. A corresponding variable exists for observation data called OBS\_ENSEMBLE\_STAT\_INPUT\_DIR.

Used by: EnsembleStat

Family: [dir]
Default: Varies

## FCST\_ENSEMBLE\_STAT\_INPUT\_TEMPLATE

Template used to specify forecast input filenames for the MET tool ensemble\_stat. A corresponding variable exists for observation data called OBS\_ENSEMBLE\_STAT\_INPUT\_TEMPLATE.

Used by: EnsembleStat

Family: [filename\_templates]

Default: Varies

#### FCST FILE WINDOW BEGIN

See OBS FILE WINDOW BEGIN4.5.15.

Used by: EnsembleStat, GridStat, Mode, MTD, PB2NC, PointStat

Family: [config]
Default: Varies

### FCST FILE WINDOW END

See OBS FILE WINDOW END4.5.15.

Used by: EnsembleStat, GridStat, Mode, MTD, PB2NC, PointStat

Family: [config]
Default: Varies

### [deprecated] FCST GEMPAK INPUT DIR

Input directory for GEMPAK formatted forecast files. Use GEMPAKTOCF\_INPUT\_DIR if GempakToCF is in the PROCESS\_LIST.

Used by:
Family: [dir]
Default: Varies

### [deprecated] FCST GEMPAK TEMPLATE

Template used to specify input filenames for GEMPAK formatted forecast files. Use GEMPAKTOCF\_INPUT\_TEMPLATE if GempakToCF is in the PROCESS\_LIST.

Used by:

Family: [filename\_templates]

Default: Varies

## FCST GRID STAT FILE WINDOW BEGIN

See OBS GRID STAT FILE WINDOW BEGIN 4.5.15.

Used by: GridStat
Family: [config]

Default: OBS\_FILE\_WINDOW\_BEGIN

### FCST GRID STAT FILE WINDOW END

See OBS\_GRID\_STAT\_FILE\_WINDOW\_END 4.5.15.

Used by: GridStat
Family: [config]

Default: OBS FILE WINDOW END

#### FCST GRID STAT INPUT DATATYPE

Specify the data type of the input directory for forecast files used with the MET grid\_stat tool. Currently valid options are NETCDF, GRIB, and GEMPAK. If set to GEMPAK, data will automatically be converted to NetCDF via GempakToCF. A corresponding variable exists for observation data called OBS GRID STAT INPUT DATATYPE.

Used by: GridStat
Family: [config]
Default: Varies

### FCST GRID STAT INPUT DIR

Input directory for forecast files to use with the MET tool grid\_stat. A corresponding variable exists for observation data called OBS\_GRID\_STAT\_INPUT\_DIR.

Used by: GridStat
Family: [dir]

Default: Varies

### FCST GRID STAT INPUT TEMPLATE

Template used to specify forecast input filenames for the MET tool grid\_stat. A corresponding variable exists for observation data called OBS\_GRID\_STAT\_INPUT\_TEMPLATE.

Used by: GridStat

Family: [filename templates]

Default: Varies

### FCST GRID STAT PROB THRESH

Threshold values to be used for probabilistic data in grid\_stat. The value can be a single item or a comma separated list of items that must start with a comparison operator (>,>=,==,!=,<,<=,gt,ge,eq,ne,lt,le). A corresponding variable exists for observation data called OBS\_GRID\_STAT\_PROB\_THRESH.

Used by: GridStat
Family: [config]
Default: ==0.1

#### [deprecated] FCST HR END

Please use LEAD SEQ instead.

Used by:

Family: [config]

Default:

### [deprecated] FCST HR INTERVAL

Please use LEAD SEQ instead.

Used by:

Family: [config]

Default:

## [deprecated] $FCST\_HR\_START$

Please use LEAD\_SEQ instead.

Used by:

Family: [config]

Default:

# [deprecated] FCST INIT INTERVAL

Specify the stride for forecast initializations.

Used by: compare gridded wrapper.py, EnsembleStat, GridStat, Mode

Family: [config]

Default: Varies

### [deprecated] FCST INPUT DIR REGEX

Please use FCST POINT STAT INPUT DIR instead.

Used by: PointStat
Family: [regex\_pattern]

Default: Varies

### [deprecated] FCST INPUT DIR

Specify the input directory for the forecast files. Use FCST\_[MET-APP]\_INPUT\_DIR instead, i.e. FCST\_GRID\_STAT\_I

Used by: compare\_gridded\_wrapper.py, GridStat, Mode, PointStat, PcpCombine

Family: [dir]
Default: Varies

### [deprecated] FCST INPUT FILE REGEX

Regular expression to use when identifying which forecast file to use.

Used by: PointStat
Family: [regex\_pattern]

Default: Varies

#### [deprecated] FCST INPUT FILE TMPL

Please use FCST POINT STAT INPUT TEMPLATE instead.

Used by: PointStat

Family: [filename\_templates]

Default: Varies

#### [deprecated] FCST\_IS\_DAILY\_FILE

Please use FCST PCP COMBINE IS DAILY FILE instead.

Acceptable values: true/false

**Used by:** PcpCombine

Family: [config]
Default: False

## FCST IS PROB

Specify whether the forecast data are probabilistic or not.

Acceptable values: true/false

Used by: EnsembleStat, GridStat, Mode, MTD, PointStat

Family: [config]

**Default:** False

#### FCST LEAD

Specify the values of the FCST\_LEAD column in the MET .stat file to use. This is optional in the METplus configuration file for running with LOOP ORDER = times

Used by: StatAnalysis

Family: [config]
Default: Varies

### [deprecated] FCST LEVEL

Please use FCST PCP COMBINE INPUT LEVEL instead.

**Used by:** PcpCombine

Family: [config]
Default: Varies

## [deprecated] FCST MAX FORECAST

Please use LEAD SEQ MAX instead. Specify the maximum forecast lead time to use for the analysis.

Used by: compare\_gridded\_wrapper.py, EnsembleStat, GridStat, Mode

Family: [config]
Default: Varies

#### FCST MODE CONV RADIUS

Comma separated list of convolution radius values used by mode for forecast fields. A corresponding variable exists for observation data called OBS\_MODE\_CONV\_RADIUS.

Used by: Mode
Family: [config]

Default:

### FCST\_MODE\_CONV\_THRESH

Comma separated list of convolution threshold values used by mode for forecast fields. A corresponding variable exists for observation data called OBS MODE CONV THRESH.

Used by: Mode
Family: [config]

Default:

#### FCST MODE FILE WINDOW BEGIN

See OBS MODE FILE WINDOW BEGIN 4.5.15.

Used by: Mode
Family: [config]

Default: OBS FILE WINDOW BEGIN

#### FCST MODE FILE WINDOW END

See OBS\_MODE\_FILE\_WINDOW\_END 4.5.15.

Used by: Mode
Family: [config]

Default: OBS FILE WINDOW END

### FCST MODE MERGE FLAG

Sets the merge\_flag value in the mode config file for forecast fields. Valid values are NONE, THRESH, ENGINE, and BOTH. A corresponding variable exists for observation data called OBS MODE MERGE FLAG.

Used by: Mode
Family: [config]
Default:

#### FCST MODE MERGE THRESH

Comma separated list of merge threshold values used by mode for forecast fields. A corresponding variable exists for observation data called OBS\_MODE\_MERGE\_THRESH.

Used by: Mode Family: [config]

Default:

#### FCST MODE INPUT DATATYPE

Specify the data type of the input directory for forecast files used with the MET mode tool. Currently valid options are NETCDF, GRIB, and GEMPAK. If set to GEMPAK, data will automatically be converted to NetCDF via GempakToCF. A corresponding variable exists for observation data called OBS MODE INPUT DATATYPE.

Used by: Mode
Family: [config]
Default: Varies

### FCST MODE INPUT DIR

Input directory for forecast files to use with the MET tool mode. A corresponding variable exists for observation data called OBS\_MODE\_INPUT\_DIR.

Used by: ModeFamily: [dir]Default: Varies

### FCST MODE INPUT TEMPLATE

Template used to specify forecast input filenames for the MET tool mode. A corresponding variable exists for observation data called OBS MODE INPUT TEMPLATE.

Used by: Mode

Family: [filename\_templates]

Default: Varies

### FCST MTD CONV RADIUS

Comma separated list of convolution radius values used by mode-TD for forecast files. A corresponding variable exists for observation data called OBS MTD CONV RADIUS.

Used by: MTD
Family: [config]
Default:

#### FCST MTD CONV THRESH

Comma separated list of convolution threshold values used by mode-TD for forecast files. A corresponding variable exists for observation data called OBS MTD CONV THRESH.

Used by: MTD
Family: [config]
Default:

#### FCST MTD FILE WINDOW BEGIN

See OBS\_MTD\_FILE\_WINDOW\_BEGIN 4.5.15.

Used by: MTD
Family: [config]

Default: OBS\_FILE\_WINDOW\_BEGIN

#### FCST MTD FILE WINDOW END

See OBS MTD FILE WINDOW END 4.5.15.

Used by: MTD
Family: [config]

Default: OBS FILE WINDOW END

### FCST MTD INPUT DATATYPE

Specify the data type of the input directory for forecast files used with the MET mode-TD tool. Currently valid options are NETCDF, GRIB, and GEMPAK. If set to GEMPAK, data will automatically be converted to NetCDF via GempakToCF. A corresponding variable exists for observation data called OBS\_MTD\_INPUT\_DATATYPE.

Used by: MTD
Family: [config]
Default: Varies

### FCST MTD INPUT DIR

Input directory for forecast files to use with the MET tool mode-TD. A corresponding variable exists for observation data called OBS\_MTD\_INPUT\_DIR.

Used by: MTDFamily: [dir]Default: Varies

### FCST MTD INPUT TEMPLATE

Template used to specify forecast input filenames for the MET tool mode-TD. A corresponding variable exists for observation data called OBS\_MTD\_INPUT\_TEMPLATE.

Used by: MTD

Family: [filename\_templates]

Default: Varies

## [deprecated] FCST NATIVE DATA TYPE

Specify the data format of the forecast data. Use FCST PCP COMBINE INPUT DATATYPE instead

**Used by:** PcpCombine

Family: [config]
Default: Varies

#### FCST NC TILE REGEX

Define the regular expression for input forecast files that are in netCDF.

Used by: SeriesByLead, SeriesByInit

Family: [regex pattern]

Default: Varies

#### FCST PCP COMBINE [N] FIELD NAME

This variable is used to define a [N] hour accumulation NetCDF field in the forecast dataset used in the MET tool pcp\_combine. [N] must be an integer >= 1. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_[N]\_FIELD\_NAME.

**Used by:** PcpCombine

Family: [config]
Default: Varies

#### FCST PCP COMBINE DATA INTERVAL

Specify the accumulation interval of the forecast dataset used by the MET pcp\_combine tool when processing daily input files. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_DATA\_INTERVAL.

Used by: PcpCombine

Family: [config]
Default: Varies

## FCST\_PCP\_COMBINE\_DERIVE\_LOOKBACK

Specify how far to look back in time in hours to find files for running the MET pcp\_combine tool in derive mode. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_DERIVE\_LOOKBACK.

**Used by:** PcpCombine

Family: [config]
Default: ADD

### FCST PCP COMBINE INPUT DATATYPE

Specify the data type of the input directory for forecast files used with the MET pcp\_combine tool. Currently valid options are NETCDF, GRIB, and GEMPAK. Required by pcp\_combine if FCST\_PCP\_COMBINE\_RUN is True. Replaces deprecated variable FCST\_NATIVE\_DATA\_TYPE. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_INPUT\_DATA\_TYPE.

Used by: PcpCombine

Family: [config]
Default: Varies

#### FCST PCP COMBINE INPUT DIR

Specify the input directory for forecast files used with the MET pcp\_combine tool. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_INPUT\_DIR.

**Used by:** PcpCombine

Family: [dir]
Default: Varies

#### FCST PCP COMBINE INPUT LEVEL

Specify what accumulation level should be used from the forecast data for the analysis. Used only when running pcp\_combine with SUBTRACT mode set or processing accumulation files that do not have the accumulation specified in the filename template. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_INPUT\_LEVEL.

**Used by:** PcpCombine

Family: [config]

Default: Varies-

### FCST PCP COMBINE INPUT TEMPLATE

Template used to specify input filenames for forecast files used by the MET pcp\_combine tool. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_INPUT\_TEMPLATE.

Used by: PcpCombine

Family: [filename templates]

Default: Varies

### FCST PCP COMBINE IS DAILY FILE

Specify whether the forecast file is a daily file or not. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_IS\_DAILY\_FILE.

Acceptable values: true/false

Used by: PcpCombine

Family: [config]
Default: False

### FCST PCP COMBINE METHOD

Specify the method to be used with the MET pcp combine tool processing forecast data.

Valid options are ADD, SUM, SUBTRACT, and DERIVE. A corresponding variable exists for observation data called OBS PCP COMBINE METHOD.

Used by: PcpCombine

Family: [config]
Default: None

### FCST PCP COMBINE MIN FORECAST

Specify the minimum forecast lead time to use when finding the lowest forecast lead to use in pcp\_combine. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_MIN\_FORECAST.

**Used by:** PcpCombine

Family: [config]
Default: Varies

#### FCST PCP COMBINE MAX FORECAST

Specify the maximum forecast lead time to use when finding the lowest forecast lead to use in pcp\_combine. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_MAX\_FORECAST.

Used by: PcpCombine

Family: [config]
Default: Varies

### FCST PCP COMBINE OUTPUT DIR

Specify the output directory for forecast files generated by the MET pcp\_combine tool. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_OUTPUT\_DIR.

**Used by:** PcpCombine

Family: [dir]
Default: Varies

### FCST PCP COMBINE OUTPUT TEMPLATE

Template used to specify output filenames for forecast files generated by the MET pcp\_combine tool. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_OUTPUT\_TEMPLATE.

**Used by:** PcpCombine

Family: [filename\_templates]

Default: Varies

### FCST PCP COMBINE RUN

Specify whether to run the MET pcp\_combine tool on forecast data or not. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_RUN.

Acceptable values: true/false

**Used by:** PcpCombine

Family: [config]
Default: Varies

### FCST PCP COMBINE STAT LIST

List of statistics to process when using the MET pcp\_combine tool on forecast data in derive mode. A corresponding variable exists for observation data called OBS\_PCP\_COMBINE\_STAT\_LIST.

Acceptable values: sum, min, max, range, mean, stdev, vld count

**Used by:** PcpCombine

Family: [config]
Default: Varies

### FCST PCP COMBINE TIMES PER FILE

Specify the number of accumulation intervals of the forecast dataset used by the MET pcp\_combine tool when processing daily input files. A corresponding variable exists for observation data called OBS PCP COMBINE TIMES

**Used by:** PcpCombine

Family: [config]

Default:-

### FCST POINT STAT FILE WINDOW BEGIN

See OBS POINT STAT FILE WINDOW BEGIN 4.5.15.

Used by: PointStat
Family: [config]

Default: OBS FILE WINDOW BEGIN

#### FCST\_POINT\_STAT\_FILE\_WINDOW\_END

See OBS POINT STAT FILE WINDOW END 4.5.15.

Used by: PointStat
Family: [config]

Default: OBS FILE WINDOW\_END

#### FCST POINT STAT INPUT DATATYPE

Specify the data type of the input directory for forecast files used with the MET point\_stat tool. Currently valid options are NETCDF, GRIB, and GEMPAK. If set to GEMPAK, data will automatically be converted to NetCDF via GempakToCF. A corresponding variable exists for observation data called OBS POINT STAT INPUT DATATYPE.

Used by: PointStat
Family: [config]
Default: Varies

#### FCST POINT STAT INPUT DIR

Input directory for forecast files to use with the MET tool point\_stat. A corresponding variable exists for observation data called OBS\_POINT\_STAT\_INPUT\_DIR.

Used by: PointStat
Family: [dir]
Default: Varies

### FCST POINT STAT INPUT TEMPLATE

Template used to specify forecast input filenames for the MET tool point\_stat. A corresponding variable exists for observation data called OBS\_POINT\_STAT\_INPUT\_TEMPLATE.

Used by: GriPointStat

Family: [filename templates]

Default: Varies

#### FCST REGRID DATA PLANE INPUT DATATYPE

Specify the data type of the input directory for forecast files used with the MET regrid\_data\_plane tool. Currently valid options are NETCDF, GRIB, and GEMPAK. Required by pcp\_combine. A corresponding variable exists for observation data called OBS\_REGRID\_DATA\_PLANE\_INPUT\_DATATYPE.

**Used by:** RegridDataPlane

Family: [config]
Default: Varies

#### FCST REGRID DATA PLANE INPUT DIR

Specify the input directory for forecast files used with the MET regrid\_data\_plane tool. A corresponding variable exists for observation data called OBS\_REGRID\_DATA\_PLANE\_INPUT\_DIR.

 ${\it Used~by:}~{\it RegridDataPlane}$ 

Family: [dir]
Default: Varies

#### FCST REGRID DATA PLANE INPUT TEMPLATE

Template used to specify input filenames for forecast data used by the MET regrid data plane tool. It not

set, METplus will use FCST\_REGRID\_DATA\_PLANE\_TEMPLATE. A corresponding variable exists for observation data called OBS\_REGRID\_DATA\_PLANE\_INPUT\_TEMPLATE.

Used by: RegridDataPlane
Family: [filename\_templates]

Default: Varies

### FCST REGRID DATA PLANE OUTPUT TEMPLATE

Template used to specify output filenames for forecast data used by the MET regrid\_data\_plane tool. It not set, METplus will use FCST\_REGRID\_DATA\_PLANE\_TEMPLATE. A corresponding variable exists for observation data called OBS\_REGRID\_DATA\_PLANE\_OUTPUT\_TEMPLATE.

Used by: RegridDataPlane
Family: [filename\_templates]

Default: Varies

## FCST\_REGRID\_DATA\_PLANE\_TEMPLATE

Template used to specify filenames for forecast data used by the MET regrid\_data\_plane tool. To specify different templates for input and output files , use FCST\_REGRID\_DATA\_PLANE\_INPUT\_TEMPLATE and FCST\_REGRID\_DATA\_PLANE\_OUTPUT\_TEMPLATE. A corresponding variable exists for observation data called OBS\_REGRID\_DATA\_PLANE\_TEMPLATE.

Used by: RegridDataPlane
Family: [filename\_templates]

Default: Varies

#### FCST REGRID DATA PLANE OUTPUT DIR

Specify the output directory for forecast files used with the MET regrid\_data\_plane tool. A corresponding variable exists for observation data called OBS\_REGRID\_DATA\_PLANE\_OUTPUT\_DIR.

Used by: RegridDataPlane

Family: [dir]
Default: Varies

### FCST THRESH

Specify the values of the FCST\_THRESH column in the MET .stat file to use. This is optional in the METplus configuration file for running with LOOP\_ORDER = times.

Used by: stat analysis lead wrapper.py

Family: [config]

Default:

#### FCST TILE PREFIX

Prefix for forecast tile files. Used to create filename of intermediate files that are created while performing a series analysis.

Used by: feature\_util.py
Family: [regex\_pattern]

Default: Varies

### FCST TILE REGEX

Regular expression for forecast input files that are in GRIB2.

Used by: SeriesByInit, SeriesByLead

Family: [regex pattern]

Default: Varies

#### [deprecated] FCST VAR

Define the name of the forecast variable to be used in the analysis. See FCST\_VAR[N]\_NAME, FCST\_VAR[N]\_LEVELS, FCST\_VAR[N]\_THRESH, and FCST\_VAR[N]\_OPTIONS where [N] = integer >= 1.

Used by: compare\_gridded\_wrapper.py, EnsembleStat, MakePlots, met\_util.py

Family: [config]
Default: Varies-

### FCST VAR LEVEL

Specify the values of the FCST VAR LEVEL column in the MET .stat file to use.

Used by: StatAnalysis

Family: [config]
Default: Varies

#### FCST VAR NAME

Specify the values of the FCST\_VAR\_NAME column in the MET .stat file to use. This is optional in the MET plus configuration file for running with LOOP\_ORDER = times

Used by: StatAnalysis

Family: [config]
Default: Varies

## FCST\_VAR[N]\_LEVELS

Define the levels for the [N]th forecast variable to be used in the analysis where [N] is an integer >= 1. The value can be a single item or a comma separated list of items. You can define NetCDF levels, such as (0,\*,\*), but you will need to surround these values with quotation marks so that the commas in the item are not interpreted as an item delimeter. Some examples:

```
FCST_VAR1_LEVELS = A06, P500
FCST_VAR2_LEVELS = "(0,*,*)", "(1,*,*)"
```

If FCST\_VAR[N]\_LEVELS is not set but OBS\_VAR[N]\_LEVELS is, the same information will be used for both variables. There can be [N] number of these variables defined in configuration files, simply increment

```
the "_VAR1_" string to match the total number of variables being used, e.g.:
FCST_VAR1_LEVELS
FCST_VAR2_LEVELS
...
FCST_VAR[N]_LEVELS
```

Used by: MakePlots, met\_util.py

Family: [config]
Default: Varies

## FCST\_VAR[N]\_NAME

Define the name for the [N]th forecast variable to be used in the analysis where [N] is an integer >= 1. If FCST\_VAR[N]\_NAME is not set but OBS\_VAR[N]\_NAME is, the same information will be used for both variables. There can be [N] number of these variables defined in configuration files, simply increment the "\_VAR1\_" string to match the total number of variables being used, e.g.:

```
FCST_VAR1_NAME
FCST_VAR2_NAME
...
FCST_VAR[N]_NAME
```

Used by: MakePlots, met\_util.py

Family: [config]
Default: Varies

#### FCST VAR[N] OPTIONS

Define the options for the [N]th forecast variable to be used in the analysis where [N] is an integer >= 1. These addition options will be applied to every name/level/threshold combination for VAR[N]. If FCST\_VAR[N]\_OPTIONS is not set but OBS\_VAR[N]\_OPTIONS is, the same information will be used for both variables. There can be [N] number of these variables defined in configuration files, simply increment the "\_VAR1\_" string to match the total number of variables being used, e.g.:

```
FCST_VAR1_OPTIONS
FCST_VAR2_OPTIONS
...
FCST_VAR[N]_OPTIONS
```

*Used by:* MakePlots, met\_util.py

Family: [config]
Default: Varies

#### FCST VAR[N] THRESH

Define the threshold(s) for the [N]th forecast variable to be used in the analysis where [N] is an integer >= 1. The value can be a single item or a comma separated list of items that must start with a comparison operator (>,>=,==,!=,<,<=,gt,ge,eq,ne,lt,le). If FCST\_VAR[N]\_THRESH is not set but OBS\_VAR[N]\_THRESH

is, the same information will be used for both variables. There can be [N] number of these variables defined in configuration files, simply increment the "\_VAR1\_" string to match the total number of variables being used, e.g.:

FCST\_VAR1\_THRESH FCST\_VAR2\_THRESH

. . .

FCST VAR[N] THRESH

Used by: MakePlots, met util.py

Family: [config]
Default: Varies

### FCST\_WINDOW\_BEGIN

See OBS\_WINDOW\_BEGIN4.5.15.

Used by: EnsembleStat, GridStat, Mode, MTD, PB2NC, PointStat

Family: [config]
Default: Varies

### FCST WINDOW END

See OBS WINDOW END4.5.15.

Used by: EnsembleStat, GridStat, Mode, MTD, PB2NC, PointStat

Family: [config]
Default: Varies

#### FHR BEG

Specify the first forecast lead time to use in the analysis. Use in combination with FHR\_END and FHR INC.

**Used by:** SeriesByLead

Family: [config]
Default: Varies

#### FHR END

Specify the last forecast lead time to use in the analysis. Use in combination with FHR BEG and FHR INC.

**Used by:** SeriesByLead

Family: [config]
Default: Varies

#### FHR GROUP BEG

Define which forecast lead time should be first in a group of forecast leads to use in the analysis. Use in combination with FHR GROUP END and FHR INC.

Example:

 $\begin{aligned} & \text{FHR\_GROUP\_BEG} = 24 \\ & \text{FHR\_GROUP\_END} = 42 \\ & \text{FHR} \quad \text{INC} = 6 \end{aligned}$ 

List of forecast leads processed: [24, 30, 36, 42]

**Used by:** SeriesByLead

Family: [config]Default: Varies

#### FHR GROUP END

Define which forecast lead time should be the last in a group of forecast leads to use in the analysis. Use in combination with FHR GROUP BEG and FHR INC.

Example:

 $\begin{aligned} & \text{FHR\_GROUP\_BEG} = 24 \\ & \text{FHR\_GROUP\_END} = 42 \\ & \text{FHR} \quad \text{INC} = 6 \end{aligned}$ 

List of forecast leads processed: [24, 30, 36, 42]

**Used by:** SeriesByLead

Family: [config]
Default: Varies

### FHR GROUP LABELS

Label strings to use for the forecast groups.

**Used by:** SeriesByLead

Family: [config]
Default: Varies

## FHR INC

Stride to use for incrementing forecast lead times used in the analysis. Use in combination with FHR\_BEG and FHR\_END or FHR\_GROUP\_BEG and FHR\_GROUP\_END.

Used by: SeriesByLead

Family: [config]
Default: Varies

#### FILTER

Corresponds to the optional -filter argument to the plot\_TCMPR.R script which is wrapped by TCM-PRPlotter. This is a list of filtering options for the tc\_stat tool.

Used by: TCMPRPlotter

Family: [config]

Default: Varies

### FILTERED TCST DATA FILE

Corresponds to the optional -tcst argument to the plot\_TCMPR.R script which is wrapped by TCMPRPlotter. This is a tcst data file to be used instead of running the tc\_stat tool. Indicate a full path to the data file.

Used by: TCMPRPlotter

Family: [config]
Default: Varies

### FOOTNOTE FLAG

This corresponds to the optional -footnote flag in the plot\_TCMPR.R script which is wrapped by TCM-PRPlotter. According to the plot\_TCMPR.R usage, this flag is used to disable footnote (date).

Used by: TCMPRPlotter

Family: [config]
Default: Varies

### FORECAST TMPL

Filename template used to filter forecast files.

Used by: TcPairs

Family: [filename templates]

 ${\it Default:}\ {\it Varies}$ 

### 4.5.7 G

### GEMPAKTOCF CLASSPATH

Path to the GempakToCF binary file and the NetCDF jar file required to run GempakToCF.

 $Used\ by:$  GempakToCF

Family: [exe]
Default: Varies

#### GEMPAKTOCF INPUT DIR

Specify the input directory for the tool used to convert GEMPAK files to netCDF.

**Used by:** GempakToCF

Family: [dir]
Default: Varies

### ${\bf GEMPAKTOCF\_INPUT\_TEMPLATE}$

Filename template used for input files to the tool used to convert GEMPAK files to netCDF.

Used by: GempakToCF
Family: [filename templates]

Default: Varies

## ${\bf GEMPAKTOCF\_OUTPUT\_DIR}$

Specify the output directory for files generated by the tool used to convert GEMPAK files to netCDF.

**Used by:** GempakToCF

Family: [dir]
Default: Varies

### ${\tt GEMPAKTOCF\_OUTPUT\_TEMPLATE}$

Filename template used for output files from the tool used to convert GEMPAK files to netCDF.

Used by: GempakToCF

Family: [filename\_templates]

Default: Varies

### GEMPAKTOCF SKIP IF OUTPUT EXISTS

If True, do not run GempakToCF if output file already exists. Set to False to overwrite files.

**Used by:** GempakToCF

Family: [config]
Default: Varies

### GENERATE\_TRACK\_ASCII

Specify whether or not to produce an ASCII file containing all of the tracks in the plot.

Acceptable values: true/false

**Used by:** CyclonePlotter

Family: [conf]
Default: Varies

#### [deprecated] GEN SEQ

Used by: Family: Default:

## GFS ANLY FILE TMPL

Filename template used to identify the GFS analysis file.

Used by: feature\_util.py
Family: [filename\_templates]

Default: Varies

## ${\tt GFS\_FCST\_FILE\_TMPL}$

Filename templated used to identify the GFS forecast files.

Used by: feature\_util.py
Family: [filename\_templates]

Default: Varies

### [deprecated] GRID STAT CONFIG

Please use GRID\_STAT\_CONFIG\_FILE instead. Specify the absolute path to the configuration file used by the MET grid stat tool.

Used by: GridStat
Family: [config]
Default: Varies

## GRID\_STAT\_CONFIG\_FILE

Specify the absolute path to the configuration file used by the MET grid stat tool.

Used by: GridStat
Family: [config]
Default: Varies

### GRID STAT ONCE PER FIELD

True/False. If True, grid\_stat will run once to process all name/level/threshold combinations specified. If False, it will run once for each name/level. Some cases require this to be set to False, for example processing probablistic forecasts or precipitation accumulations.

Used by: GridStat
Family: [config]
Default: False

#### [deprecated] GRID STAT OUT DIR

Specify the output directory where files from the MET grid\_stat tool are written. Please use GRID\_STAT\_OUTPUT\_DIR instead.

Used by: GridStat
Family: [dir]
Default: Varies

## GRID STAT OUTPUT DIR

Specify the output directory where files from the MET grid stat tool are written.

Used by: GridStat
Family: [dir]
Default: Varies

## GRID STAT OUTPUT TEMPLATE

Sets the subdirectories below GRID\_STAT\_OUTPUT\_DIR using a template to allow run time information. If LOOP\_BY = VALID, default value is valid time YYYYMMDDHHMM/grid\_stat. If LOOP\_BY = INIT, default value is init time YYYYMMDDHHMM/grid\_stat.

Used by: GridStat

Family: [filename templates]

Default: Varies

## ${\tt GRID\_STAT\_VERIFICATION\_MASK\_TEMPLATE}$

Template used to specify the verification mask filename for the MET tool grid stat.

Used by: GridStat

Family: [filename\_templates]

Default: Varies

### 4.5.8 H

#### HFIP BASELINE

Corresponds to the optional -hfip\_bsln flag in the plot\_TCMPR.R script which is wrapped by TCMPRPlotter. This is a string that indicates whether to add the HFIP baseline, and indicates the version (no, 0, 5, 10 year goal).

Used by: TCMPRPlotter

Family: [config]
Default: Varies

#### 4.5.9 I

#### INIT BEG

Specify the beginning initialization time to be used in the analysis. Format can be controlled by INIT TIME FMT.

Used by: command builder.py, ExtractTiles, MakePlots, master metplus.py, StatAnalysis, TcPairs, Tc-

Stat

Family: [config]Default: Varies

#### INIT END

Specify the ending initialization time to be used in the analysis. Format can be controlled by INIT\_TIME\_FMT.

Used by: command builder.py, ExtractTiles, MakePlots, master metplus.py, StatAnalysis, TcPairs, Tc-

Stat

Family: [config]
Default: Varies

#### INIT EXCLUDE

Specify which, if any, forecast initializations to exclude from the analysis.

Used by: TcPairs, TcStat

Family: [config]
Default: Varies

### INIT HOUR BEG

Specify the beginning initialization hour to be used in the analysis. Format is HHMM.

Used by: MakePlots, StatAnalysis

Family: [config]
Default: Varies

Specify the ending initialization hour to be used in the analysis. Format is HH or HHMM.

Used by: ExtractTiles, MakePlots, StatAnalysis, TcPairs, TcStat

Family: [config]
Default: Varies

### INIT HOUR INCREMENT

Specify a time increment for valid times for use in the analysis. This is an integer defined in seconds.

Used by: MakePlots, StatAnalysis

Family: [config]Default: Varies

-INIT HOUR

-INIT HOUR

Specify the method for the treatment of valid hours. Valid options are LOOP or GROUP. LOOP will consider the initialization hours individually, and GROUP will consider them as a whole.

Used by: MakePlots, StatAnalysis

Family: [config]

Default: Varies-

#### INIT INCLUDE

Specify which forecast initializations to include in the analysis.

Used by: TcPairs, TcStat

Family: [config]
Default: Varies

### INIT INCREMENT

Control the increment or stride to use when stepping between forecast initializations. Units are seconds.

Used by: command builder.py, ExtractTiles, MakePlots, master metplus.py, StatAnalysis, TcPairs, Tc-

Stat

Family: [config]
Default: Varies

#### INIT TIME FMT

Specify a formatting string to use for INIT BEG and INIT END.

*Used by:* command builder.py, master metplus.py

Family: Default:

#### INTERP

Specify the interpolation used to create the MET .stat files. This is optional in the METplus configuration file for running with LOOP  $\,$  ORDER = times.

Used by: MakePlots, StatAnalysis

Family: [config]
Default:

#### INTERP PTS

Corresponds to the interpolation in the MET . stat files. This is optional in the MET plus configuration file for running with LOOP  $\mbox{ORDER} = \mbox{times}$ .

Used by: MakePlots, StatAnalysis

Family: [config]

Default:

-INTERVAL

Define the interval time in hours (HH) to be used by the MET pb2nc tool.

Used by: PB2NC
Family: [config]
Default: Varies

#### 4.5.10 J

#### JOB ARGS

Specify stat\_analysis job arguments to run. The job agruments that are to be run with the cooresponding JOB\_NAME. If using -dump\_row, use -dump\_row [dump\_row\_filename]. If using -out\_stat, -out\_stat [out\_stat\_filename]. For more information on these job agruments, please see the MET Users Guide.

Used by: StatAnalysis

Family: [config]

Default:

#### JOB NAME

Specify stat\_analysis job name to run. Valid options are filter, summary, aggregate, aggregate\_stat, go\_index, and ramp. For more information on these job names and what they do, please see the MET Users Guide.

Used by: StatAnalysis

Family: [config]

Default:

#### 4.5.11 K

#### 4.5.12 L

#### LAT ADJ

Specify a latitude adjustment, in degrees to be used in the analysis. In the ExtractTiles wrapper, this corresponds to the 2m portion of the 2n x 2m subregion tile.

**Used by:** met\_util.py

Family: [config]
Default: Varies

#### **LEAD**

For CyclonePlotter, this refers to the column of interest in the input ASCII cyclone file.

In the TCMPRPlotter, this corresponds to the optional -lead argument in the plot\_TCMPR.R script (which is wrapped by tcmpr\_plotter.py). This argument is set to a comma-separted list of lead times (h) to be plotted.

In feature util.py, this corresponds to the name of the column of interest in the input ASCII data file.

In TcStat, this corresponds to the name of the column of interest in the input ASCII data file.

Used by: CyclonePlotter, TCMPRPlotter, feature util.py, TcStat

Family: [config]
Default: Varies

#### LEAD LIST

Specify a list of forecast leads to include in the analysis. Comma separated list format, e.g.: 0, 24, 48, 72, 96, 120

Used by: MakePlots, StatAnalysis

Family: [config]
Default: Varies

### LEAD SEQ

Specify the sequence of forecast lead times to include in the analysis. Comma separated list format, e.g.: 0, 6, 12

*Used by:* EnsembleStat, GridStat, Mode, MTD, PB2NC, PcpCombine, PointStat, RegridDataPlane, SeriesByLead

Family: [config]
Default: Varies

### LEAD SEQ n

Required when SERIES\_BY\_LEAD\_GROUP\_FCSTS=True. Not necessary otherwise. Specify the sequence of forecast lead times to include in the analysis. Comma separated list format, e.g.:

0, 6, 12. The n corresponds to the bin in which the user wishes to aggregate series by lead results.

**Used by:** SeriesByLead

 $\textbf{\textit{Family:}} \ [\text{config}]$ 

Default: Varies-

#### LEAD SEQ n LABEL

Required when SERIES\_BY\_LEAD\_GROUP\_FCSTS=True. Specify the label of the corresponding bin of series by lead results.

Used by: SeriesByLead

Family: [config]

Default:

-LEGEND

The text to be includede in the legend of your plot.

Used by: TCMPRPlotter

Family: [config]
Default: Varies

### LINE TYPE

Specify the MET STAT line types to be considered. This is optional in the METplus configuration file for running with LOOP\_ORDER = times.

Used by: TCMPRPlotter

Family: [config]

Default:

-LOG DIR

Specify the directory where log files from MET and METplus should be written.

Used by: command\_builder.py, met\_util.py

Family: [dir]
Default: Varies

#### LOG LEVEL

Specify the level of logging.

Everything above this level is sent to standard output. To quiet the output to a comfortable level, set this to "ERROR".

Options (ordered MOST verbose to LEAST verbose):

NOTSET

DEBUG

INFO

WARNING

**ERROR** 

CRITICAL

Used by: met\_util.py
Family: [config]

Default: Varies

#### LOG METPLUS

Control the filename of the METplus log file. Control the timestamp appended to the filename with LOG TIMESTAMP TEMPLATE. To turn OFF all logging, do not set this option.

Used by: master metplus.py, met util.py

Family: [config]
Default: Varies

# ${\color{red} \mathbf{LOG} \ \ \mathbf{MET\_OUTPUT\_TO\_METPLUS}}$

Control whether logging output from the MET tools is sent to the MET plus log file, or individual log files for each MET tool. *Used by:* command runner.py

Family: [config]
Default: yes/no

### LOG MET VERBOSITY

Control the verbosity of the logging from the MET tools.

0 = Least amount of logging (lowest verbosity)

5 = Most amount of logging (highest verbosity)

Used by: command\_builder.py

Family: [config]
Default: 2

# $LOG\_TIMESTAMP\_TEMPLATE$

Set the timestamp template for the MET plus log file. Use Python strftime directives, e.g. %Y%m%d for YYYYMMDD.

Used by: met\_util.py
Family: [config]
Default: %Y%m%d

## LOG TIMESTAMP USE DATATIME

STrue/False. Determines which time to use for the log filenames. If True, use INIT\_BEG if LOOP\_BY\_INIT is True or VALID\_BEG if LOOP\_BY\_INIT is False. If False, use current time.

Used by: met\_util.py
Family: [config]
Default: False

#### LON ADJ

Specify a longitude adjustment, in degrees to be used in the analysis. In the ExtractTiles wrapper, this corresponds to the 2n portion of the 2n x 2m subregion tile.

Used by: met\_util.py
Family: [config]
Default: Varies

#### LOOP BY

Control whether the analysis is processed across valid or initialization times.

*Used by:* command\_builder.py, compare\_gridded\_wrapper.py, EnsembleStat, GridStat, MakePlots, master\_metplus.py, Mode, StatAnalysis

Family: [config]
Default: true

#### LOOP ORDER

Control the looping order for METplus. Valid options are "times" or "processes". "times" runs all items in the PROCESS\_LIST for a single run time, then repeat until all times have been evaluated. "processes" runs each item in the PROCESS\_LIST for all times specified, then repeat for the next item in the PROCESS\_LIST

Used by: MakePlots, master\_metplus.py, PB2NC, PointStat, StatAnalysis

Family: [config]Default: Varies

#### 4.5.13 M

#### METPLUS BASE

This variable will automatically be set by METplus when it is started. It will be set to the location of METplus that is currently being run. Setting this variable in a config file will have no effect and will report a warning that it is being overridden.

Used by: All Family: [dir]

Default: Location METplus is being run from

#### METPLUS CONF

Provide the absolute path to the METplus final configuration file. This file will contain every configuration option and value used when METplus was run.

Used by: config launcher.py

Family: [config]
Default: Varies

#### MET BASE

The base directory where your MET installation resides.

*Used by:* CyclonePlotter, ExtractTiles, master\_metplus.py, met\_util.py, PB2NC, PointStat, SeriesByInit, SeriesByLead, TCMPRPlotter, TcPairs, usage wrapper.py

Family: [dir]
Default:

#### MET BIN

The location of MET binaries.

Used by: Family: Default:

#### MET BUILD BASE

The base directory of the MET install. Only needed if using MET version 6.0

**Used by:** TCMPRPlotter

Family: [dir]Default: Varies

### MET INSTALL DIR

The base directory of the MET install. To be defined when using MET version 6.1 and beyond

*Used by:* compare\_gridded\_wrapper.py, CyclonePlotter, EnsembleStat, ExtractTiles, feature\_util.py, GridStat, Mode, PB2NC, PcpCombine, PointStat, regrid\_data\_plane\_wrapper.py, SeriesByInit, SeriesByLead, StatAnalysis, TCMPRPlotter, TcPairs, TcStat, wavelet stat wrapper.py

Family: [dir]
Default: Varies

#### MISSING VAL

Specify the missing value code.

Used by: TcPairsFamily: [config]Default: Varies

### MISSING VAL TO REPLACE

Specify the missing value code to replace.

Used by: TcPairs
Family: [config]
Default: Varies

#### **MODEL**

Specify the model name. This is the model name listed in the MET .stat files.

Used by: compare\_gridded\_wrapper.py, EnsembleStat, StatAnalysis, TcPairs

Family: [config]
Default: Varies

#### MODEL1 NAME

Define the model name for the first model to be used in the analysis. This is the model name listed in the MET .stat files. There can be N number of models defined in configuration files, simply increment the "MODEL1" string to match the total number of models being used, e.g.:

MODEL1\_NAME MODEL2\_NAME

.

.

MODELN NAME

Used by: MakePlots, StatAnalysis

Family: [config]
Default: Varies

### MODEL1 NAME ON PLOT

Define the name he first model will be listed as on the plots. There can be N number of models defined in configuration files, simply increment the "MODEL1\_" string to match the total number of models being used, e.g.:

MODEL1\_NAME\_ON\_PLOT MODEL2\_NAME\_ON\_PLOT .

•

MODELN\_NAME\_ON\_PLOT

Used by: MakePlots, StatAnalysis

Family: [config]
Default: Varies

### MODEL1 OBS NAME

Define the observation name that was used to compare the first model to be. This is the observation name listed in the MET .stat files. There can be N number of observation names defined in configuration files, simply increment the "MODEL1" string to match the total number of models being used, e.g.:

MODEL1\_OBS\_NAME MODEL2\_OBS\_NAME .

.

MODELN OBS NAME

Used by: MakePlots, StatAnalysis

Family: [config]
Default: Varies

### MODEL1 STAT DIR

Define the stat file directrory for the first model to be used in the analysis. There can be N number of model directories defined in configuration files, simply increment the "MODEL1\_" string to match the total number of models being used, e.g.:

MODEL1\_DIR MODEL2 DIR .

MODELN DIR

 ${\it Used~by:}$  StatAnalysis

Family: [config]
Default: Varies

### MODEL DATA DIR

Specify the directory where the model data are located.

**Used by:** feature\_util.py

Family: [dir]Default: Varies

## [deprecated] $MODEL_NAME$

Please use MODEL instead.

Used by: PointStat
Family: [config]
Default: Varies

### [deprecated] MODE CONFIG

Please use MODE\_CONFIG\_FILE instead. Path to mode configuration file.

Used by: ModeFamily: [config]Default: Varies

### MODE\_CONFIG\_FILE

Path to mode configuration file.

Used by: ModeFamily: [config]Default: Varies

### MODE CONV RADIUS

Comma separated list of convolution radius values used by mode for both forecast and observation fields. Has the same behavior as setting FCST\_MODE\_CONV\_RADIUS and OBS\_MODE\_CONV\_RADIUS to the same value.

Used by: Mode
Family: [config]

Default:

#### MODE CONV THRESH

Comma separated list of convolution threshold values used by mode for both forecast and observation fields. Has the same behavior as setting FCST\_MODE\_CONV\_THRESH and OBS\_MODE\_CONV\_THRESH to the same value.

Used by: Mode
Family: [config]

Default:

### MODE FCST CONV RADIUS

Comma separated list of convolution radius values used by mode for forecast fields.

Used by: Mode
Family: [config]
Default:5

# ${\bf MODE\_FCST\_CONV\_THRESH}$

Comma separated list of convolution threshold values used by mode for forecast fields.

Used by: Mode
Family: [config]
Default:5

#### MODE FCST MERGE FLAG

Sets the merge\_flag value in the mode config file for forecast fields. Valid values are NONE, THRESH, ENGINE, and BOTH.

Used by: Mode
Family: [config]
Default: THRESH

### MODE\_FCST\_MERGE\_THRESH

Comma separated list of merge threshold values used by mode for forecast fields.

Used by: Mode Family: [config] Default: >0.45

# MODE MERGE CONFIG FILE

Path to mode merge config file.

Used by: ModeFamily: [config]Default: Varies

### MODE MERGE FLAG

Sets the merge\_flag value in the mode config file for both forecast and observation fields. Has the same behavior as setting MODE\_FCST\_MERGE\_FLAG and MODE\_OBS\_MERGE\_FLAG to the same value. Valid values are NONE, THRESH, ENGINE, and BOTH.

Used by: Mode
Family: [config]
Default: THRESH

### MODE MERGE THRESH

Comma separated list of merge threshold values used by mode for forecast and observation fields. Has the same behavior as setting MODE\_FCST\_MERGE\_THRESH and MODE\_OBS\_MERGE\_THRESH to the same value.

Used by: Mode
Family: [config]
Default: >0.45

### [deprecated]MODE OBS CONV RADIUS

Please use OBS\_CONV\_MODE\_RADIUS instead. Comma separated list of convolution radius values used by mode for observation fields.

Used by: Mode
Family: [config]
Default:5

# $[deprecated] MODE \ OBS \ CONV\_THRESH$

Please use OBS\_MODE\_CONV\_THRESH instead. Comma separated list of convolution threshold values used by mode for observation fields.

Used by: Mode Family: [config] Default:5

# $[deprecated] \ MODE\_OBS\_MERGE\_FLAG$

Please use OBS\_MODE\_MERGE\_FLAG instead. Sets the merge\_flag value in the mode config file for observation fields. Valid values are NONE, THRESH, ENGINE, and BOTH.

Used by: Mode
Family: [config]
Default: THRESH

### [deprecated]MODE OBS MERGE THRESH

Please use OBS\_MODE\_MERGE\_THRESH\_INSTEAD. Comma separated list of merge threshold values used by mode for observation fields.

Used by: Mode
Family: [config]
Default: >0.45

## $[deprecated] MODE\_OUT\_DIR$

Please use MODE OUTPUT DIR instead. Ouptut directory to write mode files.

Used by: ModeFamily: [dir]Default: Varies

## MODE\_OUTPUT\_DIR

Ouptut directory to write mode files.

Used by: ModeFamily: [dir]Default: Varies

#### MODE OUTPUT TEMPLATE

Sets the subdirectories below MODE\_OUTPUT\_DIR using a template to allow run time information. If  $LOOP_BY = VALID$ , default value is valid time YYYYMMDDHHMM/mode. If  $LOOP_BY = INIT$ , default value is init time YYYYMMDDHHMM/mode.

Used by: Mode

Family: [filename templates]

Default: Varies

### MODE\_VERIFICATION\_MASK\_TEMPLATE

Template used to specify the verification mask filename for the MET tool mode.

Used by: Mode

Family: [filename templates]

Default: Varies

## MODE\_QUILT

True/False. If True, run all permutations of radius and threshold.

Used by: ModeFamily: [config]Default: False

#### [deprecated]MTD CONFIG

Please use MTD CONFIG FILE instead. Path to mode-TD configuration file.

Used by: MTD
Family: [config]
Default: Varies

### MTD CONFIG FILE

Path to mode-TD configuration file.

Used by: MTD
Family: [config]
Default: Varies

# ${\bf MTD\_CONV\_RADIUS}$

Comma separated list of convolution radius values used by mode-TD for both forecast and observation files. Has the same behavior as setting FCST\_MTD\_CONV\_RADIUS and OBS\_MTD\_CONV\_RADIUS to the same value.

Used by: MTD Family: [config]

Default:

### MTD CONV THRESH

Comma separated list of convolution threshold values used by mode-TD for both forecast and observation files. Has the same behavior as setting FCST\_MTD\_CONV\_THRESH and OBS\_MTD\_CONV\_THRESH to the same value.

Used by: MTD
Family: [config]
Default:

# ${\bf MTD\_FCST\_CONV\_RADIUS}$

Comma separated list of convolution radius values used by mode-TD for forecast files.

 $Used\ by:$  mtd wrapper.py

Family: [config]
Default: 5

### MTD MIN VOLUME

Sets min\_volume in the MET Mode-TD config file. Refer to the MET User's Guide for more information.

Used by: MTD Family: [config]

Default:

### MTD SINGLE RUN

Set to True to only process one data set (forecast or observation) in Mode-TD. If True, must set MTD\_SINGLE\_RUN\_SRC to either 'FCST' or 'OBS'.

Used by: MTD
Family: [config]
Default:

### MTD SINGLE RUN SRC

Used only if MTD SINGLE RUN is set to True. Valid options are 'FCST' or 'OBS'.

Used by: MTD Family: [config] Default:

# MTD FCST CONV THRESH

Comma separated list of convolution threshold values used by mode-TD for forecast files.

Used by: mtd wrapper.py

Family: [config]
Default: >0.5

# MTD OBS CONV RADIUS

Comma separated list of convolution radius values used by mode-TD for observation files.

**Used by:** mtd\_wrapper.py

Family: [config]
Default: 5

### MTD OBS CONV THRESH

Comma separated list of convolution threshold values used by mode-TD for observation files.

*Used by:* mtd wrapper.py

Family: [config]
Default: >0.5

# [deprecated] $MTD\_OUT\_DIR$

Please use MTD\_OUTPUT\_DIR.

Used by: mtd wrapper.py

Family: [dir]
Default: Varies

# $MTD\_OUTPUT\_DIR$

Ouptut directory to write mode-TD files.

*Used by:* mtd wrapper.py

Family: [dir]
Default: Varies

## MTD OUTPUT TEMPLATE

Sets the subdirectories below MTD\_OUTPUT\_DIR using a template to allow run time information. If LOOP\_BY = VALID, default value is valid time YYYYMMDDHHMM/mtd. If LOOP\_BY = INIT, default value is init time YYYYMMDDHHMM/mtd.

Used by: MTD

Family: [filename\_templates]

Default: Varies

### MTD SINGLE DATA SRC

Only used if MTD\_SINGLE\_RUN is True. Determines which data set to process. Valid options are FCST and OBS.

*Used by:* mtd\_wrapper.py

Family: [config]
Default: FCST

### MTD SINGLE RUN

Run mode-TD with -single option. Must set MTD\_SINGLE\_DATA\_SRC to specify which data set to process.

*Used by:* mtd wrapper.py

Family: [config]
Default: False

#### 4.5.14 N

### NCAP2 EXE

Path to the "ncap2" executable.

Used by: PB2NC, PointStat, SeriesByLead

Family: [exe]
Default: /path/to

#### NCDUMP EXE

Path to the "ncdump" executable.

Used by: met\_util.py, PB2NC, PointStat, SeriesByLead

Family: [exe]
Default: /path/to

#### NC FILE TMPL

File template used to match netCDF files used for analysis.

Used by: PB2NC

Family: [filename\_templates]

 $\boldsymbol{\textit{Default:}}\ \mathrm{Varies}$ 

#### **NLAT**

The number of latitude points, set to a whole number. This defines the number of latitude points to incorporate into the subregion (density).

Used by: met\_util.py
Family: [config]
Default: Varies

#### NLON

The number of longitude points, set to a whole number. This defines the number of longitude points to incorporate into the subregion (density).

Used by: met\_util.py
Family: [config]
Default: Varies

#### NO EE

Set the "NO EE" flag for the TC Matched Pairs plotting utility.

Acceptable values: yes/no

**Used by:** TCMPRPlotter

Family: [config]
Default: no

### NO LOG

Set the "NO LOG" flag for the TC Matched Pairs plotting utility.

Acceptable values: yes/no

Used by: TCMPRPlotter

Family: [config]

Default: no

#### 4.5.15 O

### [deprecated] OBS [N] FIELD NAME

Please use OBS\_PCP\_COMBINE\_[N]\_FIELD\_NAME instead. This variable is used to define a [N] hour accumulation NetCDF field in the observation dataset used in the MET tool pcp\_combine. [N] must be an integer >= 1.

**Used by:** PcpCombine

Family: [config]
Default: Varies

### [deprecated] OBS\_BUFR\_VAR\_LIST

Please use PB2NC\_OBS\_BUFR\_VAR\_LIST instead. Specify which BUFR codes to use from the observation dataset when using the MET pb2nc tool. Format is comma separated list, e.g.:

PMO, TOB, TDO

Used by: PB2NC
Family: [config]
Default: Varies

### [deprecated] OBS DATA INTERVAL

Specify the accumulation interval of the observation dataset used by the MET pcp\_combine tool.

**Used by:** PcpCombine

Family: [config]
Default: Varies

# $OBS\_ENSEMBLE\_STAT\_GRID\_INPUT\_DATATYPE$

Specify the data type of the input directory for grid observation files used with the MET ensemble\_stat tool. Currently valid options are NETCDF, GRIB, and GEMPAK. If set to GEMPAK, data will automatically be converted to NetCDF via GempakToCF. A similar variable exists for forecast data called FCST\_ENSEMBLE\_STAT\_INPUT\_DATATYPE.

Used by: EnsembleStat

Family: [config]
Default: Varies

#### OBS ENSEMBLE STAT GRID INPUT DIR

Input directory for grid observation files to use with the MET tool ensemble\_stat. A similar variable exists for forecast data called FCST\_ENSEMBLE\_STAT\_INPUT\_DIR.

Used by: EnsembleStat

Family: [dir]
Default: Varies

# OBS\_ENSEMBLE\_STAT\_GRID\_INPUT\_TEMPLATE

Template used to specify grid observation input filenames for the MET tool ensemble\_stat. A similar variable exists for forecast data called FCST\_ENSEMBLE\_STAT\_INPUT\_TEMPLATE.

Used by: EnsembleStat

Family: [filename templates]

Default: Varies

#### OBS ENSEMBLE STAT POINT INPUT DATATYPE

Specify the data type of the input directory for point observation files used with the MET ensemble\_stat tool. Currently valid options are NETCDF, GRIB, and GEMPAK. If set to GEMPAK, data will automatically be converted to NetCDF via GempakToCF. A similar variable exists for forecast data called FCST\_ENSEMBLE\_STAT\_INPUT\_DATATYPE.

 ${\it Used~by:}$  EnsembleStat

Family: [config]
Default: Varies

### OBS\_ENSEMBLE\_STAT\_POINT\_INPUT\_DIR

Input directory for point observation files to use with the MET tool ensemble\_stat. A similar variable exists for forecast data called FCST\_ENSEMBLE\_STAT\_INPUT\_DIR.

Used by: EnsembleStat

Family: [dir]
Default: Varies

#### OBS ENSEMBLE STAT POINT INPUT TEMPLATE

Template used to specify point observation input filenames for the MET tool ensemble\_stat. A similar variable exists for forecast data called FCST\_ENSEMBLE\_STAT\_INPUT\_TEMPLATE.

**Used by:** EnsembleStat

Family: [filename templates]

Default: Varies

#### OBS ENSEMBLE STAT FILE WINDOW BEGIN

Used to control the lower bound of the window around the valid time to determine if a file should be used for processing by EnsembleStat. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds. If OBS\_ENSEMBLE\_STAT\_FILE\_WINDOW\_BEGIN is not set in the config file, the value of

OBS\_FILE\_WINDOW\_BEGIN will be used instead. If both file window begin and window end values are set to 0, then METplus will require an input file with an exact time match to process.

**Used by:** EnsembleStat

Family: [config]

Default: OBS\_FILE\_WINDOW\_BEGIN

## OBS ENSEMBLE STAT FILE WINDOW END

Used to control the upper bound of the window around the valid time to determine if a file should be used for processing by EnsembleStat. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds. If OBS\_ENSEMBLE\_STAT\_FILE\_WINDOW\_END is not set in the config file, the value of OBS\_FILE\_WINDOW\_END will be used instead. If both file window begin and window end values are set to 0, then METplus will require an input file with an exact time match to process.

Used by: EnsembleStat

Family: [config]

Default: OBS FILE WINDOW END

#### OBS FILE WINDOW BEGIN

Used to control the lower bound of the window around the valid time to determine if a file should be used for processing. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds.

This value will be used for all wrappers that look for an observation file unless it is overridden by a wrapper specific configuration variable. For example, if OBS\_GRID\_STAT\_FILE\_WINDOW\_BEGIN is set, the GridStat wrapper will use that value. If PB2NC\_FILE\_WINDOW\_BEGIN is not set, then the PB2NC wrapper will use OBS\_FILE\_WINDOW\_BEGIN.

A corresponding variable exists for forecast data called FCST FILE WINDOW BEGIN.

Used by: EnsembleStat, GridStat, Mode, MTD, PB2NC, PointStat

Family: [config]
Default: Varies

### OBS FILE WINDOW END

Used to control the upper bound of the window around the valid time to determine if a file should be used for processing. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds.

This value will be used for all wrappers that look for an observation file unless it is overridden by a wrapper specific configuration variable. For example, if OBS\_GRID\_STAT\_WINDOW\_END is set, the GridStat wrapper will use that value. If PB2NC\_WINDOW\_END is not set, then the PB2NC wrapper will use OBS\_WINDOW\_END.

A corresponding variable exists for forecast data called FCST\_FILE\_WINDOW\_END.

Used by: EnsembleStat, GridStat, Mode, MTD, PB2NC, PointStat

Family: [config]
Default: Varies

Used to control the lower bound of the window around the valid time to determine if a file should be used for processing by GridStat. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds. If OBS\_GRID\_STAT\_FILE\_WINDOW\_BEGIN is not set in the config file, the value of OBS\_FILE\_WINDOW\_BEGIN will be used instead. If both file window begin and window end values are set to 0, then METplus will require an input file with an exact time match to process.

Used by: GridStat
Family: [config]

Default: OBS FILE WINDOW BEGIN

# OBS\_GRID\_STAT\_FILE\_WINDOW\_END

Used to control the upper bound of the window around the valid time to determine if a file should be used for processing by GridStat. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds. If OBS\_GRID\_STAT\_FILE\_WINDOW\_END is not set in the config file, the value of OBS\_FILE\_WINDOW\_END will be used instead. If both file window begin and window end values are set to 0, then METplus will require an input file with an exact time match to process.

Used by: GridStat
Family: [config]

Default: OBS\_FILE\_WINDOW\_END

# $OBS\_GRID\_STAT\_INPUT\_DATATYPE$

See FCST\_GRID\_STAT\_INPUT\_DATATYPE 4.5.6.

Used by: GridStat
Family: [config]
Default: Varies

#### OBS GRID STAT INPUT DIR

See FCST\_GRID\_STAT\_INPUT\_DIR 4.5.6.

Used by: GridStat
Family: [dir]
Default: Varies

### OBS GRID STAT INPUT TEMPLATE

See FCST\_GRID\_STAT\_INPUT\_TEMPLATE 4.5.6.

Used by: GridStat

Family: [filename templates]

Default: Varies

### OBS GRID STAT PROB THRESH

See FCST GRID STAT PROB THRESH 4.5.6.

Used by: GridStat
Family: [config]
Default: ==0.1

### [deprecated] OBS GEMPAK INPUT DIR

Specify the input directory for GEMPAK formatted observation files. Use GEMPAKTOCF\_INPUT\_DIR if running GempakToCF from the PROCESS\_LIST.

Used by: PcpCombine

Family: [dir]
Default: Varies

#### [deprecated] OBS GEMPAK TEMPLATE

Filename template used to filter GEMPAK formatted observation files. Use GEMPAKTOCF\_INPUT\_TEMPLATE if running GempakToCF from the PROCESS\_LIST.

**Used by:** PcpCombine

Family: [filename templates]

Default: Varies

### [deprecated] OBS INPUT DIR

Please use OBS POINT STAT INPUT DIR instead. Specify the input directory for observation files.

Used by: PointStat

Family: [dir]
Default: Varies

# [deprecated] OBS $INPUT_DIR_REGEX$

Please use OBS\_POINT\_STAT\_INPUT\_DIR instead. Specify the regular expression to use when searching for observation file input directories.

Used by: PointStat

Family: [regex pattern]

Default: Varies

## [deprecated] OBS INPUT FILE REGEX

Please use OBS\_POINT\_STAT\_INPUT\_TEMPLATE instead. Regular expression used to filter observation input files used in the analysis.

Used by: PointStat,

Family: [regex pattern]

Default: Varies

### [deprecated] OBS INPUT FILE TEMPL

Please use OBS\_POINT\_STAT\_INPUT\_TEMPLATE instead. Specify the filename template to use for observation input files.

Used by: PointStat,

Family: [filename\_templates]

Default: Varies

## [deprecated] $OBS_IS_DAILY_FILE$

Please use OBS\_PCP\_COMBINE\_IS\_DAILY\_FILE instead. Specify whether the forecast file is a daily file or not.

Acceptable values: true/false

Used by: PcpCombine

Family: [config]
Default: Varies

#### OBS IS PROB

Used when setting OBS\_\* variables to process forecast data for comparisons with mtd. Specify whether the observation data are probabilistic or not. See FCST\_IS\_PROB 4.5.6.

Acceptable values: true/false

Used by: EnsembleStat, GridStat, Mode, MTD, PointStat

Family: [config]
Default: False

### [deprecated] OBS LEVEL

Please use OBS\_PCP\_COMBINE\_INPUT\_LEVEL instead. Specify what accumulation level should be used from the observation data for the analysis. See FCST\_LEVEL for more information

**Used by:** PcpCombine

Family: [config]
Default: Varies

## OBS MODE CONV RADIUS

See FCST\_MODE\_CONV\_RADIUS 4.5.6.

Used by: Mode
Family: [config]

Default:

# OBS\_MODE\_CONV\_THRESH

See FCST MODE CONV THRESH 4.5.6.

Used by: Mode
Family: [config]

Default:

### OBS MODE FILE WINDOW BEGIN

Used to control the lower bound of the window around the valid time to determine if a file should be used for processing by Mode. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds. If OBS\_MODE\_FILE\_WINDOW\_BEGIN is not set in the config file, the value of OBS\_FILE\_WINDOW\_BEGIN will be used instead. If both file window begin and window end values are set to 0, then METplus will require an input file with an exact time match to process.

Used by: Mode
Family: [config]

Default: OBS\_FILE\_WINDOW\_BEGIN

### OBS MODE FILE WINDOW END

Used to control the upper bound of the window around the valid time to determine if a file should be used for processing by Mode. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds. If OBS\_MODE\_FILE\_WINDOW\_END is not set in the config file, the value of OBS\_FILE\_WINDOW\_END will be used instead. If both file window begin and window end values are set to 0, then METplus will require an input file with an exact time match to process.

Used by: Mode
Family: [config]

Default: OBS FILE WINDOW END

### OBS MODE MERGE FLAG

See FCST MODE MERGE FLAG 4.5.6.

Used by: Mode Family: [config]

Default:

### OBS MODE MERGE THRESH

See FCST MODE MERGE THRESH 4.5.6.

Used by: Mode Family: [config]

Default:

# OBS MODE INPUT\_DATATYPE

See FCST\_MODE\_INPUT\_DATATYPE 4.5.6.

Used by: Mode
Family: [config]

**Default:** Varies

### OBS MODE INPUT DIR

See FCST MODE INPUT DIR 4.5.6.

Used by: ModeFamily: [dir]Default: Varies

#### OBS MODE INPUT TEMPLATE

See FCST $\_$ MODE $\_$ INPUT $\_$ TEMPLATE 4.5.6.

Used by: Mode

Family: [filename templates]

Default: Varies

### OBS MTD CONV RADIUS

See FCST MTD CONV RADIUS 4.5.6.

Used by: MTD
Family: [config]

Default:

#### OBS MTD CONV THRESH

See FCST MTD CONV THRESH 4.5.6.

Used by: MTD
Family: [config]

Default:

#### OBS MTD FILE WINDOW BEGIN

Used to control the lower bound of the window around the valid time to determine if a file should be used for processing by MTD. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds. If OBS\_MTD\_FILE\_WINDOW\_BEGIN is not set in the config file, the value of OBS\_FILE\_WINDOW\_BEGIN will be used instead. If both file window begin and window end values are set to 0, then METplus will require an input file with an exact time match to process.

Used by: MTD
Family: [config]

Default: OBS\_FILE\_WINDOW\_BEGIN

#### OBS MTD FILE WINDOW END

Used to control the upper bound of the window around the valid time to determine if a file should be used for processing by MTD. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds. If OBS MTD FILE WINDOW END is not set in the config file, the value of OBS FILE WINDOW END

will be used instead. If both file window begin and window end values are set to 0, then METplus will require an input file with an exact time match to process.

Used by: MTD
Family: [config]

 $\textbf{\textit{Default:}} \ \, \text{OBS\_FILE\_WINDOW\_END}$ 

## $OBS\_MTD\_INPUT\_DATATYPE$

See FCST  $\,$  MTD  $\,$  INPUT  $\,$  DATATYPE 4.5.6.

Used by: MTD
Family: [config]
Default: Varies

### OBS MTD INPUT DIR

See FCST\_MTD\_INPUT\_DIR 4.5.6.

Used by: MTD
Family: [dir]
Default: Varies

### OBS MTD INPUT TEMPLATE

See FCST\_MTD\_INPUT\_TEMPLATE 4.5.6.

Used by: MTD

Family: [filename\_templates]

**Default:** Varies

### [deprecated] OBS NAME

No longer used. Provide a string to identify the observation dataset name.

Used by: PointStat
Family: [config]
Default: Varies

#### [deprecated] OBS NATIVE DATA TYPE

Specify the data format of the observation data. Use OBS\_PCP\_COMBINE\_INPUT\_DATATYPE instead.

Used by: PcpCombine

Family: [config]
Default: Varies

#### OBS PCP COMBINE [N] FIELD NAME

See FCST PCP COMBINE [N] FIELD NAME 4.5.6.

**Used by:** PcpCombine

Family: [config]
Default: Varies

### OBS PCP COMBINE DATA INTERVAL

See FCST\_PCP\_COMBINE\_DATA\_INTERVAL 4.5.6.

Used by: PcpCombine

Family: [config]
Default: Varies

#### OBS PCP COMBINE DERIVE LOOKBACK

See FCST PCP COMBINE DERIVE LOOKBACK 4.5.6.

**Used by:** PcpCombine

Family: [config]
Default: ADD

## OBS PCP COMBINE INPUT DATATYPE

See FCST PCP COMBINE INPUT DATA TYPE 4.5.6.

**Used by:** PcpCombine

Family: [config]
Default: Varies

#### OBS PCP COMBINE INPUT DIR

See FCST PCP COMBINE INPUT DIR 4.5.6.

Used by: PcpCombine

Family: [dir]
Default: Varies

### OBS\_PCP\_COMBINE\_INPUT\_LEVEL

See FCST\_PCP\_COMBINE\_INPUT\_LEVEL 4.5.6.

**Used by:** PcpCombine

Family: [config]

Default: Varies-

#### OBS PCP COMBINE INPUT TEMPLATE

See FCST PCP COMBINE INPUT TEMPLATE 4.5.6.

Used by: PcpCombine

Family: [filename\_templates]

**Default:** Varies

### OBS\_PCP\_COMBINE\_IS\_DAILY\_FILE

See FCST PCP COMBINE IS DAILY FILE 4.5.6.

Acceptable values: true/false

**Used by:** PcpCombine

Family: [config]
Default: False

### OBS PCP COMBINE METHOD

See FCST\_PCP\_COMBINE\_METHOD 4.5.6.

Used by: PcpCombine

Family: [config]
Default: None

### OBS\_PCP\_COMBINE\_MIN\_FORECAST

See FCST\_PCP\_COMBINE\_MIN\_FORECAST 4.5.6.

**Used by:** PcpCombine

Family: [config]
Default: Varies

### OBS PCP COMBINE MAX FORECAST

See FCST\_PCP\_COMBINE\_MAX\_FORECAST 4.5.6.

**Used by:** PcpCombine

Family: [config]
Default: Varies

#### OBS PCP COMBINE OUTPUT DIR

See FCST PCP COMBINE OUTPUT DIR 4.5.6.

Used by: PcpCombine

Family: [dir]
Default: Varies

### OBS PCP COMBINE OUTPUT TEMPLATE

See FCST\_PCP\_COMBINE\_OUTPUT\_TEMPLATE 4.5.6.

Used by: PcpCombine

Family: [filename templates]

Default: Varies

### OBS PCP COMBINE RUN

See FCST PCP COMBINE RUN 4.5.6.

Acceptable values: true/false

**Used by:** PcpCombine

Family: [config]
Default: Varies

### OBS PCP COMBINE STAT LIST

See FCST PCP COMBINE STAT LIST 4.5.6.

Acceptable values: sum, min, max, range, mean, stdev, vld count

Used by: PcpCombine

Family: [config]
Default: Varies

### OBS PCP COMBINE TIMES PER FILE

See FCST PCP COMBINE TIMES PER FILE 4.5.6.

**Used by:** PcpCombine

Family: [config]

Default:

### OBS POINT STAT FILE WINDOW BEGIN

Used to control the lower bound of the window around the valid time to determine if a file should be used for processing by PointStat. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds. If OBS\_POINT\_STAT\_FILE\_WINDOW\_BEGIN is not set in the config file, the value of OBS\_FILE\_WINDOW\_BEGIN will be used instead. If both file window begin and window end values are set to 0, then METplus will require an input file with an exact time match to process.

Used by: PointStat
Family: [config]

Default: OBS FILE WINDOW BEGIN

### OBS POINT STAT FILE WINDOW END

Used to control the upper bound of the window around the valid time to determine if a file should be used for processing by PointStat. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds. If OBS\_POINT\_STAT\_FILE\_WINDOW\_END is not set in the config file, the value of OBS\_FILE\_WINDOW\_END will be used instead. If both file window begin and window end values are set to 0, then METplus will require an input file with an exact time match to process.

Used by: PointStat
Family: [config]

Default: OBS FILE WINDOW END

### OBS POINT STAT INPUT DATATYPE

See FCST POINT STAT INPUT DATATYPE 4.5.6.

Used by: PointStat
Family: [config]
Default: Varies

#### OBS POINT STAT INPUT DIR

See FCST\_POINT\_STAT\_INPUT\_DIR 4.5.6.

Used by: PointStat
Family: [dir]
Default: Varies

### OBS\_POINT\_STAT\_INPUT\_TEMPLATE

See FCST\_POINT\_STAT\_INPUT\_TEMPLATE 4.5.6.

Used by: GriPointStat

Family: [filename templates]

Default: Varies

## OBS\_POINT\_STAT\_WINDOW\_BEGIN

Passed to the point\_stat MET config file to determine the range of data within a file that should be used for processing.

Units are seconds. If the variable is not set, point stat will use OBS WINDOW BEGIN.

Used by: PointStat
Family: [config]
Default: Varies

# $OBS\_POINT\_STAT\_WINDOW\_END$

Passed to the point\_stat MET config file to determine the range of data within a file that should be used for processing. Units are seconds. If the variable is not set, point\_stat will use OBS\_WINDOW\_END.

Used by: PB2NC, PointStat

Family: [config]
Default: Varies

# OBS\_REGRID\_DATA\_PLANE\_INPUT\_DATATYPE

See FCST REGRID DATA PLANE INPUT DATATYPE 4.5.6.

Used by: RegridDataPlane

Family: [config]
Default: Varies

## OBS REGRID DATA PLANE INPUT DIR

See FCST REGRID DATA PLANE INPUT DIR 4.5.6.

**Used by:** RegridDataPlane

Family: [dir]
Default: Varies

#### OBS REGRID DATA PLANE INPUT TEMPLATE

See FCST\_REGRID\_DATA\_PLANE\_INPUT\_TEMPLATE 4.5.6.

Used by: RegridDataPlane
Family: [filename templates]

Default: Varies

# OBS REGRID DATA PLANE OUTPUT TEMPLATE

See FCST REGRID\_DATA\_PLANE\_OUTPUT\_TEMPLATE 4.5.6.

Used by: RegridDataPlane
Family: [filename templates]

Default: Varies

#### OBS REGRID DATA PLANE TEMPLATE

See FCST REGRID DATA PLANE TEMPLATE 4.5.6.

Used by: RegridDataPlane
Family: [filename templates]

Default: Varies

### OBS REGRID DATA PLANE OUTPUT DIR

See FCST\_REGRID\_DATA\_PLANE\_OUTPUT\_DIR 4.5.6.

**Used by:** RegridDataPlane

Family: [dir]
Default: Varies

### [deprecated] OBS\_VAR

Specify the string for the observation variable used in the analysis. See OBS\_VARn\_NAME, OBS\_VARn\_LEVELS, OBS\_VARn\_OPTIONS and OBS\_VARn\_THRESH where n=integer>=1.

Used by: GridStat
Family: [config]
Default: Varies

#### OBS VAR LEVEL

Specify the values of the OBS VAR LEVEL column in the MET .stat file to use.

Used by: StatAnalysis

Family: [config]
Default: Varies

## OBS VAR NAME

Specify the values of the OBS\_VAR\_NAME column in the MET .stat file to use. This is optional in the METplus configuration file for running with LOOP  $\,$  ORDER = times

Used by: StatAnalysis

Family: [config]
Default: Varies

### OBS\_VAR[N]\_LEVELS

Define the levels for the [N]th observation variable to be used in the analysis where [N] is an integer >= 1. The value can be a single item or a comma separated list of items. You can define NetCDF levels, such as (0, \*, \*), but you will need to surround these values with quotation marks so that the commas in the item are not interpreted as an item delimeter. Some examples:

```
OBS_VAR1_LEVELS = A06, P500
OBS_VAR2_LEVELS = "(0,*,*)", "(1,*,*)"
```

If OBS\_VAR[N]\_LEVELS is not set but FCST\_VAR[N]\_LEVELS is, the same information will be used for both variables. There can be [N] number of these variables defined in configuration files, simply increment the "VAR1" string to match the total number of variables being used, e.g.:

OBS VAR1 LEVELS

OBS VAR2 LEVELS

. . .

OBS\_VAR[N]\_LEVELS

Used by: MakePlots, met util.py

Family: [config]
Default: Varies

#### OBS VAR[N] NAME

Define the name for the [N]th observation variable to be used in the analysis where [N] is an integer >= 1. If OBS\_VAR[N]\_NAME is not set but FCST\_VAR[N]\_NAME is, the same information will be used for both variables. There can be [N] number of these variables defined in configuration files, simply increment the "VAR1" string to match the total number of variables being used, e.g.:

OBS\_VAR1\_NAME

OBS VAR2 NAME

...

OBS\_VAR[N]\_NAME

Used by: MakePlots, met util.py

Family: [config]
Default: Varies

### OBS VAR[N] OPTIONS

Define the options for the [N]th observation variable to be used in the analysis where [N] is an integer >= 1. These addition options will be applied to every name/level/threshold combination for VAR[N]. If OBS\_VAR[N]\_OPTIONS is not set but FCST\_VAR[N]\_OPTIONS is, the same information will be used for both variables. There can be [N] number of these variables defined in configuration files, simply increment the "\_VAR1\_" string to match the total number of variables being used, e.g.:

OBS\_VAR1\_OPTIONS OBS\_VAR2\_OPTIONS

...

OBS\_VAR[N]\_OPTIONS

Used by: MakePlots, met util.py

Family: [config]
Default: Varies

## OBS VAR[N] THRESH

Define the threshold(s) for the [N]th observation variable to be used in the analysis where [N] is an integer >= 1. The value can be a single item or a comma separated list of items that must start with a comparison operator (>,>=,==,!=,<,<=,gt,ge,eq,ne,lt,le). If OBS\_VAR[N]\_THRESH is not set but FCST\_VAR[N]\_THRESH is, the same information will be used for both variables. There can be [N] number of these variables defined in configuration files, simply increment the "\_VAR1\_" string to match the total number of variables being used, e.g.:

OBS\_VAR1\_THRESH OBS\_VAR2\_THRESH

•••

OBS VAR[N] THRESH

Used by: met\_util.py
Family: [config]
Default: Varies

# [deprecated] OBS WINDOW\_BEG

Please use OBS WINDOW BEGIN.

Used by: PB2NC, PointStat

Family: [config]
Default: Varies

### OBS WINDOW BEGIN

Passed to the MET config file to determine the range of data within a file that should be used for processing. Units are seconds. This value will be used for all wrappers that look for an observation file unless it is overridden by a wrapper specific configuration variable. For example, if OBS\_POINT\_STAT\_WINDOW\_BEGIN is set, the PointStat wrapper will use that value. If PB2NC\_WINDOW\_BEGIN is not set, then the PB2NC wrapper will use OBS\_WINDOW\_BEGIN.

A corresponding variable exists for forecast data called FCST WINDOW BEGIN.

Used by: PB2NC, PointStat

Family: [config]
Default: Varies

#### OBS WINDOW END

Passed to the MET config file to determine the range of data within a file that should be used for processing. Units are seconds. This value will be used for all wrappers that look for an observation file unless it is overridden by a wrapper specific configuration variable. For example, if OBS\_POINT\_STAT\_WINDOW\_END is set, the PointStat wrapper will use that value. If PB2NC\_WINDOW\_END is not set, then the PB2NC wrapper will use OBS\_WINDOW\_END.

A corresponding variable exists for forecast data called FCST WINDOW END.

Used by: PB2NC, PointStat

Family: [config]
Default: Varies

#### **OBTYPE**

Provide a string to represent the type of observation data used in the analysis. This is the observation time listed in the MET .stat files and is used in setting output filename.

Used by: compare\_gridded\_wrapper.py, EnsembleStat, GridStat, Mode, StatAnalysis

Family: [config]
Default: Varies

### [deprecated] OB TYPE

Please use OBTYPE instead.

Used by: compare gridded wrapper.py, EnsembleStat, GridStat, Mode, StatAnalysis

Family: [config]
Default: Varies

#### OUTPUT BASE

Provide a path to the top level output directory for METplus.

Used by: config launcher.py, PB2NC, PointStat, TcPairs, TcStat

Family: [dir]

Default: Varies

### [deprecated] OVERWRITE NC OUTPUT

Please use PB2NC\_SKIP\_IF\_OUTPUT\_EXISTS instead. Specify whether to overwrite the netCDF output or not when using the MET pb2nc tool.

Acceptable values: yes/no

Used by: PB2NC
Family: [config]
Default: yes

### OVERWRITE TRACK

Specify whether to overwrite the track data or not.

Acceptable values: yes/no

Used by: ExtractTiles, feature util.py

Family: [config]
Default: no

### 4.5.16 P

### PARM BASE

Specify the top level METplus parameter file directory.

Used by: config\_launcher.py, PB2NC, PointStat, TcStat

Family: [dir]
Default: Varies

#### PB2NC CONFIG FILE

Specify the absolute path to the configuration file for the MET pb2nc tool.

Used by: PB2NC
Family: [config]
Default: Varies

## PB2NC\_FILE\_WINDOW\_BEGIN

Used to control the lower bound of the window around the valid time to determine if a file should be used for processing by PB2NC. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds. If PB2NC FILE WINDOW BEGIN is not set in the config file, the value of OBS FILE WINDOW BEGIN

will be used instead. If both file window begin and window end values are set to 0, then METplus will require an input file with an exact time match to process.

Used by: PB2NC
Family: [config]

Default: OBS FILE WINDOW BEGIN

### PB2NC FILE WINDOW END

Used to control the upper bound of the window around the valid time to determine if a file should be used for processing by PB2NC. See 4.3.3 subsection called 'Use Windows to Find Valid Files.' Units are seconds. If PB2NC\_FILE\_WINDOW\_END is not set in the config file, the value of OBS\_FILE\_WINDOW\_END will be used instead. If both file window begin and window end values are set to 0, then METplus will require an input file with an exact time match to process.

Used by: PB2NC
Family: [config]

Default: OBS\_FILE\_WINDOW\_END

### PB2NC GRID

Specify a grid to use with the MET pb2nc tool.

Used by: PB2NC
Family: [config]
Default: Varies

### PB2NC INPUT DATATYPE

Specify the data type of the input directory for prepbufr files used with the MET pb2nc tool. Currently valid options are NETCDF, GRIB, and GEMPAK. If set to GEMPAK, data will automatically be converted to NetCDF via GempakToCF.

Used by: PB2NC
Family: [config]
Default: Varies

#### PB2NC MESSAGE TYPE

Specify which PREPBUFR (PB) message types to convert using the MET pb2nc tool.

Used by: PB2NC
Family: [config]
Default: Varies

### PB2NC OBS BUFR VAR LIST

Specify which BUFR codes to use from the observation dataset when using the MET pb2nc tool. Format is comma separated list, e.g.:

PMO, TOB, TDO

Used by: PB2NC
Family: [config]
Default: Varies

## PB2NC OFFSETS

A list of potential offsets (in hours) that can be found in the prepbufr input template. METplus will check if a file with a given offset exists in the order specified in this list, to be sure to put favored offset values first.

Used by: PB2NC
Family: [config]
Default: Varies

## PB2NC OUTPUT DIR

Specify the directory where files will be written from the MET pb2nc tool.

Used by: PB2NC
Family: [dir]
Default: Varies

#### PB2NC POLY

Specify a polygon to be used with the MET pb2nc tool.

Used by: PB2NC
Family: [config]
Default: Varies

## PB2NC SKIP IF OUTPUT EXISTS

If True, do not run PB2NC if output file already exists. Set to False to overwrite files.

Used by: PB2NC
Family: [config]
Default: Varies

## PB2NC STATION ID

Specify the ID of the station to use with the MET pb2nc tool.

Used by: PB2NC
Family: [config]
Default: Varies

## PB2NC TIME SUMMARY FLAG

Specify the time summary flag item in the MET pb2nc config file. Refer to the MET User's Guide for more information.

Used by: PB2NC
Family: [config]
Default: Varies

## ${\tt PB2NC\_TIME\_SUMMARY\_BEG}$

Specify the time summary beg item in the MET pb2nc config file. Refer to the MET User's Guide for more information.

Used by: PB2NC
Family: [config]
Default: Varies

#### PB2NC TIME SUMMARY END

Specify the time summary end item in the MET pb2nc config file. Refer to the MET User's Guide for more information.

Used by: PB2NC
Family: [config]
Default: Varies

#### PB2NC TIME SUMMARY VAR NAMES

Specify the time summary obs\_var list item in the MET pb2nc config file. Refer to the MET User's Guide for more information.

Used by: PB2NC
Family: [config]
Default: Varies

#### PB2NC TIME SUMMARY TYPES

Specify the time summary type list item in the MET pb2nc config file. Refer to the MET User's Guide for more information.

Used by: PB2NC
Family: [config]
Default: Varies

## PB2NC WINDOW BEGIN

Passed to the pb2nc MET config file to determine the range of data within a file that should be used for processing.

Units are seconds. If the variable is not set, pb2nc will use OBS WINDOW BEGIN.

Used by: PB2NC

Family: [config]
Default: Varies

## PB2NC WINDOW END

Passed to the pb2nc MET config file to determine the range of data within a file that should be used for processing. Units are seconds. If the variable is not set, pb2nc will use OBS\_WINDOW\_END.

Used by: PB2NC
Family: [config]
Default: Varies

## [deprecated] PCP COMBINE METHOD

 $SPlease \ use \ [FCST/OBS]\_PCP\_COMBINE\_METHOD \ instead.$ 

Used by: PcpCombine

Family: [config]
Default: ADD

## PCP COMBINE SKIP IF OUTPUT EXISTS

If True, do not run pcp combine if output file already exists. Set to False to overwrite files.

Used by: PcpCombine

Family: [config]
Default: False

#### PLOTTING OUTPUT DIR

Specify the output directory where plots will be saved. This is the base directory where the output from running make plots wrapper will be put.

**Used by:** MakePlots

Family: [dir]
Default: Varies

## PLOTTING\_SCRIPTS\_DIR

Specify the directory where the plotting scripts are located. It is recommended to set this to  $\{MET-PLUS\_BASE\}/ush/plotting\_scripts$ .

**Used by:** MakePlots

Family: [dir]
Default: Varies

## PLOT CONFIG OPTS

Specify plot configuration options for the TC Matched Pairs plotting tool.

**Used by:** TCMPRPlotter

Family: [config]

#### PLOT STATS LIST

This is a list of the statistics to calculate and create plots for. Specify the list in a comma-separated list, e.g.:

acc, bias, rmse

The list of valid options varies depending on line type that was used during the filtering of stat\_analysis\_wrapper. For SL1L2, VL1L2 valid options are bias, rms, msess, rsd, rmse\_md, rmse\_pv, pcor, fbar, and fbar\_obar. For SAL1L2, VAL1L2, the valid options is acc. For VCNT, bias, fbar, fbar\_obar, speed\_err, dir\_err, rmsve, vdiff\_speed, vdiff\_dir, rsd, fbar\_speed, fbar\_dir, fbar\_obar\_speed, and fbar\_obar\_dir.

Used by: MakePlots
Family: [config]
Default: Varies

#### PLOT TIME

In StatAnalysis, this specifies the way to treat the date information, where valid options are valid and init.

Used by: StatAnalysis

Family: [config]
Default: Varies

#### PLOT TYPES

Specify what plot types are desired for the TC Matched Pairs plotting tool. By default, a boxplot is generated if this is undefined in the configuration file. If other plots are requested and a boxplot is also desired, you must explicitly list boxplot in your list of plot types. Supported plot types: BOXPLOT, POINT, MEAN, MEDIAN, RELPERF (relative performance), RANK (time series of ranks for the first model), SCATTER, SKILL\_MN (mean skill scores) and SKILL\_MD (median skill scores).

**Used by:** TCMPRPlotter

Family: [config]
Default: Varies

#### POINT STAT CONFIG FILE

Specify the absolute path to the configuration file to be used with the MET point stat tool.

Used by: PointStat
Family: [config]
Default: Varies

#### POINT STAT GRID

Specify the grid to use with the MET point stat tool.

Used by: PointStat
Family: [config]

#### POINT STAT MESSAGE TYPE

Specify which PREPBUFR message types to process with the MET point stat tool.

Used by: PointStat
Family: [config]
Default: Varies

## POINT STAT OUTPUT DIR

Specify the directory where output files from the MET point\_stat tool are written.

Used by: PointStat
Family: [dir]
Default: Varies

## ${\tt POINT\_STAT\_OUTPUT\_TEMPLATE}$

Sets the subdirectories below POINT\_STAT\_OUTPUT\_DIR using a template to allow run time information. If LOOP\_BY = VALID, default value is valid time YYYYMMDDHHMM/point\_stat. If LOOP\_BY = INIT, default value is init time YYYYMMDDHHMM/point stat.

Used by: PointStat

Family: [filename\_templates]

Default: Varies

#### POINT STAT POLY

Specify a polygon to use with the MET point stat tool.

Used by: PointStat
Family: [config]
Default: Varies

## POINT\_STAT\_STATION\_ID

Specify the ID of a specific station to use with the MET point stat tool.

Used by: PointStat
Family: [config]
Default: Varies

## POINT STAT VERIFICATION MASK TEMPLATE

Template used to specify the verification mask filename for the MET tool point stat.

Used by: PointStat

Family: [filename templates]

Default: Varies

#### **PREFIX**

This corresponds to the optional -prefix flag of the plot\_TCMPR.R script (which is wrapped by TCM-PRPlotter). This is the output file name prefix.

**Used by:** TCMPRPlotter

Family: [config]
Default: Varies

## [deprecated] PREPBUFR DATA DIR

Please use PB2NC\_INPUT\_DIR instead. Specify the directory where the PREPBUFR data are located for the MET pb2nc tool.

Used by: PB2NC
Family: [dir]
Default: Varies

## [deprecated] PREPBUFR DIR REGEX

Regular expression to use when searching for PREPBUFR data.

Used by: PB2NC

Family: [regex\_pattern]

Default: Varies

#### [deprecated] PREPBUFR FILE REGEX

Regular expression to use when searching for PREPBUFR files.

Used by: PB2NC

Family: [regex\_pattern]

Default: Varies

## [deprecated] PREPBUFR MODEL DIR NAME

Please put the value previously used here in the PB2NC\_INPUT\_DIR path. Specify the name of the model being used with the MET pb2nc tool.

Used by: PB2NC
Family: [config]
Default: Varies

## PROCESS LIST

Specify the list of processes for METplus to perform, in a comma separated list.

 $Used\ by:$  master\_metplus.py

Family: [config]Default: Varies

-REGION\_LIS

## [deprecated] PROJ DIR

A directory for generic use. The user can store input files (if INPUT\_BASE is not defined), intermediate files, and any other project-related files.

Used by: PB2NC, PointStat, TcStat

Family: [dir]
Default: Varies

## 4.5.17 Q

#### 4.5.18 R

## REFERENCE TMPL

The filename template describing the observation/reference data.

Used by: TcPairs

Family: [filename templates]

Default: Varies

#### REGION

Specify the values of the VX\_MASK column in the MET . stat file to use. This is optional in the MET plus configuration file for running with LOOP\_ORDER = times

Used by: StatAnalysis

Family: [config]

Default:

A list of the regions of interest. This is the list of regions for plotting verification.

Used by: MakePlots, StatAnalysis

Family: [config]
Default: Varies

#### REGRID DATA PLANE METHOD

Sets the method used by regrid\_data\_plane. See MET User's Guide for more information.

Used by: RegridDataPlane

Family: [config]

Default:

## REGRID DATA PLANE SKIP IF OUTPUT EXISTS

If True, do not run regrid\_data\_plane if output file already exists. Set to False to overwrite files.

 ${\it Used~by:}~{\it RegridDataPlane}$ 

Family: [config]
Default: False

## REGRID\_DATA\_PLANE\_WIDTH

Sets the width used by regrid data plane. See MET User's Guide for more information.

Used by: RegridDataPlane

Family: [config]
Default: 1

## REGRID DATA PLANE VERIF GRID

Specify the absolute path to a file containing information about the desired output grid from the MET regrid data plane tool.

*Used by:* regrid\_data\_plane\_wrapper.py

Family: [config]
Default: Varies

## $REGRID\_TO\_GRID$

If supported, provide the output grid that is desired from the MET tool being used in the analysis.

Used by: MakePlots, PointStat

Family: [config]
Default: Varies

## REGRID\_USING\_MET\_TOOL

Specify whether to regrid using the MET regrid data plane tool or not.

Acceptable values: yes/no

*Used by:* feature\_util.py, met\_util.py, SeriesByInit, SeriesByLead

Family: [config]
Default: yes

#### RM EXE

Specify the path to the Linux "rm" executable.

Used by: PB2NC, PointStat, SeriesByLead

Family: [exe]
Default: /path/to

## RP DIFF

This corresponds to the optional -rp\_diff flag of the plot\_TCMPR.R script (which is wrapped by TCM-PRPlotter). This a comma-separated list of thresholds to specify meaningful differences for the relative performance plot.

Used by: TCMPRPlotter

Family: [config]
Default: Varies

#### 4.5.19 S

#### **SAVE**

Corresponds to the optional -save flag in plot\_TCMPR.R (which is wrapped by TCMPRPlotter). This is a yes/no value to indicate whether to save the image (yes).

**Used by:** TCMPRPlotter

Family: [config]
Default: Varies

#### SAVE DATA

Corresponds to the optional -save\_data flag in plot\_TCMPR.R (which is wrapped by TCMPRPlotter). Indicates whether to save the filtered track data to a file instead of deleting it.

Used by: TCMPRPlotter

Family: [config]
Default: Varies

#### SCATTER X

Corresponds to the optional -scatter\_x flag in plot\_TCMPR.R (which is wrapped by TCMPRPlotter). This is a comma-separated list of x-axis variable columns to plot.

Used by: TCMPRPlotter

Family: [config]
Default: Varies

#### SCATTER Y

Corresponds to the optional -scatter\_y flag in plot\_TCMPR.R (which is wrapped by TCMPRPlotter). This is a comma-separated list of y-axis variable columns to plot.

Used by: TCMPRPlotter

Family: [config]

#### SCRUB STAGING DIR

Remove staging directory after METplus has completed running if set to True. Set to False to preserve data for subsequent runs.

Used by: master metplus.py

Family: [config]
Default: False

#### **SERIES**

Corresponds to the optional -series flag in plot\_TCMPR.R (which is wrapped by TCMPRPlotter). This is the column whose unique values define the series on the plot, optionally followed by a comma-separated list of values, including: ALL, OTHER, and colon-separated groups.

Used by: TCMPRPlotter

Family: [config]
Default: Varies

## SERIES ANALYSIS BY INIT CONFIG FILE

Specify the absolute path for the configuration file to use with the MET series\_analysis tool by initialization time.

Used by: SeriesByInit
Family: [config]
Default: Varies

## SERIES ANALYSIS BY LEAD CONFIG FILE

Specify the absolute path for the configuration file to use with the MET series\_analysis tool by lead time.

**Used by:** SeriesByLead

Family: [config]
Default: Varies

## SERIES\_ANALYSIS\_FILTER\_OPTS

Filtering options to be applied during series analysis. Filter options are performed by invoking the MET tc\_stat tool within the METplus wrapper. Refer to Chapter 20 of the MET User's Guide for the syntax to use for performing filtering via the MET tc\_stat tool.

Used by: SeriesByLead, SeriesByInit

Family: [config]
Default: Varies

## SERIES\_BY\_LEAD\_FILTERED\_OUTPUT\_DIR

Specifies the directory where filtered files will be written from the MET series\_analysis tool when processing by lead time.

Used by: SeriesByLead

Family: [config]
Default: Varies-

#### SERIES BY LEAD GROUP FCSTS

Set to True to aggregate the series by lead results into bins of time.

**Used by:** SeriesByLead

Family: [config]
Default: Varies

## $SERIES_CI$

Corresponds to the optional -series\_ci flag in plot\_TCMPR.R (which is wrapped by TCMPRPlotter). This is a list of true/false for confidence intervals. This list can be optionally followed by a comma-separated list of values, including ALL, OTHER, and colon-separated groups.

Used by: TCMPRPlotter

Family: [config]
Default: Varies

#### SERIES INIT FILTERED OUT DIR

Specify the directory where filtered files will be written from the MET series\_analysis tool when processing by initialization time.

Used by: SeriesByInit

Family: [dir]
Default: Varies

## SERIES INIT OUT DIR

Specify the directory where files will be written from the MET series analysis tool when processing by initialization time.

**Used by:** SeriesByInit

Family: [dir]
Default: Varies

## [deprecated] SERIES LEAD FILTERED OUT DIR

Please use SERIES\_BY\_LEAD\_FILTERED\_OUTPUT\_DIR. Specify the directory where filtered files will be written from the MET series\_analysis tool when processing by lead time.

**Used by:** SeriesByLead

Family: [dir]

#### SERIES LEAD OUT DIR

Specify the directory where files will be written from the MET series analysis tool when processing by lead time.

**Used by:** SeriesByLead

Family: [dir]
Default: Varies

#### SKILL REF

This corresponds to the optional -skill\_ref flag in plot\_TCMPR.R (which is wrapped by TCMPRPlotter). This is the identifier for the skill score reference.

Used by: TCMPRPlotter

Family: [config]
Default: Varies

## START DATE

Specify the start data for the analysis time period. Format is YYYYYMMDDHH.

 ${\it Used~by:}$  PB2NC, PointStat

Family: [config]
Default: Varies

#### STAGING DIR

Directory to uncompress or convert data into for use in METplus.

Used by: All Family: [dir]

Default: OUTPUT BASE/stage

#### START HOUR

Specify the start hour for the analysis time period. Format is HH.

Used by: PB2NC, PointStat

Family: [config]
Default: Varies

## STAT ANALYSIS CONFIG

Specify the absolute path for the configuration file used with the MET stat\_analysis tool. It is recommended to set this to  ${PARM\_BASE}/use\_cases/plotting/met\_config/STATAnalysisConfig.$ 

Used by: StatAnalysis

Family: [config]

-STAT ANAL

**Default:** Varies

#### STAT ANALYSIS DUMP ROW TMPL

Specify the template to use for the stat\_analysis dump\_row file. A user customized template to use for the dump\_row file. If left blank and a dump\_row file is requested, a default version will be used. This is optional in the METplus configuration file for running with LOOP\_ORDER = times.

Used by: StatAnalysis

Family: [filename templates]

Default:

#### STAT ANALYSIS LOOKIN DIR

Specify the input directory where the MET stat\_analysis tool will find input files. This is the directory that the stat\_analysis wrapper will use to build the argument to -lookin for the MET stat\_analysis tool. It can contain wildcards, i.e. \*.

Used by: StatAnalysis

Family: [dir]
Default: Varies

## STAT ANALYSIS OUT STAT TMPL

Specify the template to use for the stat\_analysis out\_stat file. A user customized template to use for the out\_stat file. If left blank and a out\_stat file is requested, a default version will be used. This is optional in the METplus configuration file for running with LOOP\_ORDER = times.

**Used by:** StatAnalysis

Family: [filename templates]

Default:

This is the base directory where the output from running stat\_analysis\_wrapper will be put.

Used by: StatAnalysis

Family: [dir]
Default: Varies

#### STAT FILES INPUT DIR

Specify the directory where stat files exist that plots can be generated from. This is the directory where the files from running previously running stat\_analysis\_wrapper are located. These are the files used as the data to create the plots. It is recommended to set this to {STAT\_ANALYSIS\_OUTPUT\_DIR}.

**Used by:** MakePlots

Family: [dir]
Default: Varies

## $STAT_LIST$

Specify a list of statistics to be computed by the MET series\_analysis tool.

Used by: SeriesByInit, SeriesByLead

Family: [config]
Default: Varies

#### STORM ID

The identifier of the storm(s) of interest.

Used by: CyclonePlotter, met util.py, TcPairs, TcStat

Family: [config]
Default: Varies

## STORM NAME

The name(s) of the storm of interest.

Used by: TcPairs, TcStat

Family: [config]
Default: Varies

#### **SUBTITLE**

The subtitle of the plot.

Used by: TCMPRPlotter

Family: [config]
Default: Varies

#### 4.5.20 T

#### TCMPR DATA DIR

Provide the input directory for the track data for the TC Matched Pairs plotting tool.

Used by: TCMPRPlotter

Family: [dir]
Default: Varies

#### TCMPR PLOT OUT DIR

Provide the output directory where the TC Matched Pairs plotting tool will create files.

**Used by:** TCMPRPlotter

Family: [dir]

#### TC PAIRS CONFIG FILE

Provide the absolute path to the configuration file for the MET to pairs tool.

Used by: TcPairs
Family: [config]
Default: Varies

## TC PAIRS DIR

Specify the directory where the MET tc\_pairs tool will write files.

Used by: TcPairs
Family: [dir]
Default: Varies

## ${\tt TC\_PAIRS\_FORCE\_OVERWRITE}$

Specify whether to overwrite the output from the MET to pairs tool or not.

Acceptable values: yes/no

Used by: TcPairs
Family: [config]
Default: no

## $TC\_STAT\_AMODEL$

Specify the AMODEL for the MET to stat tool.

Used by: TcStat
Family: [config]
Default: Varies

## $TC\_STAT\_BASIN$

Specify the BASIN for the MET to stat tool.

Used by: TcStatFamily: [config]Default: Varies

## TC STAT BMODEL

Specify the BMODEL for the MET to stat tool.

Used by: TcStatFamily: [config]Default: Varies

#### TC STAT CMD LINE JOB

Specify expression(s) that will be passed to the MET tc\_stat tool via the command line. Only specify if TC\_STAT\_RUN\_VIA=CLI. Please refer to the MET User's Guide chapter for tc-stat for the details on performing job summaries and job filters.

Used by: TcStat
Family: [config]
Default: Varies

## TC\_STAT\_COLUMN\_STR\_NAME

Specify the string names of the columns for stratification with the MET to stat tool.

Used by: TcStat
Family: [config]
Default: Varies

## TC STAT COLUMN STR VAL

Specify the values for the columns set via the TC\_STAT\_COLUMN\_STR\_NAME option for use with the MET to stat tool.

Used by: TcStat
Family: [config]
Default: Varies

## TC\_STAT\_COLUMN\_THRESH\_NAME

Specify the string names of the columns for stratification by threshold with the MET to stat tool.

Used by: TcStat
Family: [config]
Default: Varies

## ${\tt TC\_STAT\_COLUMN\_THRESH\_VAL}$

Specify the values used for thresholding the columns specified in the TC\_STAT\_COLUMN\_THRESH\_NAME option for use with the MET tc\_stat tool.

Used by: TcStat
Family: [config]
Default: Varies

#### TC STAT CYCLONE

Specify the CYCLONE of interest for use with the MET to stat tool.

Used by: TcStat
Family: [config]

#### TC STAT DESC

Specify the DESC option for use with the MET to stat tool.

Used by: TcStat
Family: [config]
Default: Varies

#### TC STAT INIT BEG

Specify the beginning initialization time for stratification when using the MET to stat tool.

Acceptable formats: YYYYMMDD HH, YYYYMMDD HHmmss

Used by: TcStat
Family: [config]
Default: Varies

## TC STAT\_INIT\_END

Specify the ending initialization time for stratification when using the MET to stat tool.

Acceptable formats: YYYYMMDD HH, YYYYMMDD HHmmss

Used by: TcStat
Family: [config]
Default: Varies

#### TC STAT INIT EXCLUDE

Specify the initialization times to exclude when using the MET tc\_stat tool, via a comma separated list e.g.:

 $20141220 \quad 18, \ 20141221 \quad 00$ 

Acceptable formats: YYYYMMDD\_HH, YYYYMMDD\_HHmmss

Used by: TcStatFamily: [config]Default: Varies

#### TC STAT INIT HOUR

The beginning hour (HH) of the initialization time of interest.

Used by: TcStat
Family: [config]
Default: Varies

## TC STAT INIT INCLUDE

Specify the initialization times to include when using the MET to stat tool, via a comma separated list e.g.:

 $20141220 \quad 00, \ 20141220 \quad 06, \ 20141220 \quad 12$ 

Acceptable formats: YYYYMMDD HH, YYYYMMDD HHmmss

Used by: TcStat
Family: [config]
Default: Varies

#### TC STAT INIT MASK

This corresponds to the INIT\_MASK keyword in the MET tc\_stat config file. For more information, please refer to Chapter 20 in the MET User's Guide.

Used by: TcStat
Family: [config]
Default: Varies

#### TC STAT INIT STR NAME

This corresponds to the INIT\_STR\_NAME keyword in the MET tc\_stat config file. Please refer to Chapter 20 in the MET User's Guide for more details.

Used by: TcStatFamily: [config]Default: Varies

## TC\_STAT\_INIT\_STR\_VAL

This corresponds to the INIT\_STR\_VAL keyword in the MET tc\_stat config file. Please refer to Chapter 20 in the MET User's Guide for more information.

Used by: TcStat
Family: [config]
Default: Varies

#### TC STAT INPUT DIR

Specify the input directory where the MET to stat tool will look for files.

Used by: TcStat
Family: [dir]
Default: Varies

#### TC STAT JOBS LIST

Specify expressions for the MET to stat tool to execute.

Used by: TcStatFamily: [config]Default: Varies

## TC STAT LANDFALL

Specify whether only those points occurring near landfall should be retained when using the MET tc\_stat tool.

Acceptable values: True/False

Used by: TcStat
Family: [config]
Default: False

## TC STAT LANDFALL BEG

Specify the beginning of the landfall window for use with the MET to stat tool.

Acceptable formats: HH, HHmmss

Used by: TcStat Family: [config] Default: -24

#### TC STAT LANDFALL END

Specify the end of the landfall window for use with the MET tc\_stat tool.

Acceptable formats: HH, HHmmss

Used by: TcStat
Family: [config]
Default: Varies

#### TC STAT LEAD

Specify the lead times to stratify by when using the MET to stat tool.

Acceptable formats: HH, HHmmss

Used by: TcStat
Family: [config]
Default: Varies

## TC STAT LEAD REQ

Specify the LEAD\_REQ when using the MET tc\_stat tool.

Used by: TcStat
Family: [config]

## TC STAT MATCH POINTS

Specify whether only those points common to both the ADECK and BDECK tracks should be written out or not when using the MET tc\_stat tool.

Acceptable values: True/False

Used by: TcStat
Family: [config]
Default: false

#### TC STAT OUTPUT DIR

Specify the output directory where the MET tc\_stat tool will write files.

Used by: TcStatFamily: [dir]Default: Varies

## $TC\_STAT\_RUN\_VIA$

Specify the method for running the MET to stat tool.

Acceptable values: CONFIG

If left blank (unset), to stat will run via the command line.

Used by: TcStat
Family: [config]
Default: CONFIG

## $TC\_STAT\_STORM\_ID$

Set the STORM\_ID(s) of interest with the MET tc\_stat tool.

Used by: TcStat
Family: [config]
Default: Varies

## TC STAT STORM NAME

Set the STORM\_NAME for use with the MET tc\_stat tool.

Used by: TcStatFamily: [config]Default: Varies

## TC STAT TRACK WATCH WARN

Specify which watches and warnings to stratify over when using the MET to stat tool.

Acceptable values: HUWARN, HUWATCH, TSWARN, TSWATCH, ALL

If left blank (unset), no stratification will be done.

Used by: TcStat
Family: [config]
Default: Varies

## TC\_STAT\_VALID\_BEG

Specify a comma separated list of beginning valid times to stratify with when using the MET to stat tool.

Acceptable formats: YYYYMMDD\_HH, YYYYMMDD\_HHmmss

Used by: TcStat
Family: [config]
Default: Varies

## TC STAT VALID END

Specify a comma separated list of ending valid times to stratify with when using the MET to stat tool.

 $\label{lem:acceptable formats: YYYYMMDD_HH, YYYYMMDD_HHmmss} Acceptable formats: YYYYMMDD_HH, YYYYMMDD_HHmmss$ 

Used by: TcStat
Family: [config]
Default: Varies

## $TC\_STAT\_VALID\_EXCLUDE$

Specify a comma separated list of valid times to exclude from the stratification with when using the MET tc stat tool.

Acceptable formats: YYYYMMDD HH, YYYYMMDD HHmmss

Used by: TcStat
Family: [config]
Default: Varies

#### TC\_STAT\_VALID\_HOUR

This corresponds to the VALID\_HOUR keyword in the MET tc\_stat config file. For more information, please refer to Chapter 20 of the MET User's Guide.

Used by: TcStat
Family: [config]
Default: Varies

## TC STAT VALID INCLUDE

Specify a comma separated list of valid times to include in the stratification with when using the MET tc\_stat tool.

Acceptable formats: YYYYMMDD\_HH, YYYYMMDD\_HHmmss

Used by: TcStat
Family: [config]
Default: Varies

#### TC STAT VALID MASK

This corresponds to the VALID\_MASK in the MET tc\_stat config file. Please refer to Chapter 20 of the MET User's Guide for more information.

Used by: TcStat
Family: [config]
Default: Varies

## TC STAT WATER ONLY

Specify whether to exclude points where the distance to land is  $\leq 0$ . If set to TRUE, once land is encountered the remainder of the forecast track is not used for the verification, even if the track moves back over water.

Acceptable values: true/false

Used by: TcStat
Family: [config]
Default: Varies

#### TIME METHOD

Specify which time method to use with the MET pb2nc and point\_stat tools.

Acceptable values: BY VALID, BY INIT

Used by: PB2NC, PointStat

Family: Default:

#### [deprecated] TIME SUMMARY BEG

Please use PB2NC\_TIME\_SUMMARY\_BEG instead. Specify the starting time of the summary when using the MET pb2nc tool.

Acceptable formats: HHMMSS

Used by: PB2NC Family: [config] Default: 000000

## [deprecated] TIME SUMMARY END

Please use PB2NC\_TIME\_SUMMARY\_END instead. Specify the ending time of the summary when using the MET pb2nc tool.

Acceptable formats: HHMMSS

Used by: PB2NC Family: [config]
Default: 235959

## [deprecated] TIME\_SUMMARY\_FLAG

Please use PB2NC\_TIME\_SUMMARY\_FLAG instead. Specify whether to receive a time summary from the MET pb2nc tool or not.

Acceptable values: True/False

Used by: PB2NC
Family: [config]
Default: False

#### [deprecated] TIME SUMMARY TYPES

Please use PB2NC\_TIME\_SUMMARY\_TYPES instead. Specify a comma separated list of time summary types to receive from the MET pb2nc tool.

Used by: PB2NC
Family: [config]
Default: Varies

## $[deprecated] \\ TIME\_SUMMARY\_VAR\_NAMES$

Please use PB2NC\_TIME\_SUMMARY\_VAR\_NAMES instead. Specify a comma separated list of time summary variable names to receive from the MET pb2nc tool.

Used by: PB2NC
Family: [config]
Default: Varies

#### TITLE

Specify a title string for the TC Matched Pairs plotting tool.

**Used by:** TCMPRPlotter

Family: [config]

## TMP DIR

Specify the path to a temporary directory where the user has write permissions.

Used by: ExtractTiles, PB2NC, PointStat, SeriesByInit, SeriesByLead, TcStat

Family: [dir]
Default: Varies

## TOP\_LEVEL\_DIRS

Specify whether to use top-level directories when using the MET to pairs utility or not.

Acceptable values: yes/no

Used by: TcPairs
Family: [config]
Default: no

#### TRACK DATA DIR

Specify the directory where track data are located for use with the MET to pairs tool.

Used by: TcPairs
Family: [dir]
Default: Varies

## TRACK DATA MOD FORCE OVERWRITE

Specify whether to force an overwrite of the track data or not.

Acceptable values: yes/no

Used by: TcPairs
Family: [config]
Default: no

#### TRACK DATA SUBDIR MOD

Specify the sub-directory where modified track data files are stored for use with the MET to pairs tool.

Used by: TcPairsFamily: [dir]Default: Varies

#### TRACK TYPE

Specify the track type to filter by when using the MET tc\_pairs tool.

Used by: TcPairs
Family: [config]

#### TR EXE

Specify the path to the Linux "tr" executable.

Used by: PB2NC, PointStat

Family: [exe]
Default: /path/to

#### 4.5.21 U

#### 4.5.22 V

#### VALID BEG

Specify a begin time for valid times for use in the analysis. This is the starting date in the format set in the TIME\_FMT. It is named accordingly to the value set for LOOP\_BY. However, in StatAnalysis, it is named accordingly to the value set for PLOT\_TIME.

Acceptable formats: YYYYMM[DD[ HH]]

Used by: command builder.py, MakePlots, master metplus.py, StatAnalysis, TcPairs, TcStat

Family: [config]
Default: Varies

## $VALID\_END$

Specify an end time for valid times for use in the analysis. This is the ending date in the format set in the TIME\_FMT. It is named accordingly to the value set for LOOP\_BY.

Acceptable formats: controlled via VALID TIME FMT

Used by: command\_builder.py, MakePlots, master\_metplus.py, StatAnalysis, TcPairs, TcStat

Family: [config]
Default: Varies

## VALID\_HOUR\_BEG

Specify a beginning hour for valid times for use in the analysis.

Acceptable formats: HHMM

Used by: MakePlots, StatAnalysis

Family: [config]

#### VALID HOUR END

Specify an end hour for valid times for use in the analysis.

Acceptable formats: HHMM

Used by: MakePlots, StatAnalysis

Family: [config]
Default: Varies

## VALID HOUR INCREMENT

Specify a time increment for valid times for use in the analysis.

Acceptable formats: seconds

Used by: MakePlots, StatAnalysis

Family: [config]
Default: Varies

## VALID HOUR METHOD

Specify the method for the treatment of valid hours. Valid options are LOOP or GROUP. LOOP will consider the valid hours individually, and GROUP will consider them valid hours as a whole.

Acceptable formats: LOOP or GROUP

Used by: MakePlots, StatAnalysis

Family: [config]
Default: Varies

## VALID\_INCREMENT

Specify the time increment for valid times for use in the analysis.

Acceptable formats: seconds

Used by: command builder.py, MakePlots, master metplus.py, StatAnalysis, TcStat

Family: [config]
Default: Varies

#### VALID TIME FMT

Specify a strftime formatting string for use with VALID BEG and VALID END.

Used by: command\_builder.py, master\_metplus.py, StatAnalysis

Family: [config]
Default: Varies

#### VAR LIST

Specify a comma separated list of variables to be used in the analysis.

Used by: feature util.py, PB2NC, SeriesByInit, SeriesByLead

Family: [config]
Default: Varies

#### VARn FOURIER DECOMP

Specify if Fourier decomposition is to be considered (True) or not (False). If this is set to True, data stratification will be done for the Fourier decomposition of FCS\_VARn\_NAME. This should have been previously run in grid\_stat\_wrapper. The default value is set to False.

Used by: MakePlots, StatAnalysis

Family: [config]
Default: False

## VARn WAVE NUM LIST

Specify a comma separated list of wave numbers pairings of the Fourier decomposition.

Used by: MakePlots, StatAnalysis

Family: [config]

Default:

#### [deprecated] VERIFICATION GRID

Please use REGRID\_DATA\_PLANE\_VERIF\_GRID. Specify the absolute path to a file containing information about the desired output grid from the MET regrid data plane tool.

*Used by:* regrid data plane wrapper.py

Family: [config]
Default: Varies

#### VERIF CASE

Specify a string identifying the verification case being performed. Valid options are grid2grid, grid2obs, and precip.

Used by: MakePlots, StatAnalysis

Family: [config]
Default: Varies

#### VERIF GRID

Specify a string describing the grid the verification was performed on. This is the name of the grid upon which the verification was done on, ex. G002.

Used by: MakePlots
Family: [config]

#### Default:

-VERIF TYP

Specify a string describing the type of verification being performed. For VERIF\_CASE = grid2grid, valid options are anom, pres, and sfc. For VERIF\_CASE = grid2obs, valid options are conus\_sfc and upper\_air. For VERIF\_CASE = precip, any accumulation amount is valid, ex. A24.

Used by: MakePlots, StatAnalysis

Family: [config]
Default: Varies

## [deprecated] VERTICAL LOCATION

Specify the vertical location desired when using the MET pb2nc tool.

Used by: PB2NC
Family: [config]
Default: Varies

#### 4.5.23 W

#### WGRIB2

Specify the path to the "wgrib2" executable.

Used by: feature\_util.py, PB2NC, PointStat

Family: [exe]
Default: /path/to

#### 4.5.24 X

#### **XLAB**

Specify the x-axis label when using the TC Matched Pairs plotting tool.

 ${\it Used~by:}~{\it TCMPRPlotter}$ 

Family: [config]
Default: Varies

#### XLIM

Specify the x-axis limit when using the TC Matched Pairs plotting tool.

**Used by:** TCMPRPlotter

Family: [config]
Default: Varies

#### 4.5.25 Y

#### YLAB

Specify the y-axis label when using the TC Matched Pairs plotting tool.

**Used by:** TCMPRPlotter

Family: [config]
Default: Varies

#### YLIM

Specify the y-axis limit when using the TC Matched Pairs plotting tool.

Used by: TCMPRPlotter

Family: [config]
Default: Varies

## 4.5.26 Z

## 4.6 User Defined Config

You can define your own custom config variables that will be set as environment variables when METplus is run. MET config files can read environment variables, so this is a good way to customize information that is read by those files. To create add a custom config variable, add a section to one of your METplus config files called [user\_env\_vars]. Under this header, add as many variables as you'd like. For example, if you added the following to your METplus config:

```
[user\_env\_vars] \\ VAR\_NAME = some\_text\_for\_feb\_1\_1987\_run
```

and you added the following to a MET config file that is used:

output 
$$prefix = \{VAR NAME\}$$

then at run time, the MET application will be run with the configuration:

$$output\_prefix = some\_text\_for\_feb\_1\_1987\_run$$

You can also reference other variables in the METplus config file. For example:

```
[config] \\ INIT\_BEG = 1987020104 \\ ... \\ [user\_env\_vars] \\ USE\_CASE\_TIME\_ID = \{INIT\_BEG\} \\
```

This is the equivalent of calling

at the beginning of your METplus run. You can access the variable in the MET config file with \${USE\_CASE\_TIME\_ID}.

## References

- Alberson, S.D., 1998: Five-day Tropical cyclone track forecasts in the North Atlantic Basin. Weather & Forecasting, 13, 1005-1015.
- Bradley, A.A., S.S. Schwartz, and T. Hashino, 2008: Sampling Uncertainty and Confidence Intervals for the Brier Score and Brier Skill Score. Weather and Forecasting, 23, 992-1006.
- Brill, K. F., and F. Mesinger, 2009: Applying a general analytic method for assessing bias sensitivity to bias-adjusted threat and equitable threat scores. Weather and Forecasting, 24, 1748–1754.
- Brown, B.G., R. Bullock, J. Halley Gotway, D. Ahijevych, C. Davis, E. Gilleland, and L. Holland, 2007: Application of the MODE object-based verification tool for the evaluation of model precipitation fields. AMS 22nd Conference on Weather Analysis and Forecasting and 18th Conference on Numerical Weather Prediction, 25-29 June, Park City, Utah, American Meteorological Society (Boston), Available at http://ams.confex.com/ams/pdfpapers/124856.pdf.
- Bullock, R., T. Fowler, and B. Brown, 2016: Method for Object-Based Diagnostic Evaluation. NCAR Tech. Note NCAR/TN-532+STR, 66 pp.
- Candille, G., and O. Talagrand, 2008: Impact of observational error on the validation of ensemble prediction systems. Q. J. R. Meteorol. Soc. 134: 959–971.
- Casati, B., G. Ross, and D. Stephenson, 2004: A new intensity-scale approach for the verification of spatial precipitation forecasts. *Meteorol. Appl.* 11, 141-154.
- Davis, C.A., B.G. Brown, and R.G. Bullock, 2006a: Object-based verification of precipitation forecasts, Part I: Methodology and application to mesoscale rain areas. *Monthly Weather Review*, 134, 1772-1784.
- Davis, C.A., B.G. Brown, and R.G. Bullock, 2006b: Object-based verification of precipitation forecasts, Part II: Application to convective rain systems. *Monthly Weather Review*, 134, 1785-1795.
- Dawid, A.P., 1984: Statistical theory: The prequential approach. J. Roy. Stat. Soc, A147, 278-292.
- Ebert, E.E., 2008: Fuzzy verification of high-resolution gridded forecasts: a review and proposed framework. *Meteorological Applications*, 15, 51-64.
- Eckel, F. A., M.S. Allen, M. C. Sittel, 2012: Estimation of Ambiguity in Ensemble Forecasts. Wea. Forecasting, 27, 50-69. doi: http://dx.doi.org/10.1175/WAF-D-11-00015.1

- Efron, B. 2007: Correlation and large-scale significance testing. *Journal of the American Statistical Association*, 102(477), 93-103.
- Gilleland, E., 2010: Confidence intervals for forecast verification. *NCAR Technical Note* NCAR/TN-479+STR, 71pp.
- Gneiting, T., A. Westveld, A. Raferty, and T. Goldman, 2004: Calibrated Probabilistic Forecasting Using Ensemble Model Output Statistics and Minimum CRPS Estimation. Technical Report no. 449, Department of Statistics, University of Washington. [Available online at http://www.stat.washington.edu/www/research/reports/]
- Hamill, T. M., 2001: Interpretation of rank histograms for verifying ensemble forecasts. *Mon. Wea. Rev.*, 129, 550-560.
- Hogan, R., E. O'Connor, and A. Illingworth, 2009: Verification of cloud-fraction forecasts. Quart. Jour. Roy. Meteorol. Soc., 135, 1494-1511.
- Jolliffe, I.T., and D.B. Stephenson, 2012: Forecast verification. A practitioner's guide in atmospheric science. Wiley and Sons Ltd, 240 pp.
- Knaff, J.A., M. DeMaria, C.R. Sampson, and J.M. Gross, 2003: Statistical, Five-Day Tropical Cyclone Intensity Forecasts Derived from Climatology and Persistence." Weather & Forecasting," Vol. 18 Issue 2, p. 80-92.
- Mason, S. J., 2004: On Using "Climatology" as a Reference Strategy in the Brier and Ranked Probability Skill Scores. *Mon. Wea. Rev.*, 132, 1891–1895.
- Mittermaier, M., 2013: A strategy for verifying near-convection-resolving model forecasts at observing sites. Wea. Forecasting, 29, 185-204.
- Mood, A. M., F. A. Graybill and D. C. Boes, 1974: Introduction to the Theory of Statistics, McGraw-Hill, 299-338.
- Murphy, A.H., and R.L. Winkler, 1987: A general framework for forecast verification. *Monthly Weather Review*, 115, 1330-1338.
- Roberts, N.M., and H.W. Lean, 2008: Scale-selective verification of rainfall accumulations from high-resolution forecasts of convective events. *Monthly Weather Review*, 136, 78-97.
- Saetra O., H. Hersbach, J-R Bidlot, D. Richardson, 2004: Effects of observation errors on the statistics for ensemble spread and reliability. *Mon. Weather Rev.* 132: 1487–1501.
- Santos C. and A. Ghelli, 2012: Observational probability method to assess ensemble precipitation forecasts. Q. J. R. Meteorol. Soc. 138: 209–221.
- Stephenson, D.B., 2000: Use of the "Odds Ratio" for diagnosing forecast skill. Weather and Forecasting, 15, 221-232.
- Stephenson, D.B., B. Casati, C.A.T. Ferro, and C.A. Wilson, 2008: The extreme dependency score: A non-vanishing measure for forecasts of rare events. *Meteor. Appl.* 15, 41-50.

- Weniger, M., F. Kapp, and P. Friederichs, 2016: Spatial Verification Using Wavelet Transforms: A Review. Quarterly Journal of the Royal Meteorological Society, 143, 120-136.
- Wilks, D.S. 2010: Sampling distributions of the Brier score and Brier skill score under serial dependence. Q.J.R. Meteorol. Soc., 136, 2109-2118. doi:10.1002/qj.709
- Wilks, D., 2011: Statistical methods in the atmospheric sciences. Elsevier, San Diego.

# List of Tables

# List of Figures