

1	 Aristotle University of Thessaloniki Calgary, Alberta CANADA		Case Name: C:\Users\JohnA\Downloads\Öİİ_İiÜää_2ç.usc			
2			Unit Set: EuroSI			
3			Date/Time: Tuesday Feb 24 2026, 12:43:54			
4						
5						
6	Material Stream: 101				Fluid Package:	Basis-1-1
7					Property Package:	PRSV
8						
9	CONDITIONS					
10						
11		Overall	Liquid Phase			
12	Vapour / Phase Fraction	0.0000	1.0000			
13	Temperature: (C)	25.03	25.03			
14	Pressure: (bar)	3.600 *	3.600			
15	Molar Flow (kgmole/h)	1.068e+004	1.068e+004			
16	Mass Flow (kg/h)	3.422e+005	3.422e+005			
17	Std Ideal Liq Vol Flow (m3/h)	430.1	430.1			
18	Molar Enthalpy (kcal/kgmole)	-5.913e+004	-5.913e+004			
19	Molar Entropy (kJ/kgmole-C)	0.1913	0.1913			
20	Heat Flow (kcal/h)	-6.315e+008	-6.315e+008			
21	Liq Vol Flow @Std Cond (m3/h)	429.7	429.7			
22	PROPERTIES					
23						
24		Overall	Liquid Phase			
25	Molecular Weight	32.04	32.04			
26	Molar Density (kgmole/m3)	24.54	24.54			
27	Mass Density (kg/m3)	786.2	786.2			
28	Act. Volume Flow (m3/h)	435.3	435.3			
29	Mass Enthalpy (kcal/kg)	-1845	-1845			
30	Mass Entropy (kJ/kg-C)	5.969e-003	5.969e-003			
31	Heat Capacity (kJ/kgmole-C)	163.3	163.3			
32	Mass Heat Capacity (kJ/kg-C)	5.095	5.095			
33	Lower Heating Value (kcal/kgmole)	1.525e+005	1.525e+005			
34	Mass Lower Heating Value (kcal/kg)	4760	4760			
35	Phase Fraction [Vol. Basis]	---	1.000			
36	Phase Fraction [Mass Basis]	2.122e-314	1.000			
37	Partial Pressure of CO2 (bar)	0.0000	---			
38	Cost Based on Flow (Cost/s)	0.0000	0.0000			
39	Act. Gas Flow (ACT_m3/h)	---	---			
40	Avg. Liq. Density (kgmole/m3)	24.83	24.83			
41	Specific Heat (kJ/kgmole-C)	163.3	163.3			
42	Std. Gas Flow (STD_m3/h)	2.525e+005	2.525e+005			
43	Std. Ideal Liq. Mass Density (kg/m3)	795.7	795.7			
44	Act. Liq. Flow (m3/s)	0.1209	0.1209			
45	Z Factor	5.918e-003	5.918e-003			
46	Watson K	10.63	10.63			
47	Partial Pressure of H2S (bar)	0.0000	---			
48	Cp/(Cp - R)	1.054	1.054			
49	Cp/Cv	1.238	1.238			
50	Heat of Vap. (kcal/kgmole)	8701	---			
51	Kinematic Viscosity (cSt)	0.6926	0.6926			
52	Liq. Mass Density (Std. Cond) (kg/m3)	796.4	796.4			
53	Liq. Vol. Flow (Std. Cond) (m3/h)	429.7	429.7			
54	Liquid Fraction	1.000	1.000			
55	Molar Volume (m3/kgmole)	4.076e-002	4.076e-002			
56	Mass Heat of Vap. (kcal/kg)	271.5	---			
57	Phase Fraction [Molar Basis]	0.0000	1.0000			
58	Surface Tension (dyne/cm)	29.59	29.59			
59	Interfacial Tension (dyne/cm)	---	---			
60	Thermal Conductivity (W/m-K)	0.1797	0.1797			
61	Viscosity (cP)	0.5445	0.5445			
62	Cv (Semi-Ideal) (kJ/kgmole-C)	154.9	154.9			
63	Honeywell International Inc.		UniSim Design (R471 build 22103)		Page 1 of 13	

1	Honeywell Aristotle University of Thessaloniki Calgary, Alberta CANADA			Case Name: C:\Users\JohnA\Downloads\Öİİ_İiÜää_2ç.usc		
2				Unit Set: EuroSI		
3				Date/Time: Tuesday Feb 24 2026, 12:43:54		
4						
5	Material Stream: 101 (continued)			Fluid Package: Basis-1-1		
6				Property Package: PRSV		
7						
8	PROPERTIES					
9						
10						
11		Overall	Liquid Phase			
12	Mass Cv (Semi-Ideal) (kJ/kg-C)	4.836	4.836			
13	Cv (kJ/kgmole-C)	131.9	131.9			
14	Mass Cv (kJ/kg-C)	4.115	4.115			
15	Cv (Ent. Method) (kJ/kgmole-C)	---	---			
16	Mass Cv (Ent. Method) (kJ/kg-C)	---	---			
17	Cp/Cv (Ent. Method)	---	---			
18	Reid VP at 37.8 C (bar)	---	---			
19	True VP(@37.7778C) (bar)	0.2280	0.2280			
20	Liq. Vol. Flow - Sum(Std. Cond) (m3/h)	429.7	429.7			
21	Liq. Vol. Flow-Flashed@Std Cond(m3/h)	429.7	---			
22	Gas. Vol. Flow-Flashed@Std Cond(m3/h)	0.0000	---			
23	Act. Vol. Flow-Flashed@Std Cond(m3/h)	429.7	---			
24	COMPOSITION					
25						
26	Overall Phase			Vapour Fraction 0.0000		
27						
28	COMPONENTS	MOLAR FLOW (kgmole/h)	MOLE FRACTION	MASS FLOW (kg/h)	MASS FRACTION	LIQUID VOLUME FLOW (m3/h)
29						FRACTION
30	Ethylene	0.00000	0.000000	0.00000	0.000000	0.000000
31	1-Butene	0.00000	0.000000	0.00000	0.000000	0.000000
32	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.000000
33	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.000000
34	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.000000
35	diM-Ether	0.00000	0.000000	0.00000	0.000000	0.000000
36	H2O	0.00000	0.000000	0.00000	0.000000	0.000000
37	Methanol	10680	1.000000	3.4221e+005	1.000000	430.06
38	Propene	0.00000	0.000000	0.00000	0.000000	0.000000
39	R134a	0.00000	0.000000	0.00000	0.000000	0.000000
40	Ammonia	0.00000	0.000000	0.00000	0.000000	0.000000
41	VinylFI	0.00000	0.000000	0.00000	0.000000	0.000000
42	Total	10680	1.0000	3.4221e+005	1.0000	430.06
43	Liquid Phase			Phase Fraction 1.000		
44						
45	COMPONENTS	MOLAR FLOW (kgmole/h)	MOLE FRACTION	MASS FLOW (kg/h)	MASS FRACTION	LIQUID VOLUME FLOW (m3/h)
46						FRACTION
47	Ethylene	0.00000	0.000000	0.00000	0.000000	0.000000
48	1-Butene	0.00000	0.000000	0.00000	0.000000	0.000000
49	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.000000
50	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.000000
51	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.000000
52	diM-Ether	0.00000	0.000000	0.00000	0.000000	0.000000
53	H2O	0.00000	0.000000	0.00000	0.000000	0.000000
54	Methanol	10680	1.000000	3.4221e+005	1.000000	430.06
55	Propene	0.00000	0.000000	0.00000	0.000000	0.000000
56	R134a	0.00000	0.000000	0.00000	0.000000	0.000000
57	Ammonia	0.00000	0.000000	0.00000	0.000000	0.000000
58	VinylFI	0.00000	0.000000	0.00000	0.000000	0.000000
59	Total	10680	1.0000	3.4221e+005	1.0000	430.06
60						
61						
62						
63	Honeywell International Inc.		UniSim Design (R471 build 22103)			Page 2 of 13

1	Honeywell Aristotle University of Thessaloniki Calgary, Alberta CANADA		Case Name: C:\Users\JohnA\Downloads\Öİİ_İiÜää_2ç.usc		
2			Unit Set: EuroSI		
3			Date/Time: Tuesday Feb 24 2026, 12:43:54		
4					
5					
6	Material Stream: 101 (continued)		Fluid Package:	Basis-1-1	
7			Property Package:	PRSV	
8					
9	K VALUE				
10					
11	COMPONENTS	MIXED	LIGHT	HEAVY	
12	Ethylene	---	---	---	
13	1-Butene	---	---	---	
14	1-Pentene	---	---	---	
15	1-Hexene	---	---	---	
16	1-Heptene	---	---	---	
17	diM-Ether	---	---	---	
18	H2O	---	---	---	
19	Methanol	0.0000	0.0000	---	
20	Propene	---	---	---	
21	R134a	---	---	---	
22	Ammonia	---	---	---	
23	VinylFI	---	---	---	
24	Material Stream: 103		Fluid Package:	Basis-1-1	
25			Property Package:	PRSV	
26					
27	CONDITIONS				
28					
29		Overall	Vapour Phase	Liquid Phase	
30	Vapour / Phase Fraction	0.4334	0.4334	0.5666	
31	Temperature: (C)	100.0	100.0	100.0	
32	Pressure: (bar)	3.400	3.400	3.400	
33	Molar Flow (kgmole/h)	1.068e+004	4629	6051	
34	Mass Flow (kg/h)	3.422e+005	1.483e+005	1.939e+005	
35	Std Ideal Liq Vol Flow (m3/h)	430.1	186.4	243.7	
36	Molar Enthalpy (kcal/kgmole)	-5.235e+004	-4.739e+004	-5.615e+004	
37	Molar Entropy (kJ/kgmole-C)	80.06	135.7	37.51	
38	Heat Flow (kcal/h)	-5.591e+008	-2.194e+008	-3.398e+008	
39	Liq Vol Flow @Std Cond (m3/h)	429.7	186.2	243.5	
40					
41	PROPERTIES				
42		Overall	Vapour Phase	Liquid Phase	
43	Molecular Weight	32.04	32.04	32.04	
44	Molar Density (kgmole/m3)	0.2647	0.1155	21.88	
45	Mass Density (kg/m3)	8.482	3.701	700.9	
46	Act. Volume Flow (m3/h)	4.034e+004	4.007e+004	276.6	
47	Mass Enthalpy (kcal/kg)	-1634	-1479	-1752	
48	Mass Entropy (kJ/kg-C)	2.499	4.235	1.171	
49	Heat Capacity (kJ/kgmole-C)	119.7	52.60	171.0	
50	Mass Heat Capacity (kJ/kg-C)	3.736	1.641	5.338	
51	Lower Heating Value (kcal/kgmole)	1.525e+005	1.525e+005	1.525e+005	
52	Mass Lower Heating Value (kcal/kg)	4760	4760	4760	
53	Phase Fraction [Vol. Basis]	0.9931	0.9931	6.857e-003	
54	Phase Fraction [Mass Basis]	0.4334	0.4334	0.5666	
55	Partial Pressure of CO2 (bar)	0.0000	---	---	
56	Cost Based on Flow (Cost/s)	0.0000	0.0000	0.0000	
57	Act. Gas Flow (ACT_m3/h)	---	4.007e+004	---	
58	Avg. Liq. Density (kgmole/m3)	24.83	24.83	24.83	
59	Specific Heat (kJ/kgmole-C)	119.7	52.60	171.0	
60	Std. Gas Flow (STD_m3/h)	2.525e+005	1.094e+005	1.431e+005	
61	Std. Ideal Liq. Mass Density (kg/m3)	795.7	795.7	795.7	
62	Act. Liq. Flow (m3/s)	7.684e-002	---	7.684e-002	
63	Honeywell International Inc.		UniSim Design (R471 build 22103)		Page 3 of 13

1	Honeywell Aristotle University of Thessaloniki Calgary, Alberta CANADA			Case Name: C:\Users\JohnA\Downloads\Öİİ İiÜää_2ç.usc		
2				Unit Set: EuroSI		
3				Date/Time: Tuesday Feb 24 2026, 12:43:54		
4						
5				Fluid Package: Basis-1-1		
6	Material Stream: 103 (continued)			Property Package: PRSV		
7						
8						
9	PROPERTIES					
10						
11		Overall	Vapour Phase	Liquid Phase		
12	Z Factor	---	0.9487	5.010e-003		
13	Watson K	10.63	10.63	10.63		
14	Partial Pressure of H2S (bar)	0.0000	---	---		
15	Cp/(Cp - R)	1.075	1.188	1.051		
16	Cp/Cv	1.039	1.246	1.274		
17	Heat of Vap. (kcal/kgmole)	8757	---	---		
18	Kinematic Viscosity (cSt)	---	2.031	0.3177		
19	Liq. Mass Density (Std. Cond) (kg/m3)	796.4	796.4	796.4		
20	Liq. Vol. Flow (Std. Cond) (m3/h)	429.7	186.2	243.5		
21	Liquid Fraction	0.5666	0.0000	1.000		
22	Molar Volume (m3/kgmole)	3.778	8.657	4.571e-002		
23	Mass Heat of Vap. (kcal/kg)	273.3	---	---		
24	Phase Fraction [Molar Basis]	0.4334	0.4334	0.5666		
25	Surface Tension (dyne/cm)	17.97	---	17.97		
26	Interfacial Tension (dyne/cm)	---	---	---		
27	Thermal Conductivity (W/m-K)	---	0.0187	0.1470		
28	Viscosity (cP)	---	7.516e-003	0.2227		
29	Cv (Semi-Ideal) (kJ/kgmole-C)	111.4	44.28	162.7		
30	Mass Cv (Semi-Ideal) (kJ/kg-C)	3.477	1.382	5.079		
31	Cv (kJ/kgmole-C)	115.2	42.20	134.3		
32	Mass Cv (kJ/kg-C)	3.594	1.317	4.191		
33	Cv (Ent. Method) (kJ/kgmole-C)	---	---	---		
34	Mass Cv (Ent. Method) (kJ/kg-C)	---	---	---		
35	Cp/Cv (Ent. Method)	---	---	---		
36	Reid VP at 37.8 C (bar)	---	---	---		
37	True VP(@37.7778C) (bar)	0.2280	0.2280	0.2280		
38	Liq. Vol. Flow - Sum(Std. Cond) (m3/h)	429.7	186.2	243.5		
39	Liq. Vol. Flow-Flashed@Std Cond(m3/h)	429.7	---	---		
40	Gas. Vol. Flow-Flashed@Std Cond(m3/h)	0.0000	---	---		
41	Act. Vol. Flow-Flashed@Std Cond(m3/h)	429.7	---	---		
42						
43	COMPOSITION					
44						
45	Overall Phase				Vapour Fraction	0.4334
46	COMPONENTS	MOLAR FLOW (kgmole/h)	MOLE FRACTION	MASS FLOW (kg/h)	MASS FRACTION	LIQUID VOLUME FLOW (m3/h)
47						LIQUID VOLUME FRACTION
48	Ethylene	0.00000	0.000000	0.00000	0.000000	0.00000
49	1-Butene	0.00000	0.000000	0.00000	0.000000	0.00000
50	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.00000
51	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.00000
52	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.00000
53	diM-Ether	0.00000	0.000000	0.00000	0.000000	0.00000
54	H2O	0.00000	0.000000	0.00000	0.000000	0.00000
55	Methanol	10680	1.000000	3.4221e+005	1.000000	430.06
56	Propene	0.00000	0.000000	0.00000	0.000000	0.00000
57	R134a	0.00000	0.000000	0.00000	0.000000	0.00000
58	Ammonia	0.00000	0.000000	0.00000	0.000000	0.00000
59	VinylFI	0.00000	0.000000	0.00000	0.000000	0.00000
60	Total	10680	1.0000	3.4221e+005	1.0000	430.06
61						
62						
63	Honeywell International Inc.		UniSim Design (R471 build 22103)		Page 4 of 13	

1	 Aristotle University of Thessaloniki Calgary, Alberta CANADA			Case Name: C:\Users\JohnA\Downloads\Öİİ İİÜää_2ç.usc			
2				Unit Set: EuroSI			
3				Date/Time: Tuesday Feb 24 2026, 12:43:54			
4							
5							
6	Material Stream: 103 (continued)				Fluid Package: Basis-1-1		
7					Property Package: PRSV		
8							
9	COMPOSITION						
10							
11	Vapour Phase				Phase Fraction		0.4334
12							
13	COMPONENTS	MOLAR FLOW	MOLE FRACTION	MASS FLOW	MASS FRACTION	LIQUID VOLUME	LIQUID VOLUME
14		(kgmole/h)		(kg/h)		FLOW (m3/h)	FRACTION
15	Ethylene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
16	1-Butene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
17	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
18	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
19	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
20	diM-Ether	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
21	H2O	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
22	Methanol	4628.6	1.000000	1.4831e+005	1.000000	186.38	1.000000
23	Propene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
24	R134a	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
25	Ammonia	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
26	VinylFI	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
27	Total	4628.6	1.0000	1.4831e+005	1.0000	186.38	1.0000
28							
29	Liquid Phase				Phase Fraction		0.5666
30	COMPONENTS	MOLAR FLOW	MOLE FRACTION	MASS FLOW	MASS FRACTION	LIQUID VOLUME	LIQUID VOLUME
31		(kgmole/h)		(kg/h)		FLOW (m3/h)	FRACTION
32	Ethylene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
33	1-Butene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
34	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
35	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
36	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
37	diM-Ether	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
38	H2O	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
39	Methanol	6051.4	1.000000	1.9390e+005	1.000000	243.68	1.000000
40	Propene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
41	R134a	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
42	Ammonia	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
43	VinylFI	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
44	Total	6051.4	1.0000	1.9390e+005	1.0000	243.68	1.0000
45							
46	K VALUE						
47	COMPONENTS		MIXED		LIGHT		HEAVY
48	Ethylene		---		---		---
49	1-Butene		---		---		---
50	1-Pentene		---		---		---
51	1-Hexene		---		---		---
52	1-Heptene		---		---		---
53	diM-Ether		---		---		---
54	H2O		---		---		---
55	Methanol		1.000		1.000		---
56	Propene		---		---		---
57	R134a		---		---		---
58	Ammonia		---		---		---
59	VinylFI		---		---		---
60							
61							
62							
63	Honeywell International Inc.		UniSim Design (R471 build 22103)				Page 5 of 13

1	 Aristotle University of Thessaloniki Calgary, Alberta CANADA	Case Name: C:\Users\JohnA\Downloads\Öİİ_İiÜää_2ç.usc	
2		Unit Set: EuroSI	
3		Date/Time: Tuesday Feb 24 2026, 12:43:54	
4			
5			
6	Material Stream: 104		Fluid Package: Basis-1-1
7			Property Package: PRSV
8			
9	CONDITIONS		
10			
11		Overall	Vapour Phase
12	Vapour / Phase Fraction	1.0000	1.0000
13	Temperature: (C)	200.0 *	200.0
14	Pressure: (bar)	3.200	3.200
15	Molar Flow (kgmole/h)	1.068e+004	1.068e+004
16	Mass Flow (kg/h)	3.422e+005	3.422e+005
17	Std Ideal Liq Vol Flow (m3/h)	430.1	430.1
18	Molar Enthalpy (kcal/kgmole)	-4.606e+004	-4.606e+004
19	Molar Entropy (kJ/kgmole-C)	149.4	149.4
20	Heat Flow (kcal/h)	-4.919e+008	-4.919e+008
21	Liq Vol Flow @Std Cond (m3/h)	429.7	429.7
22	PROPERTIES		
23			
24		Overall	Vapour Phase
25	Molecular Weight	32.04	32.04
26	Molar Density (kgmole/m3)	8.315e-002	8.315e-002
27	Mass Density (kg/m3)	2.664	2.664
28	Act. Volume Flow (m3/h)	1.284e+005	1.284e+005
29	Mass Enthalpy (kcal/kg)	-1437	-1437
30	Mass Entropy (kJ/kg-C)	4.663	4.663
31	Heat Capacity (kJ/kgmole-C)	58.86	58.86
32	Mass Heat Capacity (kJ/kg-C)	1.837	1.837
33	Lower Heating Value (kcal/kgmole)	1.525e+005	1.525e+005
34	Mass Lower Heating Value (kcal/kg)	4760	4760
35	Phase Fraction [Vol. Basis]	---	1.000
36	Phase Fraction [Mass Basis]	1.000	1.000
37	Partial Pressure of CO2 (bar)	0.0000	---
38	Cost Based on Flow (Cost/s)	0.0000	0.0000
39	Act. Gas Flow (ACT_m3/h)	1.284e+005	1.284e+005
40	Avg. Liq. Density (kgmole/m3)	24.83	24.83
41	Specific Heat (kJ/kgmole-C)	58.86	58.86
42	Std. Gas Flow (STD_m3/h)	2.525e+005	2.525e+005
43	Std. Ideal Liq. Mass Density (kg/m3)	795.7	795.7
44	Act. Liq. Flow (m3/s)	---	---
45	Z Factor	0.9783	0.9783
46	Watson K	10.63	10.63
47	Partial Pressure of H2S (bar)	0.0000	---
48	Cp/(Cp - R)	1.164	1.164
49	Cp/Cv	1.185	1.185
50	Heat of Vap. (kcal/kgmole)	8815	---
51	Kinematic Viscosity (cSt)	3.776	3.776
52	Liq. Mass Density (Std. Cond) (kg/m3)	796.4	796.4
53	Liq. Vol. Flow (Std. Cond) (m3/h)	429.7	429.7
54	Liquid Fraction	0.0000	0.0000
55	Molar Volume (m3/kgmole)	12.03	12.03
56	Mass Heat of Vap. (kcal/kg)	275.1	---
57	Phase Fraction [Molar Basis]	1.0000	1.0000
58	Surface Tension (dyne/cm)	---	---
59	Interfacial Tension (dyne/cm)	---	---
60	Thermal Conductivity (W/m-K)	2.658e-002	2.658e-002
61	Viscosity (cP)	1.006e-002	1.006e-002
62	Cv (Semi-Ideal) (kJ/kgmole-C)	50.55	50.55
63	Honeywell International Inc. UniSim Design (R471 build 22103) Page 6 of 13		

1	Honeywell Aristotle University of Thessaloniki Calgary, Alberta CANADA			Case Name: C:\Users\JohnA\Downloads\Öİ_İiÜää_2ç.usc			
2				Unit Set: EuroSI			
3				Date/Time: Tuesday Feb 24 2026, 12:43:54			
4							
5	Material Stream: 104 (continued)			Fluid Package: Basis-1-1			
6				Property Package: PRSV			
7							
8							
9	PROPERTIES						
10							
11		Overall	Vapour Phase				
12	Mass Cv (Semi-Ideal) (kJ/kg-C)	1.578	1.578				
13	Cv (kJ/kgmole-C)	49.67	49.67				
14	Mass Cv (kJ/kg-C)	1.550	1.550				
15	Cv (Ent. Method) (kJ/kgmole-C)	49.56	49.56				
16	Mass Cv (Ent. Method) (kJ/kg-C)	1.547	1.547				
17	Cp/Cv (Ent. Method)	1.188	1.188				
18	Reid VP at 37.8 C (bar)	---	---				
19	True VP(@37.7778C) (bar)	0.2280	0.2280				
20	Liq. Vol. Flow - Sum(Std. Cond) (m3/h)	429.7	429.7				
21	Liq. Vol. Flow-Flashed@Std Cond(m3/h)	429.7	---				
22	Gas. Vol. Flow-Flashed@Std Cond(m3/h)	0.0000	---				
23	Act. Vol. Flow-Flashed@Std Cond(m3/h)	429.7	---				
24							
25	COMPOSITION						
26							
27	Overall Phase			Vapour Fraction 1.0000			
28	COMPONENTS	MOLAR FLOW (kgmole/h)	MOLE FRACTION	MASS FLOW (kg/h)	MASS FRACTION	LIQUID VOLUME FLOW (m3/h)	
29						LIQUID VOLUME FRACTION	
30	Ethylene	0.00000	0.000000	0.00000	0.000000	0.000000	
31	1-Butene	0.00000	0.000000	0.00000	0.000000	0.000000	
32	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.000000	
33	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.000000	
34	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.000000	
35	diM-Ether	0.00000	0.000000	0.00000	0.000000	0.000000	
36	H2O	0.00000	0.000000	0.00000	0.000000	0.000000	
37	Methanol	10680	1.000000	3.4221e+005	1.000000	430.06	
38	Propene	0.00000	0.000000	0.00000	0.000000	0.000000	
39	R134a	0.00000	0.000000	0.00000	0.000000	0.000000	
40	Ammonia	0.00000	0.000000	0.00000	0.000000	0.000000	
41	VinylFI	0.00000	0.000000	0.00000	0.000000	0.000000	
42	Total	10680	1.0000	3.4221e+005	1.0000	430.06	
43							
44	Vapour Phase			Phase Fraction 1.000			
45	COMPONENTS	MOLAR FLOW (kgmole/h)	MOLE FRACTION	MASS FLOW (kg/h)	MASS FRACTION	LIQUID VOLUME FLOW (m3/h)	
46						LIQUID VOLUME FRACTION	
47	Ethylene	0.00000	0.000000	0.00000	0.000000	0.000000	
48	1-Butene	0.00000	0.000000	0.00000	0.000000	0.000000	
49	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.000000	
50	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.000000	
51	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.000000	
52	diM-Ether	0.00000	0.000000	0.00000	0.000000	0.000000	
53	H2O	0.00000	0.000000	0.00000	0.000000	0.000000	
54	Methanol	10680	1.000000	3.4221e+005	1.000000	430.06	
55	Propene	0.00000	0.000000	0.00000	0.000000	0.000000	
56	R134a	0.00000	0.000000	0.00000	0.000000	0.000000	
57	Ammonia	0.00000	0.000000	0.00000	0.000000	0.000000	
58	VinylFI	0.00000	0.000000	0.00000	0.000000	0.000000	
59	Total	10680	1.0000	3.4221e+005	1.0000	430.06	
60							
61							
62							
63	Honeywell International Inc.		UniSim Design (R471 build 22103)			Page 7 of 13	

1	 Aristotle University of Thessaloniki Calgary, Alberta CANADA		Case Name: C:\Users\JohnA\Downloads\Öİİ_İiÜää_2ç.usc		
2			Unit Set: EuroSI		
3			Date/Time: Tuesday Feb 24 2026, 12:43:54		
4					
5					
6	Material Stream: 104 (continued)		Fluid Package:	Basis-1-1	
7			Property Package:	PRSV	
8					
9	K VALUE				
10					
11	COMPONENTS	MIXED	LIGHT	HEAVY	
12	Ethylene	---	---	---	
13	1-Butene	---	---	---	
14	1-Pentene	---	---	---	
15	1-Hexene	---	---	---	
16	1-Heptene	---	---	---	
17	diM-Ether	---	---	---	
18	H2O	---	---	---	
19	Methanol	---	---	---	
20	Propene	---	---	---	
21	R134a	---	---	---	
22	Ammonia	---	---	---	
23	VinylFI	---	---	---	
24	Material Stream: 105		Fluid Package:	Basis-1-1	
25			Property Package:	PRSV	
26					
27	CONDITIONS				
28					
29		Overall	Vapour Phase	Liquid Phase	
30	Vapour / Phase Fraction	1.0000	1.0000	0.0000	
31	Temperature: (C)	345.2	345.2	345.2	
32	Pressure: (bar)	3.000	3.000	3.000	
33	Molar Flow (kgmole/h)	1.138e+004	1.138e+004	0.0000	
34	Mass Flow (kg/h)	3.645e+005	3.645e+005	0.0000	
35	Std Ideal Liq Vol Flow (m3/h)	491.2	491.2	0.0000	
36	Molar Enthalpy (kcal/kgmole)	-4.609e+004	-4.609e+004	-4.609e+004	
37	Molar Entropy (kJ/kgmole-C)	204.5	204.5	204.5	
38	Heat Flow (kcal/h)	-5.245e+008	-5.245e+008	0.0000	
39	Liq Vol Flow @Std Cond (m3/h)	494.1	494.1	0.0000	
40					
41	PROPERTIES				
42		Overall	Vapour Phase	Liquid Phase	
43	Molecular Weight	32.03	32.03	32.03	
44	Molar Density (kgmole/m3)	5.868e-002	5.868e-002	5.868e-002	
45	Mass Density (kg/m3)	1.880	1.880	1.880	
46	Act. Volume Flow (m3/h)	1.939e+005	1.939e+005	0.0000	
47	Mass Enthalpy (kcal/kg)	-1439	-1439	-1439	
48	Mass Entropy (kJ/kg-C)	6.385	6.385	6.385	
49	Heat Capacity (kJ/kgmole-C)	72.06	72.06	72.06	
50	Mass Heat Capacity (kJ/kg-C)	2.250	2.250	2.250	
51	Lower Heating Value (kcal/kgmole)	1.582e+005	1.582e+005	1.582e+005	
52	Mass Lower Heating Value (kcal/kg)	4940	4940	4940	
53	Phase Fraction [Vol. Basis]	---	1.000	0.0000	
54	Phase Fraction [Mass Basis]	1.000	1.000	0.0000	
55	Partial Pressure of CO2 (bar)	0.0000	---	---	
56	Cost Based on Flow (Cost/s)	0.0000	0.0000	0.0000	
57	Act. Gas Flow (ACT_m3/h)	1.939e+005	1.939e+005	---	
58	Avg. Liq. Density (kgmole/m3)	23.17	23.17	23.17	
59	Specific Heat (kJ/kgmole-C)	72.06	72.06	72.06	
60	Std. Gas Flow (STD_m3/h)	2.690e+005	2.690e+005	0.0000	
61	Std. Ideal Liq. Mass Density (kg/m3)	742.1	742.1	742.1	
62	Act. Liq. Flow (m3/s)	---	---	---	
63	Honeywell International Inc.		UniSim Design (R471 build 22103)		Page 8 of 13

1	Honeywell Aristotle University of Thessaloniki Calgary, Alberta CANADA			Case Name: C:\Users\JohnA\Downloads\Öİİ İiÜää_2ç.usc		
2				Unit Set: EuroSI		
3				Date/Time: Tuesday Feb 24 2026, 12:43:54		
4						
5				Fluid Package: Basis-1-1		
6	Material Stream: 105 (continued)			Property Package: PRSV		
7						
8						
9	PROPERTIES					
10						
11		Overall	Vapour Phase	Liquid Phase		
12	Z Factor	---	0.9944	0.9944		
13	Watson K	11.35	11.35	11.35		
14	Partial Pressure of H2S (bar)	0.0000	---	---		
15	Cp/(Cp - R)	1.130	1.130	1.130		
16	Cp/Cv	1.135	1.135	1.135		
17	Heat of Vap. (kcal/kgmole)	9460	---	---		
18	Kinematic Viscosity (cSt)	9.656	9.656	0.8113		
19	Liq. Mass Density (Std. Cond) (kg/m3)	737.7	737.7	737.7		
20	Liq. Vol. Flow (Std. Cond) (m3/h)	494.1	494.1	0.0000		
21	Liquid Fraction	0.0000	0.0000	1.000		
22	Molar Volume (m3/kgmole)	17.04	17.04	17.04		
23	Mass Heat of Vap. (kcal/kg)	295.3	---	---		
24	Phase Fraction [Molar Basis]	1.0000	1.0000	0.0000		
25	Surface Tension (dyne/cm)	---	---	2.118		
26	Interfacial Tension (dyne/cm)	---	---	---		
27	Thermal Conductivity (W/m-K)	4.842e-002	4.842e-002	0.1341		
28	Viscosity (cP)	1.815e-002	1.815e-002	1.525e-003		
29	Cv (Semi-Ideal) (kJ/kgmole-C)	63.75	63.75	63.75		
30	Mass Cv (Semi-Ideal) (kJ/kg-C)	1.990	1.990	1.990		
31	Cv (kJ/kgmole-C)	63.50	63.50	63.50		
32	Mass Cv (kJ/kg-C)	1.982	1.982	1.982		
33	Cv (Ent. Method) (kJ/kgmole-C)	63.49	63.49	63.57		
34	Mass Cv (Ent. Method) (kJ/kg-C)	1.982	1.982	1.984		
35	Cp/Cv (Ent. Method)	1.135	1.135	1.134		
36	Reid VP at 37.8 C (bar)	7.318	7.318	7.318		
37	True VP(@37.7778C) (bar)	8.024	8.024	8.024		
38	Liq. Vol. Flow - Sum(Std. Cond) (m3/h)	494.1	494.1	0.0000		
39	Liq. Vol. Flow-Flashed@Std Cond(m3/h)	122.7	---	---		
40	Gas. Vol. Flow-Flashed@Std Cond(m3/h)	1.276e+005	---	---		
41	Act. Vol. Flow-Flashed@Std Cond(m3/h)	1.254e+005	---	---		
42	COMPOSITION					
43						
44	Overall Phase				Vapour Fraction	1.0000
45						
46	COMPONENTS	MOLAR FLOW (kgmole/h)	MOLE FRACTION	MASS FLOW (kg/h)	MASS FRACTION	LIQUID VOLUME FLOW (m3/h)
47						LIQUID VOLUME FRACTION
48	Ethylene	0.00000	0.000000	0.00000	0.000000	0.00000
49	1-Butene	0.00000	0.000000	0.00000	0.000000	0.00000
50	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.00000
51	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.00000
52	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.00000
53	diM-Ether	5305.4	0.466248	2.4442e+005	0.670508	364.63
54	H2O	5311.3	0.466767	95684	0.262492	95.877
55	Methanol	762.22	0.066985	24423	0.067000	30.693
56	Propene	0.00000	0.000000	0.00000	0.000000	0.00000
57	R134a	0.00000	0.000000	0.00000	0.000000	0.00000
58	Ammonia	0.00000	0.000000	0.00000	0.000000	0.00000
59	VinylFI	0.00000	0.000000	0.00000	0.000000	0.00000
60	Total	11379	1.0000	3.6452e+005	1.0000	491.20
61						
62						
63	Honeywell International Inc.		UniSim Design (R471 build 22103)			Page 9 of 13
Licensed to: Aristotle University of Thessaloniki						
Printed by: JohnA						
* Specified by user.						

1	 Aristotle University of Thessaloniki Calgary, Alberta CANADA			Case Name: C:\Users\JohnA\Downloads\Öİİ_İiÜää_2ç.usc			
2				Unit Set: EuroSI			
3				Date/Time: Tuesday Feb 24 2026, 12:43:54			
4							
5							
6	Material Stream: 105 (continued)				Fluid Package: Basis-1-1		
7					Property Package: PRSV		
8							
9	COMPOSITION						
10							
11	Vapour Phase Phase Fraction 1.000						
12							
13	COMPONENTS	MOLAR FLOW	MOLE FRACTION	MASS FLOW	MASS FRACTION	LIQUID VOLUME	LIQUID VOLUME
14		(kgmole/h)		(kg/h)		FLOW (m3/h)	FRACTION
15	Ethylene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
16	1-Butene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
17	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
18	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
19	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
20	diM-Ether	5305.4	0.466248	2.4442e+005	0.670508	364.63	0.742327
21	H2O	5311.3	0.466767	95684	0.262492	95.877	0.195188
22	Methanol	762.22	0.066985	24423	0.067000	30.693	0.062485
23	Propene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
24	R134a	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
25	Ammonia	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
26	VinylFI	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
27	Total	11379	1.0000	3.6452e+005	1.0000	491.20	1.0000
28	Liquid Phase Phase Fraction 0.0000						
29							
30	COMPONENTS	MOLAR FLOW	MOLE FRACTION	MASS FLOW	MASS FRACTION	LIQUID VOLUME	LIQUID VOLUME
31		(kgmole/h)		(kg/h)		FLOW (m3/h)	FRACTION
32	Ethylene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
33	1-Butene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
34	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
35	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
36	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
37	diM-Ether	0.00000	0.466248	0.00000	0.670508	0.00000	0.742327
38	H2O	0.00000	0.466767	0.00000	0.262492	0.00000	0.195188
39	Methanol	0.00000	0.066985	0.00000	0.067000	0.00000	0.062485
40	Propene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
41	R134a	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
42	Ammonia	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
43	VinylFI	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000
44	Total	0.00000	1.0000	0.00000	1.0000	0.00000	1.0000
45	K VALUE						
46							
47	COMPONENTS		MIXED		LIGHT		HEAVY
48	Ethylene		---		---		---
49	1-Butene		---		---		---
50	1-Pentene		---		---		---
51	1-Hexene		---		---		---
52	1-Heptene		---		---		---
53	diM-Ether		1.000		1.000		---
54	H2O		1.000		1.000		---
55	Methanol		1.000		1.000		---
56	Propene		---		---		---
57	R134a		---		---		---
58	Ammonia		---		---		---
59	VinylFI		---		---		---
60							
61							
62							
63	Honeywell International Inc.		UniSim Design (R471 build 22103)			Page 10 of 13	

1	 Aristotle University of Thessaloniki Calgary, Alberta CANADA		Case Name: C:\Users\JohnA\Downloads\Öİİ_İiÜää_2ç.usc		
2			Unit Set: EuroSI		
3			Date/Time: Tuesday Feb 24 2026, 12:43:54		
4					
5					
6	Material Stream: ---		Fluid Package: Basis-1-1		
Property Package: PRSV					
9	CONDITIONS				
10					
11		Overall	Vapour Phase	Liquid Phase	
12	Vapour / Phase Fraction	0.0000	0.0000	1.0000	
13	Temperature: (C)	345.2	345.2	345.2	
14	Pressure: (bar)	3.000	3.000	3.000	
15	Molar Flow (kgmole/h)	0.0000	0.0000	0.0000	
16	Mass Flow (kg/h)	0.0000	0.0000	0.0000	
17	Std Ideal Liq Vol Flow (m3/h)	0.0000	0.0000	0.0000	
18	Molar Enthalpy (kcal/kgmole)	-4.609e+004	-4.609e+004	-4.609e+004	
19	Molar Entropy (kJ/kgmole-C)	204.5	204.5	204.5	
20	Heat Flow (kcal/h)	0.0000	0.0000	0.0000	
21	Liq Vol Flow @Std Cond (m3/h)	0.0000	0.0000	0.0000	
22					
23	PROPERTIES				
24		Overall	Vapour Phase	Liquid Phase	
25	Molecular Weight	32.03	32.03	32.03	
26	Molar Density (kgmole/m3)	5.868e-002	5.868e-002	5.868e-002	
27	Mass Density (kg/m3)	1.880	1.880	1.880	
28	Act. Volume Flow (m3/h)	0.0000	0.0000	0.0000	
29	Mass Enthalpy (kcal/kg)	-1439	-1439	-1439	
30	Mass Entropy (kJ/kg-C)	6.385	6.385	6.385	
31	Heat Capacity (kJ/kgmole-C)	72.06	72.06	72.06	
32	Mass Heat Capacity (kJ/kg-C)	2.250	2.250	2.250	
33	Lower Heating Value (kcal/kgmole)	1.582e+005	1.582e+005	1.582e+005	
34	Mass Lower Heating Value (kcal/kg)	4940	4940	4940	
35	Phase Fraction [Vol. Basis]	---	0.0000	1.000	
36	Phase Fraction [Mass Basis]	0.0000	0.0000	1.000	
37	Partial Pressure of CO2 (bar)	0.0000	---	---	
38	Cost Based on Flow (Cost/s)	0.0000	0.0000	0.0000	
39	Act. Gas Flow (ACT_m3/h)	---	---	---	
40	Avg. Liq. Density (kgmole/m3)	---	---	---	
41	Specific Heat (kJ/kgmole-C)	72.06	72.06	72.06	
42	Std. Gas Flow (STD_m3/h)	0.0000	0.0000	0.0000	
43	Std. Ideal Liq. Mass Density (kg/m3)	742.1	742.1	742.1	
44	Act. Liq. Flow (m3/s)	0.0000	---	0.0000	
45	Z Factor	---	0.9944	0.9944	
46	Watson K	11.35	11.35	11.35	
47	Partial Pressure of H2S (bar)	0.0000	---	---	
48	Cp/(Cp - R)	1.130	1.130	1.130	
49	Cp/Cv	1.135	1.135	1.135	
50	Heat of Vap. (kcal/kgmole)	9460	---	---	
51	Kinematic Viscosity (cSt)	0.8113	9.656	0.8113	
52	Liq. Mass Density (Std. Cond) (kg/m3)	737.7	737.7	737.7	
53	Liq. Vol. Flow (Std. Cond) (m3/h)	0.0000	0.0000	0.0000	
54	Liquid Fraction	1.000	0.0000	1.000	
55	Molar Volume (m3/kgmole)	17.04	17.04	17.04	
56	Mass Heat of Vap. (kcal/kg)	295.3	---	---	
57	Phase Fraction [Molar Basis]	0.0000	0.0000	1.0000	
58	Surface Tension (dyne/cm)	2.118	---	2.118	
59	Interfacial Tension (dyne/cm)	---	---	---	
60	Thermal Conductivity (W/m-K)	0.1341	4.842e-002	0.1341	
61	Viscosity (cP)	1.525e-003	1.815e-002	1.525e-003	
62	Cv (Semi-Ideal) (kJ/kgmole-C)	63.75	63.75	63.75	
63	Honeywell International Inc.		UniSim Design (R471 build 22103)		Page 11 of 13

1	Honeywell Aristotle University of Thessaloniki Calgary, Alberta CANADA			Case Name: C:\Users\JohnA\Downloads\Öİ_İiÜää_2ç.usc		
2				Unit Set: EuroSI		
3				Date/Time: Tuesday Feb 24 2026, 12:43:54		
4						
5	Material Stream: --- (continued)			Fluid Package: Basis-1-1		
6				Property Package: PRSV		
7						
8						
9	PROPERTIES					
10						
11		Overall	Vapour Phase	Liquid Phase		
12	Mass Cv (Semi-Ideal) (kJ/kg-C)	1.990	1.990	1.990		
13	Cv (kJ/kgmole-C)	63.50	63.50	63.50		
14	Mass Cv (kJ/kg-C)	1.982	1.982	1.982		
15	Cv (Ent. Method) (kJ/kgmole-C)	---	63.49	63.57		
16	Mass Cv (Ent. Method) (kJ/kg-C)	---	1.982	1.984		
17	Cp/Cv (Ent. Method)	---	1.135	1.134		
18	Reid VP at 37.8 C (bar)	7.318	7.318	7.318		
19	True VP(@37.7778C) (bar)	8.024	8.024	8.024		
20	Liq. Vol. Flow - Sum(Std. Cond) (m3/h)	0.0000	0.0000	0.0000		
21	Liq. Vol. Flow-Flashed@Std Cond(m3/h)	0.0000	---	---		
22	Gas. Vol. Flow-Flashed@Std Cond(m3/h)	0.0000	---	---		
23	Act. Vol. Flow-Flashed@Std Cond(m3/h)	0.0000	---	---		
24						
25	COMPOSITION					
26						
27	Overall Phase			Vapour Fraction 0.0000		
28	COMPONENTS	MOLAR FLOW (kgmole/h)	MOLE FRACTION	MASS FLOW (kg/h)	MASS FRACTION	LIQUID VOLUME FLOW (m3/h)
29						LIQUID VOLUME FRACTION
30	Ethylene	0.00000	0.000000	0.00000	0.000000	0.000000
31	1-Butene	0.00000	0.000000	0.00000	0.000000	0.000000
32	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.000000
33	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.000000
34	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.000000
35	diM-Ether	0.00000	0.466248	0.00000	0.670508	0.000000
36	H2O	0.00000	0.466767	0.00000	0.262492	0.000000
37	Methanol	0.00000	0.066985	0.00000	0.067000	0.000000
38	Propene	0.00000	0.000000	0.00000	0.000000	0.000000
39	R134a	0.00000	0.000000	0.00000	0.000000	0.000000
40	Ammonia	0.00000	0.000000	0.00000	0.000000	0.000000
41	VinylFI	0.00000	0.000000	0.00000	0.000000	0.000000
42	Total	0.00000	1.0000	0.00000	1.0000	0.000000
43						
44	Vapour Phase			Phase Fraction 0.0000		
45	COMPONENTS	MOLAR FLOW (kgmole/h)	MOLE FRACTION	MASS FLOW (kg/h)	MASS FRACTION	LIQUID VOLUME FLOW (m3/h)
46						LIQUID VOLUME FRACTION
47	Ethylene	0.00000	0.000000	0.00000	0.000000	0.000000
48	1-Butene	0.00000	0.000000	0.00000	0.000000	0.000000
49	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.000000
50	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.000000
51	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.000000
52	diM-Ether	0.00000	0.466248	0.00000	0.670508	0.000000
53	H2O	0.00000	0.466767	0.00000	0.262492	0.000000
54	Methanol	0.00000	0.066985	0.00000	0.067000	0.000000
55	Propene	0.00000	0.000000	0.00000	0.000000	0.000000
56	R134a	0.00000	0.000000	0.00000	0.000000	0.000000
57	Ammonia	0.00000	0.000000	0.00000	0.000000	0.000000
58	VinylFI	0.00000	0.000000	0.00000	0.000000	0.000000
59	Total	0.00000	1.0000	0.00000	1.0000	0.000000
60						
61						
62						
63	Honeywell International Inc.		UniSim Design (R471 build 22103)			Page 12 of 13

1	Honeywell Aristotle University of Thessaloniki Calgary, Alberta CANADA			Case Name: C:\Users\JohnA\Downloads\Öİİ İiÜää_2ç.usc				
2				Unit Set: EuroSI				
3				Date/Time: Tuesday Feb 24 2026, 12:43:54				
4								
5								
6	Material Stream: --- (continued)					Fluid Package: Basis-1-1		
7						Property Package: PRSV		
8								
9	COMPOSITION							
10								
11	Liquid Phase					Phase Fraction 1.000		
12								
13	COMPONENTS	MOLAR FLOW	MOLE FRACTION	MASS FLOW	MASS FRACTION	LIQUID VOLUME	LIQUID VOLUME	
14		(kgmole/h)		(kg/h)		FLOW (m3/h)	FRACTION	
15	Ethylene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000	
16	1-Butene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000	
17	1-Pentene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000	
18	1-Hexene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000	
19	1-Heptene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000	
20	diM-Ether	0.00000	0.466248	0.00000	0.670508	0.00000	0.742327	
21	H2O	0.00000	0.466767	0.00000	0.262492	0.00000	0.195188	
22	Methanol	0.00000	0.066985	0.00000	0.067000	0.00000	0.062485	
23	Propene	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000	
24	R134a	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000	
25	Ammonia	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000	
26	VinylFI	0.00000	0.000000	0.00000	0.000000	0.00000	0.000000	
27	Total	0.00000	1.0000	0.00000	1.0000	0.00000	1.0000	
28	K VALUE							
29								
30	COMPONENTS	MIXED		LIGHT		HEAVY		
31	Ethylene	---		---		---		
32	1-Butene	---		---		---		
33	1-Pentene	---		---		---		
34	1-Hexene	---		---		---		
35	1-Heptene	---		---		---		
36	diM-Ether	1.000		1.000		---		
37	H2O	1.000		1.000		---		
38	Methanol	1.000		1.000		---		
39	Propene	---		---		---		
40	R134a	---		---		---		
41	Ammonia	---		---		---		
42	VinylFI	---		---		---		
43								
44								
45								
46								
47								
48								
49								
50								
51								
52								
53								
54								
55								
56								
57								
58								
59								
60								
61								
62								
63	Honeywell International Inc.			UniSim Design (R471 build 22103)		Page 13 of 13		